SEQUENCE OF EVENTS File: cm037b.07.rsoe Source: cm037b.07.pef Generated: Mon Feb 2 20:29:20 2004
M1O (053) DKF: cm037b.07.dkf Alloc: M01O_04014_04044F.SAF
Page 1 OWLT = 10:17, RTLT = 20:34

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1	M1O	04-015/00:01:22.0	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2	M1O	04-015/00:08:23.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3	M1O	04-015/00:08:40.1	14	D/L RF Warning: SC antenna change - expect signal level variation		
4	M1O	04-015/00:09:14.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5	M1O	04-015/00:10:17.3		GV: GV_TIME_IN_SECONDS=0,GV_LIFTOFF_FLAG=1,GV_SEPARATION_FLAG=1, GV_EXPECTED_LAUNCH_TIME=1980-001T00:00:00.000,GV_EXPECTED_SEP_TIME=1980-001T00:00:00.000, GV_TCM_CUTOFF=0,GV_UHF_BUFFER_NOT_EMPTY=0,GV_SPARE_07=0,GV_GRS_MAIN_PWR_ON_OK=1, GV_DESAT_ACTIVE=0,GV_SPARE_10=0,GV_SA_UNRESTRAIN_FAILED=0,GV_SA_IN_HOOK=0, GV_ACTIVE_THRUSTER_STRING=0,GV_SPARE_14=0,GV_SPARE_15=0,GV_SPARE_16=0,GV_SPARE_17=0, GV_SPARE_18=0,GV_SPARE_19=0,GV_SPARE_20=0,GV_SPARE_21=0,GV_SPARE_22=0,GV_SPARE_23=0, GV_SPARE_24=0,GV_SPARE_25=0,GV_SPARE_26=0,GV_SPARE_27=0,GV_SPARE_28=0,GV_SPARE_29=0, GV_SPARE_30=0,GV_SPARE_31=0,GV_SPARE_32=0,GV_SPARE_33=0,GV_SPARE_34=0,GV_SPARE_35=0, GV_SPARE_36=0,GV_SPARE_37=0,GV_MIN_BURN=0,GV_SPARE_39=0,GV_MOI_END=0, GV_MOI_ACCEL_CUTOFF=1,GV_MOI_SA_POS=0,GV_MOI_SM_PYRO=0,GV_SPARE_44=0,GV_SPARE_45=0, GV_ACS_MODE=14,GV_AD_STATE=0,GV_SPARE_48=0,GV_SPARE_49=0,GV_SM_TLM_ON_DUR=0, GV_SPARE_51=0,GV_SPARE_52=0,GV_SPARE_53=0,GV_SPARE_54=0,GV_SPARE_55=0,GV_SPARE_56=0, GV_SPARE_57=0,GV_SPARE_58=0,GV_SPARE_59=0,GV_SPARE_60=0,GV_SPARE_61=0,GV_SPARE_62=0, GV_SPARE_63=0,GV_SPARE_64=0,GV_SPARE_65=0,GV_SPARE_66=0,GV_SPARE_67=0,GV_SPARE_68=0, GV_SPARE_69=0,GV_SPARE_70=0,GV_SPARE_71=0,GV_SPARE_72=0,GV_SPARE_73=0,GV_SPARE_74=0, GV_SPARE_75=0,GV_SPARE_76=0,GV_SPARE_77=0,GV_SPARE_78=0,GV_SPARE_79=0,GV_SPARE_80=0, GV_SPARE_81=0,GV_SPARE_82=0,GV_SPARE_83=0,GV_SPARE_84=0,GV_SPARE_85=0,GV_SPARE_86=0, GV_SPARE_87=0,GV_SPARE_88=0,GV_ALG_PERI_DT=00:00:00, GV_ALG_PERI_PRED_TIME=2002-011T09:04:40.294,GV_CUM_PERI_DT=00:00:00,GV_SPARE_92=0, GV_SPARE_93=0,GV_SEQ_INFO_MSG=,GV_SEQ_WARN_MSG=,GV_SEQ_ERROR_MSG=, GV_PREV_AERO_SEQ=d:/seq/cp331b.abs,GV_SPARE_98=0,GV_SPARE_99=0;		04-015/00:00:00.0
6	M1O	04-015/00:10:17.3		Dummy command to mark beg/end of mini sequences: cz504a, 2004-022T00:00:02.000	START_MINI	04-015/00:00:00.0
7	M1O	04-015/00:10:27.3		Deletes the designated file.: d:/seq/cz504.abs	FILE_DELETE	04-015/00:00:10.0
8	M1O	04-015/00:10:52.3		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-015/00:00:35.0
9	M1O	04-015/00:10:52.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/00:00:35.1
10	M1O	04-015/00:10:53.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/00:00:36.1
11	M1O	04-015/00:10:54.4		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-015/00:00:37.1
12	M1O	04-015/00:10:55.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-015/00:00:38.1
13	M1O	04-015/00:10:55.4	14	D/L RF Warning: SC antenna change - expect signal level variation		
14	M1O	04-015/00:10:56.4		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-015/00:00:39.1
15	M1O	04-015/00:11:06.4		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-015/00:00:49.1
16	M1O	04-015/00:11:16.4		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-015/00:00:59.1
17	M1O	04-015/00:11:17.3		Deletes the designated file.: d:/seq/cm037.abs	FILE_DELETE	04-015/00:01:00.0
18	M1O	04-015/00:15:18.3		Assigns a constant integer to a global variable.: GV_SPARE_18, 0	VM_GV_SET_INT	04-015/00:05:01.0
19	M1O	04-015/00:16:09.9		NOTE: South Pole Crossing 9250		04-015/00:05:52.6
20	M1O	04-015/00:16:16.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/00:05:59.1
21	M1O	04-015/00:16:17.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/00:06:00.1
22	M1O	04-015/00:16:17.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
23	M1O	04-015/00:16:18.4		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-015/00:06:01.1
24	M1O	04-015/00:16:28.9		NOTE: Periapsis 9250 ----------		04-015/00:06:11.5
25	M1O	04-015/00:16:31.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
26	M1O	04-015/00:21:31.0	14	Range Modulation On: SUP=3.0dB		
27	M1O	04-015/00:22:31.0	14	Begin Ranging Acquisition		
28	M1O	04-015/00:30:13.3		SPAWN, Engine = 65535, Parameters = 015, 01, TRUE, 00:17:50, 254, FALSE, 128_KPS,	uhf	04-015/00:19:56.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				00:02:00, 00:00:00		
29	M1O	04-015/00:30:13.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/00:19:56.5
30	M1O	04-015/00:30:13.8	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
31	M1O	04-015/00:30:14.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/00:19:57.1
32	M1O	04-015/00:30:16.4		CALL, Engine = , Parameters = 254	get_cmd_opt	04-015/00:19:59.1
33	M1O	04-015/00:30:16.7		CALL, Engine = , Parameters = 015, 01, 254	bld_autosw	04-015/00:19:59.4
34	M1O	04-015/00:30:17.8		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-015/00:20:00.5
35	M1O	04-015/00:30:18.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:01.6
36	M1O	04-015/00:30:19.9		Deletes the designated file.: d:/dat/254_doy015_pass01_file01.dat	FILE_DELETE	04-015/00:20:02.6
37	M1O	04-015/00:30:21.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:03.7
38	M1O	04-015/00:30:22.0		Deletes the designated file.: d:/dat/254_doy015_pass01_file02.dat	FILE_DELETE	04-015/00:20:04.7
39	M1O	04-015/00:30:23.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:05.8
40	M1O	04-015/00:30:24.1		Deletes the designated file.: d:/dat/254_doy015_pass01_file03.dat	FILE_DELETE	04-015/00:20:06.8
41	M1O	04-015/00:30:25.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:07.9
42	M1O	04-015/00:30:26.2		Deletes the designated file.: d:/dat/254_doy015_pass01_file04.dat	FILE_DELETE	04-015/00:20:08.9
43	M1O	04-015/00:30:27.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:10.0
44	M1O	04-015/00:30:28.3		Deletes the designated file.: d:/dat/254_doy015_pass01_file05.dat	FILE_DELETE	04-015/00:20:11.0
45	M1O	04-015/00:30:29.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:12.1
46	M1O	04-015/00:30:30.4		Deletes the designated file.: d:/dat/254_doy015_pass01_file06.dat	FILE_DELETE	04-015/00:20:13.1
47	M1O	04-015/00:30:31.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:14.2
48	M1O	04-015/00:30:32.5		Deletes the designated file.: d:/dat/254_doy015_pass01_file07.dat	FILE_DELETE	04-015/00:20:15.2
49	M1O	04-015/00:30:33.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:16.3
50	M1O	04-015/00:30:34.6		Deletes the designated file.: d:/dat/254_doy015_pass01_file08.dat	FILE_DELETE	04-015/00:20:17.3
51	M1O	04-015/00:30:35.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:18.4
52	M1O	04-015/00:30:36.7		Deletes the designated file.: d:/dat/254_doy015_pass01_file09.dat	FILE_DELETE	04-015/00:20:19.4
53	M1O	04-015/00:30:37.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:20.5
54	M1O	04-015/00:30:38.8		Deletes the designated file.: d:/dat/254_doy015_pass01_file10.dat	FILE_DELETE	04-015/00:20:21.5
55	M1O	04-015/00:30:39.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:22.6
56	M1O	04-015/00:30:40.9		Deletes the designated file.: d:/dat/254_doy015_pass01_file11.dat	FILE_DELETE	04-015/00:20:23.6
57	M1O	04-015/00:30:42.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:24.7
58	M1O	04-015/00:30:43.0		Deletes the designated file.: d:/dat/254_doy015_pass01_file12.dat	FILE_DELETE	04-015/00:20:25.7
59	M1O	04-015/00:30:44.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:26.8
60	M1O	04-015/00:30:45.1		Deletes the designated file.: d:/dat/254_doy015_pass01_file13.dat	FILE_DELETE	04-015/00:20:27.8
61	M1O	04-015/00:30:46.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:28.9
62	M1O	04-015/00:30:47.2		Deletes the designated file.: d:/dat/254_doy015_pass01_file14.dat	FILE_DELETE	04-015/00:20:29.9
63	M1O	04-015/00:30:48.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:31.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
64	M1O	04-015/00:30:49.3		Deletes the designated file.: d:/dat/254_doy015_pass01_file15.dat	FILE_DELETE	04-015/00:20:32.0
65	M1O	04-015/00:30:50.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:33.1
66	M1O	04-015/00:30:51.4		Deletes the designated file.: d:/dat/254_doy015_pass01_file16.dat	FILE_DELETE	04-015/00:20:34.1
67	M1O	04-015/00:30:52.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:35.2
68	M1O	04-015/00:30:53.5		Deletes the designated file.: d:/dat/254_doy015_pass01_file17.dat	FILE_DELETE	04-015/00:20:36.2
69	M1O	04-015/00:30:54.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:37.3
70	M1O	04-015/00:30:55.6		Deletes the designated file.: d:/dat/254_doy015_pass01_file18.dat	FILE_DELETE	04-015/00:20:38.3
71	M1O	04-015/00:30:56.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/00:20:39.4
72	M1O	04-015/00:30:57.7		Deletes the designated file.: d:/dat/254_doy015_pass01_file19.dat	FILE_DELETE	04-015/00:20:40.4
73	M1O	04-015/00:30:58.7		CALL, Engine = , Parameters = 254	get_apid	04-015/00:20:41.4
74	M1O	04-015/00:30:59.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-015/00:20:42.5
75	M1O	04-015/00:31:00.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-015/00:20:42.7
76	M1O	04-015/00:31:01.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-015/00:20:43.8
77	M1O	04-015/00:31:02.4		CALL, Engine = , Parameters = 254	get_coding	04-015/00:20:45.1
78	M1O	04-015/00:31:03.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-015/00:20:46.3
79	M1O	04-015/00:31:04.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-015/00:20:47.5
80	M1O	04-015/00:32:09.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-015/00:21:52.3
81	M1O	04-015/00:32:10.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-015/00:21:53.3
82	M1O	04-015/00:32:11.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-015/00:21:54.3
83	M1O	04-015/00:32:12.6		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-015/00:21:55.3
84	M1O	04-015/00:32:13.6		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-015/00:21:56.3
85	M1O	04-015/00:32:14.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-015/00:21:57.3
86	M1O	04-015/00:32:15.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-015/00:21:58.3
87	M1O	04-015/00:33:15.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
88	M1O	04-015/00:34:05.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/00:23:48.3
89	M1O	04-015/00:34:15.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-015/00:23:58.3
90	M1O	04-015/00:36:02.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/00:25:45.0
91	M1O	04-015/00:37:05.6	14	Acquire D/L: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
92	M1O	04-015/00:42:07.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/00:31:50.0
93	M1O	04-015/00:42:07.4	14	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
94	M1O	04-015/00:42:08.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/00:31:51.0
95	M1O	04-015/00:42:08.4	14	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
96	M1O	04-015/00:43:15.0	14	Range Modulation Off		
97	M1O	04-015/00:44:05.2		NOTE: Enter Solar Eclipse 9250		04-015/00:33:47.8
98	M1O	04-015/00:45:27.5		NOTE: Ascending Node Crossing 9250		04-015/00:35:10.1
99	M1O	04-015/00:48:15.0	14	X-Band Transmitter Off		
100	M1O	04-015/00:50:03.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-015/00:39:46.3
101	M1O	04-015/00:50:04.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-015/00:39:47.4
102	M1O	04-015/00:50:14.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-015/00:39:57.4
103	M1O	04-015/00:50:15.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/00:39:58.4
104	M1O	04-015/00:50:16.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data	DOWNLINK_MODE	04-015/00:39:59.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				stream.: NOM_TLM		
105	M1O	04-015/00:50:16.8	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
106	M1O	04-015/00:50:17.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-015/00:40:00.4
107	M1O	04-015/00:55:16.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/00:44:59.0
108	M1O	04-015/00:55:16.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
109	M1O	04-015/01:03:00.9		NOTE: Exit Solar Eclipse 9250		04-015/00:52:43.4
110	M1O	04-015/01:07:47.7		SPAWN, Engine = 65535, Parameters = 3, 00:27:54, 1	dpt	04-015/00:57:30.2
111	M1O	04-015/01:07:49.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/00:57:32.3
112	M1O	04-015/01:07:49.8	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
113	M1O	04-015/01:07:50.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/00:57:33.3
114	M1O	04-015/01:08:49.8	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
115	M1O	04-015/01:08:51.5		NOTE: ENTER HGA KEEP OUT ZONE		
116	M1O	04-015/01:08:51.5	14	NOTE: Loss Of X-Band Signal		
117	M1O	04-015/01:10:09.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
118	M1O	04-015/01:14:51.2		NOTE: Enter Planetary Atmosphere 9250		04-015/01:04:33.6
119	M1O	04-015/01:15:09.0	14	Range Modulation On: SUP=3.0dB		
120	M1O	04-015/01:15:27.7		NOTE: North Pole Crossing 9250		04-015/01:05:10.2
121	M1O	04-015/01:16:01.6		NOTE: Apoapsis 9250 -		04-015/01:05:44.1
122	M1O	04-015/01:16:09.0	14	Begin Ranging Acquisition		
123	M1O	04-015/01:16:59.1		NOTE: Enter Earth Occultation 9250		04-015/01:06:41.6
124	M1O	04-015/01:21:31.5		NOTE: EXIT HGA KEEP OUT ZONE		
125	M1O	04-015/01:30:11.9		NOTE: Exit Earth Occultation 9250		04-015/01:19:54.4
126	M1O	04-015/01:30:11.9	14	Acquisition Of X-Band Signal		
127	M1O	04-015/01:30:11.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
128	M1O	04-015/01:30:44.0	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
129	M1O	04-015/01:32:21.2		NOTE: Exit Planetary Atmosphere 9250		04-015/01:22:03.6
130	M1O	04-015/01:35:43.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/01:25:26.3
131	M1O	04-015/01:35:43.8	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
132	M1O	04-015/01:35:44.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/01:25:27.3
133	M1O	04-015/01:45:28.9		NOTE: Descending Node Crossing 9251		04-015/01:35:11.2
134	M1O	04-015/02:14:47.0		NOTE: South Pole Crossing 9251		04-015/02:04:29.3
135	M1O	04-015/02:15:05.8		NOTE: Periapsis 9251 ----------		04-015/02:04:48.1
136	M1O	04-015/02:28:40.7		SPAWN, Engine = 65535, Parameters = 015, 02, FALSE, 00:15:35.771, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-015/02:18:23.0
137	M1O	04-015/02:28:41.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/02:18:24.1
138	M1O	04-015/02:28:43.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-015/02:18:26.1
139	M1O	04-015/02:29:26.0		CALL, Engine = , Parameters = 254	get_apid	04-015/02:19:08.3
140	M1O	04-015/02:29:27.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-015/02:19:09.4
141	M1O	04-015/02:29:27.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-015/02:19:09.6
142	M1O	04-015/02:29:28.4		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-015/02:19:10.7
143	M1O	04-015/02:29:29.7		CALL, Engine = , Parameters = 254	get_coding	04-015/02:19:12.0
144	M1O	04-015/02:29:30.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-015/02:19:13.2
145	M1O	04-015/02:29:32.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-015/02:19:14.4
146	M1O	04-015/02:30:36.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-015/02:20:19.2
147	M1O	04-015/02:30:37.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-015/02:20:20.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
148	M1O	04-015/02:30:38.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-015/02:20:21.2
149	M1O	04-015/02:30:39.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-015/02:20:22.2
150	M1O	04-015/02:30:40.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-015/02:20:23.2
151	M1O	04-015/02:30:41.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-015/02:20:24.2
152	M1O	04-015/02:30:42.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-015/02:20:25.2
153	M1O	04-015/02:31:52.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
154	M1O	04-015/02:41:52.0	14	Range Modulation Off		
155	M1O	04-015/02:42:41.5		NOTE: Enter Solar Eclipse 9251		04-015/02:32:23.7
156	M1O	04-015/02:44:04.3		NOTE: Ascending Node Crossing 9251		04-015/02:33:46.5
157	M1O	04-015/02:46:14.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-015/02:35:56.9
158	M1O	04-015/02:46:15.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-015/02:35:58.0
159	M1O	04-015/02:46:25.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-015/02:36:08.0
160	M1O	04-015/02:46:26.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/02:36:09.0
161	M1O	04-015/02:46:52.0	14	X-Band Transmitter Off		
162	M1O	04-015/03:01:36.5		NOTE: Exit Solar Eclipse 9251		04-015/02:51:18.7
163	M1O	04-015/03:06:25.0		SPAWN, Engine = 65535, Parameters = 3, 00:27:54, 1	dpt	04-015/02:56:07.2
164	M1O	04-015/03:06:27.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/02:56:09.3
165	M1O	04-015/03:06:27.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
166	M1O	04-015/03:06:28.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/02:56:10.3
167	M1O	04-015/03:07:27.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
168	M1O	04-015/03:07:28.8		NOTE: ENTER HGA KEEP OUT ZONE		
169	M1O	04-015/03:07:28.8	14	NOTE: Loss Of X-Band Signal		
170	M1O	04-015/03:08:46.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
171	M1O	04-015/03:13:27.6		NOTE: Enter Planetary Atmosphere 9251		04-015/03:03:09.7
172	M1O	04-015/03:13:46.0	14	Range Modulation On: SUP=3.0dB		
173	M1O	04-015/03:14:04.4		NOTE: North Pole Crossing 9251		04-015/03:03:46.5
174	M1O	04-015/03:14:24.6		NOTE: Apoapsis 9251 -		04-015/03:04:06.7
175	M1O	04-015/03:14:46.0	14	Begin Ranging Acquisition		
176	M1O	04-015/03:15:35.4		NOTE: Enter Earth Occultation 9251		04-015/03:05:17.5
177	M1O	04-015/03:20:08.9		NOTE: EXIT HGA KEEP OUT ZONE		
178	M1O	04-015/03:28:49.1		NOTE: Exit Earth Occultation 9251		04-015/03:18:31.2
179	M1O	04-015/03:28:49.1	14	Acquisition Of X-Band Signal		
180	M1O	04-015/03:28:49.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
181	M1O	04-015/03:29:21.7	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
182	M1O	04-015/03:30:58.3		NOTE: Exit Planetary Atmosphere 9251		04-015/03:20:40.3
183	M1O	04-015/03:34:21.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/03:24:03.3
184	M1O	04-015/03:34:21.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
185	M1O	04-015/03:34:22.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/03:24:04.3
186	M1O	04-015/03:44:05.3		NOTE: Descending Node Crossing 9252		04-015/03:33:47.3
187	M1O	04-015/04:13:23.5		NOTE: South Pole Crossing 9252		04-015/04:03:05.4
188	M1O	04-015/04:13:37.4		NOTE: Periapsis 9252 ----------		04-015/04:03:19.3
189	M1O	04-015/04:19:05.6		Invokes a snapshot of the most recently acquired star camera image for inclusion in nonchannelized telemetry.: 0x0040	SC_PICTURE_DUMP	04-015/04:08:47.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
190	M1O	04-015/04:20:05.6		Invokes a snapshot of the most recently acquired star camera image for inclusion in nonchannelized telemetry.: 0x0040	SC_PICTURE_DUMP	04-015/04:09:47.5
191	M1O	04-015/04:30:28.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
192	M1O	04-015/04:33:05.6		Invokes a snapshot of the most recently acquired star camera image for inclusion in nonchannelized telemetry.: 0x0040	SC_PICTURE_DUMP	04-015/04:22:47.5
193	M1O	04-015/04:34:05.6		Invokes a snapshot of the most recently acquired star camera image for inclusion in nonchannelized telemetry.: 0x0040	SC_PICTURE_DUMP	04-015/04:23:47.5
194	M1O	04-015/04:40:28.0	14	Range Modulation Off		
195	M1O	04-015/04:41:18.2		NOTE: Enter Solar Eclipse 9252		04-015/04:31:00.1
196	M1O	04-015/04:42:40.9		NOTE: Ascending Node Crossing 9252		04-015/04:32:22.7
197	M1O	04-015/04:45:28.0	14	X-Band Transmitter Off		
198	M1O	04-015/04:55:05.7		Invokes a snapshot of the most recently acquired star camera image for inclusion in nonchannelized telemetry.: 0x0040	SC_PICTURE_DUMP	04-015/04:44:47.5
199	M1O	04-015/04:56:05.7		Invokes a snapshot of the most recently acquired star camera image for inclusion in nonchannelized telemetry.: 0x0040	SC_PICTURE_DUMP	04-015/04:45:47.5
200	M1O	04-015/04:56:20.7		Invokes a snapshot of the most recently acquired star camera image for inclusion in nonchannelized telemetry.: 0x0020	SC_PICTURE_DUMP	04-015/04:46:02.5
201	M1O	04-015/05:00:15.3		NOTE: Exit Solar Eclipse 9252		04-015/04:49:57.1
202	M1O	04-015/05:05:01.4		SPAWN, Engine = 65535, Parameters = 3, 00:27:58, 1	dpt	04-015/04:54:43.2
203	M1O	04-015/05:05:03.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/04:54:45.3
204	M1O	04-015/05:05:03.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
205	M1O	04-015/05:05:04.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/04:54:46.3
206	M1O	04-015/05:06:04.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
207	M1O	04-015/05:06:05.2		NOTE: ENTER HGA KEEP OUT ZONE		
208	M1O	04-015/05:06:05.2	14	NOTE: Loss Of X-Band Signal		
209	M1O	04-015/05:07:26.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
210	M1O	04-015/05:11:57.2		NOTE: Enter Planetary Atmosphere 9252		04-015/05:01:38.9
211	M1O	04-015/05:12:26.0	14	Range Modulation On: SUP=3.0dB		
212	M1O	04-015/05:12:40.0		NOTE: North Pole Crossing 9252		04-015/05:02:21.7
213	M1O	04-015/05:12:45.9		NOTE: Apoapsis 9252 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
231	M1O	04-015/05:55:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
232	M1O	04-015/05:55:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
233	M1O	04-015/05:55:00.0	43	At BOT: S/C Transmitter Status: PWR=OFF, EXC=1, PWR=OFF, EXC=2		
234	M1O	04-015/05:55:00.0	43	Config: RCV: Parms:		
235	M1O	04-015/05:55:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
236	M1O	04-015/05:55:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
237	M1O	04-015/05:55:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
238	M1O	04-015/05:55:40.4		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-015/05:45:22.0
239	M1O	04-015/05:55:40.5		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-015/05:45:22.1
240	M1O	04-015/05:55:41.5		Forces a desaturation of the reaction wheels.	RW_DESAT	04-015/05:45:23.1
241	M1O	04-015/05:56:47.4		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, TRUE	cend	04-015/05:46:29.0
242	M1O	04-015/05:57:03.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-013T05:46:29.100, 2004-015T05:46:29.100	PCKTS_RE_TX_TIME	04-015/05:46:44.8
243	M1O	04-015/05:57:04.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-013T05:46:29.100, 2004-015T05:46:29.100	PCKTS_RE_TX_TIME	04-015/05:46:45.8
244	M1O	04-015/05:57:05.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-013T05:46:29.100, 2004-015T05:46:29.100	PCKTS_RE_TX_TIME	04-015/05:46:46.8
245	M1O	04-015/05:57:06.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-013T05:46:29.100, 2004-015T05:46:29.100	PCKTS_RE_TX_TIME	04-015/05:46:47.8
246	M1O	04-015/05:57:07.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-013T05:46:29.100, 2004-015T05:46:29.100	PCKTS_RE_TX_TIME	04-015/05:46:48.8
247	M1O	04-015/05:57:08.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-013T05:46:29.100, 2004-015T05:46:29.100	PCKTS_RE_TX_TIME	04-015/05:46:49.8
248	M1O	04-015/05:57:08.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-015/05:46:49.8
249	M1O	04-015/05:57:08.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
250	M1O	04-015/06:04:09.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/05:53:50.8
251	M1O	04-015/06:04:09.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
252	M1O	04-015/06:04:10.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/05:53:51.8
253	M1O	04-015/06:04:40.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: OFF	SDST_EXCITER	04-015/05:54:21.8
254	M1O	04-015/06:04:40.2	14	NOTE: Loss Of X-Band Signal		
255	M1O	04-015/06:04:50.2		Turns power OFF or ON to the SSPA assigned as active.: OFF	SSPA_POWER	04-015/05:54:31.8
256	M1O	04-015/06:04:51.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-015/05:54:32.8
257	M1O	04-015/06:04:52.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-015/05:54:33.8
258	M1O	04-015/06:07:11.5		CALL, Engine = , Parameters = FALSE	park_hga	04-015/05:56:53.1
259	M1O	04-015/06:07:11.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/05:56:53.1
260	M1O	04-015/06:07:12.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-015/05:56:54.1
261	M1O	04-015/06:07:13.5		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-015/05:56:55.1
262	M1O	04-015/06:07:13.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-015/05:56:55.1
263	M1O	04-015/06:07:13.5		NOTE: START HGA PARK		
264	M1O	04-015/06:07:14.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-015/05:56:56.1
265	M1O	04-015/06:07:15.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-015/05:56:57.1
266	M1O	04-015/06:11:45.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-015/06:01:27.1
267	M1O	04-015/06:11:57.7		NOTE: South Pole Crossing 9253		04-015/06:01:39.2
268	M1O	04-015/06:12:11.9		NOTE: Periapsis 9253 ----------		04-015/06:01:53.5
269	M1O	04-015/06:15:15.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-015/06:04:57.1
270	M1O	04-015/06:15:15.5		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-015/06:04:57.1
271	M1O	04-015/06:25:00.0	43	Begin Tracking		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
272	M1O	04-015/06:33:55.5		SPAWN, Engine = 65535, Parameters = 015, 01, FALSE, 00:19:10.365, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-015/06:23:37.0
273	M1O	04-015/06:33:56.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/06:23:38.1
274	M1O	04-015/06:33:58.6		CALL, Engine = , Parameters = 56	get_cmd_opt	04-015/06:23:40.1
275	M1O	04-015/06:34:40.8		CALL, Engine = , Parameters = 56	get_apid	04-015/06:24:22.3
276	M1O	04-015/06:34:41.9		CALL, Engine = , Parameters = 56	get_rcv_mode	04-015/06:24:23.4
277	M1O	04-015/06:34:42.1		CALL, Engine = , Parameters = 56	get_dl_rate	04-015/06:24:23.6
278	M1O	04-015/06:34:43.2		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-015/06:24:24.7
279	M1O	04-015/06:34:44.4		CALL, Engine = , Parameters = 56	get_coding	04-015/06:24:25.9
280	M1O	04-015/06:34:45.6		CALL, Engine = , Parameters = 56	get_xmt_mode	04-015/06:24:27.1
281	M1O	04-015/06:34:46.8		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-015/06:24:28.3
282	M1O	04-015/06:35:51.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-015/06:25:33.1
283	M1O	04-015/06:35:52.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-015/06:25:34.1
284	M1O	04-015/06:35:53.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-015/06:25:35.1
285	M1O	04-015/06:35:54.6		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-015/06:25:36.1
286	M1O	04-015/06:35:55.6		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-015/06:25:37.1
287	M1O	04-015/06:35:56.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-015/06:25:38.1
288	M1O	04-015/06:35:57.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-015/06:25:39.1
289	M1O	04-015/06:39:51.9		NOTE: Enter Solar Eclipse 9253		04-015/06:29:33.3
290	M1O	04-015/06:41:15.0		NOTE: Ascending Node Crossing 9253		04-015/06:30:56.4
291	M1O	04-015/06:45:00.0	14	End Tracking		
292	M1O	04-015/06:45:15.5		GV: GV_DESAT_ACTIVE = 1		04-015/06:34:57.0
293	M1O	04-015/06:45:16.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-015/06:34:58.0
294	M1O	04-015/06:45:16.5		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-015/06:34:58.0
295	M1O	04-015/06:55:04.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-015/06:44:45.4
296	M1O	04-015/06:55:05.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-015/06:44:46.5
297	M1O	04-015/06:55:15.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-015/06:44:56.5
298	M1O	04-015/06:55:15.6		GV: GV_DESAT_ACTIVE = 0		04-015/06:44:57.0
299	M1O	04-015/06:55:16.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/06:44:57.5
300	M1O	04-015/06:55:16.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-015/06:44:58.0
301	M1O	04-015/06:55:17.6		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-015/06:44:59.0
302	M1O	04-015/06:55:18.6		CALL, Engine = , Parameters =	unpark_hga	04-015/06:45:00.0
303	M1O	04-015/06:55:18.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-015/06:45:00.0
304	M1O	04-015/06:55:19.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-015/06:45:01.0
305	M1O	04-015/06:58:52.5		NOTE: Exit Solar Eclipse 9253		04-015/06:48:33.9
306	M1O	04-015/06:59:49.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-015/06:49:31.0
307	M1O	04-015/06:59:50.6		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-015/06:49:32.0
308	M1O	04-015/07:00:00.0	14	End Post-Cal		
309	M1O	04-015/07:03:15.6		SPAWN, Engine = 65535, Parameters = 00:27:25.878	cstr	04-015/06:52:57.0
310	M1O	04-015/07:03:15.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/06:52:57.1
311	M1O	04-015/07:03:16.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/06:52:58.1
312	M1O	04-015/07:03:17.7		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-015/06:52:59.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
313	M1O	04-015/07:03:18.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-015/06:53:00.1
314	M1O	04-015/07:03:19.7		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-015/06:53:01.1
315	M1O	04-015/07:03:29.7		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-015/06:53:11.1
316	M1O	04-015/07:03:39.7		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-015/06:53:21.1
317	M1O	04-015/07:03:50.6		NOTE: EXIT HGA PARK		
318	M1O	04-015/07:03:50.6	43	Acquisition Of X-Band Signal		
319	M1O	04-015/07:03:50.6	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
320	M1O	04-015/07:04:39.6		NOTE: ENTER HGA KEEP OUT ZONE		
321	M1O	04-015/07:04:39.6	43	NOTE: Loss Of X-Band Signal		
322	M1O	04-015/07:10:18.6		SPAWN, Engine = 65535, Parameters =	scdiag	04-015/07:00:00.0
323	M1O	04-015/07:10:19.7		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-015/07:00:01.1
324	M1O	04-015/07:10:20.7		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-015/07:00:02.1
325	M1O	04-015/07:10:24.4		NOTE: Enter Planetary Atmosphere 9253		04-015/07:00:05.8
326	M1O	04-015/07:11:13.0		NOTE: North Pole Crossing 9253		04-015/07:00:54.4
327	M1O	04-015/07:11:21.6		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-015/07:01:03.0
328	M1O	04-015/07:11:21.8		NOTE: Start Block fsw_diag		04-015/07:01:03.2
329	M1O	04-015/07:11:22.8		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-015/07:01:04.2
330	M1O	04-015/07:11:23.8		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-015/07:01:05.2
331	M1O	04-015/07:11:27.2		NOTE: Apoapsis 9253 -		04-015/07:01:08.6
332	M1O	04-015/07:11:34.8		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-015/07:01:16.2
333	M1O	04-015/07:12:04.8		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-015/07:01:46.2
334	M1O	04-015/07:12:24.8		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-015/07:02:06.2
335	M1O	04-015/07:12:29.4		NOTE: Enter Earth Occultation 9253		04-015/07:02:10.7
336	M1O	04-015/07:12:34.8		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-015/07:02:16.2
337	M1O	04-015/07:12:54.8		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-015/07:02:36.2
338	M1O	04-015/07:13:04.8		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-015/07:02:46.2
339	M1O	04-015/07:13:09.8		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-015/07:02:51.2
340	M1O	04-015/07:13:14.8		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-015/07:02:56.2
341	M1O	04-015/07:13:19.8		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-015/07:03:01.2
342	M1O	04-015/07:13:24.8		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-015/07:03:06.2
343	M1O	04-015/07:13:29.8		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-015/07:03:11.2
344	M1O	04-015/07:14:09.8		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-015/07:03:51.2
345	M1O	04-015/07:14:14.8		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-015/07:03:56.2
346	M1O	04-015/07:14:19.8		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-015/07:04:01.2
347	M1O	04-015/07:14:24.8		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-015/07:04:06.2
348	M1O	04-015/07:14:29.8		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-015/07:04:11.2
349	M1O	04-015/07:14:30.8		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-015/07:04:12.2
350	M1O	04-015/07:14:31.8		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-015/07:04:13.2
351	M1O	04-015/07:14:32.8		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-015/07:04:14.2
352	M1O	04-015/07:14:43.8		NOTE: End Block fsw_diag.mod		04-015/07:04:25.2
353	M1O	04-015/07:17:19.6		NOTE: EXIT HGA KEEP OUT ZONE		
354	M1O	04-015/07:26:06.5		NOTE: Exit Earth Occultation 9253		04-015/07:15:47.8
355	M1O	04-015/07:26:06.5	43	Acquisition Of X-Band Signal		
356	M1O	04-015/07:26:06.5	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
357	M1O	04-015/07:28:12.7		NOTE: Exit Planetary Atmosphere 9253		04-015/07:17:54.0
358	M1O	04-015/07:31:05.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/07:20:46.9
359	M1O	04-015/07:31:06.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/07:20:47.9
360	M1O	04-015/07:31:06.6	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
361	M1O	04-015/07:31:07.6		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-015/07:20:48.9
362	M1O	04-015/07:41:11.6		NOTE: Descending Node Crossing 9254		04-015/07:30:52.9
363	M1O	04-015/08:10:29.0		NOTE: South Pole Crossing 9254		04-015/08:00:10.1
364	M1O	04-015/08:10:42.3		NOTE: Periapsis 9254 ----------		04-015/08:00:23.5
365	M1O	04-015/08:34:56.9		SPAWN, Engine = 65535, Parameters = 015, 02, FALSE, 00:12:12.610, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-015/08:24:38.0
366	M1O	04-015/08:34:58.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/08:24:39.1
367	M1O	04-015/08:35:00.0		CALL, Engine = , Parameters = 56	get_cmd_opt	04-015/08:24:41.1
368	M1O	04-015/08:35:42.2		CALL, Engine = , Parameters = 56	get_apid	04-015/08:25:23.3
369	M1O	04-015/08:35:43.3		CALL, Engine = , Parameters = 56	get_rcv_mode	04-015/08:25:24.4
370	M1O	04-015/08:35:43.5		CALL, Engine = , Parameters = 56	get_dl_rate	04-015/08:25:24.6
371	M1O	04-015/08:35:44.6		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-015/08:25:25.7
372	M1O	04-015/08:35:45.8		CALL, Engine = , Parameters = 56	get_coding	04-015/08:25:26.9
373	M1O	04-015/08:35:47.0		CALL, Engine = , Parameters = 56	get_xmt_mode	04-015/08:25:28.1
374	M1O	04-015/08:35:48.2		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-015/08:25:29.3
375	M1O	04-015/08:36:53.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-015/08:26:34.1
376	M1O	04-015/08:36:54.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-015/08:26:35.1
377	M1O	04-015/08:36:55.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-015/08:26:36.1
378	M1O	04-015/08:36:56.0		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-015/08:26:37.1
379	M1O	04-015/08:36:57.0		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-015/08:26:38.1
380	M1O	04-015/08:36:58.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-015/08:26:39.1
381	M1O	04-015/08:36:59.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-015/08:26:40.1
382	M1O	04-015/08:38:22.2		NOTE: Enter Solar Eclipse 9254		04-015/08:28:03.3
383	M1O	04-015/08:39:45.7		NOTE: Ascending Node Crossing 9254		04-015/08:29:26.8
384	M1O	04-015/08:49:07.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-015/08:38:48.7
385	M1O	04-015/08:49:08.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-015/08:38:49.8
386	M1O	04-015/08:49:18.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-015/08:38:59.8
387	M1O	04-015/08:49:19.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/08:39:00.8
388	M1O	04-015/08:57:22.7		NOTE: Exit Solar Eclipse 9254		04-015/08:47:03.7
389	M1O	04-015/09:02:10.0		SPAWN, Engine = 65535, Parameters = 3, 00:27:24.326, 1	dpt	04-015/08:51:51.0
390	M1O	04-015/09:02:12.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/08:51:53.1
391	M1O	04-015/09:02:12.1	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
392	M1O	04-015/09:02:13.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/08:51:54.1
393	M1O	04-015/09:03:12.0		NOTE: ENTER HGA KEEP OUT ZONE		
394	M1O	04-015/09:03:12.0	43	NOTE: Loss Of X-Band Signal		
395	M1O	04-015/09:08:56.0		NOTE: Enter Planetary Atmosphere 9254		04-015/08:58:37.0
396	M1O	04-015/09:09:44.1		NOTE: North Pole Crossing 9254		04-015/08:59:25.1
397	M1O	04-015/09:09:57.4		NOTE: Apoapsis 9254 -		04-015/08:59:38.4
398	M1O	04-015/09:11:01.2		NOTE: Enter Earth Occultation 9254		04-015/09:00:42.2
399	M1O	04-015/09:15:52.0		NOTE: EXIT HGA KEEP OUT ZONE		
400	M1O	04-015/09:24:36.3		NOTE: Exit Earth Occultation 9254		04-015/09:14:17.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
401	M1O	04-015/09:24:36.3	43	Acquisition Of X-Band Signal		
402	M1O	04-015/09:24:36.3	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
403	M1O	04-015/09:26:42.9		NOTE: Exit Planetary Atmosphere 9254		04-015/09:16:23.8
404	M1O	04-015/09:29:36.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/09:19:17.4
405	M1O	04-015/09:29:36.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
406	M1O	04-015/09:29:37.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/09:19:18.4
407	M1O	04-015/09:39:43.0		NOTE: Descending Node Crossing 9255		04-015/09:29:23.9
408	M1O	04-015/10:08:54.9		NOTE: Periapsis 9255 ----------		04-015/09:58:35.7
409	M1O	04-015/10:09:00.0		NOTE: South Pole Crossing 9255		04-015/09:58:40.8
410	M1O	04-015/10:36:55.6		NOTE: Enter Solar Eclipse 9255		04-015/10:26:36.3
411	M1O	04-015/10:38:17.2		NOTE: Ascending Node Crossing 9255		04-015/10:27:57.9
412	M1O	04-015/10:55:48.5		NOTE: Exit Solar Eclipse 9255		04-015/10:45:29.2
413	M1O	04-015/11:00:41.3		SPAWN, Engine = 65535, Parameters = 3, 00:27:18.354, 1	dpt	04-015/10:50:22.0
414	M1O	04-015/11:00:43.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/10:50:24.1
415	M1O	04-015/11:00:43.4	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
416	M1O	04-015/11:00:44.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/10:50:25.1
417	M1O	04-015/11:01:43.3		NOTE: ENTER HGA KEEP OUT ZONE		
418	M1O	04-015/11:01:43.3	43	NOTE: Loss Of X-Band Signal		
419	M1O	04-015/11:07:36.3		NOTE: Enter Planetary Atmosphere 9255		04-015/10:57:16.9
420	M1O	04-015/11:08:12.6		NOTE: Apoapsis 9255 -		04-015/10:57:53.2
421	M1O	04-015/11:08:16.7		NOTE: North Pole Crossing 9255		04-015/10:57:57.3
422	M1O	04-015/11:09:43.6		NOTE: Enter Earth Occultation 9255		04-015/10:59:24.2
423	M1O	04-015/11:14:23.4		NOTE: EXIT HGA KEEP OUT ZONE		
424	M1O	04-015/11:23:01.7		NOTE: Exit Earth Occultation 9255		04-015/11:12:42.3
425	M1O	04-015/11:23:01.7	43	Acquisition Of X-Band Signal		
426	M1O	04-015/11:23:01.7	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
427	M1O	04-015/11:25:10.4		NOTE: Exit Planetary Atmosphere 9255		04-015/11:14:51.0
428	M1O	04-015/11:28:01.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/11:17:42.4
429	M1O	04-015/11:28:01.9	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
430	M1O	04-015/11:28:02.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/11:17:43.4
431	M1O	04-015/11:38:16.4		NOTE: Descending Node Crossing 9256		04-015/11:27:56.9
432	M1O	04-015/12:07:28.1		NOTE: Periapsis 9256 ----------		04-015/11:57:08.5
433	M1O	04-015/12:07:34.6		NOTE: South Pole Crossing 9256		04-015/11:57:15.0
434	M1O	04-015/12:11:49.5		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-015/12:01:30.0
435	M1O	04-015/12:12:05.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-013T12:01:30.100, 2004-015T12:01:30.100	PCKTS_RE_TX_TIME	04-015/12:01:45.8
436	M1O	04-015/12:12:06.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-013T12:01:30.100, 2004-015T12:01:30.100	PCKTS_RE_TX_TIME	04-015/12:01:46.8
437	M1O	04-015/12:12:07.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-013T12:01:30.100, 2004-015T12:01:30.100	PCKTS_RE_TX_TIME	04-015/12:01:47.8
438	M1O	04-015/12:12:08.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-013T12:01:30.100, 2004-015T12:01:30.100	PCKTS_RE_TX_TIME	04-015/12:01:48.8
439	M1O	04-015/12:12:09.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-013T12:01:30.100, 2004-015T12:01:30.100	PCKTS_RE_TX_TIME	04-015/12:01:49.8
440	M1O	04-015/12:12:10.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-013T12:01:30.100, 2004-015T12:01:30.100	PCKTS_RE_TX_TIME	04-015/12:01:50.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
441	M1O	04-015/12:12:10.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-015/12:01:50.8
442	M1O	04-015/12:12:10.4	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
443	M1O	04-015/12:19:11.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/12:08:51.8
444	M1O	04-015/12:19:11.4	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
445	M1O	04-015/12:19:12.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/12:08:52.8
446	M1O	04-015/12:19:28.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-015/12:09:08.8
447	M1O	04-015/12:19:28.4	43	D/L RF Warning: SC antenna change - expect signal level variation		
448	M1O	04-015/12:19:29.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-015/12:09:09.8
449	M1O	04-015/12:20:00.0	43	End Tracking		
450	M1O	04-015/12:35:00.0	43	End Post-Cal		
451	M1O	04-015/12:35:33.0		NOTE: Enter Solar Eclipse 9256		04-015/12:25:13.3
452	M1O	04-015/12:36:53.0		NOTE: Ascending Node Crossing 9256		04-015/12:26:33.3
453	M1O	04-015/12:54:20.7		NOTE: Exit Solar Eclipse 9256		04-015/12:44:00.9
454	M1O	04-015/13:00:16.7		NOTE: ENTER HGA KEEP OUT ZONE		
455	M1O	04-015/13:06:16.3		NOTE: Enter Planetary Atmosphere 9256		04-015/12:55:56.5
456	M1O	04-015/13:06:52.4		NOTE: North Pole Crossing 9256		04-015/12:56:32.6
457	M1O	04-015/13:06:55.5		NOTE: Apoapsis 9256 -		04-015/12:56:35.7
458	M1O	04-015/13:08:25.0		NOTE: Enter Earth Occultation 9256		04-015/12:58:05.2
459	M1O	04-015/13:12:56.7		NOTE: EXIT HGA KEEP OUT ZONE		
460	M1O	04-015/13:21:31.9		NOTE: Exit Earth Occultation 9256		04-015/13:11:12.1
461	M1O	04-015/13:23:42.0		NOTE: Exit Planetary Atmosphere 9256		04-015/13:13:22.1
462	M1O	04-015/13:29:52.8		SPAWN, Engine = 65535, Parameters = 015, 03, TRUE, 00:19:18, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-015/13:19:33.0
463	M1O	04-015/13:29:53.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/13:19:34.1
464	M1O	04-015/13:29:55.9		CALL, Engine = , Parameters = 254	get_cmd_opt	04-015/13:19:36.1
465	M1O	04-015/13:29:56.2		CALL, Engine = , Parameters = 015, 03, 254	bld_autosw	04-015/13:19:36.4
466	M1O	04-015/13:29:57.3		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-015/13:19:37.5
467	M1O	04-015/13:29:58.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:38.6
468	M1O	04-015/13:29:59.4		Deletes the designated file.: d:/dat/254_doy015_pass03_file01.dat	FILE_DELETE	04-015/13:19:39.6
469	M1O	04-015/13:30:00.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:40.7
470	M1O	04-015/13:30:01.5		Deletes the designated file.: d:/dat/254_doy015_pass03_file02.dat	FILE_DELETE	04-015/13:19:41.7
471	M1O	04-015/13:30:02.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:42.8
472	M1O	04-015/13:30:03.6		Deletes the designated file.: d:/dat/254_doy015_pass03_file03.dat	FILE_DELETE	04-015/13:19:43.8
473	M1O	04-015/13:30:04.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:44.9
474	M1O	04-015/13:30:05.7		Deletes the designated file.: d:/dat/254_doy015_pass03_file04.dat	FILE_DELETE	04-015/13:19:45.9
475	M1O	04-015/13:30:06.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:47.0
476	M1O	04-015/13:30:07.8		Deletes the designated file.: d:/dat/254_doy015_pass03_file05.dat	FILE_DELETE	04-015/13:19:48.0
477	M1O	04-015/13:30:08.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:49.1
478	M1O	04-015/13:30:09.9		Deletes the designated file.: d:/dat/254_doy015_pass03_file06.dat	FILE_DELETE	04-015/13:19:50.1
479	M1O	04-015/13:30:11.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:51.2
480	M1O	04-015/13:30:12.0		Deletes the designated file.: d:/dat/254_doy015_pass03_file07.dat	FILE_DELETE	04-015/13:19:52.2
481	M1O	04-015/13:30:13.1		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-015/13:19:53.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy015_pass03_file08.dat, d:/dat/autoswitch.dat		
482	M1O	04-015/13:30:14.1		Deletes the designated file.: d:/dat/254_doy015_pass03_file08.dat	FILE_DELETE	04-015/13:19:54.3
483	M1O	04-015/13:30:15.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:55.4
484	M1O	04-015/13:30:16.2		Deletes the designated file.: d:/dat/254_doy015_pass03_file09.dat	FILE_DELETE	04-015/13:19:56.4
485	M1O	04-015/13:30:17.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:57.5
486	M1O	04-015/13:30:18.3		Deletes the designated file.: d:/dat/254_doy015_pass03_file10.dat	FILE_DELETE	04-015/13:19:58.5
487	M1O	04-015/13:30:19.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:19:59.6
488	M1O	04-015/13:30:20.4		Deletes the designated file.: d:/dat/254_doy015_pass03_file11.dat	FILE_DELETE	04-015/13:20:00.6
489	M1O	04-015/13:30:21.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:20:01.7
490	M1O	04-015/13:30:22.5		Deletes the designated file.: d:/dat/254_doy015_pass03_file12.dat	FILE_DELETE	04-015/13:20:02.7
491	M1O	04-015/13:30:23.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:20:03.8
492	M1O	04-015/13:30:24.6		Deletes the designated file.: d:/dat/254_doy015_pass03_file13.dat	FILE_DELETE	04-015/13:20:04.8
493	M1O	04-015/13:30:25.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:20:05.9
494	M1O	04-015/13:30:26.7		Deletes the designated file.: d:/dat/254_doy015_pass03_file14.dat	FILE_DELETE	04-015/13:20:06.9
495	M1O	04-015/13:30:27.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:20:08.0
496	M1O	04-015/13:30:28.8		Deletes the designated file.: d:/dat/254_doy015_pass03_file15.dat	FILE_DELETE	04-015/13:20:09.0
497	M1O	04-015/13:30:29.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:20:10.1
498	M1O	04-015/13:30:30.9		Deletes the designated file.: d:/dat/254_doy015_pass03_file16.dat	FILE_DELETE	04-015/13:20:11.1
499	M1O	04-015/13:30:32.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:20:12.2
500	M1O	04-015/13:30:33.0		Deletes the designated file.: d:/dat/254_doy015_pass03_file17.dat	FILE_DELETE	04-015/13:20:13.2
501	M1O	04-015/13:30:34.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:20:14.3
502	M1O	04-015/13:30:35.1		Deletes the designated file.: d:/dat/254_doy015_pass03_file18.dat	FILE_DELETE	04-015/13:20:15.3
503	M1O	04-015/13:30:36.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy015_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-015/13:20:16.4
504	M1O	04-015/13:30:37.2		Deletes the designated file.: d:/dat/254_doy015_pass03_file19.dat	FILE_DELETE	04-015/13:20:17.4
505	M1O	04-015/13:30:38.2		CALL, Engine = , Parameters = 254	get_apid	04-015/13:20:18.4
506	M1O	04-015/13:30:39.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-015/13:20:19.5
507	M1O	04-015/13:30:39.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-015/13:20:19.7
508	M1O	04-015/13:30:40.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-015/13:20:20.8
509	M1O	04-015/13:30:41.9		CALL, Engine = , Parameters = 254	get_coding	04-015/13:20:22.1
510	M1O	04-015/13:30:43.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-015/13:20:23.3
511	M1O	04-015/13:30:44.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-015/13:20:24.5
512	M1O	04-015/13:31:49.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-015/13:21:29.3
513	M1O	04-015/13:31:50.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-015/13:21:30.3
514	M1O	04-015/13:31:51.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-015/13:21:31.3
515	M1O	04-015/13:31:52.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-015/13:21:32.3
516	M1O	04-015/13:31:53.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-015/13:21:33.3
517	M1O	04-015/13:31:54.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-015/13:21:34.3
518	M1O	04-015/13:31:55.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-015/13:21:35.3
519	M1O	04-015/13:33:45.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/13:23:25.3
520	M1O	04-015/13:33:55.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data	DOWNLINK_MODE	04-015/13:23:35.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				stream.: RELAY_CMD		
521	M1O	04-015/13:36:52.2		NOTE: Descending Node Crossing 9257		04-015/13:26:32.3
522	M1O	04-015/13:40:00.0	63	Begin Pre-Cal		
523	M1O	04-015/13:40:00.0	63	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
524	M1O	04-015/13:40:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
525	M1O	04-015/13:40:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
526	M1O	04-015/13:40:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
527	M1O	04-015/13:40:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
528	M1O	04-015/13:40:00.0	63	Config: RCV: Parms:		
529	M1O	04-015/13:40:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
530	M1O	04-015/13:40:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
531	M1O	04-015/13:40:00.0	63	Config: TXL		
532	M1O	04-015/13:40:00.0	63	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
533	M1O	04-015/13:40:00.0	63	Config: CMD		
534	M1O	04-015/13:40:00.0	63	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
535	M1O	04-015/13:51:11.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-015/13:40:51.3
536	M1O	04-015/13:51:12.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-015/13:40:52.4
537	M1O	04-015/13:51:22.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-015/13:41:02.4
538	M1O	04-015/13:51:23.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/13:41:03.4
539	M1O	04-015/13:51:24.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-015/13:41:04.4
540	M1O	04-015/13:51:25.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-015/13:41:05.4
541	M1O	04-015/14:06:11.5		NOTE: South Pole Crossing 9257		04-015/13:55:51.6
542	M1O	04-015/14:06:27.2		NOTE: Periapsis 9257 ----------		04-015/13:56:07.3
543	M1O	04-015/14:34:09.1		NOTE: Enter Solar Eclipse 9257		04-015/14:23:49.0
544	M1O	04-015/14:35:30.2		NOTE: Ascending Node Crossing 9257		04-015/14:25:10.2
545	M1O	04-015/14:52:57.3		NOTE: Exit Solar Eclipse 9257		04-015/14:42:37.2
546	M1O	04-015/14:59:12.1		NOTE: ENTER HGA KEEP OUT ZONE		
547	M1O	04-015/15:04:53.5		NOTE: Enter Planetary Atmosphere 9257		04-015/14:54:33.4
548	M1O	04-015/15:05:29.1		NOTE: North Pole Crossing 9257		04-015/14:55:08.9
549	M1O	04-015/15:06:01.5		NOTE: Apoapsis 9257 -		04-015/14:55:41.4
550	M1O	04-015/15:07:02.8		NOTE: Enter Earth Occultation 9257		04-015/14:56:42.6
551	M1O	04-015/15:10:00.0	63	Begin Tracking		
552	M1O	04-015/15:11:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
553	M1O	04-015/15:11:12.1		NOTE: EXIT HGA KEEP OUT ZONE		
554	M1O	04-015/15:16:00.0	63	Range Modulation On: SUP=3.0dB		
555	M1O	04-015/15:17:00.0	63	Begin Ranging Acquisition		
556	M1O	04-015/15:19:40.7		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-015/15:09:20.5
557	M1O	04-015/15:19:40.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/15:09:20.6
558	M1O	04-015/15:19:41.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/15:09:21.6
559	M1O	04-015/15:19:42.8		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-015/15:09:22.6
560	M1O	04-015/15:19:43.8		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-015/15:09:23.6
561	M1O	04-015/15:19:44.8		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-015/15:09:24.6
562	M1O	04-015/15:19:54.8		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-015/15:09:34.6
563	M1O	04-015/15:20:04.8		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-015/15:09:44.6
564	M1O	04-015/15:20:05.7		NOTE: Exit Earth Occultation 9257		04-015/15:09:45.5
565	M1O	04-015/15:20:05.7	63	Acquisition Of X-Band Signal		
566	M1O	04-015/15:20:05.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
567	M1O	04-015/15:22:16.2		NOTE: Exit Planetary Atmosphere 9257		04-015/15:11:56.0
568	M1O	04-015/15:25:04.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/15:14:44.6
569	M1O	04-015/15:25:05.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/15:14:45.6
570	M1O	04-015/15:25:05.9	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
571	M1O	04-015/15:25:06.9		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-015/15:14:46.6
572	M1O	04-015/15:30:37.6		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-015/15:20:17.4
573	M1O	04-015/15:30:39.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/15:20:19.5
574	M1O	04-015/15:30:39.7	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
575	M1O	04-015/15:30:40.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/15:20:20.5
576	M1O	04-015/15:31:40.3	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
577	M1O	04-015/15:35:29.0		NOTE: Descending Node Crossing 9258		04-015/15:25:08.7
578	M1O	04-015/15:36:39.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/15:26:19.5
579	M1O	04-015/15:36:39.8	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
580	M1O	04-015/15:36:40.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/15:26:20.5
581	M1O	04-015/16:04:48.3		NOTE: South Pole Crossing 9258		04-015/15:54:28.0
582	M1O	04-015/16:05:24.2		NOTE: Periapsis 9258 ----------		04-015/15:55:03.9
583	M1O	04-015/16:22:07.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
584	M1O	04-015/16:32:07.0	63	Range Modulation Off		
585	M1O	04-015/16:32:42.9		NOTE: Enter Solar Eclipse 9258		04-015/16:22:22.5
586	M1O	04-015/16:34:06.3		NOTE: Ascending Node Crossing 9258		04-015/16:23:45.8
587	M1O	04-015/16:37:07.0	63	X-Band Transmitter Off		
588	M1O	04-015/16:51:34.4		NOTE: Exit Solar Eclipse 9258		04-015/16:41:14.0
589	M1O	04-015/16:56:44.9		SPAWN, Engine = 65535, Parameters = 3, 00:27:27, 1	dpt	04-015/16:46:24.4
590	M1O	04-015/16:56:47.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/16:46:26.5
591	M1O	04-015/16:56:47.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
592	M1O	04-015/16:56:48.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/16:46:27.5
593	M1O	04-015/16:57:47.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
594	M1O	04-015/16:57:48.5		NOTE: ENTER HGA KEEP OUT ZONE		
595	M1O	04-015/16:57:48.5	63	NOTE: Loss Of X-Band Signal		
596	M1O	04-015/16:58:34.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
597	M1O	04-015/17:03:27.8		NOTE: Enter Planetary Atmosphere 9258		04-015/16:53:07.3
598	M1O	04-015/17:03:34.0	63	Range Modulation On: SUP=3.0dB		
599	M1O	04-015/17:04:05.1		NOTE: North Pole Crossing 9258		04-015/16:53:44.6
600	M1O	04-015/17:04:34.0	63	Begin Ranging Acquisition		
601	M1O	04-015/17:04:52.5		NOTE: Apoapsis 9258 -		04-015/16:54:32.0
602	M1O	04-015/17:05:36.8		NOTE: Enter Earth Occultation 9258		04-015/16:55:16.3
603	M1O	04-015/17:09:48.5		NOTE: EXIT HGA KEEP OUT ZONE		
604	M1O	04-015/17:18:42.2		NOTE: Exit Earth Occultation 9258		04-015/17:08:21.7
605	M1O	04-015/17:18:42.2	63	Acquisition Of X-Band Signal		
606	M1O	04-015/17:18:42.2	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
607	M1O	04-015/17:19:15.0	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
608	M1O	04-015/17:20:52.5		NOTE: Exit Planetary Atmosphere 9258		04-015/17:10:31.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
609	M1O	04-015/17:24:14.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/17:13:53.5
610	M1O	04-015/17:24:14.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
611	M1O	04-015/17:24:15.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/17:13:54.5
612	M1O	04-015/17:34:05.2		NOTE: Descending Node Crossing 9259		04-015/17:23:44.6
613	M1O	04-015/18:03:23.3		NOTE: South Pole Crossing 9259		04-015/17:53:02.6
614	M1O	04-015/18:04:00.6		NOTE: Periapsis 9259 ----------		04-015/17:53:39.9
615	M1O	04-015/18:20:42.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
616	M1O	04-015/18:30:42.0	63	Range Modulation Off		
617	M1O	04-015/18:31:14.5		NOTE: Enter Solar Eclipse 9259		04-015/18:20:53.7
618	M1O	04-015/18:32:40.0		NOTE: Ascending Node Crossing 9259		04-015/18:22:19.2
619	M1O	04-015/18:35:42.0	63	X-Band Transmitter Off		
620	M1O	04-015/18:50:10.3		NOTE: Exit Solar Eclipse 9259		04-015/18:39:49.4
621	M1O	04-015/18:55:21.4		SPAWN, Engine = 65535, Parameters = 3, 00:27:28, 1	dpt	04-015/18:45:00.6
622	M1O	04-015/18:55:23.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/18:45:02.7
623	M1O	04-015/18:55:23.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
624	M1O	04-015/18:55:24.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/18:45:03.7
625	M1O	04-015/18:56:23.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
626	M1O	04-015/18:56:24.8		NOTE: ENTER HGA KEEP OUT ZONE		
627	M1O	04-015/18:56:24.8	63	NOTE: Loss Of X-Band Signal		
628	M1O	04-015/18:57:10.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
629	M1O	04-015/19:01:57.2		NOTE: Enter Planetary Atmosphere 9259		04-015/18:51:36.3
630	M1O	04-015/19:02:10.0	63	Range Modulation On: SUP=3.0dB		
631	M1O	04-015/19:02:38.7		NOTE: North Pole Crossing 9259		04-015/18:52:17.8
632	M1O	04-015/19:03:10.0	63	Begin Ranging Acquisition		
633	M1O	04-015/19:03:14.0		NOTE: Apoapsis 9259 -		04-015/18:52:53.1
634	M1O	04-015/19:04:05.1		NOTE: Enter Earth Occultation 9259		04-015/18:53:44.2
635	M1O	04-015/19:08:44.9		NOTE: EXIT HGA KEEP OUT ZONE		
636	M1O	04-015/19:16:51.9		SPAWN, Engine = 65535, Parameters = 015, 03, FALSE, 00:19:36.753, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-015/19:06:31.0
637	M1O	04-015/19:16:53.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/19:06:32.1
638	M1O	04-015/19:16:55.0		CALL, Engine = , Parameters = 56	get_cmd_opt	04-015/19:06:34.1
639	M1O	04-015/19:17:19.7		NOTE: Exit Earth Occultation 9259		04-015/19:06:58.8
640	M1O	04-015/19:17:19.7	63	Acquisition Of X-Band Signal		
641	M1O	04-015/19:17:19.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
642	M1O	04-015/19:17:37.2		CALL, Engine = , Parameters = 56	get_apid	04-015/19:07:16.3
643	M1O	04-015/19:17:38.3		CALL, Engine = , Parameters = 56	get_rcv_mode	04-015/19:07:17.4
644	M1O	04-015/19:17:38.5		CALL, Engine = , Parameters = 56	get_dl_rate	04-015/19:07:17.6
645	M1O	04-015/19:17:39.6		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-015/19:07:18.7
646	M1O	04-015/19:17:40.8		CALL, Engine = , Parameters = 56	get_coding	04-015/19:07:19.9
647	M1O	04-015/19:17:42.0		CALL, Engine = , Parameters = 56	get_xmt_mode	04-015/19:07:21.1
648	M1O	04-015/19:17:43.2		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-015/19:07:22.3
649	M1O	04-015/19:17:51.7	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
650	M1O	04-015/19:18:48.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-015/19:08:27.1
651	M1O	04-015/19:18:49.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-015/19:08:28.1
652	M1O	04-015/19:18:50.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-015/19:08:29.1
653	M1O	04-015/19:18:51.0		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-015/19:08:30.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
654	M1O	04-015/19:18:52.0		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-015/19:08:31.1
655	M1O	04-015/19:18:53.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-015/19:08:32.1
656	M1O	04-015/19:18:54.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-015/19:08:33.1
657	M1O	04-015/19:19:29.0		NOTE: Exit Planetary Atmosphere 9259		04-015/19:09:08.0
658	M1O	04-015/19:22:51.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/19:12:30.7
659	M1O	04-015/19:22:51.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
660	M1O	04-015/19:22:52.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/19:12:31.7
661	M1O	04-015/19:32:38.4		NOTE: Descending Node Crossing 9260		04-015/19:22:17.4
662	M1O	04-015/19:38:26.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-015/19:28:05.8
663	M1O	04-015/19:38:27.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-015/19:28:06.9
664	M1O	04-015/19:38:37.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-015/19:28:16.9
665	M1O	04-015/19:38:38.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/19:28:17.9
666	M1O	04-015/20:01:55.5		NOTE: South Pole Crossing 9260		04-015/19:51:34.4
667	M1O	04-015/20:02:13.6		NOTE: Periapsis 9260 ----------		04-015/19:51:52.5
668	M1O	04-015/20:18:55.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
669	M1O	04-015/20:28:55.0	63	Range Modulation Off		
670	M1O	04-015/20:29:46.5		NOTE: Enter Solar Eclipse 9260		04-015/20:19:25.3
671	M1O	04-015/20:31:11.7		NOTE: Ascending Node Crossing 9260		04-015/20:20:50.5
672	M1O	04-015/20:33:55.0	63	X-Band Transmitter Off		
673	M1O	04-015/20:48:43.1		NOTE: Exit Solar Eclipse 9260		04-015/20:38:21.9
674	M1O	04-015/20:53:34.8		SPAWN, Engine = 65535, Parameters = 3, 00:27:48, 1	dpt	04-015/20:43:13.6
675	M1O	04-015/20:53:36.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/20:43:15.7
676	M1O	04-015/20:53:36.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
677	M1O	04-015/20:53:37.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/20:43:16.7
678	M1O	04-015/20:54:37.3	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
679	M1O	04-015/20:54:38.2		NOTE: ENTER HGA KEEP OUT ZONE		
680	M1O	04-015/20:54:38.2	63	NOTE: Loss Of X-Band Signal		
681	M1O	04-015/20:55:43.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
682	M1O	04-015/21:00:24.9		NOTE: Enter Planetary Atmosphere 9260		04-015/20:50:03.6
683	M1O	04-015/21:00:43.0	63	Range Modulation On: SUP=3.0dB		
684	M1O	04-015/21:01:09.8		NOTE: North Pole Crossing 9260		04-015/20:50:48.5
685	M1O	04-015/21:01:27.6		NOTE: Apoapsis 9260 -		04-015/20:51:06.3
686	M1O	04-015/21:01:43.0	63	Begin Ranging Acquisition		
687	M1O	04-015/21:02:32.1		NOTE: Enter Earth Occultation 9260		04-015/20:52:10.8
688	M1O	04-015/21:07:18.2		NOTE: EXIT HGA KEEP OUT ZONE		
689	M1O	04-015/21:15:53.0		NOTE: Exit Earth Occultation 9260		04-015/21:05:31.7
690	M1O	04-015/21:15:53.0	63	Acquisition Of X-Band Signal		
691	M1O	04-015/21:15:53.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
692	M1O	04-015/21:16:25.5	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
693	M1O	04-015/21:18:01.4		NOTE: Exit Planetary Atmosphere 9260		04-015/21:07:40.1
694	M1O	04-015/21:20:24.3		SPAWN, Engine = 65535, Parameters = 015, 04, FALSE, 00:06:09.356, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-015/21:10:03.0
695	M1O	04-015/21:20:25.4		Passes the specified amount of data, data size parameter, through the PACI interface.:	GRS_PASS_THROUGH	04-015/21:10:04.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000		
696	M1O	04-015/21:20:27.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-015/21:10:06.1
697	M1O	04-015/21:21:09.6		CALL, Engine = , Parameters = 56	get_apid	04-015/21:10:48.3
698	M1O	04-015/21:21:10.7		CALL, Engine = , Parameters = 56	get_rcv_mode	04-015/21:10:49.4
699	M1O	04-015/21:21:10.9		CALL, Engine = , Parameters = 56	get_dl_rate	04-015/21:10:49.6
700	M1O	04-015/21:21:12.0		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-015/21:10:50.7
701	M1O	04-015/21:21:13.2		CALL, Engine = , Parameters = 56	get_coding	04-015/21:10:51.9
702	M1O	04-015/21:21:14.4		CALL, Engine = , Parameters = 56	get_xmt_mode	04-015/21:10:53.1
703	M1O	04-015/21:21:15.6		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-015/21:10:54.3
704	M1O	04-015/21:21:25.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-015/21:11:03.7
705	M1O	04-015/21:21:25.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
706	M1O	04-015/21:21:26.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-015/21:11:04.7
707	M1O	04-015/21:22:20.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-015/21:11:59.1
708	M1O	04-015/21:22:21.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-015/21:12:00.1
709	M1O	04-015/21:22:22.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-015/21:12:01.1
710	M1O	04-015/21:22:23.4		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-015/21:12:02.1
711	M1O	04-015/21:22:24.4		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-015/21:12:03.1
712	M1O	04-015/21:22:25.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-015/21:12:04.1
713	M1O	04-015/21:22:26.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-015/21:12:05.1
714	M1O	04-015/21:28:31.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-015/21:18:10.4
715	M1O	04-015/21:28:32.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-015/21:18:11.5
716	M1O	04-015/21:28:42.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-015/21:18:21.5
717	M1O	04-015/21:28:43.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-015/21:18:22.5
718	M1O	04-015/21:31:08.4		NOTE: Descending Node Crossing 9261		04-015/21:20:47.1
719	M1O	04-015/22:00:26.0		NOTE: South Pole Crossing 9261		04-015/21:50:04.6
720	M1O	04-015/22:00:30.8		NOTE: Periapsis 9261 ----------		04-015/21:50:09.3
721	M1O	04-015/22:17:45.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
722	M1O	04-015/22:27:45.0	63	Range Modulation Off		
723	M1O	04-015/22:28:19.8		NOTE: Enter Solar Eclipse 9261		04-015/22:17:58.3
724	M1O	04-015/22:29:43.4		NOTE: Ascending Node Crossing 9261		04-015/22:19:21.9
725	M1O	04-015/22:32:45.0	63	X-Band Transmitter Off		
726	M1O	04-015/22:45:16.5		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-015/22:34:55.0
727	M1O	04-015/22:45:32.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-013T22:34:55.100, 2004-015T22:34:55.100	PCKTS_RE_TX_TIME	04-015/22:35:10.8
728	M1O	04-015/22:45:33.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-013T22:34:55.100, 2004-015T22:34:55.100	PCKTS_RE_TX_TIME	04-015/22:35:11.8
729	M1O	04-015/22:45:34.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-013T22:34:55.100, 2004-015T22:34:55.100	PCKTS_RE_TX_TIME	04-015/22:35:12.8
730	M1O	04-015/22:45:35.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-013T22:34:55.100, 2004-015T22:34:55.100	PCKTS_RE_TX_TIME	04-015/22:35:13.8
731	M1O	04-015/22:45:36.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-013T22:34:55.100, 2004-015T22:34:55.100	PCKTS_RE_TX_TIME	04-015/22:35:14.8
732	M1O	04-015/22:45:37.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-013T22:34:55.100, 2004-015T22:34:55.100	PCKTS_RE_TX_TIME	04-015/22:35:15.8
733	M1O	04-015/22:45:37.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-015/22:35:15.8
734	M1O	04-015/22:45:37.3	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
735	M1O	04-015/22:47:11.2		NOTE: Exit Solar Eclipse 9261		04-015/22:36:49.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
736	M1O	04-015/22:52:38.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-015/22:42:16.8
737	M1O	04-015/22:52:38.4	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
738	M1O	04-015/22:52:39.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-015/22:42:17.8
739	M1O	04-015/22:52:55.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-015/22:42:33.8
740	M1O	04-015/22:52:55.4	63	D/L RF Warning: SC antenna change - expect signal level variation		
741	M1O	04-015/22:52:56.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-015/22:42:34.8
742	M1O	04-015/22:53:28.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
743	M1O	04-015/22:53:28.6		NOTE: ENTER HGA KEEP OUT ZONE		
744	M1O	04-015/22:53:28.6	63	NOTE: Loss Of X-Band Signal		
745	M1O	04-015/22:59:02.4		NOTE: Enter Planetary Atmosphere 9261		04-015/22:48:40.8
746	M1O	04-015/22:59:41.8		NOTE: North Pole Crossing 9261		04-015/22:49:20.2
747	M1O	04-015/23:00:02.2		NOTE: Apoapsis 9261 -		04-015/22:49:40.5
748	M1O	04-015/23:01:11.4		NOTE: Enter Earth Occultation 9261		04-015/22:50:49.8
749	M1O	04-015/23:05:48.6		NOTE: EXIT HGA KEEP OUT ZONE		
750	M1O	04-015/23:14:18.2		NOTE: Exit Earth Occultation 9261		04-015/23:03:56.5
751	M1O	04-015/23:14:18.2	63	Acquisition Of X-Band Signal		
752	M1O	04-015/23:14:18.2	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
753	M1O	04-015/23:16:28.5		NOTE: Exit Planetary Atmosphere 9261		04-015/23:06:06.8
754	M1O	04-015/23:17:38.0	63	NOTE: Below Uplink Interlock Limit		
755	M1O	04-015/23:29:40.7		NOTE: Descending Node Crossing 9262		04-015/23:19:19.0
756	M1O	04-015/23:30:00.0	63	End Tracking		
757	M1O	04-015/23:45:00.0	63	End Post-Cal		
758	M1O	04-015/23:58:59.0		NOTE: South Pole Crossing 9262		04-015/23:48:37.2
759	M1O	04-015/23:59:05.1		NOTE: Periapsis 9262 ----------		04-015/23:48:43.3
760	M1O	04-016/00:00:00.0		Light Time: OWLT = 10:21, RTLT = 20:43		
761	M1O	04-016/00:00:00.0	14	Begin Pre-Cal		
762	M1O	04-016/00:00:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
763	M1O	04-016/00:00:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
764	M1O	04-016/00:00:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
765	M1O	04-016/00:00:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
766	M1O	04-016/00:00:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
767	M1O	04-016/00:00:00.0	14	Config: RCV: Parms:		
768	M1O	04-016/00:00:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
769	M1O	04-016/00:00:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
770	M1O	04-016/00:00:00.0	14	Config: TXL		
771	M1O	04-016/00:00:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
772	M1O	04-016/00:00:00.0	14	Config: CMD		
773	M1O	04-016/00:00:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
774	M1O	04-016/00:17:45.8		SPAWN, Engine = 65535, Parameters = 016, 01, FALSE, 00:08:55.359, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-016/00:07:24.0
775	M1O	04-016/00:17:46.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/00:07:25.1
776	M1O	04-016/00:17:48.9		CALL, Engine = , Parameters = 254	get_cmd_opt	04-016/00:07:27.1
777	M1O	04-016/00:18:31.1		CALL, Engine = , Parameters = 254	get_apid	04-016/00:08:09.3
778	M1O	04-016/00:18:32.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-016/00:08:10.4
779	M1O	04-016/00:18:32.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-016/00:08:10.6
780	M1O	04-016/00:18:33.5		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-016/00:08:11.7
781	M1O	04-016/00:18:34.8		CALL, Engine = , Parameters = 254	get_coding	04-016/00:08:13.0
782	M1O	04-016/00:18:36.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-016/00:08:14.2
783	M1O	04-016/00:18:37.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-016/00:08:15.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
784	M1O	04-016/00:19:42.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-016/00:09:20.2
785	M1O	04-016/00:19:43.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-016/00:09:21.2
786	M1O	04-016/00:19:44.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-016/00:09:22.2
787	M1O	04-016/00:19:45.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-016/00:09:23.2
788	M1O	04-016/00:19:46.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-016/00:09:24.2
789	M1O	04-016/00:19:47.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-016/00:09:25.2
790	M1O	04-016/00:19:48.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-016/00:09:26.2
791	M1O	04-016/00:26:54.2		NOTE: Enter Solar Eclipse 9262		04-016/00:16:32.3
792	M1O	04-016/00:28:17.3		NOTE: Ascending Node Crossing 9262		04-016/00:17:55.4
793	M1O	04-016/00:28:39.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-016/00:18:17.5
794	M1O	04-016/00:28:40.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-016/00:18:18.6
795	M1O	04-016/00:28:50.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-016/00:18:28.6
796	M1O	04-016/00:28:51.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/00:18:29.6
797	M1O	04-016/00:45:39.6		NOTE: Exit Solar Eclipse 9262		04-016/00:35:17.6
798	M1O	04-016/00:52:00.9		NOTE: ENTER HGA KEEP OUT ZONE		
799	M1O	04-016/00:57:46.5		NOTE: Enter Planetary Atmosphere 9262		04-016/00:47:24.5
800	M1O	04-016/00:58:17.0		NOTE: North Pole Crossing 9262		04-016/00:47:55.0
801	M1O	04-016/00:58:40.6		NOTE: Apoapsis 9262 -		04-016/00:48:18.6
802	M1O	04-016/00:59:58.1		NOTE: Enter Earth Occultation 9262		04-016/00:49:36.0
803	M1O	04-016/01:04:01.0		NOTE: EXIT HGA KEEP OUT ZONE		
804	M1O	04-016/01:12:44.7		NOTE: Exit Earth Occultation 9262		04-016/01:02:22.6
805	M1O	04-016/01:14:57.6		NOTE: Exit Planetary Atmosphere 9262		04-016/01:04:35.5
806	M1O	04-016/01:28:17.3		NOTE: Descending Node Crossing 9263		04-016/01:17:55.2
807	M1O	04-016/01:29:35.2		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-016/01:19:13.1
808	M1O	04-016/01:29:35.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/01:19:13.2
809	M1O	04-016/01:29:36.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/01:19:14.2
810	M1O	04-016/01:29:37.3		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-016/01:19:15.2
811	M1O	04-016/01:29:38.3		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-016/01:19:16.2
812	M1O	04-016/01:29:39.3		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-016/01:19:17.2
813	M1O	04-016/01:29:49.3		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-016/01:19:27.2
814	M1O	04-016/01:29:59.3		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-016/01:19:37.2
815	M1O	04-016/01:30:00.0	14	Begin Tracking		
816	M1O	04-016/01:30:00.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
817	M1O	04-016/01:31:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
818	M1O	04-016/01:34:59.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/01:24:37.2
819	M1O	04-016/01:35:00.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/01:24:38.2
820	M1O	04-016/01:35:00.3	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
821	M1O	04-016/01:35:01.3		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-016/01:24:39.2
822	M1O	04-016/01:36:00.0	14	Range Modulation On: SUP=3.0dB		
823	M1O	04-016/01:37:00.0	14	Begin Ranging Acquisition		
824	M1O	04-016/01:50:41.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-016/01:40:19.7
825	M1O	04-016/01:50:44.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/01:40:21.8
826	M1O	04-016/01:50:44.0	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
827	M1O	04-016/01:50:45.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/01:40:22.8
828	M1O	04-016/01:51:44.2	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
829	M1O	04-016/01:56:44.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/01:46:21.8
830	M1O	04-016/01:56:44.0	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
831	M1O	04-016/01:56:45.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/01:46:22.8
832	M1O	04-016/01:57:35.6		NOTE: South Pole Crossing 9263		04-016/01:47:13.4
833	M1O	04-016/01:57:46.7		NOTE: Periapsis 9263 ----------		04-016/01:47:24.5
834	M1O	04-016/02:10:30.2		SPAWN, Engine = 65535, Parameters = 016, 02, TRUE, 00:19:08, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-016/02:00:08.0
835	M1O	04-016/02:10:30.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/02:00:08.5
836	M1O	04-016/02:10:30.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
837	M1O	04-016/02:10:31.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/02:00:09.1
838	M1O	04-016/02:10:33.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-016/02:00:11.1
839	M1O	04-016/02:10:33.6		CALL, Engine = , Parameters = 016, 02, 254	bld_autosw	04-016/02:00:11.4
840	M1O	04-016/02:10:34.7		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-016/02:00:12.5
841	M1O	04-016/02:10:35.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:13.6
842	M1O	04-016/02:10:36.8		Deletes the designated file.: d:/dat/254_doy016_pass02_file01.dat	FILE_DELETE	04-016/02:00:14.6
843	M1O	04-016/02:10:37.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:15.7
844	M1O	04-016/02:10:38.9		Deletes the designated file.: d:/dat/254_doy016_pass02_file02.dat	FILE_DELETE	04-016/02:00:16.7
845	M1O	04-016/02:10:40.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:17.8
846	M1O	04-016/02:10:41.0		Deletes the designated file.: d:/dat/254_doy016_pass02_file03.dat	FILE_DELETE	04-016/02:00:18.8
847	M1O	04-016/02:10:42.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:19.9
848	M1O	04-016/02:10:43.1		Deletes the designated file.: d:/dat/254_doy016_pass02_file04.dat	FILE_DELETE	04-016/02:00:20.9
849	M1O	04-016/02:10:44.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:22.0
850	M1O	04-016/02:10:45.2		Deletes the designated file.: d:/dat/254_doy016_pass02_file05.dat	FILE_DELETE	04-016/02:00:23.0
851	M1O	04-016/02:10:46.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:24.1
852	M1O	04-016/02:10:47.3		Deletes the designated file.: d:/dat/254_doy016_pass02_file06.dat	FILE_DELETE	04-016/02:00:25.1
853	M1O	04-016/02:10:48.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:26.2
854	M1O	04-016/02:10:49.4		Deletes the designated file.: d:/dat/254_doy016_pass02_file07.dat	FILE_DELETE	04-016/02:00:27.2
855	M1O	04-016/02:10:50.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:28.3
856	M1O	04-016/02:10:51.5		Deletes the designated file.: d:/dat/254_doy016_pass02_file08.dat	FILE_DELETE	04-016/02:00:29.3
857	M1O	04-016/02:10:52.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:30.4
858	M1O	04-016/02:10:53.6		Deletes the designated file.: d:/dat/254_doy016_pass02_file09.dat	FILE_DELETE	04-016/02:00:31.4
859	M1O	04-016/02:10:54.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:32.5
860	M1O	04-016/02:10:55.7		Deletes the designated file.: d:/dat/254_doy016_pass02_file10.dat	FILE_DELETE	04-016/02:00:33.5
861	M1O	04-016/02:10:56.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:34.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
862	M1O	04-016/02:10:57.8		Deletes the designated file.: d:/dat/254_doy016_pass02_file11.dat	FILE_DELETE	04-016/02:00:35.6
863	M1O	04-016/02:10:58.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:36.7
864	M1O	04-016/02:10:59.9		Deletes the designated file.: d:/dat/254_doy016_pass02_file12.dat	FILE_DELETE	04-016/02:00:37.7
865	M1O	04-016/02:11:01.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:38.8
866	M1O	04-016/02:11:02.0		Deletes the designated file.: d:/dat/254_doy016_pass02_file13.dat	FILE_DELETE	04-016/02:00:39.8
867	M1O	04-016/02:11:03.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:40.9
868	M1O	04-016/02:11:04.1		Deletes the designated file.: d:/dat/254_doy016_pass02_file14.dat	FILE_DELETE	04-016/02:00:41.9
869	M1O	04-016/02:11:05.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:43.0
870	M1O	04-016/02:11:06.2		Deletes the designated file.: d:/dat/254_doy016_pass02_file15.dat	FILE_DELETE	04-016/02:00:44.0
871	M1O	04-016/02:11:07.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:45.1
872	M1O	04-016/02:11:08.3		Deletes the designated file.: d:/dat/254_doy016_pass02_file16.dat	FILE_DELETE	04-016/02:00:46.1
873	M1O	04-016/02:11:09.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:47.2
874	M1O	04-016/02:11:10.4		Deletes the designated file.: d:/dat/254_doy016_pass02_file17.dat	FILE_DELETE	04-016/02:00:48.2
875	M1O	04-016/02:11:11.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:49.3
876	M1O	04-016/02:11:12.5		Deletes the designated file.: d:/dat/254_doy016_pass02_file18.dat	FILE_DELETE	04-016/02:00:50.3
877	M1O	04-016/02:11:13.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/02:00:51.4
878	M1O	04-016/02:11:14.6		Deletes the designated file.: d:/dat/254_doy016_pass02_file19.dat	FILE_DELETE	04-016/02:00:52.4
879	M1O	04-016/02:11:15.6		CALL, Engine = , Parameters = 254	get_apid	04-016/02:00:53.4
880	M1O	04-016/02:11:16.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-016/02:00:54.5
881	M1O	04-016/02:11:16.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-016/02:00:54.7
882	M1O	04-016/02:11:18.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-016/02:00:55.8
883	M1O	04-016/02:11:19.3		CALL, Engine = , Parameters = 254	get_coding	04-016/02:00:57.1
884	M1O	04-016/02:11:20.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-016/02:00:58.3
885	M1O	04-016/02:11:21.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-016/02:00:59.5
886	M1O	04-016/02:12:26.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-016/02:02:04.3
887	M1O	04-016/02:12:27.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-016/02:02:05.3
888	M1O	04-016/02:12:28.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-016/02:02:06.3
889	M1O	04-016/02:12:29.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-016/02:02:07.3
890	M1O	04-016/02:12:30.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-016/02:02:08.3
891	M1O	04-016/02:12:31.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-016/02:02:09.3
892	M1O	04-016/02:12:32.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-016/02:02:10.3
893	M1O	04-016/02:14:22.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/02:04:00.3
894	M1O	04-016/02:14:32.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-016/02:04:10.3
895	M1O	04-016/02:15:12.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
896	M1O	04-016/02:25:12.0	14	Range Modulation Off		
897	M1O	04-016/02:25:29.7		NOTE: Enter Solar Eclipse 9263		04-016/02:15:07.4
898	M1O	04-016/02:26:53.4		NOTE: Ascending Node Crossing 9263		04-016/02:16:31.1
899	M1O	04-016/02:30:12.0	14	X-Band Transmitter Off		
900	M1O	04-016/02:31:38.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-016/02:21:16.3
901	M1O	04-016/02:31:39.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-016/02:21:17.4
902	M1O	04-016/02:31:49.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-016/02:21:27.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
903	M1O	04-016/02:31:50.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/02:21:28.4
904	M1O	04-016/02:31:51.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-016/02:21:29.4
905	M1O	04-016/02:31:51.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
906	M1O	04-016/02:31:52.7		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-016/02:21:30.4
907	M1O	04-016/02:36:51.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/02:26:29.0
908	M1O	04-016/02:36:51.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
909	M1O	04-016/02:44:12.9		NOTE: Exit Solar Eclipse 9263		04-016/02:33:50.6
910	M1O	04-016/02:49:54.1		SPAWN, Engine = 65535, Parameters = 3, 00:26:54, 1	dpt	04-016/02:39:31.7
911	M1O	04-016/02:49:56.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/02:39:33.8
912	M1O	04-016/02:49:56.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
913	M1O	04-016/02:49:57.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/02:39:34.8
914	M1O	04-016/02:50:56.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
915	M1O	04-016/02:50:57.3		NOTE: ENTER HGA KEEP OUT ZONE		
916	M1O	04-016/02:50:57.3	14	NOTE: Loss Of X-Band Signal		
917	M1O	04-016/02:51:06.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
918	M1O	04-016/02:56:06.0	14	Range Modulation On: SUP=3.0dB		
919	M1O	04-016/02:56:26.3		NOTE: Enter Planetary Atmosphere 9263		04-016/02:46:03.9
920	M1O	04-016/02:56:53.6		NOTE: North Pole Crossing 9263		04-016/02:46:31.2
921	M1O	04-016/02:57:06.0	14	Begin Ranging Acquisition		
922	M1O	04-016/02:57:10.2		NOTE: Apoapsis 9263 -		04-016/02:46:47.8
923	M1O	04-016/02:58:38.8		NOTE: Enter Earth Occultation 9263		04-016/02:48:16.4
924	M1O	04-016/03:02:37.4		NOTE: EXIT HGA KEEP OUT ZONE		
925	M1O	04-016/03:11:18.4		NOTE: Exit Earth Occultation 9263		04-016/03:00:56.0
926	M1O	04-016/03:11:18.4	14	Acquisition Of X-Band Signal		
927	M1O	04-016/03:11:18.4	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
928	M1O	04-016/03:11:50.7	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
929	M1O	04-016/03:13:32.3		NOTE: Exit Planetary Atmosphere 9263		04-016/03:03:09.9
930	M1O	04-016/03:16:50.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/03:06:27.8
931	M1O	04-016/03:16:50.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
932	M1O	04-016/03:16:51.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/03:06:28.8
933	M1O	04-016/03:26:54.4		NOTE: Descending Node Crossing 9264		04-016/03:16:31.9
934	M1O	04-016/03:56:12.6		NOTE: South Pole Crossing 9264		04-016/03:45:50.0
935	M1O	04-016/03:56:19.2		NOTE: Periapsis 9264 ----------		04-016/03:45:56.6
936	M1O	04-016/04:13:49.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
937	M1O	04-016/04:23:49.0	14	Range Modulation Off		
938	M1O	04-016/04:24:06.5		NOTE: Enter Solar Eclipse 9264		04-016/04:13:43.8
939	M1O	04-016/04:25:30.2		NOTE: Ascending Node Crossing 9264		04-016/04:15:07.6
940	M1O	04-016/04:28:49.0	14	X-Band Transmitter Off		
941	M1O	04-016/04:42:50.2		NOTE: Exit Solar Eclipse 9264		04-016/04:32:27.5
942	M1O	04-016/04:48:31.4		SPAWN, Engine = 65535, Parameters = 3, 00:26:56, 1	dpt	04-016/04:38:08.7
943	M1O	04-016/04:48:33.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/04:38:10.8
944	M1O	04-016/04:48:33.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
945	M1O	04-016/04:48:34.5		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-016/04:38:11.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_nom.cfg		
946	M1O	04-016/04:49:34.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
947	M1O	04-016/04:49:34.7		NOTE: ENTER HGA KEEP OUT ZONE		
948	M1O	04-016/04:49:34.7	14	NOTE: Loss Of X-Band Signal		
949	M1O	04-016/04:49:45.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
950	M1O	04-016/04:54:45.0	14	Range Modulation On: SUP=3.0dB		
951	M1O	04-016/04:54:59.4		NOTE: Enter Planetary Atmosphere 9264		04-016/04:44:36.6
952	M1O	04-016/04:55:29.8		NOTE: Apoapsis 9264 -		04-016/04:45:07.0
953	M1O	04-016/04:55:29.9		NOTE: North Pole Crossing 9264		04-016/04:45:07.1
954	M1O	04-016/04:55:45.0	14	Begin Ranging Acquisition		
955	M1O	04-016/04:57:10.9		NOTE: Enter Earth Occultation 9264		04-016/04:46:48.1
956	M1O	04-016/05:01:14.7		NOTE: EXIT HGA KEEP OUT ZONE		
957	M1O	04-016/05:09:57.9		NOTE: Exit Earth Occultation 9264		04-016/04:59:35.1
958	M1O	04-016/05:09:57.9	14	Acquisition Of X-Band Signal		
959	M1O	04-016/05:09:57.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
960	M1O	04-016/05:10:30.4	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
961	M1O	04-016/05:12:08.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
962	M1O	04-016/05:12:10.7		NOTE: Exit Planetary Atmosphere 9264		04-016/05:01:47.9
963	M1O	04-016/05:15:29.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/05:05:06.8
964	M1O	04-016/05:15:29.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
965	M1O	04-016/05:15:30.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/05:05:07.8
966	M1O	04-016/05:22:08.0	14	Range Modulation Off		
967	M1O	04-016/05:25:29.8		NOTE: Descending Node Crossing 9265		04-016/05:15:06.9
968	M1O	04-016/05:27:08.0	14	X-Band Transmitter Off		
969	M1O	04-016/05:38:29.9		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-016/05:28:07.0
970	M1O	04-016/05:38:30.0		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-016/05:28:07.1
971	M1O	04-016/05:38:31.0		Forces a desaturation of the reaction wheels.	RW_DESAT	04-016/05:28:08.1
972	M1O	04-016/05:39:42.9		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-016/05:29:20.0
973	M1O	04-016/05:39:58.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-014T05:29:20.100, 2004-016T05:29:20.100	PCKTS_RE_TX_TIME	04-016/05:29:35.8
974	M1O	04-016/05:39:59.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-014T05:29:20.100, 2004-016T05:29:20.100	PCKTS_RE_TX_TIME	04-016/05:29:36.8
975	M1O	04-016/05:40:00.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-014T05:29:20.100, 2004-016T05:29:20.100	PCKTS_RE_TX_TIME	04-016/05:29:37.8
976	M1O	04-016/05:40:01.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-014T05:29:20.100, 2004-016T05:29:20.100	PCKTS_RE_TX_TIME	04-016/05:29:38.8
977	M1O	04-016/05:40:02.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-014T05:29:20.100, 2004-016T05:29:20.100	PCKTS_RE_TX_TIME	04-016/05:29:39.8
978	M1O	04-016/05:40:03.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-014T05:29:20.100, 2004-016T05:29:20.100	PCKTS_RE_TX_TIME	04-016/05:29:40.8
979	M1O	04-016/05:40:03.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-016/05:29:40.8
980	M1O	04-016/05:40:03.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
981	M1O	04-016/05:47:04.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/05:36:41.8
982	M1O	04-016/05:47:04.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
983	M1O	04-016/05:47:05.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/05:36:42.8
984	M1O	04-016/05:47:21.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-016/05:36:58.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
985	M1O	04-016/05:47:21.7	14	D/L RF Warning: SC antenna change - expect signal level variation		
986	M1O	04-016/05:47:22.7		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-016/05:36:59.8
987	M1O	04-016/05:47:53.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
988	M1O	04-016/05:50:01.0		CALL, Engine = , Parameters = FALSE	park_hga	04-016/05:39:38.1
989	M1O	04-016/05:50:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/05:39:38.1
990	M1O	04-016/05:50:02.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-016/05:39:39.1
991	M1O	04-016/05:50:03.0		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-016/05:39:40.1
992	M1O	04-016/05:50:03.0		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-016/05:39:40.1
993	M1O	04-016/05:50:03.0		NOTE: START HGA PARK		
994	M1O	04-016/05:50:03.0	14	NOTE: Loss Of X-Band Signal		
995	M1O	04-016/05:50:04.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-016/05:39:41.1
996	M1O	04-016/05:50:05.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-016/05:39:42.1
997	M1O	04-016/05:54:35.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-016/05:44:12.1
998	M1O	04-016/05:54:48.0		NOTE: South Pole Crossing 9265		04-016/05:44:25.1
999	M1O	04-016/05:54:54.4		NOTE: Periapsis 9265 ----------		04-016/05:44:31.4
1000	M1O	04-016/05:58:05.0		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-016/05:47:42.1
1001	M1O	04-016/05:58:05.0		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-016/05:47:42.1
1002	M1O	04-016/06:10:00.0	43	Begin Pre-Cal		
1003	M1O	04-016/06:10:00.0	43	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
1004	M1O	04-016/06:10:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
1005	M1O	04-016/06:10:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
1006	M1O	04-016/06:10:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
1007	M1O	04-016/06:10:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
1008	M1O	04-016/06:10:00.0	43	Config: RCV: Parms:		
1009	M1O	04-016/06:10:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
1010	M1O	04-016/06:10:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
1011	M1O	04-016/06:10:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
1012	M1O	04-016/06:22:41.8		NOTE: Enter Solar Eclipse 9265		04-016/06:12:18.7
1013	M1O	04-016/06:24:05.7		NOTE: Ascending Node Crossing 9265		04-016/06:13:42.7
1014	M1O	04-016/06:28:05.0		GV: GV_DESAT_ACTIVE = 1		04-016/06:17:42.0
1015	M1O	04-016/06:28:06.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-016/06:17:43.0
1016	M1O	04-016/06:28:06.0		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-016/06:17:43.0
1017	M1O	04-016/06:38:05.0		GV: GV_DESAT_ACTIVE = 0		04-016/06:27:42.0
1018	M1O	04-016/06:38:06.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-016/06:27:43.0
1019	M1O	04-016/06:38:07.0		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-016/06:27:44.0
1020	M1O	04-016/06:38:08.0		CALL, Engine = , Parameters =	unpark_hga	04-016/06:27:45.0
1021	M1O	04-016/06:38:08.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-016/06:27:45.0
1022	M1O	04-016/06:38:09.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-016/06:27:46.0
1023	M1O	04-016/06:40:00.0	43	Begin Tracking		
1024	M1O	04-016/06:41:28.7		NOTE: Exit Solar Eclipse 9265		04-016/06:31:05.6
1025	M1O	04-016/06:42:39.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-016/06:32:16.0
1026	M1O	04-016/06:42:40.1		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-016/06:32:17.0
1027	M1O	04-016/06:46:05.1		SPAWN, Engine = 65535, Parameters = 00:27:07.400	cstr	04-016/06:35:42.0
1028	M1O	04-016/06:46:05.2		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-016/06:35:42.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_nom_rt_only.cfg,		
1029	M1O	04-016/06:46:06.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/06:35:43.1
1030	M1O	04-016/06:46:07.2		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-016/06:35:44.1
1031	M1O	04-016/06:46:08.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-016/06:35:45.1
1032	M1O	04-016/06:46:09.2		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-016/06:35:46.1
1033	M1O	04-016/06:46:19.2		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-016/06:35:56.1
1034	M1O	04-016/06:46:29.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-016/06:36:06.1
1035	M1O	04-016/06:46:40.1		NOTE: EXIT HGA PARK		
1036	M1O	04-016/06:46:40.1	14	Acquisition Of X-Band Signal		
1037	M1O	04-016/06:46:40.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1038	M1O	04-016/06:46:40.1	43	Acquisition Of X-Band Signal		
1039	M1O	04-016/06:46:40.1	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1040	M1O	04-016/06:47:09.0	14	NOTE: Below Uplink Interlock Limit		
1041	M1O	04-016/06:48:10.1		NOTE: ENTER HGA KEEP OUT ZONE		
1042	M1O	04-016/06:48:10.1	14	NOTE: Loss Of X-Band Signal		
1043	M1O	04-016/06:48:10.1	43	NOTE: Loss Of X-Band Signal		
1044	M1O	04-016/06:53:26.8		NOTE: Enter Planetary Atmosphere 9265		04-016/06:43:03.7
1045	M1O	04-016/06:54:01.2		NOTE: Apoapsis 9265 -		04-016/06:43:38.1
1046	M1O	04-016/06:54:04.2		NOTE: North Pole Crossing 9265		04-016/06:43:41.0
1047	M1O	04-016/06:55:36.5		NOTE: Enter Earth Occultation 9265		04-016/06:45:13.4
1048	M1O	04-016/06:59:50.1		NOTE: EXIT HGA KEEP OUT ZONE		
1049	M1O	04-016/07:00:00.0	14	End Tracking		
1050	M1O	04-016/07:08:37.5		NOTE: Exit Earth Occultation 9265		04-016/06:58:14.4
1051	M1O	04-016/07:08:37.5	43	Acquisition Of X-Band Signal		
1052	M1O	04-016/07:08:37.5	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1053	M1O	04-016/07:10:23.1		SPAWN, Engine = 65535, Parameters =	scdiag	04-016/07:00:00.0
1054	M1O	04-016/07:10:24.2		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-016/07:00:01.1
1055	M1O	04-016/07:10:25.2		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-016/07:00:02.1
1056	M1O	04-016/07:10:48.5		NOTE: Exit Planetary Atmosphere 9265		04-016/07:00:25.3
1057	M1O	04-016/07:11:26.1		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-016/07:01:03.0
1058	M1O	04-016/07:11:26.3		NOTE: Start Block fsw_diag		04-016/07:01:03.2
1059	M1O	04-016/07:11:27.3		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-016/07:01:04.2
1060	M1O	04-016/07:11:28.3		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-016/07:01:05.2
1061	M1O	04-016/07:11:39.3		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-016/07:01:16.2
1062	M1O	04-016/07:12:09.3		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-016/07:01:46.2
1063	M1O	04-016/07:12:29.3		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-016/07:02:06.2
1064	M1O	04-016/07:12:39.3		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-016/07:02:16.2
1065	M1O	04-016/07:12:59.3		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-016/07:02:36.2
1066	M1O	04-016/07:13:09.3		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-016/07:02:46.2
1067	M1O	04-016/07:13:14.4		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-016/07:02:51.2
1068	M1O	04-016/07:13:19.4		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-016/07:02:56.2
1069	M1O	04-016/07:13:24.4		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-016/07:03:01.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1070	M1O	04-016/07:13:29.4		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-016/07:03:06.2
1071	M1O	04-016/07:13:34.4		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-016/07:03:11.2
1072	M1O	04-016/07:13:36.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/07:03:13.5
1073	M1O	04-016/07:13:37.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/07:03:14.5
1074	M1O	04-016/07:13:37.7	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1075	M1O	04-016/07:13:38.7		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-016/07:03:15.5
1076	M1O	04-016/07:14:14.4		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-016/07:03:51.2
1077	M1O	04-016/07:14:19.4		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-016/07:03:56.2
1078	M1O	04-016/07:14:24.4		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-016/07:04:01.2
1079	M1O	04-016/07:14:29.4		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-016/07:04:06.2
1080	M1O	04-016/07:14:34.4		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-016/07:04:11.2
1081	M1O	04-016/07:14:35.4		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-016/07:04:12.2
1082	M1O	04-016/07:14:36.4		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-016/07:04:13.2
1083	M1O	04-016/07:14:37.4		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-016/07:04:14.2
1084	M1O	04-016/07:14:48.4		NOTE: End Block fsw_diag.mod		04-016/07:04:25.2
1085	M1O	04-016/07:15:00.0	14	End Post-Cal		
1086	M1O	04-016/07:24:02.8		NOTE: Descending Node Crossing 9266		04-016/07:13:39.6
1087	M1O	04-016/07:53:20.6		NOTE: South Pole Crossing 9266		04-016/07:42:57.3
1088	M1O	04-016/07:53:28.0		NOTE: Periapsis 9266 ----------		04-016/07:43:04.6
1089	M1O	04-016/08:14:56.3		SPAWN, Engine = 65535, Parameters = 016, 02, FALSE, 00:18:44.257, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-016/08:04:33.0
1090	M1O	04-016/08:14:57.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/08:04:34.1
1091	M1O	04-016/08:14:59.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-016/08:04:36.1
1092	M1O	04-016/08:15:41.6		CALL, Engine = , Parameters = 56	get_apid	04-016/08:05:18.3
1093	M1O	04-016/08:15:42.7		CALL, Engine = , Parameters = 56	get_rcv_mode	04-016/08:05:19.4
1094	M1O	04-016/08:15:42.9		CALL, Engine = , Parameters = 56	get_dl_rate	04-016/08:05:19.6
1095	M1O	04-016/08:15:44.0		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-016/08:05:20.7
1096	M1O	04-016/08:15:45.2		CALL, Engine = , Parameters = 56	get_coding	04-016/08:05:21.9
1097	M1O	04-016/08:15:46.4		CALL, Engine = , Parameters = 56	get_xmt_mode	04-016/08:05:23.1
1098	M1O	04-016/08:15:47.6		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-016/08:05:24.3
1099	M1O	04-016/08:16:52.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-016/08:06:29.1
1100	M1O	04-016/08:16:53.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-016/08:06:30.1
1101	M1O	04-016/08:16:54.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-016/08:06:31.1
1102	M1O	04-016/08:16:55.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-016/08:06:32.1
1103	M1O	04-016/08:16:56.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-016/08:06:33.1
1104	M1O	04-016/08:16:57.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-016/08:06:34.1
1105	M1O	04-016/08:16:58.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-016/08:06:35.1
1106	M1O	04-016/08:21:13.4		NOTE: Enter Solar Eclipse 9266		04-016/08:10:49.9
1107	M1O	04-016/08:22:38.0		NOTE: Ascending Node Crossing 9266		04-016/08:12:14.5
1108	M1O	04-016/08:35:38.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-016/08:25:15.3
1109	M1O	04-016/08:35:39.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-016/08:25:16.4
1110	M1O	04-016/08:35:49.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-016/08:25:26.4
1111	M1O	04-016/08:35:50.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/08:25:27.4
1112	M1O	04-016/08:40:02.8		NOTE: Exit Solar Eclipse 9266		04-016/08:29:39.3
1113	M1O	04-016/08:45:20.4		SPAWN, Engine = 65535, Parameters = 3, 00:26:48.315, 1	dpt	04-016/08:34:57.0
1114	M1O	04-016/08:45:22.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/08:34:59.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1115	M1O	04-016/08:45:22.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1116	M1O	04-016/08:45:23.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/08:35:00.1
1117	M1O	04-016/08:46:22.4		NOTE: ENTER HGA KEEP OUT ZONE		
1118	M1O	04-016/08:46:22.4	43	NOTE: Loss Of X-Band Signal		
1119	M1O	04-016/08:51:55.3		NOTE: Enter Planetary Atmosphere 9266		04-016/08:41:31.8
1120	M1O	04-016/08:52:36.0		NOTE: North Pole Crossing 9266		04-016/08:42:12.5
1121	M1O	04-016/08:52:43.0		NOTE: Apoapsis 9266 -		04-016/08:42:19.5
1122	M1O	04-016/08:54:04.4		NOTE: Enter Earth Occultation 9266		04-016/08:43:40.9
1123	M1O	04-016/08:58:22.5		NOTE: EXIT HGA KEEP OUT ZONE		
1124	M1O	04-016/09:07:10.8		NOTE: Exit Earth Occultation 9266		04-016/08:56:47.3
1125	M1O	04-016/09:07:10.8	43	Acquisition Of X-Band Signal		
1126	M1O	04-016/09:07:10.8	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1127	M1O	04-016/09:09:21.2		NOTE: Exit Planetary Atmosphere 9266		04-016/08:58:57.6
1128	M1O	04-016/09:12:10.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/09:01:47.4
1129	M1O	04-016/09:12:10.9	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1130	M1O	04-016/09:12:11.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/09:01:48.4
1131	M1O	04-016/09:22:34.3		NOTE: Descending Node Crossing 9267		04-016/09:12:10.7
1132	M1O	04-016/09:45:00.0	63	Begin Pre-Cal		
1133	M1O	04-016/09:45:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
1134	M1O	04-016/09:45:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
1135	M1O	04-016/09:45:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
1136	M1O	04-016/09:45:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
1137	M1O	04-016/09:45:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
1138	M1O	04-016/09:45:00.0	63	Config: RCV: Parms:		
1139	M1O	04-016/09:45:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
1140	M1O	04-016/09:45:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
1141	M1O	04-016/09:45:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
1142	M1O	04-016/09:51:49.6		NOTE: Periapsis 9267 ----------		04-016/09:41:25.9
1143	M1O	04-016/09:51:51.2		NOTE: South Pole Crossing 9267		04-016/09:41:27.5
1144	M1O	04-016/10:19:44.2		NOTE: Enter Solar Eclipse 9267		04-016/10:09:20.4
1145	M1O	04-016/10:21:08.1		NOTE: Ascending Node Crossing 9267		04-016/10:10:44.3
1146	M1O	04-016/10:38:28.9		NOTE: Exit Solar Eclipse 9267		04-016/10:28:05.0
1147	M1O	04-016/10:43:51.8		SPAWN, Engine = 65535, Parameters = 3, 00:26:42.582, 1	dpt	04-016/10:33:28.0
1148	M1O	04-016/10:43:53.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/10:33:30.1
1149	M1O	04-016/10:43:53.9	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1150	M1O	04-016/10:43:54.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/10:33:31.1
1151	M1O	04-016/10:44:53.8		NOTE: ENTER HGA KEEP OUT ZONE		
1152	M1O	04-016/10:44:53.8	43	NOTE: Loss Of X-Band Signal		
1153	M1O	04-016/10:50:32.6		NOTE: Enter Planetary Atmosphere 9267		04-016/10:40:08.7
1154	M1O	04-016/10:51:00.9		NOTE: Apoapsis 9267 -		04-016/10:40:37.0
1155	M1O	04-016/10:51:07.3		NOTE: North Pole Crossing 9267		04-016/10:40:43.4
1156	M1O	04-016/10:52:43.3		NOTE: Enter Earth Occultation 9267		04-016/10:42:19.4
1157	M1O	04-016/10:56:53.9		NOTE: EXIT HGA KEEP OUT ZONE		
1158	M1O	04-016/11:05:36.5		NOTE: Exit Earth Occultation 9267		04-016/10:55:12.5
1159	M1O	04-016/11:05:36.5	43	Acquisition Of X-Band Signal		
1160	M1O	04-016/11:05:36.5	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1161	M1O	04-016/11:07:48.6		NOTE: Exit Planetary Atmosphere 9267		04-016/10:57:24.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1162	M1O	04-016/11:10:36.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/11:00:12.6
1163	M1O	04-016/11:10:36.6	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1164	M1O	04-016/11:10:37.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/11:00:13.6
1165	M1O	04-016/11:21:06.4		NOTE: Descending Node Crossing 9268		04-016/11:10:42.5
1166	M1O	04-016/11:50:02.8		NOTE: Periapsis 9268 ----------		04-016/11:39:38.8
1167	M1O	04-016/11:50:23.6		NOTE: South Pole Crossing 9268		04-016/11:39:59.6
1168	M1O	04-016/12:00:00.0	63	Begin Tracking		
1169	M1O	04-016/12:00:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1170	M1O	04-016/12:11:30.0	63	NOTE: Above Uplink Interlock Limit		
1171	M1O	04-016/12:15:00.0	43	End Tracking		
1172	M1O	04-016/12:18:20.5		NOTE: Enter Solar Eclipse 9268		04-016/12:07:56.3
1173	M1O	04-016/12:19:41.6		NOTE: Ascending Node Crossing 9268		04-016/12:09:17.5
1174	M1O	04-016/12:30:00.0	43	End Post-Cal		
1175	M1O	04-016/12:36:56.4		NOTE: Exit Solar Eclipse 9268		04-016/12:26:32.2
1176	M1O	04-016/12:42:24.2		SPAWN, Engine = 65535, Parameters = 3, 00:26:36.868, 1	dpt	04-016/12:32:00.0
1177	M1O	04-016/12:42:26.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/12:32:02.1
1178	M1O	04-016/12:42:26.3	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1179	M1O	04-016/12:42:27.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/12:32:03.1
1180	M1O	04-016/12:43:26.2		NOTE: ENTER HGA KEEP OUT ZONE		
1181	M1O	04-016/12:43:26.2	63	NOTE: Loss Of X-Band Signal		
1182	M1O	04-016/12:49:14.6		NOTE: Enter Planetary Atmosphere 9268		04-016/12:38:50.4
1183	M1O	04-016/12:49:20.9		NOTE: Apoapsis 9268 -		04-016/12:38:56.6
1184	M1O	04-016/12:49:41.6		NOTE: North Pole Crossing 9268		04-016/12:39:17.4
1185	M1O	04-016/12:51:27.7		NOTE: Enter Earth Occultation 9268		04-016/12:41:03.5
1186	M1O	04-016/12:55:26.2		NOTE: EXIT HGA KEEP OUT ZONE		
1187	M1O	04-016/13:04:03.1		NOTE: Exit Earth Occultation 9268		04-016/12:53:38.8
1188	M1O	04-016/13:04:03.1	63	Acquisition Of X-Band Signal		
1189	M1O	04-016/13:04:03.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1190	M1O	04-016/13:06:17.7		NOTE: Exit Planetary Atmosphere 9268		04-016/12:55:53.3
1191	M1O	04-016/13:09:03.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/12:58:38.9
1192	M1O	04-016/13:09:03.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1193	M1O	04-016/13:09:04.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/12:58:39.9
1194	M1O	04-016/13:14:32.3		SPAWN, Engine = 65535, Parameters = 016, 03, TRUE, 00:17:00, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-016/13:04:08.0
1195	M1O	04-016/13:14:32.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/13:04:08.5
1196	M1O	04-016/13:14:32.8	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1197	M1O	04-016/13:14:33.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/13:04:09.1
1198	M1O	04-016/13:14:35.4		CALL, Engine = , Parameters = 254	get_cmd_opt	04-016/13:04:11.1
1199	M1O	04-016/13:14:35.7		CALL, Engine = , Parameters = 016, 03, 254	bld_autosw	04-016/13:04:11.4
1200	M1O	04-016/13:14:36.8		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-016/13:04:12.5
1201	M1O	04-016/13:14:37.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:13.6
1202	M1O	04-016/13:14:38.9		Deletes the designated file.: d:/dat/254_doy016_pass03_file01.dat	FILE_DELETE	04-016/13:04:14.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1203	M1O	04-016/13:14:40.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:15.7
1204	M1O	04-016/13:14:41.0		Deletes the designated file.: d:/dat/254_doy016_pass03_file02.dat	FILE_DELETE	04-016/13:04:16.7
1205	M1O	04-016/13:14:42.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:17.8
1206	M1O	04-016/13:14:43.1		Deletes the designated file.: d:/dat/254_doy016_pass03_file03.dat	FILE_DELETE	04-016/13:04:18.8
1207	M1O	04-016/13:14:44.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:19.9
1208	M1O	04-016/13:14:45.2		Deletes the designated file.: d:/dat/254_doy016_pass03_file04.dat	FILE_DELETE	04-016/13:04:20.9
1209	M1O	04-016/13:14:46.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:22.0
1210	M1O	04-016/13:14:47.3		Deletes the designated file.: d:/dat/254_doy016_pass03_file05.dat	FILE_DELETE	04-016/13:04:23.0
1211	M1O	04-016/13:14:48.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:24.1
1212	M1O	04-016/13:14:49.4		Deletes the designated file.: d:/dat/254_doy016_pass03_file06.dat	FILE_DELETE	04-016/13:04:25.1
1213	M1O	04-016/13:14:50.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:26.2
1214	M1O	04-016/13:14:51.5		Deletes the designated file.: d:/dat/254_doy016_pass03_file07.dat	FILE_DELETE	04-016/13:04:27.2
1215	M1O	04-016/13:14:52.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:28.3
1216	M1O	04-016/13:14:53.6		Deletes the designated file.: d:/dat/254_doy016_pass03_file08.dat	FILE_DELETE	04-016/13:04:29.3
1217	M1O	04-016/13:14:54.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:30.4
1218	M1O	04-016/13:14:55.7		Deletes the designated file.: d:/dat/254_doy016_pass03_file09.dat	FILE_DELETE	04-016/13:04:31.4
1219	M1O	04-016/13:14:56.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:32.5
1220	M1O	04-016/13:14:57.8		Deletes the designated file.: d:/dat/254_doy016_pass03_file10.dat	FILE_DELETE	04-016/13:04:33.5
1221	M1O	04-016/13:14:58.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:34.6
1222	M1O	04-016/13:14:59.9		Deletes the designated file.: d:/dat/254_doy016_pass03_file11.dat	FILE_DELETE	04-016/13:04:35.6
1223	M1O	04-016/13:15:01.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:36.7
1224	M1O	04-016/13:15:02.0		Deletes the designated file.: d:/dat/254_doy016_pass03_file12.dat	FILE_DELETE	04-016/13:04:37.7
1225	M1O	04-016/13:15:03.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:38.8
1226	M1O	04-016/13:15:04.1		Deletes the designated file.: d:/dat/254_doy016_pass03_file13.dat	FILE_DELETE	04-016/13:04:39.8
1227	M1O	04-016/13:15:05.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:40.9
1228	M1O	04-016/13:15:06.2		Deletes the designated file.: d:/dat/254_doy016_pass03_file14.dat	FILE_DELETE	04-016/13:04:41.9
1229	M1O	04-016/13:15:07.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:43.0
1230	M1O	04-016/13:15:08.3		Deletes the designated file.: d:/dat/254_doy016_pass03_file15.dat	FILE_DELETE	04-016/13:04:44.0
1231	M1O	04-016/13:15:09.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:45.1
1232	M1O	04-016/13:15:10.4		Deletes the designated file.: d:/dat/254_doy016_pass03_file16.dat	FILE_DELETE	04-016/13:04:46.1
1233	M1O	04-016/13:15:11.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:47.2
1234	M1O	04-016/13:15:12.5		Deletes the designated file.: d:/dat/254_doy016_pass03_file17.dat	FILE_DELETE	04-016/13:04:48.2
1235	M1O	04-016/13:15:13.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:49.3
1236	M1O	04-016/13:15:14.6		Deletes the designated file.: d:/dat/254_doy016_pass03_file18.dat	FILE_DELETE	04-016/13:04:50.3
1237	M1O	04-016/13:15:15.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy016_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-016/13:04:51.4
1238	M1O	04-016/13:15:16.7		Deletes the designated file.: d:/dat/254_doy016_pass03_file19.dat	FILE_DELETE	04-016/13:04:52.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1239	M1O	04-016/13:15:17.7		CALL, Engine = , Parameters = 254	get_apid	04-016/13:04:53.4
1240	M1O	04-016/13:15:18.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-016/13:04:54.5
1241	M1O	04-016/13:15:19.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-016/13:04:54.7
1242	M1O	04-016/13:15:20.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-016/13:04:55.8
1243	M1O	04-016/13:15:21.4		CALL, Engine = , Parameters = 254	get_coding	04-016/13:04:57.1
1244	M1O	04-016/13:15:22.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-016/13:04:58.3
1245	M1O	04-016/13:15:23.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-016/13:04:59.5
1246	M1O	04-016/13:16:28.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-016/13:06:04.3
1247	M1O	04-016/13:16:29.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-016/13:06:05.3
1248	M1O	04-016/13:16:30.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-016/13:06:06.3
1249	M1O	04-016/13:16:31.6		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-016/13:06:07.3
1250	M1O	04-016/13:16:32.6		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-016/13:06:08.3
1251	M1O	04-016/13:16:33.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-016/13:06:09.3
1252	M1O	04-016/13:16:34.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-016/13:06:10.3
1253	M1O	04-016/13:18:24.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/13:08:00.3
1254	M1O	04-016/13:18:34.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-016/13:08:10.3
1255	M1O	04-016/13:19:41.2		NOTE: Descending Node Crossing 9269		04-016/13:09:16.9
1256	M1O	04-016/13:33:32.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-016/13:23:08.3
1257	M1O	04-016/13:33:33.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-016/13:23:09.4
1258	M1O	04-016/13:33:43.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-016/13:23:19.4
1259	M1O	04-016/13:33:44.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/13:23:20.4
1260	M1O	04-016/13:33:45.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-016/13:23:21.4
1261	M1O	04-016/13:33:45.8	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1262	M1O	04-016/13:33:46.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-016/13:23:22.4
1263	M1O	04-016/13:38:45.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/13:28:21.0
1264	M1O	04-016/13:38:45.4	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1265	M1O	04-016/13:48:51.7		NOTE: Periapsis 9269 ----------		04-016/13:38:27.2
1266	M1O	04-016/13:48:59.8		NOTE: South Pole Crossing 9269		04-016/13:38:35.4
1267	M1O	04-016/14:16:57.6		NOTE: Enter Solar Eclipse 9269		04-016/14:06:33.1
1268	M1O	04-016/14:18:18.7		NOTE: Ascending Node Crossing 9269		04-016/14:07:54.1
1269	M1O	04-016/14:35:31.6		NOTE: Exit Solar Eclipse 9269		04-016/14:25:07.0
1270	M1O	04-016/14:41:19.6		SPAWN, Engine = 65535, Parameters = 3, 00:26:45.013, 1	dpt	04-016/14:30:55.0
1271	M1O	04-016/14:41:21.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/14:30:57.1
1272	M1O	04-016/14:41:21.7	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1273	M1O	04-016/14:41:22.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/14:30:58.1
1274	M1O	04-016/14:42:18.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
1275	M1O	04-016/14:42:21.6		NOTE: ENTER HGA KEEP OUT ZONE		
1276	M1O	04-016/14:42:21.6	63	NOTE: Loss Of X-Band Signal		
1277	M1O	04-016/14:47:18.0	63	Range Modulation On: SUP=3.0dB		
1278	M1O	04-016/14:47:53.2		NOTE: Enter Planetary Atmosphere 9269		04-016/14:37:28.5
1279	M1O	04-016/14:48:18.0	63	Begin Ranging Acquisition		
1280	M1O	04-016/14:48:18.1		NOTE: North Pole Crossing 9269		04-016/14:37:53.5
1281	M1O	04-016/14:48:18.4		NOTE: Apoapsis 9269 -		04-016/14:37:53.7
1282	M1O	04-016/14:50:07.3		NOTE: Enter Earth Occultation 9269		04-016/14:39:42.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1283	M1O	04-016/14:53:41.6		NOTE: EXIT HGA KEEP OUT ZONE		
1284	M1O	04-016/15:02:35.5		NOTE: Exit Earth Occultation 9269		04-016/14:52:10.9
1285	M1O	04-016/15:02:35.5	63	Acquisition Of X-Band Signal		
1286	M1O	04-016/15:02:35.5	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1287	M1O	04-016/15:03:07.2	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1288	M1O	04-016/15:04:50.9		NOTE: Exit Planetary Atmosphere 9269		04-016/14:54:26.2
1289	M1O	04-016/15:08:06.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/14:57:42.1
1290	M1O	04-016/15:08:06.8	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1291	M1O	04-016/15:08:07.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/14:57:43.1
1292	M1O	04-016/15:12:07.7		SPAWN, Engine = 65535, Parameters = 016, 04, FALSE, 00:16:47.062, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-016/15:01:43.0
1293	M1O	04-016/15:12:08.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/15:01:44.1
1294	M1O	04-016/15:12:10.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-016/15:01:46.1
1295	M1O	04-016/15:12:53.0		CALL, Engine = , Parameters = 254	get_apid	04-016/15:02:28.3
1296	M1O	04-016/15:12:54.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-016/15:02:29.4
1297	M1O	04-016/15:12:54.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-016/15:02:29.6
1298	M1O	04-016/15:12:55.4		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-016/15:02:30.7
1299	M1O	04-016/15:12:56.7		CALL, Engine = , Parameters = 254	get_coding	04-016/15:02:32.0
1300	M1O	04-016/15:12:57.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-016/15:02:33.2
1301	M1O	04-016/15:12:59.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-016/15:02:34.4
1302	M1O	04-016/15:14:03.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-016/15:03:39.2
1303	M1O	04-016/15:14:04.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-016/15:03:40.2
1304	M1O	04-016/15:14:05.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-016/15:03:41.2
1305	M1O	04-016/15:14:06.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-016/15:03:42.2
1306	M1O	04-016/15:14:07.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-016/15:03:43.2
1307	M1O	04-016/15:14:08.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-016/15:03:44.2
1308	M1O	04-016/15:14:09.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-016/15:03:45.2
1309	M1O	04-016/15:18:17.7		NOTE: Descending Node Crossing 9270		04-016/15:07:53.0
1310	M1O	04-016/15:30:53.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-016/15:20:28.2
1311	M1O	04-016/15:30:54.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-016/15:20:29.3
1312	M1O	04-016/15:31:04.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-016/15:20:39.3
1313	M1O	04-016/15:31:05.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/15:20:40.3
1314	M1O	04-016/15:47:37.0		NOTE: South Pole Crossing 9270		04-016/15:37:12.2
1315	M1O	04-016/15:47:52.9		NOTE: Periapsis 9270 ----------		04-016/15:37:28.0
1316	M1O	04-016/16:05:27.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
1317	M1O	04-016/16:15:27.0	63	Range Modulation Off		
1318	M1O	04-016/16:15:32.8		NOTE: Enter Solar Eclipse 9270		04-016/16:05:07.8
1319	M1O	04-016/16:16:55.7		NOTE: Ascending Node Crossing 9270		04-016/16:06:30.7
1320	M1O	04-016/16:20:27.0	63	X-Band Transmitter Off		
1321	M1O	04-016/16:34:09.0		NOTE: Exit Solar Eclipse 9270		04-016/16:23:44.0
1322	M1O	04-016/16:40:14.0		SPAWN, Engine = 65535, Parameters = 3, 00:26:26, 1	dpt	04-016/16:29:49.0
1323	M1O	04-016/16:40:16.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/16:29:51.1
1324	M1O	04-016/16:40:16.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1325	M1O	04-016/16:40:17.1		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-016/16:29:52.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_nom.cfg		
1326	M1O	04-016/16:40:53.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
1327	M1O	04-016/16:41:16.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1328	M1O	04-016/16:41:17.9		NOTE: ENTER HGA KEEP OUT ZONE		
1329	M1O	04-016/16:41:17.9	63	NOTE: Loss Of X-Band Signal		
1330	M1O	04-016/16:45:53.0	63	Range Modulation On: SUP=3.0dB		
1331	M1O	04-016/16:46:29.3		NOTE: Enter Planetary Atmosphere 9270		04-016/16:36:04.3
1332	M1O	04-016/16:46:53.0	63	Begin Ranging Acquisition		
1333	M1O	04-016/16:46:54.8		NOTE: North Pole Crossing 9270		04-016/16:36:29.8
1334	M1O	04-016/16:47:21.4		NOTE: Apoapsis 9270 -		04-016/16:36:56.4
1335	M1O	04-016/16:48:43.6		NOTE: Enter Earth Occultation 9270		04-016/16:38:18.6
1336	M1O	04-016/16:52:18.0		NOTE: EXIT HGA KEEP OUT ZONE		
1337	M1O	04-016/17:01:10.7		NOTE: Exit Earth Occultation 9270		04-016/16:50:45.7
1338	M1O	04-016/17:01:10.7	63	Acquisition Of X-Band Signal		
1339	M1O	04-016/17:01:10.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1340	M1O	04-016/17:01:42.9	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1341	M1O	04-016/17:03:26.3		NOTE: Exit Planetary Atmosphere 9270		04-016/16:53:01.2
1342	M1O	04-016/17:06:42.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/16:56:17.1
1343	M1O	04-016/17:06:42.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1344	M1O	04-016/17:06:43.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/16:56:18.1
1345	M1O	04-016/17:16:54.7		NOTE: Descending Node Crossing 9271		04-016/17:06:29.6
1346	M1O	04-016/17:46:13.3		NOTE: South Pole Crossing 9271		04-016/17:35:48.1
1347	M1O	04-016/17:46:42.5		NOTE: Periapsis 9271 ----------		04-016/17:36:17.3
1348	M1O	04-016/18:04:02.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
1349	M1O	04-016/18:14:02.0	63	Range Modulation Off		
1350	M1O	04-016/18:14:05.5		NOTE: Enter Solar Eclipse 9271		04-016/18:03:40.2
1351	M1O	04-016/18:15:30.9		NOTE: Ascending Node Crossing 9271		04-016/18:05:05.6
1352	M1O	04-016/18:19:02.0	63	X-Band Transmitter Off		
1353	M1O	04-016/18:32:46.1		NOTE: Exit Solar Eclipse 9271		04-016/18:22:20.8
1354	M1O	04-016/18:38:50.5		SPAWN, Engine = 65535, Parameters = 3, 00:26:28, 1	dpt	04-016/18:28:25.1
1355	M1O	04-016/18:38:52.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/18:28:27.2
1356	M1O	04-016/18:38:52.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1357	M1O	04-016/18:38:53.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/18:28:28.2
1358	M1O	04-016/18:39:30.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
1359	M1O	04-016/18:39:52.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1360	M1O	04-016/18:39:54.3		NOTE: ENTER HGA KEEP OUT ZONE		
1361	M1O	04-016/18:39:54.3	63	NOTE: Loss Of X-Band Signal		
1362	M1O	04-016/18:44:30.0	63	Range Modulation On: SUP=3.0dB		
1363	M1O	04-016/18:45:00.7		NOTE: Enter Planetary Atmosphere 9271		04-016/18:34:35.4
1364	M1O	04-016/18:45:29.9		NOTE: North Pole Crossing 9271		04-016/18:35:04.5
1365	M1O	04-016/18:45:30.0	63	Begin Ranging Acquisition		
1366	M1O	04-016/18:45:58.3		NOTE: Apoapsis 9271 -		04-016/18:35:32.9
1367	M1O	04-016/18:47:14.1		NOTE: Enter Earth Occultation 9271		04-016/18:36:48.7
1368	M1O	04-016/18:50:54.4		NOTE: EXIT HGA KEEP OUT ZONE		
1369	M1O	04-016/18:59:48.8		NOTE: Exit Earth Occultation 9271		04-016/18:49:23.3
1370	M1O	04-016/18:59:48.8	63	Acquisition Of X-Band Signal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1371	M1O	04-016/18:59:48.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1372	M1O	04-016/19:00:20.7	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1373	M1O	04-016/19:01:33.4		SPAWN, Engine = 65535, Parameters = 016, 03, FALSE, 00:16:51.587, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-016/18:51:08.0
1374	M1O	04-016/19:01:34.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/18:51:09.1
1375	M1O	04-016/19:01:36.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-016/18:51:11.1
1376	M1O	04-016/19:02:03.4		NOTE: Exit Planetary Atmosphere 9271		04-016/18:51:38.0
1377	M1O	04-016/19:02:18.7		CALL, Engine = , Parameters = 56	get_apid	04-016/18:51:53.3
1378	M1O	04-016/19:02:19.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-016/18:51:54.4
1379	M1O	04-016/19:02:20.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-016/18:51:54.6
1380	M1O	04-016/19:02:21.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-016/18:51:55.7
1381	M1O	04-016/19:02:22.3		CALL, Engine = , Parameters = 56	get_coding	04-016/18:51:56.9
1382	M1O	04-016/19:02:23.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-016/18:51:58.1
1383	M1O	04-016/19:02:24.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-016/18:51:59.3
1384	M1O	04-016/19:03:29.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-016/18:53:04.1
1385	M1O	04-016/19:03:30.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-016/18:53:05.1
1386	M1O	04-016/19:03:31.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-016/18:53:06.1
1387	M1O	04-016/19:03:32.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-016/18:53:07.1
1388	M1O	04-016/19:03:33.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-016/18:53:08.1
1389	M1O	04-016/19:03:34.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-016/18:53:09.1
1390	M1O	04-016/19:03:35.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-016/18:53:10.1
1391	M1O	04-016/19:05:20.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/18:54:55.2
1392	M1O	04-016/19:05:20.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1393	M1O	04-016/19:05:21.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/18:54:56.2
1394	M1O	04-016/19:15:29.5		NOTE: Descending Node Crossing 9272		04-016/19:05:04.0
1395	M1O	04-016/19:20:23.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-016/19:09:57.6
1396	M1O	04-016/19:20:24.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-016/19:09:58.7
1397	M1O	04-016/19:20:34.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-016/19:10:08.7
1398	M1O	04-016/19:20:35.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/19:10:09.7
1399	M1O	04-016/19:44:46.9		NOTE: South Pole Crossing 9272		04-016/19:34:21.3
1400	M1O	04-016/19:45:04.8		NOTE: Periapsis 9272 ----------		04-016/19:34:39.3
1401	M1O	04-016/20:02:17.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
1402	M1O	04-016/20:12:17.0	63	Range Modulation Off		
1403	M1O	04-016/20:12:37.3		NOTE: Enter Solar Eclipse 9272		04-016/20:02:11.6
1404	M1O	04-016/20:14:03.5		NOTE: Ascending Node Crossing 9272		04-016/20:03:37.9
1405	M1O	04-016/20:17:17.0	63	X-Band Transmitter Off		
1406	M1O	04-016/20:31:20.7		NOTE: Exit Solar Eclipse 9272		04-016/20:20:55.0
1407	M1O	04-016/20:37:05.8		SPAWN, Engine = 65535, Parameters = 3, 00:26:49, 1	dpt	04-016/20:26:40.1
1408	M1O	04-016/20:37:07.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/20:26:42.2
1409	M1O	04-016/20:37:07.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1410	M1O	04-016/20:37:08.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/20:26:43.2
1411	M1O	04-016/20:38:06.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
1412	M1O	04-016/20:38:08.3	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
1413	M1O	04-016/20:38:09.7		NOTE: ENTER HGA KEEP OUT ZONE		
1414	M1O	04-016/20:38:09.7	63	NOTE: Loss Of X-Band Signal		
1415	M1O	04-016/20:43:06.0	63	Range Modulation On: SUP=3.0dB		
1416	M1O	04-016/20:43:28.6		NOTE: Enter Planetary Atmosphere 9272		04-016/20:33:02.8
1417	M1O	04-016/20:44:02.2		NOTE: North Pole Crossing 9272		04-016/20:33:36.4
1418	M1O	04-016/20:44:06.0	63	Begin Ranging Acquisition		
1419	M1O	04-016/20:44:10.9		NOTE: Apoapsis 9272 -		04-016/20:33:45.1
1420	M1O	04-016/20:45:40.7		NOTE: Enter Earth Occultation 9272		04-016/20:35:14.9
1421	M1O	04-016/20:49:29.7		NOTE: EXIT HGA KEEP OUT ZONE		
1422	M1O	04-016/20:58:25.1		NOTE: Exit Earth Occultation 9272		04-016/20:47:59.3
1423	M1O	04-016/20:58:25.1	63	Acquisition Of X-Band Signal		
1424	M1O	04-016/20:58:25.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1425	M1O	04-016/20:58:34.8		SPAWN, Engine = 65535, Parameters = 016, 04, FALSE, 00:17:30.603, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-016/20:48:09.0
1426	M1O	04-016/20:58:35.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/20:48:10.1
1427	M1O	04-016/20:58:37.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-016/20:48:12.1
1428	M1O	04-016/20:58:57.4	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1429	M1O	04-016/20:59:20.1		CALL, Engine = , Parameters = 56	get_apid	04-016/20:48:54.3
1430	M1O	04-016/20:59:21.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-016/20:48:55.4
1431	M1O	04-016/20:59:21.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-016/20:48:55.6
1432	M1O	04-016/20:59:22.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-016/20:48:56.7
1433	M1O	04-016/20:59:23.7		CALL, Engine = , Parameters = 56	get_coding	04-016/20:48:57.9
1434	M1O	04-016/20:59:24.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-016/20:48:59.1
1435	M1O	04-016/20:59:26.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-016/20:49:00.3
1436	M1O	04-016/21:00:30.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-016/20:50:05.1
1437	M1O	04-016/21:00:31.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-016/20:50:06.1
1438	M1O	04-016/21:00:32.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-016/20:50:07.1
1439	M1O	04-016/21:00:33.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-016/20:50:08.1
1440	M1O	04-016/21:00:34.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-016/20:50:09.1
1441	M1O	04-016/21:00:35.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-016/20:50:10.1
1442	M1O	04-016/21:00:36.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-016/20:50:11.1
1443	M1O	04-016/21:00:38.6		NOTE: Exit Planetary Atmosphere 9272		04-016/20:50:12.8
1444	M1O	04-016/21:03:57.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/20:53:31.2
1445	M1O	04-016/21:03:57.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1446	M1O	04-016/21:03:58.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/20:53:32.2
1447	M1O	04-016/21:14:01.1		NOTE: Descending Node Crossing 9273		04-016/21:03:35.2
1448	M1O	04-016/21:18:03.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-016/21:07:37.7
1449	M1O	04-016/21:18:04.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-016/21:07:38.8
1450	M1O	04-016/21:18:14.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-016/21:07:48.8
1451	M1O	04-016/21:18:15.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-016/21:07:49.8
1452	M1O	04-016/21:20:00.0	26	Begin Pre-Cal		
1453	M1O	04-016/21:20:00.0	26	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
1454	M1O	04-016/21:20:00.0	26	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
1455	M1O	04-016/21:20:00.0	26	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1456	M1O	04-016/21:20:00.0	26	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
1457	M1O	04-016/21:20:00.0	26	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
1458	M1O	04-016/21:20:00.0	26	Config: RCV: Parms:		
1459	M1O	04-016/21:20:00.0	26	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
1460	M1O	04-016/21:20:00.0	26	Config: TGC: BAND=X, SR=221200.000000		
1461	M1O	04-016/21:20:00.0	26	Config: TXL		
1462	M1O	04-016/21:20:00.0	26	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
1463	M1O	04-016/21:20:00.0	26	Config: CMD		
1464	M1O	04-016/21:20:00.0	26	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
1465	M1O	04-016/21:43:18.0		NOTE: Periapsis 9273 ----------		04-016/21:32:52.0
1466	M1O	04-016/21:43:18.1		NOTE: South Pole Crossing 9273		04-016/21:32:52.2
1467	M1O	04-016/22:00:48.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
1468	M1O	04-016/22:10:48.0	63	Range Modulation Off		
1469	M1O	04-016/22:11:10.1		NOTE: Enter Solar Eclipse 9273		04-016/22:00:44.0
1470	M1O	04-016/22:12:35.2		NOTE: Ascending Node Crossing 9273		04-016/22:02:09.2
1471	M1O	04-016/22:15:48.0	63	X-Band Transmitter Off		
1472	M1O	04-016/22:20:00.0	26	Begin Tracking		
1473	M1O	04-016/22:20:00.0	26	Acquire D/L: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1474	M1O	04-016/22:29:51.3		NOTE: Exit Solar Eclipse 9273		04-016/22:19:25.2
1475	M1O	04-016/22:35:37.2		SPAWN, Engine = 65535, Parameters = 3, 00:29:21.576, 1	dpt	04-016/22:25:11.1
1476	M1O	04-016/22:35:39.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-016/22:25:13.2
1477	M1O	04-016/22:35:39.3	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1478	M1O	04-016/22:35:39.3	26	D/L Change: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1479	M1O	04-016/22:35:40.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-016/22:25:14.2
1480	M1O	04-016/22:36:34.0	26	Acquire U/L: X/08, PWR=20.0, BR=125.0		
1481	M1O	04-016/22:36:40.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1482	M1O	04-016/22:36:40.1	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1483	M1O	04-016/22:36:41.1		NOTE: ENTER HGA KEEP OUT ZONE		
1484	M1O	04-016/22:36:41.1	63	NOTE: Loss Of X-Band Signal		
1485	M1O	04-016/22:36:41.1	26	NOTE: Loss Of X-Band Signal		
1486	M1O	04-016/22:41:34.0	26	Range Modulation On: SUP=3.0dB		
1487	M1O	04-016/22:42:00.8		NOTE: Enter Planetary Atmosphere 9273		04-016/22:31:34.6
1488	M1O	04-016/22:42:33.5		NOTE: North Pole Crossing 9273		04-016/22:32:07.4
1489	M1O	04-016/22:42:34.0	26	Begin Ranging Acquisition		
1490	M1O	04-016/22:42:41.2		NOTE: Apoapsis 9273 -		04-016/22:32:15.0
1491	M1O	04-016/22:44:13.5		NOTE: Enter Earth Occultation 9273		04-016/22:33:47.4
1492	M1O	04-016/22:48:01.1		NOTE: EXIT HGA KEEP OUT ZONE		
1493	M1O	04-016/22:56:53.6		NOTE: Exit Earth Occultation 9273		04-016/22:46:27.4
1494	M1O	04-016/22:56:53.6	63	Acquisition Of X-Band Signal		
1495	M1O	04-016/22:56:53.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1496	M1O	04-016/22:56:53.6	26	Acquisition Of X-Band Signal		
1497	M1O	04-016/22:56:53.6	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1498	M1O	04-016/22:57:26.2	63	Acquire D/L: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1499	M1O	04-016/22:57:26.2	26	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1500	M1O	04-016/22:59:07.6		NOTE: Exit Planetary Atmosphere 9273		04-016/22:48:41.5
1501	M1O	04-016/23:00:00.0	63	End Tracking		
1502	M1O	04-016/23:00:00.9		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-016/22:49:34.7
1503	M1O	04-016/23:00:00.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-016/22:49:34.7
1504	M1O	04-016/23:00:00.9	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1505	M1O	04-016/23:00:06.9		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-016/22:49:40.7
1506	M1O	04-016/23:00:06.9	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1507	M1O	04-016/23:05:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-016/22:54:34.8
1508	M1O	04-016/23:05:01.0	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1509	M1O	04-016/23:05:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-016/22:54:35.8
1510	M1O	04-016/23:12:31.9		NOTE: Descending Node Crossing 9274		04-016/23:02:05.7
1511	M1O	04-016/23:15:00.0	63	End Post-Cal		
1512	M1O	04-016/23:41:46.7		NOTE: Periapsis 9274 ----------		04-016/23:31:20.3
1513	M1O	04-016/23:41:49.8		NOTE: South Pole Crossing 9274		04-016/23:31:23.4
1514	M1O	04-016/23:59:17.0	26	NOTE: X-Band Transmitter Off in 15 minutes		
1515	M1O	04-017/00:00:00.0		Light Time: OWLT = 10:26, RTLT = 20:52		
1516	M1O	04-017/00:09:17.0	26	Range Modulation Off		
1517	M1O	04-017/00:09:43.9		NOTE: Enter Solar Eclipse 9274		04-016/23:59:17.5
1518	M1O	04-017/00:11:07.9		NOTE: Ascending Node Crossing 9274		04-017/00:00:41.5
1519	M1O	04-017/00:14:17.0	26	X-Band Transmitter Off		
1520	M1O	04-017/00:28:18.3		NOTE: Exit Solar Eclipse 9274		04-017/00:17:51.8
1521	M1O	04-017/00:34:07.7		SPAWN, Engine = 65535, Parameters = 3, 00:26:38, 1	dpt	04-017/00:23:41.2
1522	M1O	04-017/00:34:09.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/00:23:43.3
1523	M1O	04-017/00:34:09.8	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1524	M1O	04-017/00:34:10.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/00:23:44.3
1525	M1O	04-017/00:34:55.0	26	Acquire U/L: X/08, PWR=20.0, BR=125.0		
1526	M1O	04-017/00:35:09.8	26	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1527	M1O	04-017/00:35:11.4		NOTE: ENTER HGA KEEP OUT ZONE		
1528	M1O	04-017/00:35:11.4	26	NOTE: Loss Of X-Band Signal		
1529	M1O	04-017/00:39:55.0	26	Range Modulation On: SUP=3.0dB		
1530	M1O	04-017/00:40:44.6		NOTE: Enter Planetary Atmosphere 9274		04-017/00:30:18.1
1531	M1O	04-017/00:40:55.0	26	Begin Ranging Acquisition		
1532	M1O	04-017/00:41:07.4		NOTE: North Pole Crossing 9274		04-017/00:30:40.9
1533	M1O	04-017/00:41:23.2		NOTE: Apoapsis 9274 -		04-017/00:30:56.7
1534	M1O	04-017/00:43:00.7		NOTE: Enter Earth Occultation 9274		04-017/00:32:34.1
1535	M1O	04-017/00:46:31.5		NOTE: EXIT HGA KEEP OUT ZONE		
1536	M1O	04-017/00:55:16.8		NOTE: Exit Earth Occultation 9274		04-017/00:44:50.2
1537	M1O	04-017/00:55:16.8	26	Acquisition Of X-Band Signal		
1538	M1O	04-017/00:55:16.8	26	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1539	M1O	04-017/00:55:47.9	26	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1540	M1O	04-017/00:57:34.1		NOTE: Exit Planetary Atmosphere 9274		04-017/00:47:07.5
1541	M1O	04-017/01:00:47.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/00:50:21.3
1542	M1O	04-017/01:00:47.9	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1543	M1O	04-017/01:00:48.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/00:50:22.3
1544	M1O	04-017/01:11:07.2		NOTE: Descending Node Crossing 9275		04-017/01:00:40.6
1545	M1O	04-017/01:40:25.2		NOTE: South Pole Crossing 9275		04-017/01:29:58.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1546	M1O	04-017/01:40:29.7		NOTE: Periapsis 9275 ----------		04-017/01:30:03.0
1547	M1O	04-017/01:54:17.7		SPAWN, Engine = 65535, Parameters = 017, 01, TRUE, 00:18:09, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-017/01:43:51.0
1548	M1O	04-017/01:54:18.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/01:43:51.5
1549	M1O	04-017/01:54:18.2	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1550	M1O	04-017/01:54:18.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/01:43:52.1
1551	M1O	04-017/01:54:20.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-017/01:43:54.1
1552	M1O	04-017/01:54:21.1		CALL, Engine = , Parameters = 017, 01, 254	bld_autosw	04-017/01:43:54.4
1553	M1O	04-017/01:54:22.2		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-017/01:43:55.5
1554	M1O	04-017/01:54:23.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:43:56.6
1555	M1O	04-017/01:54:24.3		Deletes the designated file.: d:/dat/254_doy017_pass01_file01.dat	FILE_DELETE	04-017/01:43:57.6
1556	M1O	04-017/01:54:25.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:43:58.7
1557	M1O	04-017/01:54:26.4		Deletes the designated file.: d:/dat/254_doy017_pass01_file02.dat	FILE_DELETE	04-017/01:43:59.7
1558	M1O	04-017/01:54:27.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:00.8
1559	M1O	04-017/01:54:28.5		Deletes the designated file.: d:/dat/254_doy017_pass01_file03.dat	FILE_DELETE	04-017/01:44:01.8
1560	M1O	04-017/01:54:29.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:02.9
1561	M1O	04-017/01:54:30.6		Deletes the designated file.: d:/dat/254_doy017_pass01_file04.dat	FILE_DELETE	04-017/01:44:03.9
1562	M1O	04-017/01:54:31.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:05.0
1563	M1O	04-017/01:54:32.7		Deletes the designated file.: d:/dat/254_doy017_pass01_file05.dat	FILE_DELETE	04-017/01:44:06.0
1564	M1O	04-017/01:54:33.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:07.1
1565	M1O	04-017/01:54:34.8		Deletes the designated file.: d:/dat/254_doy017_pass01_file06.dat	FILE_DELETE	04-017/01:44:08.1
1566	M1O	04-017/01:54:35.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:09.2
1567	M1O	04-017/01:54:36.9		Deletes the designated file.: d:/dat/254_doy017_pass01_file07.dat	FILE_DELETE	04-017/01:44:10.2
1568	M1O	04-017/01:54:38.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:11.3
1569	M1O	04-017/01:54:39.0		Deletes the designated file.: d:/dat/254_doy017_pass01_file08.dat	FILE_DELETE	04-017/01:44:12.3
1570	M1O	04-017/01:54:40.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:13.4
1571	M1O	04-017/01:54:41.1		Deletes the designated file.: d:/dat/254_doy017_pass01_file09.dat	FILE_DELETE	04-017/01:44:14.4
1572	M1O	04-017/01:54:42.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:15.5
1573	M1O	04-017/01:54:43.2		Deletes the designated file.: d:/dat/254_doy017_pass01_file10.dat	FILE_DELETE	04-017/01:44:16.5
1574	M1O	04-017/01:54:44.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:17.6
1575	M1O	04-017/01:54:45.3		Deletes the designated file.: d:/dat/254_doy017_pass01_file11.dat	FILE_DELETE	04-017/01:44:18.6
1576	M1O	04-017/01:54:46.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:19.7
1577	M1O	04-017/01:54:47.4		Deletes the designated file.: d:/dat/254_doy017_pass01_file12.dat	FILE_DELETE	04-017/01:44:20.7
1578	M1O	04-017/01:54:48.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:21.8
1579	M1O	04-017/01:54:49.5		Deletes the designated file.: d:/dat/254_doy017_pass01_file13.dat	FILE_DELETE	04-017/01:44:22.8
1580	M1O	04-017/01:54:50.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:23.9
1581	M1O	04-017/01:54:51.6		Deletes the designated file.: d:/dat/254_doy017_pass01_file14.dat	FILE_DELETE	04-017/01:44:24.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1582	M1O	04-017/01:54:52.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:26.0
1583	M1O	04-017/01:54:53.7		Deletes the designated file.: d:/dat/254_doy017_pass01_file15.dat	FILE_DELETE	04-017/01:44:27.0
1584	M1O	04-017/01:54:54.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:28.1
1585	M1O	04-017/01:54:55.8		Deletes the designated file.: d:/dat/254_doy017_pass01_file16.dat	FILE_DELETE	04-017/01:44:29.1
1586	M1O	04-017/01:54:56.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:30.2
1587	M1O	04-017/01:54:57.9		Deletes the designated file.: d:/dat/254_doy017_pass01_file17.dat	FILE_DELETE	04-017/01:44:31.2
1588	M1O	04-017/01:54:59.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:32.3
1589	M1O	04-017/01:55:00.0		Deletes the designated file.: d:/dat/254_doy017_pass01_file18.dat	FILE_DELETE	04-017/01:44:33.3
1590	M1O	04-017/01:55:01.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/01:44:34.4
1591	M1O	04-017/01:55:02.1		Deletes the designated file.: d:/dat/254_doy017_pass01_file19.dat	FILE_DELETE	04-017/01:44:35.4
1592	M1O	04-017/01:55:03.1		CALL, Engine = , Parameters = 254	get_apid	04-017/01:44:36.4
1593	M1O	04-017/01:55:04.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-017/01:44:37.5
1594	M1O	04-017/01:55:04.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-017/01:44:37.7
1595	M1O	04-017/01:55:05.5		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-017/01:44:38.8
1596	M1O	04-017/01:55:06.8		CALL, Engine = , Parameters = 254	get_coding	04-017/01:44:40.1
1597	M1O	04-017/01:55:08.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-017/01:44:41.3
1598	M1O	04-017/01:55:09.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-017/01:44:42.5
1599	M1O	04-017/01:56:14.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-017/01:45:47.3
1600	M1O	04-017/01:56:15.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-017/01:45:48.3
1601	M1O	04-017/01:56:16.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-017/01:45:49.3
1602	M1O	04-017/01:56:17.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-017/01:45:50.3
1603	M1O	04-017/01:56:18.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-017/01:45:51.3
1604	M1O	04-017/01:56:19.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-017/01:45:52.3
1605	M1O	04-017/01:56:20.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-017/01:45:53.3
1606	M1O	04-017/01:58:10.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/01:47:43.3
1607	M1O	04-017/01:58:12.0	26	NOTE: X-Band Transmitter Off in 15 minutes		
1608	M1O	04-017/01:58:20.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-017/01:47:53.3
1609	M1O	04-017/02:08:12.0	26	Range Modulation Off		
1610	M1O	04-017/02:08:18.7		NOTE: Enter Solar Eclipse 9275		04-017/01:57:51.9
1611	M1O	04-017/02:09:43.2		NOTE: Ascending Node Crossing 9275		04-017/01:59:16.4
1612	M1O	04-017/02:13:12.0	26	X-Band Transmitter Off		
1613	M1O	04-017/02:14:27.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-017/02:04:00.3
1614	M1O	04-017/02:14:28.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-017/02:04:01.4
1615	M1O	04-017/02:14:38.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-017/02:04:11.4
1616	M1O	04-017/02:14:39.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/02:04:12.4
1617	M1O	04-017/02:14:40.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-017/02:04:13.4
1618	M1O	04-017/02:14:40.2	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1619	M1O	04-017/02:14:41.2		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-017/02:04:14.4
1620	M1O	04-017/02:19:39.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/02:09:13.0
1621	M1O	04-017/02:19:39.8	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1622	M1O	04-017/02:26:49.2		NOTE: Exit Solar Eclipse 9275		04-017/02:16:22.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1623	M1O	04-017/02:33:03.1		SPAWN, Engine = 65535, Parameters = 3, 00:26:13, 1	dpt	04-017/02:22:36.2
1624	M1O	04-017/02:33:05.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/02:22:38.3
1625	M1O	04-017/02:33:05.2	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1626	M1O	04-017/02:33:06.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/02:22:39.3
1627	M1O	04-017/02:33:25.0	26	Acquire U/L: X/08, PWR=20.0, BR=125.0		
1628	M1O	04-017/02:34:05.6	26	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1629	M1O	04-017/02:34:06.8		NOTE: ENTER HGA KEEP OUT ZONE		
1630	M1O	04-017/02:34:06.8	26	NOTE: Loss Of X-Band Signal		
1631	M1O	04-017/02:38:25.0	26	Range Modulation On: SUP=3.0dB		
1632	M1O	04-017/02:39:25.0	26	Begin Ranging Acquisition		
1633	M1O	04-017/02:39:27.5		NOTE: Enter Planetary Atmosphere 9275		04-017/02:29:00.6
1634	M1O	04-017/02:39:43.7		NOTE: North Pole Crossing 9275		04-017/02:29:16.8
1635	M1O	04-017/02:39:57.0		NOTE: Apoapsis 9275 -		04-017/02:29:30.1
1636	M1O	04-017/02:41:45.6		NOTE: Enter Earth Occultation 9275		04-017/02:31:18.7
1637	M1O	04-017/02:44:46.9		NOTE: EXIT HGA KEEP OUT ZONE		
1638	M1O	04-017/02:53:46.6		NOTE: Exit Earth Occultation 9275		04-017/02:43:19.7
1639	M1O	04-017/02:53:46.6	26	Acquisition Of X-Band Signal		
1640	M1O	04-017/02:53:46.6	26	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1641	M1O	04-017/02:54:18.7	26	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1642	M1O	04-017/02:56:06.1		NOTE: Exit Planetary Atmosphere 9275		04-017/02:45:39.2
1643	M1O	04-017/02:59:18.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/02:48:51.3
1644	M1O	04-017/02:59:18.3	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1645	M1O	04-017/02:59:19.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/02:48:52.3
1646	M1O	04-017/03:09:44.5		NOTE: Descending Node Crossing 9276		04-017/02:59:17.5
1647	M1O	04-017/03:39:02.4		NOTE: South Pole Crossing 9276		04-017/03:28:35.3
1648	M1O	04-017/03:39:06.5		NOTE: Periapsis 9276 ----------		04-017/03:28:39.4
1649	M1O	04-017/03:53:09.1		SPAWN, Engine = 65535, Parameters = 017, 02, FALSE, 00:15:00.234, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-017/03:42:42.0
1650	M1O	04-017/03:53:10.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/03:42:43.1
1651	M1O	04-017/03:53:12.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-017/03:42:45.1
1652	M1O	04-017/03:53:54.4		CALL, Engine = , Parameters = 254	get_apid	04-017/03:43:27.3
1653	M1O	04-017/03:53:55.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-017/03:43:28.4
1654	M1O	04-017/03:53:55.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-017/03:43:28.6
1655	M1O	04-017/03:53:56.8		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-017/03:43:29.7
1656	M1O	04-017/03:53:58.1		CALL, Engine = , Parameters = 254	get_coding	04-017/03:43:31.0
1657	M1O	04-017/03:53:59.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-017/03:43:32.2
1658	M1O	04-017/03:54:00.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-017/03:43:33.4
1659	M1O	04-017/03:55:05.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-017/03:44:38.2
1660	M1O	04-017/03:55:06.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-017/03:44:39.2
1661	M1O	04-017/03:55:07.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-017/03:44:40.2
1662	M1O	04-017/03:55:08.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-017/03:44:41.2
1663	M1O	04-017/03:55:09.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-017/03:44:42.2
1664	M1O	04-017/03:55:10.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-017/03:44:43.2
1665	M1O	04-017/03:55:11.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-017/03:44:44.2
1666	M1O	04-017/03:56:49.0	26	NOTE: X-Band Transmitter Off in 15 minutes		
1667	M1O	04-017/04:06:49.0	26	Range Modulation Off		
1668	M1O	04-017/04:06:55.0		NOTE: Enter Solar Eclipse 9276		04-017/03:56:27.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1669	M1O	04-017/04:08:20.0		NOTE: Ascending Node Crossing 9276		04-017/03:57:52.9
1670	M1O	04-017/04:10:07.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-017/03:59:40.4
1671	M1O	04-017/04:10:08.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-017/03:59:41.5
1672	M1O	04-017/04:10:18.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-017/03:59:51.5
1673	M1O	04-017/04:10:19.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/03:59:52.5
1674	M1O	04-017/04:11:49.0	26	X-Band Transmitter Off		
1675	M1O	04-017/04:25:25.0		NOTE: Exit Solar Eclipse 9276		04-017/04:14:57.8
1676	M1O	04-017/04:31:40.5		SPAWN, Engine = 65535, Parameters = 3, 00:26:13, 1	dpt	04-017/04:21:13.2
1677	M1O	04-017/04:31:42.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/04:21:15.3
1678	M1O	04-017/04:31:42.6	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1679	M1O	04-017/04:31:43.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/04:21:16.3
1680	M1O	04-017/04:32:02.0	26	Acquire U/L: X/08, PWR=20.0, BR=125.0		
1681	M1O	04-017/04:32:43.3	26	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1682	M1O	04-017/04:32:44.2		NOTE: ENTER HGA KEEP OUT ZONE		
1683	M1O	04-017/04:32:44.2	26	NOTE: Loss Of X-Band Signal		
1684	M1O	04-017/04:37:02.0	26	Range Modulation On: SUP=3.0dB		
1685	M1O	04-017/04:38:02.0	26	Begin Ranging Acquisition		
1686	M1O	04-017/04:38:03.7		NOTE: Enter Planetary Atmosphere 9276		04-017/04:27:36.4
1687	M1O	04-017/04:38:19.3		NOTE: Apoapsis 9276 -		04-017/04:27:52.0
1688	M1O	04-017/04:38:20.4		NOTE: North Pole Crossing 9276		04-017/04:27:53.1
1689	M1O	04-017/04:40:21.5		NOTE: Enter Earth Occultation 9276		04-017/04:29:54.3
1690	M1O	04-017/04:43:24.2		NOTE: EXIT HGA KEEP OUT ZONE		
1691	M1O	04-017/04:52:24.2		NOTE: Exit Earth Occultation 9276		04-017/04:41:56.9
1692	M1O	04-017/04:52:24.2	26	Acquisition Of X-Band Signal		
1693	M1O	04-017/04:52:24.2	26	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1694	M1O	04-017/04:52:56.4	26	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1695	M1O	04-017/04:54:43.4		NOTE: Exit Planetary Atmosphere 9276		04-017/04:44:16.1
1696	M1O	04-017/04:54:55.0	26	NOTE: X-Band Transmitter Off in 15 minutes		
1697	M1O	04-017/04:57:55.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/04:47:28.3
1698	M1O	04-017/04:57:55.7	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1699	M1O	04-017/04:57:56.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/04:47:29.3
1700	M1O	04-017/05:04:55.0	26	Range Modulation Off		
1701	M1O	04-017/05:08:20.9		NOTE: Descending Node Crossing 9277		04-017/04:57:53.5
1702	M1O	04-017/05:09:55.0	26	X-Band Transmitter Off		
1703	M1O	04-017/05:21:21.3		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-017/05:10:54.0
1704	M1O	04-017/05:21:21.4		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-017/05:10:54.1
1705	M1O	04-017/05:21:22.4		Forces a desaturation of the reaction wheels.	RW_DESAT	04-017/05:10:55.1
1706	M1O	04-017/05:22:38.3		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-017/05:12:11.0
1707	M1O	04-017/05:22:54.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-015T05:12:11.100, 2004-017T05:12:11.100	PCKTS_RE_TX_TIME	04-017/05:12:26.8
1708	M1O	04-017/05:22:55.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-015T05:12:11.100, 2004-017T05:12:11.100	PCKTS_RE_TX_TIME	04-017/05:12:27.8
1709	M1O	04-017/05:22:56.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-015T05:12:11.100, 2004-017T05:12:11.100	PCKTS_RE_TX_TIME	04-017/05:12:28.8
1710	M1O	04-017/05:22:57.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-015T05:12:11.100, 2004-017T05:12:11.100	PCKTS_RE_TX_TIME	04-017/05:12:29.8
1711	M1O	04-017/05:22:58.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-015T05:12:11.100, 2004-017T05:12:11.100	PCKTS_RE_TX_TIME	04-017/05:12:30.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1712	M1O	04-017/05:22:59.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-015T05:12:11.100, 2004-017T05:12:11.100	PCKTS_RE_TX_TIME	04-017/05:12:31.8
1713	M1O	04-017/05:22:59.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-017/05:12:31.8
1714	M1O	04-017/05:22:59.2	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1715	M1O	04-017/05:30:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/05:19:32.8
1716	M1O	04-017/05:30:00.2	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1717	M1O	04-017/05:30:01.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/05:19:33.8
1718	M1O	04-017/05:30:17.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-017/05:19:49.8
1719	M1O	04-017/05:30:17.2	26	D/L RF Warning: SC antenna change - expect signal level variation		
1720	M1O	04-017/05:30:18.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-017/05:19:50.8
1721	M1O	04-017/05:30:49.7	26	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1722	M1O	04-017/05:32:52.5		CALL, Engine = , Parameters = FALSE	park_hga	04-017/05:22:25.1
1723	M1O	04-017/05:32:52.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/05:22:25.1
1724	M1O	04-017/05:32:53.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-017/05:22:26.1
1725	M1O	04-017/05:32:54.5		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-017/05:22:27.1
1726	M1O	04-017/05:32:54.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-017/05:22:27.1
1727	M1O	04-017/05:32:54.5		NOTE: START HGA PARK		
1728	M1O	04-017/05:32:54.5	26	NOTE: Loss Of X-Band Signal		
1729	M1O	04-017/05:32:55.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-017/05:22:28.1
1730	M1O	04-017/05:32:56.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-017/05:22:29.1
1731	M1O	04-017/05:37:26.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-017/05:26:59.1
1732	M1O	04-017/05:37:37.8		NOTE: Periapsis 9277 ----------		04-017/05:27:10.3
1733	M1O	04-017/05:37:38.9		NOTE: South Pole Crossing 9277		04-017/05:27:11.4
1734	M1O	04-017/05:40:56.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-017/05:30:29.1
1735	M1O	04-017/05:40:56.5		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-017/05:30:29.1
1736	M1O	04-017/06:05:31.8		NOTE: Enter Solar Eclipse 9277		04-017/05:55:04.3
1737	M1O	04-017/06:06:56.6		NOTE: Ascending Node Crossing 9277		04-017/05:56:29.1
1738	M1O	04-017/06:10:00.0	43	Begin Pre-Cal		
1739	M1O	04-017/06:10:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
1740	M1O	04-017/06:10:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
1741	M1O	04-017/06:10:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
1742	M1O	04-017/06:10:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
1743	M1O	04-017/06:10:00.0	43	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
1744	M1O	04-017/06:10:00.0	43	Config: RCV: Parms:		
1745	M1O	04-017/06:10:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
1746	M1O	04-017/06:10:00.0	43	Config: TGC: BAND=X, SR=79632.000000		
1747	M1O	04-017/06:10:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
1748	M1O	04-017/06:10:56.5		GV: GV_DESAT_ACTIVE = 1		04-017/06:00:29.0
1749	M1O	04-017/06:10:57.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-017/06:00:30.0
1750	M1O	04-017/06:10:57.5		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-017/06:00:30.0
1751	M1O	04-017/06:20:56.5		GV: GV_DESAT_ACTIVE = 0		04-017/06:10:29.0
1752	M1O	04-017/06:20:57.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-017/06:10:30.0
1753	M1O	04-017/06:20:58.5		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-017/06:10:31.0
1754	M1O	04-017/06:20:59.5		CALL, Engine = , Parameters =	unpark_hga	04-017/06:10:32.0
1755	M1O	04-017/06:20:59.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS,	FSW_OBJ_INITIAL	04-017/06:10:32.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/sam_ga_hga_cps.cfg,		
1756	M1O	04-017/06:21:00.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-017/06:10:33.0
1757	M1O	04-017/06:24:03.9		NOTE: Exit Solar Eclipse 9277		04-017/06:13:36.4
1758	M1O	04-017/06:25:30.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-017/06:15:03.0
1759	M1O	04-017/06:25:31.5		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-017/06:15:04.0
1760	M1O	04-017/06:28:56.6		SPAWN, Engine = 65535, Parameters = 00:26:44.152	cstr	04-017/06:18:29.0
1761	M1O	04-017/06:28:56.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/06:18:29.1
1762	M1O	04-017/06:28:57.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/06:18:30.1
1763	M1O	04-017/06:28:58.7		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-017/06:18:31.1
1764	M1O	04-017/06:28:59.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-017/06:18:32.1
1765	M1O	04-017/06:29:00.7		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-017/06:18:33.1
1766	M1O	04-017/06:29:10.7		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-017/06:18:43.1
1767	M1O	04-017/06:29:20.7		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-017/06:18:53.1
1768	M1O	04-017/06:29:31.5		NOTE: EXIT HGA PARK		
1769	M1O	04-017/06:29:31.5	26	Acquisition Of X-Band Signal		
1770	M1O	04-017/06:29:31.5	26	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1771	M1O	04-017/06:31:20.6		NOTE: ENTER HGA KEEP OUT ZONE		
1772	M1O	04-017/06:31:20.6	26	NOTE: Loss Of X-Band Signal		
1773	M1O	04-017/06:36:32.7		NOTE: Enter Planetary Atmosphere 9277		04-017/06:26:05.0
1774	M1O	04-017/06:36:40.0		NOTE: Apoapsis 9277 -		04-017/06:26:12.3
1775	M1O	04-017/06:36:55.9		NOTE: North Pole Crossing 9277		04-017/06:26:28.3
1776	M1O	04-017/06:38:48.5		NOTE: Enter Earth Occultation 9277		04-017/06:28:20.9
1777	M1O	04-017/06:39:54.0		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-017/06:29:26.4
1778	M1O	04-017/06:40:00.0	43	Begin Tracking		
1779	M1O	04-017/06:40:00.0		NOTE: Changing to 70M downlink rate: 110600_BPS		04-017/06:29:32.4
1780	M1O	04-017/06:40:00.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-017/06:29:32.4
1781	M1O	04-017/06:42:00.6		NOTE: EXIT HGA KEEP OUT ZONE		
1782	M1O	04-017/06:44:40.0	26	NOTE: Below Uplink Interlock Limit		
1783	M1O	04-017/06:51:05.8		NOTE: Exit Earth Occultation 9277		04-017/06:40:38.1
1784	M1O	04-017/06:51:05.8	43	Acquisition Of X-Band Signal		
1785	M1O	04-017/06:51:05.8	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1786	M1O	04-017/06:51:05.8	26	Acquisition Of X-Band Signal		
1787	M1O	04-017/06:51:05.8	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1788	M1O	04-017/06:53:22.9		NOTE: Exit Planetary Atmosphere 9277		04-017/06:42:55.2
1789	M1O	04-017/06:56:04.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/06:45:37.2
1790	M1O	04-017/06:56:05.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/06:45:38.2
1791	M1O	04-017/06:56:05.9	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1792	M1O	04-017/06:56:05.9	26	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1793	M1O	04-017/06:56:06.9		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-017/06:45:39.2
1794	M1O	04-017/07:00:00.0	26	End Tracking		
1795	M1O	04-017/07:06:55.0		NOTE: Descending Node Crossing 9278		04-017/06:56:27.3
1796	M1O	04-017/07:10:27.7		SPAWN, Engine = 65535, Parameters =	scdiag	04-017/07:00:00.0
1797	M1O	04-017/07:10:28.8		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-017/07:00:01.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1798	M1O	04-017/07:10:29.8		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-017/07:00:02.1
1799	M1O	04-017/07:11:30.7		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-017/07:01:03.0
1800	M1O	04-017/07:11:30.9		NOTE: Start Block fsw_diag		04-017/07:01:03.2
1801	M1O	04-017/07:11:31.9		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-017/07:01:04.2
1802	M1O	04-017/07:11:32.9		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-017/07:01:05.2
1803	M1O	04-017/07:11:43.9		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-017/07:01:16.2
1804	M1O	04-017/07:12:13.9		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-017/07:01:46.2
1805	M1O	04-017/07:12:33.9		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-017/07:02:06.2
1806	M1O	04-017/07:12:43.9		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-017/07:02:16.2
1807	M1O	04-017/07:13:03.9		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-017/07:02:36.2
1808	M1O	04-017/07:13:13.9		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-017/07:02:46.2
1809	M1O	04-017/07:13:18.9		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-017/07:02:51.2
1810	M1O	04-017/07:13:23.9		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-017/07:02:56.2
1811	M1O	04-017/07:13:28.9		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-017/07:03:01.2
1812	M1O	04-017/07:13:33.9		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-017/07:03:06.2
1813	M1O	04-017/07:13:38.9		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-017/07:03:11.2
1814	M1O	04-017/07:14:18.9		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-017/07:03:51.2
1815	M1O	04-017/07:14:23.9		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-017/07:03:56.2
1816	M1O	04-017/07:14:28.9		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-017/07:04:01.2
1817	M1O	04-017/07:14:33.9		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-017/07:04:06.2
1818	M1O	04-017/07:14:38.9		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-017/07:04:11.2
1819	M1O	04-017/07:14:39.9		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-017/07:04:12.2
1820	M1O	04-017/07:14:40.9		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-017/07:04:13.2
1821	M1O	04-017/07:14:41.9		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-017/07:04:14.2
1822	M1O	04-017/07:14:52.9		NOTE: End Block fsw_diag.mod		04-017/07:04:25.2
1823	M1O	04-017/07:15:00.0	26	End Post-Cal		
1824	M1O	04-017/07:36:11.9		NOTE: Periapsis 9278 ----------		04-017/07:25:44.1
1825	M1O	04-017/07:36:12.9		NOTE: South Pole Crossing 9278		04-017/07:25:45.1
1826	M1O	04-017/07:58:03.8		SPAWN, Engine = 65535, Parameters = 017, 01, FALSE, 00:19:19.976, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-017/07:47:36.0
1827	M1O	04-017/07:58:04.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/07:47:37.1
1828	M1O	04-017/07:58:06.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-017/07:47:39.1
1829	M1O	04-017/07:58:49.1		CALL, Engine = , Parameters = 56	get_apid	04-017/07:48:21.3
1830	M1O	04-017/07:58:50.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-017/07:48:22.4
1831	M1O	04-017/07:58:50.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-017/07:48:22.6
1832	M1O	04-017/07:58:51.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-017/07:48:23.7
1833	M1O	04-017/07:58:52.7		CALL, Engine = , Parameters = 56	get_coding	04-017/07:48:24.9
1834	M1O	04-017/07:58:53.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-017/07:48:26.1
1835	M1O	04-017/07:58:55.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-017/07:48:27.3
1836	M1O	04-017/07:59:59.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-017/07:49:32.1
1837	M1O	04-017/08:00:00.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-017/07:49:33.1
1838	M1O	04-017/08:00:01.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-017/07:49:34.1
1839	M1O	04-017/08:00:02.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-017/07:49:35.1
1840	M1O	04-017/08:00:03.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-017/07:49:36.1
1841	M1O	04-017/08:00:04.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-017/07:49:37.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1842	M1O	04-017/08:00:05.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-017/07:49:38.1
1843	M1O	04-017/08:04:05.4		NOTE: Enter Solar Eclipse 9278		04-017/07:53:37.5
1844	M1O	04-017/08:05:30.6		NOTE: Ascending Node Crossing 9278		04-017/07:55:02.7
1845	M1O	04-017/08:19:22.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-017/08:08:54.0
1846	M1O	04-017/08:19:23.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-017/08:08:55.1
1847	M1O	04-017/08:19:33.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-017/08:09:05.1
1848	M1O	04-017/08:19:34.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/08:09:06.1
1849	M1O	04-017/08:22:41.1		NOTE: Exit Solar Eclipse 9278		04-017/08:12:13.1
1850	M1O	04-017/08:28:52.9		SPAWN, Engine = 65535, Parameters = 3, 00:25:47.825, 1	dpt	04-017/08:18:25.0
1851	M1O	04-017/08:28:55.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/08:18:27.1
1852	M1O	04-017/08:28:55.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1853	M1O	04-017/08:28:56.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/08:18:28.1
1854	M1O	04-017/08:29:54.9		NOTE: ENTER HGA KEEP OUT ZONE		
1855	M1O	04-017/08:29:54.9	43	NOTE: Loss Of X-Band Signal		
1856	M1O	04-017/08:34:59.6		NOTE: Enter Planetary Atmosphere 9278		04-017/08:24:31.6
1857	M1O	04-017/08:35:21.1		NOTE: Apoapsis 9278 -		04-017/08:24:53.1
1858	M1O	04-017/08:35:28.9		NOTE: North Pole Crossing 9278		04-017/08:25:00.9
1859	M1O	04-017/08:37:13.9		NOTE: Enter Earth Occultation 9278		04-017/08:26:45.9
1860	M1O	04-017/08:40:35.0		NOTE: EXIT HGA KEEP OUT ZONE		
1861	M1O	04-017/08:49:42.8		NOTE: Exit Earth Occultation 9278		04-017/08:39:14.8
1862	M1O	04-017/08:49:42.8	43	Acquisition Of X-Band Signal		
1863	M1O	04-017/08:49:42.8	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1864	M1O	04-017/08:51:58.4		NOTE: Exit Planetary Atmosphere 9278		04-017/08:41:30.3
1865	M1O	04-017/08:54:42.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/08:44:14.9
1866	M1O	04-017/08:54:42.9	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1867	M1O	04-017/08:54:43.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/08:44:15.9
1868	M1O	04-017/09:05:27.1		NOTE: Descending Node Crossing 9279		04-017/08:54:59.0
1869	M1O	04-017/09:34:42.1		NOTE: Periapsis 9279 ----------		04-017/09:24:13.9
1870	M1O	04-017/09:34:44.1		NOTE: South Pole Crossing 9279		04-017/09:24:16.0
1871	M1O	04-017/09:59:47.2		SPAWN, Engine = 65535, Parameters = 017, 02, FALSE, 00:10:59.525, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-017/09:49:19.0
1872	M1O	04-017/09:59:48.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/09:49:20.1
1873	M1O	04-017/09:59:50.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-017/09:49:22.1
1874	M1O	04-017/10:00:32.5		CALL, Engine = , Parameters = 56	get_apid	04-017/09:50:04.3
1875	M1O	04-017/10:00:33.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-017/09:50:05.4
1876	M1O	04-017/10:00:33.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-017/09:50:05.6
1877	M1O	04-017/10:00:34.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-017/09:50:06.7
1878	M1O	04-017/10:00:36.1		CALL, Engine = , Parameters = 56	get_coding	04-017/09:50:07.9
1879	M1O	04-017/10:00:37.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-017/09:50:09.1
1880	M1O	04-017/10:00:38.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-017/09:50:10.3
1881	M1O	04-017/10:01:43.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-017/09:51:15.1
1882	M1O	04-017/10:01:44.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-017/09:51:16.1
1883	M1O	04-017/10:01:45.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-017/09:51:17.1
1884	M1O	04-017/10:01:46.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-017/09:51:18.1
1885	M1O	04-017/10:01:47.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-017/09:51:19.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1886	M1O	04-017/10:01:48.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-017/09:51:20.1
1887	M1O	04-017/10:01:49.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-017/09:51:21.1
1888	M1O	04-017/10:02:35.6		NOTE: Enter Solar Eclipse 9279		04-017/09:52:07.3
1889	M1O	04-017/10:04:01.3		NOTE: Ascending Node Crossing 9279		04-017/09:53:33.0
1890	M1O	04-017/10:10:00.0	63	Begin Pre-Cal		
1891	M1O	04-017/10:10:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
1892	M1O	04-017/10:10:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
1893	M1O	04-017/10:10:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
1894	M1O	04-017/10:10:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
1895	M1O	04-017/10:10:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
1896	M1O	04-017/10:10:00.0	63	Config: RCV: Parms:		
1897	M1O	04-017/10:10:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
1898	M1O	04-017/10:10:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
1899	M1O	04-017/10:10:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
1900	M1O	04-017/10:12:44.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-017/10:02:16.6
1901	M1O	04-017/10:12:46.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-017/10:02:17.7
1902	M1O	04-017/10:12:56.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-017/10:02:27.7
1903	M1O	04-017/10:12:57.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/10:02:28.7
1904	M1O	04-017/10:21:10.9		NOTE: Exit Solar Eclipse 9279		04-017/10:10:42.5
1905	M1O	04-017/10:27:25.3		SPAWN, Engine = 65535, Parameters = 3, 00:25:44.685, 1	dpt	04-017/10:16:57.0
1906	M1O	04-017/10:27:27.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/10:16:59.1
1907	M1O	04-017/10:27:27.4	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1908	M1O	04-017/10:27:28.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/10:17:00.1
1909	M1O	04-017/10:28:27.3		NOTE: ENTER HGA KEEP OUT ZONE		
1910	M1O	04-017/10:28:27.3	43	NOTE: Loss Of X-Band Signal		
1911	M1O	04-017/10:33:31.8		NOTE: Enter Planetary Atmosphere 9279		04-017/10:23:03.4
1912	M1O	04-017/10:33:50.8		NOTE: Apoapsis 9279 -		04-017/10:23:22.4
1913	M1O	04-017/10:34:00.0		NOTE: North Pole Crossing 9279		04-017/10:23:31.6
1914	M1O	04-017/10:35:46.6		NOTE: Enter Earth Occultation 9279		04-017/10:25:18.2
1915	M1O	04-017/10:39:07.3		NOTE: EXIT HGA KEEP OUT ZONE		
1916	M1O	04-017/10:48:12.1		NOTE: Exit Earth Occultation 9279		04-017/10:37:43.6
1917	M1O	04-017/10:48:12.1	43	Acquisition Of X-Band Signal		
1918	M1O	04-017/10:48:12.1	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1919	M1O	04-017/10:50:28.2		NOTE: Exit Planetary Atmosphere 9279		04-017/10:39:59.8
1920	M1O	04-017/10:53:12.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/10:42:43.7
1921	M1O	04-017/10:53:12.2	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1922	M1O	04-017/10:53:13.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/10:42:44.7
1923	M1O	04-017/11:03:58.5		NOTE: Descending Node Crossing 9280		04-017/10:53:30.1
1924	M1O	04-017/11:32:54.7		NOTE: Periapsis 9280 ----------		04-017/11:22:26.1
1925	M1O	04-017/11:33:15.3		NOTE: South Pole Crossing 9280		04-017/11:22:46.7
1926	M1O	04-017/11:55:00.0	63	Begin Tracking		
1927	M1O	04-017/11:55:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1928	M1O	04-017/12:01:09.4		NOTE: Enter Solar Eclipse 9280		04-017/11:50:40.7
1929	M1O	04-017/12:02:33.0		NOTE: Ascending Node Crossing 9280		04-017/11:52:04.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
1930	M1O	04-017/12:09:00.0	63	NOTE: Above Uplink Interlock Limit		
1931	M1O	04-017/12:10:00.0	43	End Tracking		
1932	M1O	04-017/12:19:36.9		NOTE: Exit Solar Eclipse 9280		04-017/12:09:08.2
1933	M1O	04-017/12:25:00.0	43	End Post-Cal		
1934	M1O	04-017/12:25:56.7		SPAWN, Engine = 65535, Parameters = 3, 00:25:37.889, 1	dpt	04-017/12:15:28.0
1935	M1O	04-017/12:25:58.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/12:15:30.1
1936	M1O	04-017/12:25:58.8	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1937	M1O	04-017/12:25:59.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/12:15:31.1
1938	M1O	04-017/12:26:58.7		NOTE: ENTER HGA KEEP OUT ZONE		
1939	M1O	04-017/12:26:58.7	63	NOTE: Loss Of X-Band Signal		
1940	M1O	04-017/12:32:06.8		NOTE: Apoapsis 9280 -		04-017/12:21:38.0
1941	M1O	04-017/12:32:12.7		NOTE: Enter Planetary Atmosphere 9280		04-017/12:21:43.9
1942	M1O	04-017/12:32:32.8		NOTE: North Pole Crossing 9280		04-017/12:22:04.1
1943	M1O	04-017/12:34:30.0		NOTE: Enter Earth Occultation 9280		04-017/12:24:01.3
1944	M1O	04-017/12:37:38.7		NOTE: EXIT HGA KEEP OUT ZONE		
1945	M1O	04-017/12:46:36.6		NOTE: Exit Earth Occultation 9280		04-017/12:36:07.8
1946	M1O	04-017/12:46:36.6	63	Acquisition Of X-Band Signal		
1947	M1O	04-017/12:46:36.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1948	M1O	04-017/12:48:55.5		NOTE: Exit Planetary Atmosphere 9280		04-017/12:38:26.6
1949	M1O	04-017/12:51:36.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/12:41:07.9
1950	M1O	04-017/12:51:36.8	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1951	M1O	04-017/12:51:37.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/12:41:08.9
1952	M1O	04-017/13:02:32.1		NOTE: Descending Node Crossing 9281		04-017/12:52:03.2
1953	M1O	04-017/13:04:53.8		SPAWN, Engine = 65535, Parameters = 017, 03, FALSE, 00:04:08.268, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-017/12:54:25.0
1954	M1O	04-017/13:04:54.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/12:54:26.1
1955	M1O	04-017/13:04:56.9		CALL, Engine = , Parameters = 254	get_cmd_opt	04-017/12:54:28.1
1956	M1O	04-017/13:05:39.1		CALL, Engine = , Parameters = 254	get_apid	04-017/12:55:10.3
1957	M1O	04-017/13:05:40.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-017/12:55:11.4
1958	M1O	04-017/13:05:40.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-017/12:55:11.6
1959	M1O	04-017/13:05:41.5		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-017/12:55:12.7
1960	M1O	04-017/13:05:42.8		CALL, Engine = , Parameters = 254	get_coding	04-017/12:55:14.0
1961	M1O	04-017/13:05:44.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-017/12:55:15.2
1962	M1O	04-017/13:05:45.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-017/12:55:16.4
1963	M1O	04-017/13:06:50.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-017/12:56:21.2
1964	M1O	04-017/13:06:51.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-017/12:56:22.2
1965	M1O	04-017/13:06:52.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-017/12:56:23.2
1966	M1O	04-017/13:06:53.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-017/12:56:24.2
1967	M1O	04-017/13:06:54.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-017/12:56:25.2
1968	M1O	04-017/13:06:55.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-017/12:56:26.2
1969	M1O	04-017/13:06:56.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-017/12:56:27.2
1970	M1O	04-017/13:11:00.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-017/13:00:31.4
1971	M1O	04-017/13:11:01.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-017/13:00:32.5
1972	M1O	04-017/13:11:11.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-017/13:00:42.5
1973	M1O	04-017/13:11:12.4		Passes the specified amount of data, data size parameter, through the PACI interface.:	GRS_PASS_THROUGH	04-017/13:00:43.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000		
1974	M1O	04-017/13:31:28.9		NOTE: Periapsis 9281 ----------		04-017/13:21:00.0
1975	M1O	04-017/13:31:50.1		NOTE: South Pole Crossing 9281		04-017/13:21:21.1
1976	M1O	04-017/13:59:46.8		NOTE: Enter Solar Eclipse 9281		04-017/13:49:17.8
1977	M1O	04-017/14:01:08.9		NOTE: Ascending Node Crossing 9281		04-017/13:50:39.9
1978	M1O	04-017/14:18:09.2		NOTE: Exit Solar Eclipse 9281		04-017/14:07:40.1
1979	M1O	04-017/14:24:30.1		SPAWN, Engine = 65535, Parameters = 3, 00:25:34.242, 1	dpt	04-017/14:14:01.0
1980	M1O	04-017/14:24:32.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/14:14:03.1
1981	M1O	04-017/14:24:32.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1982	M1O	04-017/14:24:33.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/14:14:04.1
1983	M1O	04-017/14:25:32.1		NOTE: ENTER HGA KEEP OUT ZONE		
1984	M1O	04-017/14:25:32.1	63	NOTE: Loss Of X-Band Signal		
1985	M1O	04-017/14:30:50.4		NOTE: Apoapsis 9281 -		04-017/14:20:21.3
1986	M1O	04-017/14:30:52.8		NOTE: Enter Planetary Atmosphere 9281		04-017/14:20:23.7
1987	M1O	04-017/14:31:08.6		NOTE: North Pole Crossing 9281		04-017/14:20:39.4
1988	M1O	04-017/14:33:11.9		NOTE: Enter Earth Occultation 9281		04-017/14:22:42.8
1989	M1O	04-017/14:36:12.1		NOTE: EXIT HGA KEEP OUT ZONE		
1990	M1O	04-017/14:45:06.4		NOTE: Exit Earth Occultation 9281		04-017/14:34:37.2
1991	M1O	04-017/14:45:06.4	63	Acquisition Of X-Band Signal		
1992	M1O	04-017/14:45:06.4	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1993	M1O	04-017/14:47:26.8		NOTE: Exit Planetary Atmosphere 9281		04-017/14:36:57.7
1994	M1O	04-017/14:50:06.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/14:39:37.3
1995	M1O	04-017/14:50:06.5	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
1996	M1O	04-017/14:50:07.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/14:39:38.3
1997	M1O	04-017/14:54:06.2		SPAWN, Engine = 65535, Parameters = 017, 04, TRUE, 00:19:17, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-017/14:43:37.0
1998	M1O	04-017/14:54:06.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/14:43:37.5
1999	M1O	04-017/14:54:06.7	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2000	M1O	04-017/14:54:07.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/14:43:38.1
2001	M1O	04-017/14:54:09.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-017/14:43:40.1
2002	M1O	04-017/14:54:09.6		CALL, Engine = , Parameters = 017, 04, 254	bld_autosw	04-017/14:43:40.4
2003	M1O	04-017/14:54:10.7		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-017/14:43:41.5
2004	M1O	04-017/14:54:11.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:43:42.6
2005	M1O	04-017/14:54:12.8		Deletes the designated file.: d:/dat/254_doy017_pass04_file01.dat	FILE_DELETE	04-017/14:43:43.6
2006	M1O	04-017/14:54:13.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:43:44.7
2007	M1O	04-017/14:54:14.9		Deletes the designated file.: d:/dat/254_doy017_pass04_file02.dat	FILE_DELETE	04-017/14:43:45.7
2008	M1O	04-017/14:54:16.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:43:46.8
2009	M1O	04-017/14:54:17.0		Deletes the designated file.: d:/dat/254_doy017_pass04_file03.dat	FILE_DELETE	04-017/14:43:47.8
2010	M1O	04-017/14:54:18.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:43:48.9
2011	M1O	04-017/14:54:19.1		Deletes the designated file.: d:/dat/254_doy017_pass04_file04.dat	FILE_DELETE	04-017/14:43:49.9
2012	M1O	04-017/14:54:20.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:43:51.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2013	M1O	04-017/14:54:21.2		Deletes the designated file.: d:/dat/254_doy017_pass04_file05.dat	FILE_DELETE	04-017/14:43:52.0
2014	M1O	04-017/14:54:22.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:43:53.1
2015	M1O	04-017/14:54:23.3		Deletes the designated file.: d:/dat/254_doy017_pass04_file06.dat	FILE_DELETE	04-017/14:43:54.1
2016	M1O	04-017/14:54:24.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:43:55.2
2017	M1O	04-017/14:54:25.4		Deletes the designated file.: d:/dat/254_doy017_pass04_file07.dat	FILE_DELETE	04-017/14:43:56.2
2018	M1O	04-017/14:54:26.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:43:57.3
2019	M1O	04-017/14:54:27.5		Deletes the designated file.: d:/dat/254_doy017_pass04_file08.dat	FILE_DELETE	04-017/14:43:58.3
2020	M1O	04-017/14:54:28.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:43:59.4
2021	M1O	04-017/14:54:29.6		Deletes the designated file.: d:/dat/254_doy017_pass04_file09.dat	FILE_DELETE	04-017/14:44:00.4
2022	M1O	04-017/14:54:30.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:01.5
2023	M1O	04-017/14:54:31.7		Deletes the designated file.: d:/dat/254_doy017_pass04_file10.dat	FILE_DELETE	04-017/14:44:02.5
2024	M1O	04-017/14:54:32.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:03.6
2025	M1O	04-017/14:54:33.8		Deletes the designated file.: d:/dat/254_doy017_pass04_file11.dat	FILE_DELETE	04-017/14:44:04.6
2026	M1O	04-017/14:54:34.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:05.7
2027	M1O	04-017/14:54:35.9		Deletes the designated file.: d:/dat/254_doy017_pass04_file12.dat	FILE_DELETE	04-017/14:44:06.7
2028	M1O	04-017/14:54:37.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:07.8
2029	M1O	04-017/14:54:38.0		Deletes the designated file.: d:/dat/254_doy017_pass04_file13.dat	FILE_DELETE	04-017/14:44:08.8
2030	M1O	04-017/14:54:39.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:09.9
2031	M1O	04-017/14:54:40.1		Deletes the designated file.: d:/dat/254_doy017_pass04_file14.dat	FILE_DELETE	04-017/14:44:10.9
2032	M1O	04-017/14:54:41.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:12.0
2033	M1O	04-017/14:54:42.2		Deletes the designated file.: d:/dat/254_doy017_pass04_file15.dat	FILE_DELETE	04-017/14:44:13.0
2034	M1O	04-017/14:54:43.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:14.1
2035	M1O	04-017/14:54:44.3		Deletes the designated file.: d:/dat/254_doy017_pass04_file16.dat	FILE_DELETE	04-017/14:44:15.1
2036	M1O	04-017/14:54:45.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:16.2
2037	M1O	04-017/14:54:46.4		Deletes the designated file.: d:/dat/254_doy017_pass04_file17.dat	FILE_DELETE	04-017/14:44:17.2
2038	M1O	04-017/14:54:47.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:18.3
2039	M1O	04-017/14:54:48.5		Deletes the designated file.: d:/dat/254_doy017_pass04_file18.dat	FILE_DELETE	04-017/14:44:19.3
2040	M1O	04-017/14:54:49.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy017_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-017/14:44:20.4
2041	M1O	04-017/14:54:50.6		Deletes the designated file.: d:/dat/254_doy017_pass04_file19.dat	FILE_DELETE	04-017/14:44:21.4
2042	M1O	04-017/14:54:51.6		CALL, Engine = , Parameters = 254	get_apid	04-017/14:44:22.4
2043	M1O	04-017/14:54:52.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-017/14:44:23.5
2044	M1O	04-017/14:54:52.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-017/14:44:23.7
2045	M1O	04-017/14:54:54.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-017/14:44:24.8
2046	M1O	04-017/14:54:55.3		CALL, Engine = , Parameters = 254	get_coding	04-017/14:44:26.1
2047	M1O	04-017/14:54:56.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-017/14:44:27.3
2048	M1O	04-017/14:54:57.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-017/14:44:28.5
2049	M1O	04-017/14:55:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2050	M1O	04-017/14:56:02.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-017/14:45:33.3
2051	M1O	04-017/14:56:03.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-017/14:45:34.3
2052	M1O	04-017/14:56:04.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-017/14:45:35.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2053	M1O	04-017/14:56:05.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-017/14:45:36.3
2054	M1O	04-017/14:56:06.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-017/14:45:37.3
2055	M1O	04-017/14:56:07.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-017/14:45:38.3
2056	M1O	04-017/14:56:08.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-017/14:45:39.3
2057	M1O	04-017/14:57:58.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/14:47:29.3
2058	M1O	04-017/14:58:08.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-017/14:47:39.3
2059	M1O	04-017/15:00:00.0	63	Range Modulation On: SUP=3.0dB		
2060	M1O	04-017/15:01:00.0	63	Begin Ranging Acquisition		
2061	M1O	04-017/15:01:07.9		NOTE: Descending Node Crossing 9282		04-017/14:50:38.7
2062	M1O	04-017/15:14:55.8		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-017/15:04:26.5
2063	M1O	04-017/15:14:57.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/15:04:28.6
2064	M1O	04-017/15:14:58.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/15:04:29.6
2065	M1O	04-017/15:15:23.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-017/15:04:54.3
2066	M1O	04-017/15:15:24.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-017/15:04:55.4
2067	M1O	04-017/15:15:34.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-017/15:05:05.4
2068	M1O	04-017/15:15:35.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/15:05:06.4
2069	M1O	04-017/15:15:36.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-017/15:05:07.4
2070	M1O	04-017/15:15:36.6	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2071	M1O	04-017/15:15:37.6		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-017/15:05:08.4
2072	M1O	04-017/15:15:58.4	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2073	M1O	04-017/15:20:57.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/15:10:28.6
2074	M1O	04-017/15:20:57.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2075	M1O	04-017/15:20:58.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/15:10:29.6
2076	M1O	04-017/15:30:27.0		NOTE: South Pole Crossing 9282		04-017/15:19:57.7
2077	M1O	04-017/15:30:28.2		NOTE: Periapsis 9282 ----------		04-017/15:19:58.9
2078	M1O	04-017/15:48:28.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
2079	M1O	04-017/15:58:22.8		NOTE: Enter Solar Eclipse 9282		04-017/15:47:53.4
2080	M1O	04-017/15:58:28.0	63	Range Modulation Off		
2081	M1O	04-017/15:59:46.1		NOTE: Ascending Node Crossing 9282		04-017/15:49:16.7
2082	M1O	04-017/16:03:28.0	63	X-Band Transmitter Off		
2083	M1O	04-017/16:16:45.9		NOTE: Exit Solar Eclipse 9282		04-017/16:06:16.5
2084	M1O	04-017/16:23:13.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2085	M1O	04-017/16:23:24.0		SPAWN, Engine = 65535, Parameters = 3, 00:25:45, 1	dpt	04-017/16:12:54.5
2086	M1O	04-017/16:23:26.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/16:12:56.6
2087	M1O	04-017/16:23:26.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2088	M1O	04-017/16:23:27.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/16:12:57.6
2089	M1O	04-017/16:24:26.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2090	M1O	04-017/16:24:27.4		NOTE: ENTER HGA KEEP OUT ZONE		
2091	M1O	04-017/16:24:27.4	63	NOTE: Loss Of X-Band Signal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2092	M1O	04-017/16:28:13.0	63	Range Modulation On: SUP=3.0dB		
2093	M1O	04-017/16:29:13.0	63	Begin Ranging Acquisition		
2094	M1O	04-017/16:29:30.1		NOTE: Enter Planetary Atmosphere 9282		04-017/16:19:00.6
2095	M1O	04-017/16:29:45.2		NOTE: North Pole Crossing 9282		04-017/16:19:15.7
2096	M1O	04-017/16:29:56.6		NOTE: Apoapsis 9282 -		04-017/16:19:27.1
2097	M1O	04-017/16:31:49.9		NOTE: Enter Earth Occultation 9282		04-017/16:21:20.4
2098	M1O	04-017/16:34:27.5		NOTE: EXIT HGA KEEP OUT ZONE		
2099	M1O	04-017/16:43:40.0		NOTE: Exit Earth Occultation 9282		04-017/16:33:10.4
2100	M1O	04-017/16:43:40.0	63	Acquisition Of X-Band Signal		
2101	M1O	04-017/16:43:40.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2102	M1O	04-017/16:44:11.9	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2103	M1O	04-017/16:46:01.0		NOTE: Exit Planetary Atmosphere 9282		04-017/16:35:31.5
2104	M1O	04-017/16:49:11.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/16:38:41.6
2105	M1O	04-017/16:49:11.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2106	M1O	04-017/16:49:12.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/16:38:42.6
2107	M1O	04-017/16:59:44.7		NOTE: Descending Node Crossing 9283		04-017/16:49:15.1
2108	M1O	04-017/17:29:03.7		NOTE: South Pole Crossing 9283		04-017/17:18:34.0
2109	M1O	04-017/17:29:24.8		NOTE: Periapsis 9283 ----------		04-017/17:18:55.1
2110	M1O	04-017/17:47:04.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
2111	M1O	04-017/17:56:56.5		NOTE: Enter Solar Eclipse 9283		04-017/17:46:26.8
2112	M1O	04-017/17:57:04.0	63	Range Modulation Off		
2113	M1O	04-017/17:58:22.1		NOTE: Ascending Node Crossing 9283		04-017/17:47:52.3
2114	M1O	04-017/18:02:04.0	63	X-Band Transmitter Off		
2115	M1O	04-017/18:15:23.1		NOTE: Exit Solar Eclipse 9283		04-017/18:04:53.2
2116	M1O	04-017/18:21:49.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2117	M1O	04-017/18:22:01.5		SPAWN, Engine = 65535, Parameters = 3, 00:25:45, 1	dpt	04-017/18:11:31.7
2118	M1O	04-017/18:22:03.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/18:11:33.8
2119	M1O	04-017/18:22:03.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2120	M1O	04-017/18:22:04.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/18:11:34.8
2121	M1O	04-017/18:23:03.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2122	M1O	04-017/18:23:04.8		NOTE: ENTER HGA KEEP OUT ZONE		
2123	M1O	04-017/18:23:04.8	63	NOTE: Loss Of X-Band Signal		
2124	M1O	04-017/18:26:49.0	63	Range Modulation On: SUP=3.0dB		
2125	M1O	04-017/18:27:49.0	63	Begin Ranging Acquisition		
2126	M1O	04-017/18:28:04.2		NOTE: Enter Planetary Atmosphere 9283		04-017/18:17:34.3
2127	M1O	04-017/18:28:21.2		NOTE: North Pole Crossing 9283		04-017/18:17:51.3
2128	M1O	04-017/18:28:47.0		NOTE: Apoapsis 9283 -		04-017/18:18:17.1
2129	M1O	04-017/18:30:23.6		NOTE: Enter Earth Occultation 9283		04-017/18:19:53.7
2130	M1O	04-017/18:33:04.8		NOTE: EXIT HGA KEEP OUT ZONE		
2131	M1O	04-017/18:42:16.7		NOTE: Exit Earth Occultation 9283		04-017/18:31:46.8
2132	M1O	04-017/18:42:16.7	63	Acquisition Of X-Band Signal		
2133	M1O	04-017/18:42:16.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2134	M1O	04-017/18:42:48.7	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2135	M1O	04-017/18:44:37.4		NOTE: Exit Planetary Atmosphere 9283		04-017/18:34:07.5
2136	M1O	04-017/18:47:48.7		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-017/18:37:18.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_sci.cfg,		
2137	M1O	04-017/18:47:48.7	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2138	M1O	04-017/18:47:49.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/18:37:19.8
2139	M1O	04-017/18:58:20.8		NOTE: Descending Node Crossing 9284		04-017/18:47:50.9
2140	M1O	04-017/19:27:38.7		NOTE: South Pole Crossing 9284		04-017/19:17:08.6
2141	M1O	04-017/19:28:00.5		NOTE: Periapsis 9284 ----------		04-017/19:17:30.5
2142	M1O	04-017/19:45:40.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
2143	M1O	04-017/19:55:28.1		NOTE: Enter Solar Eclipse 9284		04-017/19:44:57.9
2144	M1O	04-017/19:55:40.0	63	Range Modulation Off		
2145	M1O	04-017/19:56:55.7		NOTE: Ascending Node Crossing 9284		04-017/19:46:25.6
2146	M1O	04-017/20:00:40.0	63	X-Band Transmitter Off		
2147	M1O	04-017/20:13:58.8		NOTE: Exit Solar Eclipse 9284		04-017/20:03:28.6
2148	M1O	04-017/20:20:26.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2149	M1O	04-017/20:20:37.9		SPAWN, Engine = 65535, Parameters = 3, 00:25:46, 1	dpt	04-017/20:10:07.7
2150	M1O	04-017/20:20:40.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/20:10:09.8
2151	M1O	04-017/20:20:40.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2152	M1O	04-017/20:20:41.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/20:10:10.8
2153	M1O	04-017/20:21:40.3	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2154	M1O	04-017/20:21:41.2		NOTE: ENTER HGA KEEP OUT ZONE		
2155	M1O	04-017/20:21:41.2	63	NOTE: Loss Of X-Band Signal		
2156	M1O	04-017/20:25:26.0	63	Range Modulation On: SUP=3.0dB		
2157	M1O	04-017/20:26:26.0	63	Begin Ranging Acquisition		
2158	M1O	04-017/20:26:33.3		NOTE: Enter Planetary Atmosphere 9284		04-017/20:16:03.0
2159	M1O	04-017/20:26:54.7		NOTE: North Pole Crossing 9284		04-017/20:16:24.4
2160	M1O	04-017/20:27:07.6		NOTE: Apoapsis 9284 -		04-017/20:16:37.3
2161	M1O	04-017/20:28:51.2		NOTE: Enter Earth Occultation 9284		04-017/20:18:21.0
2162	M1O	04-017/20:31:41.2		NOTE: EXIT HGA KEEP OUT ZONE		
2163	M1O	04-017/20:40:54.6		NOTE: Exit Earth Occultation 9284		04-017/20:30:24.3
2164	M1O	04-017/20:40:54.6	63	Acquisition Of X-Band Signal		
2165	M1O	04-017/20:40:54.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2166	M1O	04-017/20:41:04.3		SPAWN, Engine = 65535, Parameters = 017, 03, FALSE, 00:19:37.037, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-017/20:30:34.0
2167	M1O	04-017/20:41:05.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/20:30:35.1
2168	M1O	04-017/20:41:07.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-017/20:30:37.1
2169	M1O	04-017/20:41:26.4	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2170	M1O	04-017/20:41:49.6		CALL, Engine = , Parameters = 56	get_apid	04-017/20:31:19.3
2171	M1O	04-017/20:41:50.7		CALL, Engine = , Parameters = 56	get_rcv_mode	04-017/20:31:20.4
2172	M1O	04-017/20:41:50.9		CALL, Engine = , Parameters = 56	get_dl_rate	04-017/20:31:20.6
2173	M1O	04-017/20:41:52.0		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-017/20:31:21.7
2174	M1O	04-017/20:41:53.2		CALL, Engine = , Parameters = 56	get_coding	04-017/20:31:22.9
2175	M1O	04-017/20:41:54.4		CALL, Engine = , Parameters = 56	get_xmt_mode	04-017/20:31:24.1
2176	M1O	04-017/20:41:55.6		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-017/20:31:25.3
2177	M1O	04-017/20:43:00.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-017/20:32:30.1
2178	M1O	04-017/20:43:01.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-017/20:32:31.1
2179	M1O	04-017/20:43:02.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-017/20:32:32.1
2180	M1O	04-017/20:43:03.4		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-017/20:32:33.1
2181	M1O	04-017/20:43:04.4		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-017/20:32:34.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2182	M1O	04-017/20:43:05.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-017/20:32:35.1
2183	M1O	04-017/20:43:06.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-017/20:32:36.1
2184	M1O	04-017/20:43:14.0		NOTE: Exit Planetary Atmosphere 9284		04-017/20:32:43.7
2185	M1O	04-017/20:46:26.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/20:35:55.8
2186	M1O	04-017/20:46:26.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2187	M1O	04-017/20:46:27.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/20:35:56.8
2188	M1O	04-017/20:56:53.9		NOTE: Descending Node Crossing 9285		04-017/20:46:23.5
2189	M1O	04-017/21:02:39.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-017/20:52:09.1
2190	M1O	04-017/21:02:40.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-017/20:52:10.2
2191	M1O	04-017/21:02:50.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-017/20:52:20.2
2192	M1O	04-017/21:02:51.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-017/20:52:21.2
2193	M1O	04-017/21:20:00.0	14	Begin Pre-Cal		
2194	M1O	04-017/21:20:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
2195	M1O	04-017/21:20:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
2196	M1O	04-017/21:20:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
2197	M1O	04-017/21:20:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
2198	M1O	04-017/21:20:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
2199	M1O	04-017/21:20:00.0	14	Config: RCV: Parms:		
2200	M1O	04-017/21:20:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
2201	M1O	04-017/21:20:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
2202	M1O	04-017/21:20:00.0	14	Config: TXL		
2203	M1O	04-017/21:20:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
2204	M1O	04-017/21:20:00.0	14	Config: CMD		
2205	M1O	04-017/21:20:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
2206	M1O	04-017/21:26:10.7		NOTE: South Pole Crossing 9285		04-017/21:15:40.2
2207	M1O	04-017/21:26:13.1		NOTE: Periapsis 9285 ----------		04-017/21:15:42.7
2208	M1O	04-017/21:43:52.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
2209	M1O	04-017/21:53:52.0	63	Range Modulation Off		
2210	M1O	04-017/21:54:00.1		NOTE: Enter Solar Eclipse 9285		04-017/21:43:29.6
2211	M1O	04-017/21:55:27.4		NOTE: Ascending Node Crossing 9285		04-017/21:44:56.8
2212	M1O	04-017/21:58:52.0	63	X-Band Transmitter Off		
2213	M1O	04-017/22:12:31.4		NOTE: Exit Solar Eclipse 9285		04-017/22:02:00.8
2214	M1O	04-017/22:18:50.3		SPAWN, Engine = 65535, Parameters = 3, 00:26:07, 1	dpt	04-017/22:08:19.7
2215	M1O	04-017/22:18:52.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-017/22:08:21.8
2216	M1O	04-017/22:18:52.4	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2217	M1O	04-017/22:18:53.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-017/22:08:22.8
2218	M1O	04-017/22:18:59.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2219	M1O	04-017/22:19:53.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2220	M1O	04-017/22:19:53.6		NOTE: ENTER HGA KEEP OUT ZONE		
2221	M1O	04-017/22:19:53.6	63	NOTE: Loss Of X-Band Signal		
2222	M1O	04-017/22:20:00.0	14	Begin Tracking		
2223	M1O	04-017/22:21:00.0	14	U/L Transfer From DSS-63 to DSS-14: PWR=20.0, BR=125.0		
2224	M1O	04-017/22:25:01.1		NOTE: Enter Planetary Atmosphere 9285		04-017/22:14:30.5
2225	M1O	04-017/22:25:21.1		NOTE: Apoapsis 9285 -		04-017/22:14:50.5
2226	M1O	04-017/22:25:25.7		NOTE: North Pole Crossing 9285		04-017/22:14:55.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2227	M1O	04-017/22:26:00.0	14	Range Modulation On: SUP=3.0dB		
2228	M1O	04-017/22:27:00.0	14	Begin Ranging Acquisition		
2229	M1O	04-017/22:27:18.3		NOTE: Enter Earth Occultation 9285		04-017/22:16:47.7
2230	M1O	04-017/22:30:13.6		NOTE: EXIT HGA KEEP OUT ZONE		
2231	M1O	04-017/22:39:27.8		NOTE: Exit Earth Occultation 9285		04-017/22:28:57.1
2232	M1O	04-017/22:39:27.8	14	Acquisition Of X-Band Signal		
2233	M1O	04-017/22:39:27.8	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2234	M1O	04-017/22:39:27.8	63	Acquisition Of X-Band Signal		
2235	M1O	04-017/22:39:27.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2236	M1O	04-017/22:40:00.2	14	Acquire D/L: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2237	M1O	04-017/22:40:00.2	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2238	M1O	04-017/22:41:46.3		NOTE: Exit Planetary Atmosphere 9285		04-017/22:31:15.6
2239	M1O	04-017/22:42:01.2	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2240	M1O	04-017/22:42:01.2	63	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2241	M1O	04-017/22:44:59.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-017/22:34:28.8
2242	M1O	04-017/22:44:59.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2243	M1O	04-017/22:44:59.4	63	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2244	M1O	04-017/22:45:00.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-017/22:34:29.8
2245	M1O	04-017/22:55:23.9		NOTE: Descending Node Crossing 9286		04-017/22:44:53.2
2246	M1O	04-017/23:00:00.0	63	End Tracking		
2247	M1O	04-017/23:15:00.0	63	End Post-Cal		
2248	M1O	04-017/23:24:30.7		NOTE: Periapsis 9286 ----------		04-017/23:13:59.8
2249	M1O	04-017/23:24:41.3		NOTE: South Pole Crossing 9286		04-017/23:14:10.5
2250	M1O	04-017/23:42:21.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
2251	M1O	04-017/23:52:21.0	14	Range Modulation Off		
2252	M1O	04-017/23:52:33.6		NOTE: Enter Solar Eclipse 9286		04-017/23:42:02.7
2253	M1O	04-017/23:53:59.2		NOTE: Ascending Node Crossing 9286		04-017/23:43:28.3
2254	M1O	04-017/23:57:21.0	14	X-Band Transmitter Off		
2255	M1O	04-018/00:00:00.0		Light Time: OWLT = 10:30, RTLT = 21:01		
2256	M1O	04-018/00:10:59.2		NOTE: Exit Solar Eclipse 9286		04-018/00:00:28.3
2257	M1O	04-018/00:17:18.5		SPAWN, Engine = 65535, Parameters = 3, 00:26:02.277, 1	dpt	04-018/00:06:47.5
2258	M1O	04-018/00:17:20.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/00:06:49.6
2259	M1O	04-018/00:17:20.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2260	M1O	04-018/00:17:21.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2261	M1O	04-018/00:17:21.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/00:06:50.6
2262	M1O	04-018/00:18:22.8	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2263	M1O	04-018/00:18:23.9		NOTE: ENTER HGA KEEP OUT ZONE		
2264	M1O	04-018/00:18:23.9	14	NOTE: Loss Of X-Band Signal		
2265	M1O	04-018/00:22:21.0	14	Range Modulation On: SUP=3.0dB		
2266	M1O	04-018/00:23:21.0	14	Begin Ranging Acquisition		
2267	M1O	04-018/00:23:39.8		NOTE: Enter Planetary Atmosphere 9286		04-018/00:13:08.8
2268	M1O	04-018/00:23:56.8		NOTE: Apoapsis 9286 -		04-018/00:13:25.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2269	M1O	04-018/00:23:57.9		NOTE: North Pole Crossing 9286		04-018/00:13:26.9
2270	M1O	04-018/00:25:59.5		NOTE: Enter Earth Occultation 9286		04-018/00:15:28.5
2271	M1O	04-018/00:28:44.0		NOTE: EXIT HGA KEEP OUT ZONE		
2272	M1O	04-018/00:37:51.7		NOTE: Exit Earth Occultation 9286		04-018/00:27:20.6
2273	M1O	04-018/00:37:51.7	14	Acquisition Of X-Band Signal		
2274	M1O	04-018/00:37:51.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2275	M1O	04-018/00:38:22.9	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2276	M1O	04-018/00:40:12.7		NOTE: Exit Planetary Atmosphere 9286		04-018/00:29:41.6
2277	M1O	04-018/00:43:23.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/00:32:51.9
2278	M1O	04-018/00:43:23.0	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2279	M1O	04-018/00:43:24.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/00:32:52.9
2280	M1O	04-018/00:53:56.5		NOTE: Descending Node Crossing 9287		04-018/00:43:25.4
2281	M1O	04-018/01:23:06.1		NOTE: Periapsis 9287 ----------		04-018/01:12:34.9
2282	M1O	04-018/01:23:14.6		NOTE: South Pole Crossing 9287		04-018/01:12:43.4
2283	M1O	04-018/01:41:11.2		SPAWN, Engine = 65535, Parameters = 018, 01, FALSE, 00:10:34.214, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-018/01:30:40.0
2284	M1O	04-018/01:41:12.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/01:30:41.1
2285	M1O	04-018/01:41:13.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
2286	M1O	04-018/01:41:14.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-018/01:30:43.1
2287	M1O	04-018/01:41:56.5		CALL, Engine = , Parameters = 254	get_apid	04-018/01:31:25.3
2288	M1O	04-018/01:41:57.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-018/01:31:26.4
2289	M1O	04-018/01:41:57.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-018/01:31:26.6
2290	M1O	04-018/01:41:58.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-018/01:31:27.7
2291	M1O	04-018/01:42:00.2		CALL, Engine = , Parameters = 254	get_coding	04-018/01:31:29.0
2292	M1O	04-018/01:42:01.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-018/01:31:30.2
2293	M1O	04-018/01:42:02.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-018/01:31:31.4
2294	M1O	04-018/01:43:07.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-018/01:32:36.2
2295	M1O	04-018/01:43:08.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-018/01:32:37.2
2296	M1O	04-018/01:43:09.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-018/01:32:38.2
2297	M1O	04-018/01:43:10.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-018/01:32:39.2
2298	M1O	04-018/01:43:11.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-018/01:32:40.2
2299	M1O	04-018/01:43:12.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-018/01:32:41.2
2300	M1O	04-018/01:43:13.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-018/01:32:42.2
2301	M1O	04-018/01:51:08.1		NOTE: Enter Solar Eclipse 9287		04-018/01:40:36.8
2302	M1O	04-018/01:51:13.0	14	Range Modulation Off		
2303	M1O	04-018/01:52:33.2		NOTE: Ascending Node Crossing 9287		04-018/01:42:01.9
2304	M1O	04-018/01:53:43.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-018/01:43:12.4
2305	M1O	04-018/01:53:44.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-018/01:43:13.5
2306	M1O	04-018/01:53:54.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-018/01:43:23.5
2307	M1O	04-018/01:53:55.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/01:43:24.5
2308	M1O	04-018/01:56:13.0	14	X-Band Transmitter Off		
2309	M1O	04-018/02:09:27.8		NOTE: Exit Solar Eclipse 9287		04-018/01:58:56.5
2310	M1O	04-018/02:15:46.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2311	M1O	04-018/02:16:13.2		SPAWN, Engine = 65535, Parameters = 3, 00:25:33, 1	dpt	04-018/02:05:41.8
2312	M1O	04-018/02:16:15.3		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-018/02:05:43.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_nom_rt_only.cfg,		
2313	M1O	04-018/02:16:15.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2314	M1O	04-018/02:16:16.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/02:05:44.9
2315	M1O	04-018/02:17:15.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2316	M1O	04-018/02:17:16.3		NOTE: ENTER HGA KEEP OUT ZONE		
2317	M1O	04-018/02:17:16.3	14	NOTE: Loss Of X-Band Signal		
2318	M1O	04-018/02:20:46.0	14	Range Modulation On: SUP=3.0dB		
2319	M1O	04-018/02:21:46.0	14	Begin Ranging Acquisition		
2320	M1O	04-018/02:22:24.5		NOTE: Enter Planetary Atmosphere 9287		04-018/02:11:53.1
2321	M1O	04-018/02:22:33.3		NOTE: North Pole Crossing 9287		04-018/02:12:01.9
2322	M1O	04-018/02:22:36.1		NOTE: Apoapsis 9287 -		04-018/02:12:04.7
2323	M1O	04-018/02:24:47.6		NOTE: Enter Earth Occultation 9287		04-018/02:14:16.2
2324	M1O	04-018/02:27:16.3		NOTE: EXIT HGA KEEP OUT ZONE		
2325	M1O	04-018/02:36:17.0		NOTE: Exit Earth Occultation 9287		04-018/02:25:45.6
2326	M1O	04-018/02:36:17.0	14	Acquisition Of X-Band Signal		
2327	M1O	04-018/02:36:17.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2328	M1O	04-018/02:36:48.7	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2329	M1O	04-018/02:38:41.4		NOTE: Exit Planetary Atmosphere 9287		04-018/02:28:10.0
2330	M1O	04-018/02:41:48.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/02:31:16.9
2331	M1O	04-018/02:41:48.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2332	M1O	04-018/02:41:49.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/02:31:17.9
2333	M1O	04-018/02:52:33.2		NOTE: Descending Node Crossing 9288		04-018/02:42:01.8
2334	M1O	04-018/03:21:48.0		NOTE: Periapsis 9288 ----------		04-018/03:11:16.4
2335	M1O	04-018/03:21:51.2		NOTE: South Pole Crossing 9288		04-018/03:11:19.7
2336	M1O	04-018/03:34:45.6		SPAWN, Engine = 65535, Parameters = 018, 02, TRUE, 00:19:02, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-018/03:24:14.0
2337	M1O	04-018/03:34:46.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/03:24:14.5
2338	M1O	04-018/03:34:46.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2339	M1O	04-018/03:34:46.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/03:24:15.1
2340	M1O	04-018/03:34:48.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-018/03:24:17.1
2341	M1O	04-018/03:34:49.0		CALL, Engine = , Parameters = 018, 02, 254	bld_autosw	04-018/03:24:17.4
2342	M1O	04-018/03:34:50.1		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-018/03:24:18.5
2343	M1O	04-018/03:34:51.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:19.6
2344	M1O	04-018/03:34:52.2		Deletes the designated file.: d:/dat/254_doy018_pass02_file01.dat	FILE_DELETE	04-018/03:24:20.6
2345	M1O	04-018/03:34:53.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:21.7
2346	M1O	04-018/03:34:54.3		Deletes the designated file.: d:/dat/254_doy018_pass02_file02.dat	FILE_DELETE	04-018/03:24:22.7
2347	M1O	04-018/03:34:55.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:23.8
2348	M1O	04-018/03:34:56.4		Deletes the designated file.: d:/dat/254_doy018_pass02_file03.dat	FILE_DELETE	04-018/03:24:24.8
2349	M1O	04-018/03:34:57.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:25.9
2350	M1O	04-018/03:34:58.5		Deletes the designated file.: d:/dat/254_doy018_pass02_file04.dat	FILE_DELETE	04-018/03:24:26.9
2351	M1O	04-018/03:34:59.6		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-018/03:24:28.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy018_pass02_file05.dat, d:/dat/autoswitch.dat		
2352	M1O	04-018/03:35:00.6		Deletes the designated file.: d:/dat/254_doy018_pass02_file05.dat	FILE_DELETE	04-018/03:24:29.0
2353	M1O	04-018/03:35:01.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:30.1
2354	M1O	04-018/03:35:02.7		Deletes the designated file.: d:/dat/254_doy018_pass02_file06.dat	FILE_DELETE	04-018/03:24:31.1
2355	M1O	04-018/03:35:03.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:32.2
2356	M1O	04-018/03:35:04.8		Deletes the designated file.: d:/dat/254_doy018_pass02_file07.dat	FILE_DELETE	04-018/03:24:33.2
2357	M1O	04-018/03:35:05.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:34.3
2358	M1O	04-018/03:35:06.9		Deletes the designated file.: d:/dat/254_doy018_pass02_file08.dat	FILE_DELETE	04-018/03:24:35.3
2359	M1O	04-018/03:35:08.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:36.4
2360	M1O	04-018/03:35:09.0		Deletes the designated file.: d:/dat/254_doy018_pass02_file09.dat	FILE_DELETE	04-018/03:24:37.4
2361	M1O	04-018/03:35:10.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:38.5
2362	M1O	04-018/03:35:11.1		Deletes the designated file.: d:/dat/254_doy018_pass02_file10.dat	FILE_DELETE	04-018/03:24:39.5
2363	M1O	04-018/03:35:12.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:40.6
2364	M1O	04-018/03:35:13.2		Deletes the designated file.: d:/dat/254_doy018_pass02_file11.dat	FILE_DELETE	04-018/03:24:41.6
2365	M1O	04-018/03:35:14.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:42.7
2366	M1O	04-018/03:35:15.3		Deletes the designated file.: d:/dat/254_doy018_pass02_file12.dat	FILE_DELETE	04-018/03:24:43.7
2367	M1O	04-018/03:35:16.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:44.8
2368	M1O	04-018/03:35:17.4		Deletes the designated file.: d:/dat/254_doy018_pass02_file13.dat	FILE_DELETE	04-018/03:24:45.8
2369	M1O	04-018/03:35:18.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:46.9
2370	M1O	04-018/03:35:19.5		Deletes the designated file.: d:/dat/254_doy018_pass02_file14.dat	FILE_DELETE	04-018/03:24:47.9
2371	M1O	04-018/03:35:20.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:49.0
2372	M1O	04-018/03:35:21.6		Deletes the designated file.: d:/dat/254_doy018_pass02_file15.dat	FILE_DELETE	04-018/03:24:50.0
2373	M1O	04-018/03:35:22.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:51.1
2374	M1O	04-018/03:35:23.7		Deletes the designated file.: d:/dat/254_doy018_pass02_file16.dat	FILE_DELETE	04-018/03:24:52.1
2375	M1O	04-018/03:35:24.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:53.2
2376	M1O	04-018/03:35:25.8		Deletes the designated file.: d:/dat/254_doy018_pass02_file17.dat	FILE_DELETE	04-018/03:24:54.2
2377	M1O	04-018/03:35:26.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:55.3
2378	M1O	04-018/03:35:27.9		Deletes the designated file.: d:/dat/254_doy018_pass02_file18.dat	FILE_DELETE	04-018/03:24:56.3
2379	M1O	04-018/03:35:29.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/03:24:57.4
2380	M1O	04-018/03:35:30.0		Deletes the designated file.: d:/dat/254_doy018_pass02_file19.dat	FILE_DELETE	04-018/03:24:58.4
2381	M1O	04-018/03:35:31.0		CALL, Engine = , Parameters = 254	get_apid	04-018/03:24:59.4
2382	M1O	04-018/03:35:32.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-018/03:25:00.5
2383	M1O	04-018/03:35:32.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-018/03:25:00.7
2384	M1O	04-018/03:35:33.4		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-018/03:25:01.8
2385	M1O	04-018/03:35:34.7		CALL, Engine = , Parameters = 254	get_coding	04-018/03:25:03.1
2386	M1O	04-018/03:35:35.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-018/03:25:04.3
2387	M1O	04-018/03:35:37.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-018/03:25:05.5
2388	M1O	04-018/03:36:41.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-018/03:26:10.3
2389	M1O	04-018/03:36:42.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-018/03:26:11.3
2390	M1O	04-018/03:36:43.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-018/03:26:12.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2391	M1O	04-018/03:36:44.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-018/03:26:13.3
2392	M1O	04-018/03:36:45.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-018/03:26:14.3
2393	M1O	04-018/03:36:46.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-018/03:26:15.3
2394	M1O	04-018/03:36:47.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-018/03:26:16.3
2395	M1O	04-018/03:38:37.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/03:28:06.3
2396	M1O	04-018/03:38:47.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-018/03:28:16.3
2397	M1O	04-018/03:40:10.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
2398	M1O	04-018/03:49:43.6		NOTE: Enter Solar Eclipse 9288		04-018/03:39:12.0
2399	M1O	04-018/03:50:10.0	14	Range Modulation Off		
2400	M1O	04-018/03:51:09.4		NOTE: Ascending Node Crossing 9288		04-018/03:40:37.8
2401	M1O	04-018/03:55:10.0	14	X-Band Transmitter Off		
2402	M1O	04-018/03:55:47.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-018/03:45:16.3
2403	M1O	04-018/03:55:49.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-018/03:45:17.4
2404	M1O	04-018/03:55:59.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-018/03:45:27.4
2405	M1O	04-018/03:56:00.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/03:45:28.4
2406	M1O	04-018/03:56:01.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-018/03:45:29.4
2407	M1O	04-018/03:56:01.0	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2408	M1O	04-018/03:56:02.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-018/03:45:30.4
2409	M1O	04-018/04:01:00.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/03:50:29.0
2410	M1O	04-018/04:01:00.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2411	M1O	04-018/04:08:01.3		NOTE: Exit Solar Eclipse 9288		04-018/03:57:29.6
2412	M1O	04-018/04:14:20.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2413	M1O	04-018/04:15:10.5		SPAWN, Engine = 65535, Parameters = 3, 00:25:10, 1	dpt	04-018/04:04:38.8
2414	M1O	04-018/04:15:12.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/04:04:40.9
2415	M1O	04-018/04:15:12.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2416	M1O	04-018/04:15:13.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/04:04:41.9
2417	M1O	04-018/04:16:13.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2418	M1O	04-018/04:16:13.7		NOTE: ENTER HGA KEEP OUT ZONE		
2419	M1O	04-018/04:16:13.7	14	NOTE: Loss Of X-Band Signal		
2420	M1O	04-018/04:19:20.0	14	Range Modulation On: SUP=3.0dB		
2421	M1O	04-018/04:20:20.0	14	Begin Ranging Acquisition		
2422	M1O	04-018/04:21:04.4		NOTE: Enter Planetary Atmosphere 9288		04-018/04:10:32.6
2423	M1O	04-018/04:21:05.7		NOTE: Apoapsis 9288 -		04-018/04:10:33.9
2424	M1O	04-018/04:21:09.9		NOTE: North Pole Crossing 9288		04-018/04:10:38.2
2425	M1O	04-018/04:23:28.5		NOTE: Enter Earth Occultation 9288		04-018/04:12:56.7
2426	M1O	04-018/04:25:33.7		NOTE: EXIT HGA KEEP OUT ZONE		
2427	M1O	04-018/04:34:50.6		NOTE: Exit Earth Occultation 9288		04-018/04:24:18.8
2428	M1O	04-018/04:34:50.6	14	Acquisition Of X-Band Signal		
2429	M1O	04-018/04:34:50.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2430	M1O	04-018/04:35:23.4	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2431	M1O	04-018/04:37:16.2		NOTE: Exit Planetary Atmosphere 9288		04-018/04:26:44.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2432	M1O	04-018/04:37:40.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
2433	M1O	04-018/04:40:22.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/04:29:50.9
2434	M1O	04-018/04:40:22.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2435	M1O	04-018/04:40:23.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/04:29:51.9
2436	M1O	04-018/04:47:40.0	14	Range Modulation Off		
2437	M1O	04-018/04:51:10.3		NOTE: Descending Node Crossing 9289		04-018/04:40:38.4
2438	M1O	04-018/04:52:40.0	14	X-Band Transmitter Off		
2439	M1O	04-018/05:04:10.8		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-018/04:53:39.0
2440	M1O	04-018/05:04:10.9		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-018/04:53:39.1
2441	M1O	04-018/05:04:11.9		Forces a desaturation of the reaction wheels.	RW_DESAT	04-018/04:53:40.1
2442	M1O	04-018/05:05:32.8		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-018/04:55:01.0
2443	M1O	04-018/05:05:48.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-016T04:55:01.100, 2004-018T04:55:01.100	PCKTS_RE_TX_TIME	04-018/04:55:16.8
2444	M1O	04-018/05:05:49.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-016T04:55:01.100, 2004-018T04:55:01.100	PCKTS_RE_TX_TIME	04-018/04:55:17.8
2445	M1O	04-018/05:05:50.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-016T04:55:01.100, 2004-018T04:55:01.100	PCKTS_RE_TX_TIME	04-018/04:55:18.8
2446	M1O	04-018/05:05:51.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-016T04:55:01.100, 2004-018T04:55:01.100	PCKTS_RE_TX_TIME	04-018/04:55:19.8
2447	M1O	04-018/05:05:52.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-016T04:55:01.100, 2004-018T04:55:01.100	PCKTS_RE_TX_TIME	04-018/04:55:20.8
2448	M1O	04-018/05:05:53.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-016T04:55:01.100, 2004-018T04:55:01.100	PCKTS_RE_TX_TIME	04-018/04:55:21.8
2449	M1O	04-018/05:05:53.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-018/04:55:21.8
2450	M1O	04-018/05:05:53.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2451	M1O	04-018/05:12:54.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/05:02:22.8
2452	M1O	04-018/05:12:54.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2453	M1O	04-018/05:12:55.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/05:02:23.8
2454	M1O	04-018/05:13:11.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-018/05:02:39.8
2455	M1O	04-018/05:13:11.7	14	D/L RF Warning: SC antenna change - expect signal level variation		
2456	M1O	04-018/05:13:12.7		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-018/05:02:40.8
2457	M1O	04-018/05:13:43.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2458	M1O	04-018/05:15:42.0		CALL, Engine = , Parameters = FALSE	park_hga	04-018/05:05:10.1
2459	M1O	04-018/05:15:42.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/05:05:10.1
2460	M1O	04-018/05:15:43.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-018/05:05:11.1
2461	M1O	04-018/05:15:44.0		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-018/05:05:12.1
2462	M1O	04-018/05:15:44.0		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-018/05:05:12.1
2463	M1O	04-018/05:15:44.0		NOTE: START HGA PARK		
2464	M1O	04-018/05:15:44.0	14	NOTE: Loss Of X-Band Signal		
2465	M1O	04-018/05:15:45.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-018/05:05:13.1
2466	M1O	04-018/05:15:46.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-018/05:05:14.1
2467	M1O	04-018/05:20:16.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-018/05:09:44.1
2468	M1O	04-018/05:20:20.2		NOTE: Periapsis 9289 ----------		04-018/05:09:48.2
2469	M1O	04-018/05:20:28.2		NOTE: South Pole Crossing 9289		04-018/05:09:56.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2470	M1O	04-018/05:23:46.0		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-018/05:13:14.1
2471	M1O	04-018/05:23:46.0		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-018/05:13:14.1
2472	M1O	04-018/05:48:20.6		NOTE: Enter Solar Eclipse 9289		04-018/05:37:48.5
2473	M1O	04-018/05:49:46.3		NOTE: Ascending Node Crossing 9289		04-018/05:39:14.3
2474	M1O	04-018/05:53:46.0		GV: GV_DESAT_ACTIVE = 1		04-018/05:43:14.0
2475	M1O	04-018/05:53:47.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-018/05:43:15.0
2476	M1O	04-018/05:53:47.0		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-018/05:43:15.0
2477	M1O	04-018/06:03:46.0		GV: GV_DESAT_ACTIVE = 0		04-018/05:53:14.0
2478	M1O	04-018/06:03:47.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-018/05:53:15.0
2479	M1O	04-018/06:03:48.0		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-018/05:53:16.0
2480	M1O	04-018/06:03:49.0		CALL, Engine = , Parameters =	unpark_hga	04-018/05:53:17.0
2481	M1O	04-018/06:03:49.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-018/05:53:17.0
2482	M1O	04-018/06:03:50.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-018/05:53:18.0
2483	M1O	04-018/06:06:38.8		NOTE: Exit Solar Eclipse 9289		04-018/05:56:06.7
2484	M1O	04-018/06:08:20.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-018/05:57:48.0
2485	M1O	04-018/06:08:21.0		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-018/05:57:49.0
2486	M1O	04-018/06:10:00.0	43	Begin Pre-Cal		
2487	M1O	04-018/06:10:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
2488	M1O	04-018/06:10:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
2489	M1O	04-018/06:10:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
2490	M1O	04-018/06:10:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
2491	M1O	04-018/06:10:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
2492	M1O	04-018/06:10:00.0	43	Config: RCV: Parms:		
2493	M1O	04-018/06:10:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
2494	M1O	04-018/06:10:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
2495	M1O	04-018/06:10:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
2496	M1O	04-018/06:11:46.1		SPAWN, Engine = 65535, Parameters = 00:26:50.978	cstr	04-018/06:01:14.0
2497	M1O	04-018/06:11:46.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/06:01:14.1
2498	M1O	04-018/06:11:47.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/06:01:15.1
2499	M1O	04-018/06:11:48.2		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-018/06:01:16.1
2500	M1O	04-018/06:11:49.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-018/06:01:17.1
2501	M1O	04-018/06:11:50.2		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-018/06:01:18.1
2502	M1O	04-018/06:12:00.2		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-018/06:01:28.1
2503	M1O	04-018/06:12:10.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-018/06:01:38.1
2504	M1O	04-018/06:12:21.0		NOTE: EXIT HGA PARK		
2505	M1O	04-018/06:12:21.0	14	Acquisition Of X-Band Signal		
2506	M1O	04-018/06:12:21.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2507	M1O	04-018/06:12:58.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2508	M1O	04-018/06:14:50.1		NOTE: ENTER HGA KEEP OUT ZONE		
2509	M1O	04-018/06:14:50.1	14	NOTE: Loss Of X-Band Signal		
2510	M1O	04-018/06:17:58.0	14	Range Modulation On: SUP=3.0dB		
2511	M1O	04-018/06:18:58.0	14	Begin Ranging Acquisition		
2512	M1O	04-018/06:19:24.7		NOTE: Apoapsis 9289 -		04-018/06:08:52.6
2513	M1O	04-018/06:19:37.0		NOTE: Enter Planetary Atmosphere 9289		04-018/06:09:04.9
2514	M1O	04-018/06:19:46.2		NOTE: North Pole Crossing 9289		04-018/06:09:14.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2515	M1O	04-018/06:20:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
2516	M1O	04-018/06:21:59.8		NOTE: Enter Earth Occultation 9289		04-018/06:11:27.6
2517	M1O	04-018/06:24:10.1		NOTE: EXIT HGA KEEP OUT ZONE		
2518	M1O	04-018/06:30:00.0	14	Range Modulation Off		
2519	M1O	04-018/06:33:30.9		NOTE: Exit Earth Occultation 9289		04-018/06:22:58.7
2520	M1O	04-018/06:33:30.9	14	Acquisition Of X-Band Signal		
2521	M1O	04-018/06:33:30.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2522	M1O	04-018/06:34:02.2	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2523	M1O	04-018/06:35:00.0	14	X-Band Transmitter Off		
2524	M1O	04-018/06:35:55.0		NOTE: Exit Planetary Atmosphere 9289		04-018/06:25:22.8
2525	M1O	04-018/06:38:55.5	14	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
2526	M1O	04-018/06:39:01.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/06:28:29.0
2527	M1O	04-018/06:39:02.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/06:28:30.0
2528	M1O	04-018/06:39:02.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2529	M1O	04-018/06:39:03.2		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-018/06:28:31.0
2530	M1O	04-018/06:40:00.0	43	Begin Tracking		
2531	M1O	04-018/06:40:00.0	43	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2532	M1O	04-018/06:45:18.0	14	NOTE: Below Uplink Interlock Limit		
2533	M1O	04-018/06:49:45.7		NOTE: Descending Node Crossing 9290		04-018/06:39:13.5
2534	M1O	04-018/06:55:02.2		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-018/06:44:29.9
2535	M1O	04-018/06:55:04.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/06:44:32.0
2536	M1O	04-018/06:55:04.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2537	M1O	04-018/06:55:04.3	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2538	M1O	04-018/06:55:05.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/06:44:33.0
2539	M1O	04-018/06:56:04.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2540	M1O	04-018/06:56:04.3	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2541	M1O	04-018/07:00:00.0	14	End Tracking		
2542	M1O	04-018/07:01:04.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/06:50:32.0
2543	M1O	04-018/07:01:04.3	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2544	M1O	04-018/07:01:05.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/06:50:33.0
2545	M1O	04-018/07:10:32.2		SPAWN, Engine = 65535, Parameters =	scdiag	04-018/07:00:00.0
2546	M1O	04-018/07:10:33.3		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-018/07:00:01.1
2547	M1O	04-018/07:10:34.3		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-018/07:00:02.1
2548	M1O	04-018/07:11:35.2		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-018/07:01:03.0
2549	M1O	04-018/07:11:35.4		NOTE: Start Block fsw_diag		04-018/07:01:03.2
2550	M1O	04-018/07:11:36.4		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-018/07:01:04.2
2551	M1O	04-018/07:11:37.4		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-018/07:01:05.2
2552	M1O	04-018/07:11:48.4		Causes flight software to execute the VXWorks shell command contained in the parameter.:	FSW_VX_CMD	04-018/07:01:16.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				[0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]		
2553	M1O	04-018/07:12:18.5		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-018/07:01:46.2
2554	M1O	04-018/07:12:38.5		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-018/07:02:06.2
2555	M1O	04-018/07:12:48.5		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-018/07:02:16.2
2556	M1O	04-018/07:13:08.5		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-018/07:02:36.2
2557	M1O	04-018/07:13:18.5		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-018/07:02:46.2
2558	M1O	04-018/07:13:23.5		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-018/07:02:51.2
2559	M1O	04-018/07:13:28.5		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-018/07:02:56.2
2560	M1O	04-018/07:13:33.5		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-018/07:03:01.2
2561	M1O	04-018/07:13:38.5		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-018/07:03:06.2
2562	M1O	04-018/07:13:43.5		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-018/07:03:11.2
2563	M1O	04-018/07:14:23.5		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-018/07:03:51.2
2564	M1O	04-018/07:14:28.5		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-018/07:03:56.2
2565	M1O	04-018/07:14:33.5		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-018/07:04:01.2
2566	M1O	04-018/07:14:38.5		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-018/07:04:06.2
2567	M1O	04-018/07:14:43.5		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-018/07:04:11.2
2568	M1O	04-018/07:14:44.5		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-018/07:04:12.2
2569	M1O	04-018/07:14:45.5		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-018/07:04:13.2
2570	M1O	04-018/07:14:46.5		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-018/07:04:14.2
2571	M1O	04-018/07:14:57.5		NOTE: End Block fsw_diag.mod		04-018/07:04:25.2
2572	M1O	04-018/07:15:00.0	14	End Post-Cal		
2573	M1O	04-018/07:18:55.6		NOTE: Periapsis 9290 ----------		04-018/07:08:23.3
2574	M1O	04-018/07:19:03.6		NOTE: South Pole Crossing 9290		04-018/07:08:31.3
2575	M1O	04-018/07:43:43.4		SPAWN, Engine = 65535, Parameters = 018, 01, FALSE, 00:15:13.877, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-018/07:33:11.0
2576	M1O	04-018/07:43:44.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/07:33:12.1
2577	M1O	04-018/07:43:46.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-018/07:33:14.1
2578	M1O	04-018/07:44:28.7		CALL, Engine = , Parameters = 56	get_apid	04-018/07:33:56.3
2579	M1O	04-018/07:44:29.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-018/07:33:57.4
2580	M1O	04-018/07:44:30.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-018/07:33:57.6
2581	M1O	04-018/07:44:31.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-018/07:33:58.7
2582	M1O	04-018/07:44:32.3		CALL, Engine = , Parameters = 56	get_coding	04-018/07:33:59.9
2583	M1O	04-018/07:44:33.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-018/07:34:01.1
2584	M1O	04-018/07:44:34.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-018/07:34:02.3
2585	M1O	04-018/07:45:39.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-018/07:35:07.1
2586	M1O	04-018/07:45:40.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-018/07:35:08.1
2587	M1O	04-018/07:45:41.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-018/07:35:09.1
2588	M1O	04-018/07:45:42.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-018/07:35:10.1
2589	M1O	04-018/07:45:43.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-018/07:35:11.1
2590	M1O	04-018/07:45:44.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-018/07:35:12.1
2591	M1O	04-018/07:45:45.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-018/07:35:13.1
2592	M1O	04-018/07:46:55.7		NOTE: Enter Solar Eclipse 9290		04-018/07:36:23.3
2593	M1O	04-018/07:48:21.7		NOTE: Ascending Node Crossing 9290		04-018/07:37:49.3
2594	M1O	04-018/08:00:55.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-018/07:50:22.9
2595	M1O	04-018/08:00:56.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-018/07:50:24.0
2596	M1O	04-018/08:01:06.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-018/07:50:34.0
2597	M1O	04-018/08:01:07.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/07:50:35.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2598	M1O	04-018/08:05:17.3		NOTE: Exit Solar Eclipse 9290		04-018/07:54:44.8
2599	M1O	04-018/08:12:23.4		SPAWN, Engine = 65535, Parameters = 3, 00:24:45.751, 1	dpt	04-018/08:01:51.0
2600	M1O	04-018/08:12:25.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/08:01:53.1
2601	M1O	04-018/08:12:25.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2602	M1O	04-018/08:12:26.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/08:01:54.1
2603	M1O	04-018/08:13:25.4		NOTE: ENTER HGA KEEP OUT ZONE		
2604	M1O	04-018/08:13:25.4	43	NOTE: Loss Of X-Band Signal		
2605	M1O	04-018/08:17:56.5		NOTE: Apoapsis 9290 -		04-018/08:07:24.0
2606	M1O	04-018/08:18:04.0		NOTE: Enter Planetary Atmosphere 9290		04-018/08:07:31.5
2607	M1O	04-018/08:18:20.5		NOTE: North Pole Crossing 9290		04-018/08:07:47.9
2608	M1O	04-018/08:20:24.5		NOTE: Enter Earth Occultation 9290		04-018/08:09:52.0
2609	M1O	04-018/08:22:45.5		NOTE: EXIT HGA KEEP OUT ZONE		
2610	M1O	04-018/08:32:11.3		NOTE: Exit Earth Occultation 9290		04-018/08:21:38.7
2611	M1O	04-018/08:32:11.3	43	Acquisition Of X-Band Signal		
2612	M1O	04-018/08:32:11.3	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2613	M1O	04-018/08:34:33.1		NOTE: Exit Planetary Atmosphere 9290		04-018/08:24:00.5
2614	M1O	04-018/08:37:11.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/08:26:38.8
2615	M1O	04-018/08:37:11.4	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2616	M1O	04-018/08:37:12.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/08:26:39.8
2617	M1O	04-018/08:48:18.6		NOTE: Descending Node Crossing 9291		04-018/08:37:46.0
2618	M1O	04-018/09:17:28.9		NOTE: Periapsis 9291 ----------		04-018/09:06:56.2
2619	M1O	04-018/09:17:36.1		NOTE: South Pole Crossing 9291		04-018/09:07:03.4
2620	M1O	04-018/09:39:17.7		SPAWN, Engine = 65535, Parameters = 018, 02, FALSE, 00:18:29.397, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-018/09:28:45.0
2621	M1O	04-018/09:39:18.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/09:28:46.1
2622	M1O	04-018/09:39:20.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-018/09:28:48.1
2623	M1O	04-018/09:40:03.0		CALL, Engine = , Parameters = 56	get_apid	04-018/09:29:30.3
2624	M1O	04-018/09:40:04.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-018/09:29:31.4
2625	M1O	04-018/09:40:04.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-018/09:29:31.6
2626	M1O	04-018/09:40:05.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-018/09:29:32.7
2627	M1O	04-018/09:40:06.6		CALL, Engine = , Parameters = 56	get_coding	04-018/09:29:33.9
2628	M1O	04-018/09:40:07.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-018/09:29:35.1
2629	M1O	04-018/09:40:09.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-018/09:29:36.3
2630	M1O	04-018/09:41:13.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-018/09:30:41.1
2631	M1O	04-018/09:41:14.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-018/09:30:42.1
2632	M1O	04-018/09:41:15.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-018/09:30:43.1
2633	M1O	04-018/09:41:16.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-018/09:30:44.1
2634	M1O	04-018/09:41:17.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-018/09:30:45.1
2635	M1O	04-018/09:41:18.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-018/09:30:46.1
2636	M1O	04-018/09:41:19.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-018/09:30:47.1
2637	M1O	04-018/09:45:27.2		NOTE: Enter Solar Eclipse 9291		04-018/09:34:54.5
2638	M1O	04-018/09:46:53.9		NOTE: Ascending Node Crossing 9291		04-018/09:36:21.1
2639	M1O	04-018/09:59:45.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-018/09:49:12.4
2640	M1O	04-018/09:59:46.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-018/09:49:13.5
2641	M1O	04-018/09:59:56.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-018/09:49:23.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2642	M1O	04-018/09:59:57.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/09:49:24.5
2643	M1O	04-018/10:03:51.1		NOTE: Exit Solar Eclipse 9291		04-018/09:53:18.2
2644	M1O	04-018/10:10:56.8		SPAWN, Engine = 65535, Parameters = 3, 00:24:45.648, 1	dpt	04-018/10:00:24.0
2645	M1O	04-018/10:10:58.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/10:00:26.1
2646	M1O	04-018/10:10:58.9	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2647	M1O	04-018/10:10:59.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/10:00:27.1
2648	M1O	04-018/10:11:58.8		NOTE: ENTER HGA KEEP OUT ZONE		
2649	M1O	04-018/10:11:58.8	43	NOTE: Loss Of X-Band Signal		
2650	M1O	04-018/10:15:00.0	63	Begin Pre-Cal		
2651	M1O	04-018/10:15:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
2652	M1O	04-018/10:15:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
2653	M1O	04-018/10:15:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
2654	M1O	04-018/10:15:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
2655	M1O	04-018/10:15:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
2656	M1O	04-018/10:15:00.0	63	Config: RCV: Parms:		
2657	M1O	04-018/10:15:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
2658	M1O	04-018/10:15:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
2659	M1O	04-018/10:15:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
2660	M1O	04-018/10:16:32.7		NOTE: Enter Planetary Atmosphere 9291		04-018/10:05:59.9
2661	M1O	04-018/10:16:37.7		NOTE: Apoapsis 9291 -		04-018/10:06:04.8
2662	M1O	04-018/10:16:52.3		NOTE: North Pole Crossing 9291		04-018/10:06:19.4
2663	M1O	04-018/10:18:52.5		NOTE: Enter Earth Occultation 9291		04-018/10:08:19.6
2664	M1O	04-018/10:21:18.8		NOTE: EXIT HGA KEEP OUT ZONE		
2665	M1O	04-018/10:30:44.5		NOTE: Exit Earth Occultation 9291		04-018/10:20:11.6
2666	M1O	04-018/10:30:44.5	43	Acquisition Of X-Band Signal		
2667	M1O	04-018/10:30:44.5	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2668	M1O	04-018/10:33:05.6		NOTE: Exit Planetary Atmosphere 9291		04-018/10:22:32.7
2669	M1O	04-018/10:35:44.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/10:25:11.7
2670	M1O	04-018/10:35:44.6	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2671	M1O	04-018/10:35:45.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/10:25:12.7
2672	M1O	04-018/10:46:50.2		NOTE: Descending Node Crossing 9292		04-018/10:36:17.2
2673	M1O	04-018/11:15:50.3		NOTE: Periapsis 9292 ----------		04-018/11:05:17.2
2674	M1O	04-018/11:16:06.8		NOTE: South Pole Crossing 9292		04-018/11:05:33.7
2675	M1O	04-018/11:43:58.3		NOTE: Enter Solar Eclipse 9292		04-018/11:33:25.2
2676	M1O	04-018/11:45:24.1		NOTE: Ascending Node Crossing 9292		04-018/11:34:50.9
2677	M1O	04-018/12:00:00.0	63	Begin Tracking		
2678	M1O	04-018/12:00:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2679	M1O	04-018/12:02:16.9		NOTE: Exit Solar Eclipse 9292		04-018/11:51:43.7
2680	M1O	04-018/12:05:00.0	43	End Tracking		
2681	M1O	04-018/12:06:32.0	63	NOTE: Above Uplink Interlock Limit		
2682	M1O	04-018/12:09:07.1		SPAWN, Engine = 65535, Parameters = 3, 00:24:59.829, 1	dpt	04-018/11:58:33.8
2683	M1O	04-018/12:09:09.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/11:58:35.9
2684	M1O	04-018/12:09:09.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2685	M1O	04-018/12:09:10.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/11:58:36.9
2686	M1O	04-018/12:10:10.2		NOTE: ENTER HGA KEEP OUT ZONE		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2687	M1O	04-018/12:10:10.2	63	NOTE: Loss Of X-Band Signal		
2688	M1O	04-018/12:14:56.3		NOTE: Apoapsis 9292 -		04-018/12:04:23.0
2689	M1O	04-018/12:15:10.9		NOTE: Enter Planetary Atmosphere 9292		04-018/12:04:37.6
2690	M1O	04-018/12:15:23.7		NOTE: North Pole Crossing 9292		04-018/12:04:50.4
2691	M1O	04-018/12:17:33.0		NOTE: Enter Earth Occultation 9292		04-018/12:06:59.7
2692	M1O	04-018/12:19:50.2		NOTE: EXIT HGA KEEP OUT ZONE		
2693	M1O	04-018/12:20:00.0	43	End Post-Cal		
2694	M1O	04-018/12:29:08.9		NOTE: Exit Earth Occultation 9292		04-018/12:18:35.6
2695	M1O	04-018/12:29:08.9	63	Acquisition Of X-Band Signal		
2696	M1O	04-018/12:29:08.9	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2697	M1O	04-018/12:31:32.5		NOTE: Exit Planetary Atmosphere 9292		04-018/12:20:59.2
2698	M1O	04-018/12:34:09.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/12:23:35.7
2699	M1O	04-018/12:34:09.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2700	M1O	04-018/12:34:10.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/12:23:36.7
2701	M1O	04-018/12:45:22.5		NOTE: Descending Node Crossing 9293		04-018/12:34:49.1
2702	M1O	04-018/13:14:04.9		NOTE: Periapsis 9293 ----------		04-018/13:03:31.5
2703	M1O	04-018/13:14:39.5		NOTE: South Pole Crossing 9293		04-018/13:04:06.0
2704	M1O	04-018/13:42:34.9		NOTE: Enter Solar Eclipse 9293		04-018/13:32:01.4
2705	M1O	04-018/13:43:57.9		NOTE: Ascending Node Crossing 9293		04-018/13:33:24.4
2706	M1O	04-018/14:00:44.8		NOTE: Exit Solar Eclipse 9293		04-018/13:50:11.2
2707	M1O	04-018/14:08:00.6		SPAWN, Engine = 65535, Parameters = 3, 00:24:32.106, 1	dpt	04-018/13:57:27.0
2708	M1O	04-018/14:08:02.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/13:57:29.1
2709	M1O	04-018/14:08:02.7	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2710	M1O	04-018/14:08:03.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/13:57:30.1
2711	M1O	04-018/14:09:02.6		NOTE: ENTER HGA KEEP OUT ZONE		
2712	M1O	04-018/14:09:02.6	63	NOTE: Loss Of X-Band Signal		
2713	M1O	04-018/14:13:17.9		NOTE: Apoapsis 9293 -		04-018/14:02:44.3
2714	M1O	04-018/14:13:53.5		NOTE: Enter Planetary Atmosphere 9293		04-018/14:03:19.8
2715	M1O	04-018/14:13:58.2		NOTE: North Pole Crossing 9293		04-018/14:03:24.6
2716	M1O	04-018/14:16:18.6		NOTE: Enter Earth Occultation 9293		04-018/14:05:44.9
2717	M1O	04-018/14:18:22.6		NOTE: EXIT HGA KEEP OUT ZONE		
2718	M1O	04-018/14:27:34.7		NOTE: Exit Earth Occultation 9293		04-018/14:17:01.1
2719	M1O	04-018/14:27:34.7	63	Acquisition Of X-Band Signal		
2720	M1O	04-018/14:27:34.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2721	M1O	04-018/14:30:01.3		NOTE: Exit Planetary Atmosphere 9293		04-018/14:19:27.6
2722	M1O	04-018/14:32:34.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/14:22:01.2
2723	M1O	04-018/14:32:34.9	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2724	M1O	04-018/14:32:35.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/14:22:02.2
2725	M1O	04-018/14:38:32.7		SPAWN, Engine = 65535, Parameters = 018, 03, TRUE, 00:17:23, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-018/14:27:59.0
2726	M1O	04-018/14:38:33.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/14:27:59.5
2727	M1O	04-018/14:38:33.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2728	M1O	04-018/14:38:33.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/14:28:00.1
2729	M1O	04-018/14:38:35.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-018/14:28:02.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2730	M1O	04-018/14:38:36.1		CALL, Engine = , Parameters = 018, 03, 254	bld_autosw	04-018/14:28:02.4
2731	M1O	04-018/14:38:37.2		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-018/14:28:03.5
2732	M1O	04-018/14:38:38.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:04.6
2733	M1O	04-018/14:38:39.3		Deletes the designated file.: d:/dat/254_doy018_pass03_file01.dat	FILE_DELETE	04-018/14:28:05.6
2734	M1O	04-018/14:38:40.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:06.7
2735	M1O	04-018/14:38:41.4		Deletes the designated file.: d:/dat/254_doy018_pass03_file02.dat	FILE_DELETE	04-018/14:28:07.7
2736	M1O	04-018/14:38:42.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:08.8
2737	M1O	04-018/14:38:43.5		Deletes the designated file.: d:/dat/254_doy018_pass03_file03.dat	FILE_DELETE	04-018/14:28:09.8
2738	M1O	04-018/14:38:44.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:10.9
2739	M1O	04-018/14:38:45.6		Deletes the designated file.: d:/dat/254_doy018_pass03_file04.dat	FILE_DELETE	04-018/14:28:11.9
2740	M1O	04-018/14:38:46.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:13.0
2741	M1O	04-018/14:38:47.7		Deletes the designated file.: d:/dat/254_doy018_pass03_file05.dat	FILE_DELETE	04-018/14:28:14.0
2742	M1O	04-018/14:38:48.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:15.1
2743	M1O	04-018/14:38:49.8		Deletes the designated file.: d:/dat/254_doy018_pass03_file06.dat	FILE_DELETE	04-018/14:28:16.1
2744	M1O	04-018/14:38:50.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:17.2
2745	M1O	04-018/14:38:51.9		Deletes the designated file.: d:/dat/254_doy018_pass03_file07.dat	FILE_DELETE	04-018/14:28:18.2
2746	M1O	04-018/14:38:53.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:19.3
2747	M1O	04-018/14:38:54.0		Deletes the designated file.: d:/dat/254_doy018_pass03_file08.dat	FILE_DELETE	04-018/14:28:20.3
2748	M1O	04-018/14:38:55.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:21.4
2749	M1O	04-018/14:38:56.1		Deletes the designated file.: d:/dat/254_doy018_pass03_file09.dat	FILE_DELETE	04-018/14:28:22.4
2750	M1O	04-018/14:38:57.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:23.5
2751	M1O	04-018/14:38:58.2		Deletes the designated file.: d:/dat/254_doy018_pass03_file10.dat	FILE_DELETE	04-018/14:28:24.5
2752	M1O	04-018/14:38:59.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:25.6
2753	M1O	04-018/14:39:00.3		Deletes the designated file.: d:/dat/254_doy018_pass03_file11.dat	FILE_DELETE	04-018/14:28:26.6
2754	M1O	04-018/14:39:01.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:27.7
2755	M1O	04-018/14:39:02.4		Deletes the designated file.: d:/dat/254_doy018_pass03_file12.dat	FILE_DELETE	04-018/14:28:28.7
2756	M1O	04-018/14:39:03.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:29.8
2757	M1O	04-018/14:39:04.5		Deletes the designated file.: d:/dat/254_doy018_pass03_file13.dat	FILE_DELETE	04-018/14:28:30.8
2758	M1O	04-018/14:39:05.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:31.9
2759	M1O	04-018/14:39:06.6		Deletes the designated file.: d:/dat/254_doy018_pass03_file14.dat	FILE_DELETE	04-018/14:28:32.9
2760	M1O	04-018/14:39:07.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:34.0
2761	M1O	04-018/14:39:08.7		Deletes the designated file.: d:/dat/254_doy018_pass03_file15.dat	FILE_DELETE	04-018/14:28:35.0
2762	M1O	04-018/14:39:09.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:36.1
2763	M1O	04-018/14:39:10.8		Deletes the designated file.: d:/dat/254_doy018_pass03_file16.dat	FILE_DELETE	04-018/14:28:37.1
2764	M1O	04-018/14:39:11.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:38.2
2765	M1O	04-018/14:39:12.9		Deletes the designated file.: d:/dat/254_doy018_pass03_file17.dat	FILE_DELETE	04-018/14:28:39.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2766	M1O	04-018/14:39:14.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:40.3
2767	M1O	04-018/14:39:15.0		Deletes the designated file.: d:/dat/254_doy018_pass03_file18.dat	FILE_DELETE	04-018/14:28:41.3
2768	M1O	04-018/14:39:16.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy018_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-018/14:28:42.4
2769	M1O	04-018/14:39:17.1		Deletes the designated file.: d:/dat/254_doy018_pass03_file19.dat	FILE_DELETE	04-018/14:28:43.4
2770	M1O	04-018/14:39:18.1		CALL, Engine = , Parameters = 254	get_apid	04-018/14:28:44.4
2771	M1O	04-018/14:39:19.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-018/14:28:45.5
2772	M1O	04-018/14:39:19.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-018/14:28:45.7
2773	M1O	04-018/14:39:20.5		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-018/14:28:46.8
2774	M1O	04-018/14:39:21.8		CALL, Engine = , Parameters = 254	get_coding	04-018/14:28:48.1
2775	M1O	04-018/14:39:23.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-018/14:28:49.3
2776	M1O	04-018/14:39:24.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-018/14:28:50.5
2777	M1O	04-018/14:40:29.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-018/14:29:55.3
2778	M1O	04-018/14:40:30.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-018/14:29:56.3
2779	M1O	04-018/14:40:31.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-018/14:29:57.3
2780	M1O	04-018/14:40:32.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-018/14:29:58.3
2781	M1O	04-018/14:40:33.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-018/14:29:59.3
2782	M1O	04-018/14:40:34.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-018/14:30:00.3
2783	M1O	04-018/14:40:35.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-018/14:30:01.3
2784	M1O	04-018/14:42:25.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/14:31:51.3
2785	M1O	04-018/14:42:35.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-018/14:32:01.3
2786	M1O	04-018/14:43:57.4		NOTE: Descending Node Crossing 9294		04-018/14:33:23.7
2787	M1O	04-018/14:57:56.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-018/14:47:22.3
2788	M1O	04-018/14:57:57.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-018/14:47:23.4
2789	M1O	04-018/14:58:07.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-018/14:47:33.4
2790	M1O	04-018/14:58:08.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/14:47:34.4
2791	M1O	04-018/14:58:09.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-018/14:47:35.4
2792	M1O	04-018/14:58:09.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2793	M1O	04-018/14:58:10.1		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-018/14:47:36.4
2794	M1O	04-018/15:03:08.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/14:52:35.0
2795	M1O	04-018/15:03:08.7	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2796	M1O	04-018/15:12:54.5		NOTE: Periapsis 9294 ----------		04-018/15:02:20.7
2797	M1O	04-018/15:13:15.8		NOTE: South Pole Crossing 9294		04-018/15:02:42.0
2798	M1O	04-018/15:30:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2799	M1O	04-018/15:31:48.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
2800	M1O	04-018/15:35:00.0	63	Range Modulation On: SUP=3.0dB		
2801	M1O	04-018/15:36:00.0	63	Begin Ranging Acquisition		
2802	M1O	04-018/15:41:12.1		NOTE: Enter Solar Eclipse 9294		04-018/15:30:38.2
2803	M1O	04-018/15:41:48.0	63	Range Modulation Off		
2804	M1O	04-018/15:42:35.1		NOTE: Ascending Node Crossing 9294		04-018/15:32:01.2
2805	M1O	04-018/15:46:48.0	63	X-Band Transmitter Off		
2806	M1O	04-018/15:50:05.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-018/15:39:31.1
2807	M1O	04-018/15:50:07.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/15:39:33.2
2808	M1O	04-018/15:50:07.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2809	M1O	04-018/15:50:08.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/15:39:34.2
2810	M1O	04-018/15:51:07.7	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2811	M1O	04-018/15:56:07.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/15:45:33.2
2812	M1O	04-018/15:56:07.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2813	M1O	04-018/15:56:08.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/15:45:34.2
2814	M1O	04-018/15:59:20.2		NOTE: Exit Solar Eclipse 9294		04-018/15:48:46.2
2815	M1O	04-018/16:05:31.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2816	M1O	04-018/16:06:53.1		SPAWN, Engine = 65535, Parameters = 3, 00:24:43, 1	dpt	04-018/15:56:19.1
2817	M1O	04-018/16:06:55.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/15:56:21.2
2818	M1O	04-018/16:06:55.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2819	M1O	04-018/16:06:56.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/15:56:22.2
2820	M1O	04-018/16:07:55.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2821	M1O	04-018/16:07:56.9		NOTE: ENTER HGA KEEP OUT ZONE		
2822	M1O	04-018/16:07:56.9	63	NOTE: Loss Of X-Band Signal		
2823	M1O	04-018/16:10:31.0	63	Range Modulation On: SUP=3.0dB		
2824	M1O	04-018/16:11:31.0	63	Begin Ranging Acquisition		
2825	M1O	04-018/16:12:15.9		NOTE: Apoapsis 9294 -		04-018/16:01:41.9
2826	M1O	04-018/16:12:32.1		NOTE: Enter Planetary Atmosphere 9294		04-018/16:01:58.1
2827	M1O	04-018/16:12:34.8		NOTE: North Pole Crossing 9294		04-018/16:02:00.8
2828	M1O	04-018/16:14:58.5		NOTE: Enter Earth Occultation 9294		04-018/16:04:24.4
2829	M1O	04-018/16:16:37.0		NOTE: EXIT HGA KEEP OUT ZONE		
2830	M1O	04-018/16:26:06.9		NOTE: Exit Earth Occultation 9294		04-018/16:15:32.8
2831	M1O	04-018/16:26:06.9	63	Acquisition Of X-Band Signal		
2832	M1O	04-018/16:26:06.9	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2833	M1O	04-018/16:26:38.9	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2834	M1O	04-018/16:28:34.6		NOTE: Exit Planetary Atmosphere 9294		04-018/16:18:00.5
2835	M1O	04-018/16:31:38.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/16:21:04.2
2836	M1O	04-018/16:31:38.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2837	M1O	04-018/16:31:39.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/16:21:05.2
2838	M1O	04-018/16:36:37.0		SPAWN, Engine = 65535, Parameters = 018, 04, FALSE, 00:16:16.706, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-018/16:26:03.0
2839	M1O	04-018/16:36:38.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/16:26:04.1
2840	M1O	04-018/16:36:40.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-018/16:26:06.1
2841	M1O	04-018/16:37:22.3		CALL, Engine = , Parameters = 254	get_apid	04-018/16:26:48.3
2842	M1O	04-018/16:37:23.4		CALL, Engine = , Parameters = 254	get_rcv_mode	04-018/16:26:49.4
2843	M1O	04-018/16:37:23.6		CALL, Engine = , Parameters = 254	get_dl_rate	04-018/16:26:49.6
2844	M1O	04-018/16:37:24.7		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-018/16:26:50.7
2845	M1O	04-018/16:37:26.0		CALL, Engine = , Parameters = 254	get_coding	04-018/16:26:52.0
2846	M1O	04-018/16:37:27.2		CALL, Engine = , Parameters = 254	get_xmt_mode	04-018/16:26:53.2
2847	M1O	04-018/16:37:28.4		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-018/16:26:54.4
2848	M1O	04-018/16:38:33.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-018/16:27:59.2
2849	M1O	04-018/16:38:34.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-018/16:28:00.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2850	M1O	04-018/16:38:35.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-018/16:28:01.2
2851	M1O	04-018/16:38:36.2		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-018/16:28:02.2
2852	M1O	04-018/16:38:37.2		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-018/16:28:03.2
2853	M1O	04-018/16:38:38.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-018/16:28:04.2
2854	M1O	04-018/16:38:39.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-018/16:28:05.2
2855	M1O	04-018/16:42:34.0		NOTE: Descending Node Crossing 9295		04-018/16:31:59.9
2856	M1O	04-018/16:54:52.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-018/16:44:17.9
2857	M1O	04-018/16:54:53.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-018/16:44:19.0
2858	M1O	04-018/16:55:03.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-018/16:44:29.0
2859	M1O	04-018/16:55:04.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/16:44:30.0
2860	M1O	04-018/17:11:53.1		NOTE: South Pole Crossing 9295		04-018/17:01:18.9
2861	M1O	04-018/17:11:55.6		NOTE: Periapsis 9295 ----------		04-018/17:01:21.4
2862	M1O	04-018/17:30:25.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
2863	M1O	04-018/17:39:47.1		NOTE: Enter Solar Eclipse 9295		04-018/17:29:12.9
2864	M1O	04-018/17:40:25.0	63	Range Modulation Off		
2865	M1O	04-018/17:41:12.1		NOTE: Ascending Node Crossing 9295		04-018/17:30:37.8
2866	M1O	04-018/17:45:25.0	63	X-Band Transmitter Off		
2867	M1O	04-018/17:57:57.7		NOTE: Exit Solar Eclipse 9295		04-018/17:47:23.4
2868	M1O	04-018/18:04:05.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2869	M1O	04-018/18:05:29.3		SPAWN, Engine = 65535, Parameters = 3, 00:24:42.279, 1	dpt	04-018/17:54:54.9
2870	M1O	04-018/18:05:31.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/17:54:57.0
2871	M1O	04-018/18:05:31.4	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2872	M1O	04-018/18:05:32.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/17:54:58.0
2873	M1O	04-018/18:06:33.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2874	M1O	04-018/18:06:34.3		NOTE: ENTER HGA KEEP OUT ZONE		
2875	M1O	04-018/18:06:34.3	63	NOTE: Loss Of X-Band Signal		
2876	M1O	04-018/18:09:05.0	63	Range Modulation On: SUP=3.0dB		
2877	M1O	04-018/18:10:05.0	63	Begin Ranging Acquisition		
2878	M1O	04-018/18:11:08.2		NOTE: Enter Planetary Atmosphere 9295		04-018/18:00:33.8
2879	M1O	04-018/18:11:11.5		NOTE: North Pole Crossing 9295		04-018/18:00:37.1
2880	M1O	04-018/18:11:18.6		NOTE: Apoapsis 9295 -		04-018/18:00:44.2
2881	M1O	04-018/18:13:34.8		NOTE: Enter Earth Occultation 9295		04-018/18:03:00.4
2882	M1O	04-018/18:15:14.3		NOTE: EXIT HGA KEEP OUT ZONE		
2883	M1O	04-018/18:24:42.1		NOTE: Exit Earth Occultation 9295		04-018/18:14:07.7
2884	M1O	04-018/18:24:42.1	63	Acquisition Of X-Band Signal		
2885	M1O	04-018/18:24:42.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2886	M1O	04-018/18:25:13.7	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2887	M1O	04-018/18:27:10.0		NOTE: Exit Planetary Atmosphere 9295		04-018/18:16:35.6
2888	M1O	04-018/18:30:13.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/18:19:39.3
2889	M1O	04-018/18:30:13.8	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2890	M1O	04-018/18:30:14.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/18:19:40.3
2891	M1O	04-018/18:41:11.0		NOTE: Descending Node Crossing 9296		04-018/18:30:36.5
2892	M1O	04-018/18:55:00.0	14	Begin Pre-Cal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2893	M1O	04-018/18:55:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
2894	M1O	04-018/18:55:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
2895	M1O	04-018/18:55:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
2896	M1O	04-018/18:55:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
2897	M1O	04-018/18:55:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
2898	M1O	04-018/18:55:00.0	14	Config: RCV: Parms:		
2899	M1O	04-018/18:55:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
2900	M1O	04-018/18:55:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
2901	M1O	04-018/18:55:00.0	14	Config: TXL		
2902	M1O	04-018/18:55:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
2903	M1O	04-018/18:55:00.0	14	Config: CMD		
2904	M1O	04-018/18:55:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
2905	M1O	04-018/19:10:29.4		NOTE: South Pole Crossing 9296		04-018/18:59:54.8
2906	M1O	04-018/19:10:45.1		NOTE: Periapsis 9296 ----------		04-018/19:00:10.5
2907	M1O	04-018/19:29:00.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
2908	M1O	04-018/19:38:19.8		NOTE: Enter Solar Eclipse 9296		04-018/19:27:45.1
2909	M1O	04-018/19:39:00.0	63	Range Modulation Off		
2910	M1O	04-018/19:39:47.3		NOTE: Ascending Node Crossing 9296		04-018/19:29:12.6
2911	M1O	04-018/19:44:00.0	63	X-Band Transmitter Off		
2912	M1O	04-018/19:53:50.5	63	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
2913	M1O	04-018/19:55:00.0	14	Begin Tracking		
2914	M1O	04-018/19:55:00.0	14	Acquire D/L: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2915	M1O	04-018/19:56:35.0		NOTE: Exit Solar Eclipse 9296		04-018/19:46:00.3
2916	M1O	04-018/20:02:43.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2917	M1O	04-018/20:04:07.0		SPAWN, Engine = 65535, Parameters = 3, 00:24:43, 1	dpt	04-018/19:53:32.2
2918	M1O	04-018/20:04:09.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/19:53:34.3
2919	M1O	04-018/20:04:09.1	14	D/L Change: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2920	M1O	04-018/20:04:09.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2921	M1O	04-018/20:04:10.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/19:53:35.3
2922	M1O	04-018/20:05:09.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2923	M1O	04-018/20:05:09.3	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2924	M1O	04-018/20:05:10.7		NOTE: ENTER HGA KEEP OUT ZONE		
2925	M1O	04-018/20:05:10.7	14	NOTE: Loss Of X-Band Signal		
2926	M1O	04-018/20:05:10.7	63	NOTE: Loss Of X-Band Signal		
2927	M1O	04-018/20:07:43.0	14	Range Modulation On: SUP=3.0dB		
2928	M1O	04-018/20:08:43.0	14	Begin Ranging Acquisition		
2929	M1O	04-018/20:09:39.3		NOTE: Enter Planetary Atmosphere 9296		04-018/19:59:04.5
2930	M1O	04-018/20:09:46.5		NOTE: North Pole Crossing 9296		04-018/19:59:11.7
2931	M1O	04-018/20:09:55.2		NOTE: Apoapsis 9296 -		04-018/19:59:20.4
2932	M1O	04-018/20:12:04.5		NOTE: Enter Earth Occultation 9296		04-018/20:01:29.7
2933	M1O	04-018/20:13:50.7		NOTE: EXIT HGA KEEP OUT ZONE		
2934	M1O	04-018/20:15:00.0	63	End Tracking		
2935	M1O	04-018/20:23:20.7		NOTE: Exit Earth Occultation 9296		04-018/20:12:45.9
2936	M1O	04-018/20:23:20.7	14	Acquisition Of X-Band Signal		
2937	M1O	04-018/20:23:20.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2938	M1O	04-018/20:23:52.4	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2939	M1O	04-018/20:25:33.8		SPAWN, Engine = 65535, Parameters = 018, 03, FALSE, 00:17:18.556, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-018/20:14:59.0
2940	M1O	04-018/20:25:34.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/20:15:00.1
2941	M1O	04-018/20:25:36.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-018/20:15:02.1
2942	M1O	04-018/20:25:47.4		NOTE: Exit Planetary Atmosphere 9296		04-018/20:15:12.5
2943	M1O	04-018/20:26:19.1		CALL, Engine = , Parameters = 56	get_apid	04-018/20:15:44.3
2944	M1O	04-018/20:26:20.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-018/20:15:45.4
2945	M1O	04-018/20:26:20.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-018/20:15:45.6
2946	M1O	04-018/20:26:21.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-018/20:15:46.7
2947	M1O	04-018/20:26:22.7		CALL, Engine = , Parameters = 56	get_coding	04-018/20:15:47.9
2948	M1O	04-018/20:26:23.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-018/20:15:49.1
2949	M1O	04-018/20:26:25.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-018/20:15:50.3
2950	M1O	04-018/20:27:29.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-018/20:16:55.1
2951	M1O	04-018/20:27:30.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-018/20:16:56.1
2952	M1O	04-018/20:27:31.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-018/20:16:57.1
2953	M1O	04-018/20:27:32.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-018/20:16:58.1
2954	M1O	04-018/20:27:33.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-018/20:16:59.1
2955	M1O	04-018/20:27:34.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-018/20:17:00.1
2956	M1O	04-018/20:27:35.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-018/20:17:01.1
2957	M1O	04-018/20:28:52.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/20:18:17.3
2958	M1O	04-018/20:28:52.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2959	M1O	04-018/20:28:53.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/20:18:18.3
2960	M1O	04-018/20:30:00.0	63	End Post-Cal		
2961	M1O	04-018/20:39:45.7		NOTE: Descending Node Crossing 9297		04-018/20:29:10.9
2962	M1O	04-018/20:44:50.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-018/20:34:15.6
2963	M1O	04-018/20:44:51.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-018/20:34:16.7
2964	M1O	04-018/20:45:01.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-018/20:34:26.7
2965	M1O	04-018/20:45:02.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/20:34:27.7
2966	M1O	04-018/21:09:02.9		NOTE: South Pole Crossing 9297		04-018/20:58:27.9
2967	M1O	04-018/21:09:06.9		NOTE: Periapsis 9297 ----------		04-018/20:58:31.9
2968	M1O	04-018/21:27:15.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
2969	M1O	04-018/21:36:51.6		NOTE: Enter Solar Eclipse 9297		04-018/21:26:16.6
2970	M1O	04-018/21:37:15.0	14	Range Modulation Off		
2971	M1O	04-018/21:38:19.9		NOTE: Ascending Node Crossing 9297		04-018/21:27:44.9
2972	M1O	04-018/21:42:15.0	14	X-Band Transmitter Off		
2973	M1O	04-018/21:55:09.5		NOTE: Exit Solar Eclipse 9297		04-018/21:44:34.4
2974	M1O	04-018/22:01:20.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
2975	M1O	04-018/22:02:22.3		SPAWN, Engine = 65535, Parameters = 3, 00:25:05, 1	dpt	04-018/21:51:47.2
2976	M1O	04-018/22:02:24.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/21:51:49.3
2977	M1O	04-018/22:02:24.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2978	M1O	04-018/22:02:25.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/21:51:50.3
2979	M1O	04-018/22:03:25.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2980	M1O	04-018/22:03:26.1		NOTE: ENTER HGA KEEP OUT ZONE		
2981	M1O	04-018/22:03:26.1	14	NOTE: Loss Of X-Band Signal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
2982	M1O	04-018/22:06:20.0	14	Range Modulation On: SUP=3.0dB		
2983	M1O	04-018/22:07:20.0	14	Begin Ranging Acquisition		
2984	M1O	04-018/22:08:06.8		NOTE: Enter Planetary Atmosphere 9297		04-018/21:57:31.7
2985	M1O	04-018/22:08:07.2		NOTE: Apoapsis 9297 -		04-018/21:57:32.1
2986	M1O	04-018/22:08:18.8		NOTE: North Pole Crossing 9297		04-018/21:57:43.7
2987	M1O	04-018/22:10:30.4		NOTE: Enter Earth Occultation 9297		04-018/21:59:55.3
2988	M1O	04-018/22:12:26.1		NOTE: EXIT HGA KEEP OUT ZONE		
2989	M1O	04-018/22:21:57.7		NOTE: Exit Earth Occultation 9297		04-018/22:11:22.5
2990	M1O	04-018/22:21:57.7	14	Acquisition Of X-Band Signal		
2991	M1O	04-018/22:21:57.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2992	M1O	04-018/22:22:30.2	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
2993	M1O	04-018/22:23:00.1		SPAWN, Engine = 65535, Parameters = 018, 04, FALSE, 00:17:04.158, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-018/22:12:25.0
2994	M1O	04-018/22:23:01.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/22:12:26.1
2995	M1O	04-018/22:23:03.2		CALL, Engine = , Parameters = 56	get_cmd_opt	04-018/22:12:28.1
2996	M1O	04-018/22:23:45.4		CALL, Engine = , Parameters = 56	get_apid	04-018/22:13:10.3
2997	M1O	04-018/22:23:46.5		CALL, Engine = , Parameters = 56	get_rcv_mode	04-018/22:13:11.4
2998	M1O	04-018/22:23:46.7		CALL, Engine = , Parameters = 56	get_dl_rate	04-018/22:13:11.6
2999	M1O	04-018/22:23:47.8		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-018/22:13:12.7
3000	M1O	04-018/22:23:49.0		CALL, Engine = , Parameters = 56	get_coding	04-018/22:13:13.9
3001	M1O	04-018/22:23:50.2		CALL, Engine = , Parameters = 56	get_xmt_mode	04-018/22:13:15.1
3002	M1O	04-018/22:23:51.4		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-018/22:13:16.3
3003	M1O	04-018/22:24:22.7		NOTE: Exit Planetary Atmosphere 9297		04-018/22:13:47.5
3004	M1O	04-018/22:24:56.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-018/22:14:21.1
3005	M1O	04-018/22:24:57.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-018/22:14:22.1
3006	M1O	04-018/22:24:58.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-018/22:14:23.1
3007	M1O	04-018/22:24:59.2		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-018/22:14:24.1
3008	M1O	04-018/22:25:00.2		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-018/22:14:25.1
3009	M1O	04-018/22:25:01.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-018/22:14:26.1
3010	M1O	04-018/22:25:02.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-018/22:14:27.1
3011	M1O	04-018/22:27:29.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-018/22:16:54.3
3012	M1O	04-018/22:27:29.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3013	M1O	04-018/22:27:30.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-018/22:16:55.3
3014	M1O	04-018/22:38:17.2		NOTE: Descending Node Crossing 9298		04-018/22:27:42.0
3015	M1O	04-018/22:42:02.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-018/22:31:27.2
3016	M1O	04-018/22:42:03.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-018/22:31:28.3
3017	M1O	04-018/22:42:13.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-018/22:31:38.3
3018	M1O	04-018/22:42:14.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-018/22:31:39.3
3019	M1O	04-018/23:07:20.0		NOTE: Periapsis 9298 ----------		04-018/22:56:44.7
3020	M1O	04-018/23:07:34.1		NOTE: South Pole Crossing 9298		04-018/22:56:58.8
3021	M1O	04-018/23:25:46.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
3022	M1O	04-018/23:35:24.5		NOTE: Enter Solar Eclipse 9298		04-018/23:24:49.1
3023	M1O	04-018/23:35:46.0	14	Range Modulation Off		
3024	M1O	04-018/23:36:51.6		NOTE: Ascending Node Crossing 9298		04-018/23:26:16.2
3025	M1O	04-018/23:40:46.0	14	X-Band Transmitter Off		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3026	M1O	04-018/23:53:40.0		NOTE: Exit Solar Eclipse 9298		04-018/23:43:04.5
3027	M1O	04-018/23:59:47.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3028	M1O	04-019/00:00:00.0		Light Time: OWLT = 10:35, RTLT = 21:11		
3029	M1O	04-019/00:00:52.6		SPAWN, Engine = 65535, Parameters = 3, 00:25:01, 1	dpt	04-018/23:50:17.1
3030	M1O	04-019/00:00:54.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-018/23:50:19.2
3031	M1O	04-019/00:00:54.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3032	M1O	04-019/00:00:55.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-018/23:50:20.2
3033	M1O	04-019/00:01:56.8	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3034	M1O	04-019/00:01:57.4		NOTE: ENTER HGA KEEP OUT ZONE		
3035	M1O	04-019/00:01:57.4	14	NOTE: Loss Of X-Band Signal		
3036	M1O	04-019/00:04:47.0	14	Range Modulation On: SUP=3.0dB		
3037	M1O	04-019/00:05:47.0	14	Begin Ranging Acquisition		
3038	M1O	04-019/00:06:38.4		NOTE: Apoapsis 9298 -		04-018/23:56:02.9
3039	M1O	04-019/00:06:39.6		NOTE: Enter Planetary Atmosphere 9298		04-018/23:56:04.0
3040	M1O	04-019/00:06:50.1		NOTE: North Pole Crossing 9298		04-018/23:56:14.6
3041	M1O	04-019/00:09:04.2		NOTE: Enter Earth Occultation 9298		04-018/23:58:28.7
3042	M1O	04-019/00:10:57.5		NOTE: EXIT HGA KEEP OUT ZONE		
3043	M1O	04-019/00:20:25.4		NOTE: Exit Earth Occultation 9298		04-019/00:09:49.9
3044	M1O	04-019/00:20:25.4	14	Acquisition Of X-Band Signal		
3045	M1O	04-019/00:20:25.4	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3046	M1O	04-019/00:20:57.9	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3047	M1O	04-019/00:22:51.4		NOTE: Exit Planetary Atmosphere 9298		04-019/00:12:15.8
3048	M1O	04-019/00:25:55.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/00:15:20.2
3049	M1O	04-019/00:25:55.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3050	M1O	04-019/00:25:56.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/00:15:21.2
3051	M1O	04-019/00:36:48.2		NOTE: Descending Node Crossing 9299		04-019/00:26:12.6
3052	M1O	04-019/01:05:49.5		NOTE: Periapsis 9299 ----------		04-019/00:55:13.8
3053	M1O	04-019/01:06:05.9		NOTE: South Pole Crossing 9299		04-019/00:55:30.2
3054	M1O	04-019/01:24:35.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
3055	M1O	04-019/01:33:58.5		NOTE: Enter Solar Eclipse 9299		04-019/01:23:22.7
3056	M1O	04-019/01:34:35.0	14	Range Modulation Off		
3057	M1O	04-019/01:35:24.5		NOTE: Ascending Node Crossing 9299		04-019/01:24:48.7
3058	M1O	04-019/01:39:35.0	14	X-Band Transmitter Off		
3059	M1O	04-019/01:52:06.9		NOTE: Exit Solar Eclipse 9299		04-019/01:41:31.1
3060	M1O	04-019/01:58:07.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3061	M1O	04-019/01:59:44.2		SPAWN, Engine = 65535, Parameters = 3, 00:24:32, 1	dpt	04-019/01:49:08.3
3062	M1O	04-019/01:59:46.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/01:49:10.4
3063	M1O	04-019/01:59:46.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3064	M1O	04-019/01:59:47.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/01:49:11.4
3065	M1O	04-019/02:00:46.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3066	M1O	04-019/02:00:47.8		NOTE: ENTER HGA KEEP OUT ZONE		
3067	M1O	04-019/02:00:47.8	14	NOTE: Loss Of X-Band Signal		
3068	M1O	04-019/02:03:07.0	14	Range Modulation On: SUP=3.0dB		
3069	M1O	04-019/02:04:07.0	14	Begin Ranging Acquisition		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3070	M1O	04-019/02:05:21.0		NOTE: Apoapsis 9299 -		04-019/01:54:45.1
3071	M1O	04-019/02:05:24.3		NOTE: North Pole Crossing 9299		04-019/01:54:48.4
3072	M1O	04-019/02:05:24.4		NOTE: Enter Planetary Atmosphere 9299		04-019/01:54:48.5
3073	M1O	04-019/02:07:53.4		NOTE: Enter Earth Occultation 9299		04-019/01:57:17.5
3074	M1O	04-019/02:09:27.9		NOTE: EXIT HGA KEEP OUT ZONE		
3075	M1O	04-019/02:18:47.0		NOTE: Exit Earth Occultation 9299		04-019/02:08:11.0
3076	M1O	04-019/02:18:47.0	14	Acquisition Of X-Band Signal		
3077	M1O	04-019/02:18:47.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3078	M1O	04-019/02:19:18.7	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3079	M1O	04-019/02:21:17.3		NOTE: Exit Planetary Atmosphere 9299		04-019/02:10:41.3
3080	M1O	04-019/02:24:18.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/02:13:42.4
3081	M1O	04-019/02:24:18.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3082	M1O	04-019/02:24:19.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/02:13:43.4
3083	M1O	04-019/02:35:23.7		NOTE: Descending Node Crossing 9300		04-019/02:24:47.7
3084	M1O	04-019/03:04:32.9		NOTE: Periapsis 9300 ----------		04-019/02:53:56.8
3085	M1O	04-019/03:04:41.5		NOTE: South Pole Crossing 9300		04-019/02:54:05.4
3086	M1O	04-019/03:18:24.1		SPAWN, Engine = 65535, Parameters = 019, 01, TRUE, 00:18:26, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-019/03:07:48.0
3087	M1O	04-019/03:18:24.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/03:07:48.5
3088	M1O	04-019/03:18:24.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3089	M1O	04-019/03:18:25.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/03:07:49.1
3090	M1O	04-019/03:18:27.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-019/03:07:51.1
3091	M1O	04-019/03:18:27.5		CALL, Engine = , Parameters = 019, 01, 254	bld_autosw	04-019/03:07:51.4
3092	M1O	04-019/03:18:28.6		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-019/03:07:52.5
3093	M1O	04-019/03:18:29.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:07:53.6
3094	M1O	04-019/03:18:30.7		Deletes the designated file.: d:/dat/254_doy019_pass01_file01.dat	FILE_DELETE	04-019/03:07:54.6
3095	M1O	04-019/03:18:31.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:07:55.7
3096	M1O	04-019/03:18:32.8		Deletes the designated file.: d:/dat/254_doy019_pass01_file02.dat	FILE_DELETE	04-019/03:07:56.7
3097	M1O	04-019/03:18:33.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:07:57.8
3098	M1O	04-019/03:18:34.9		Deletes the designated file.: d:/dat/254_doy019_pass01_file03.dat	FILE_DELETE	04-019/03:07:58.8
3099	M1O	04-019/03:18:36.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:07:59.9
3100	M1O	04-019/03:18:37.0		Deletes the designated file.: d:/dat/254_doy019_pass01_file04.dat	FILE_DELETE	04-019/03:08:00.9
3101	M1O	04-019/03:18:38.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:02.0
3102	M1O	04-019/03:18:39.1		Deletes the designated file.: d:/dat/254_doy019_pass01_file05.dat	FILE_DELETE	04-019/03:08:03.0
3103	M1O	04-019/03:18:40.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:04.1
3104	M1O	04-019/03:18:41.2		Deletes the designated file.: d:/dat/254_doy019_pass01_file06.dat	FILE_DELETE	04-019/03:08:05.1
3105	M1O	04-019/03:18:42.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:06.2
3106	M1O	04-019/03:18:43.3		Deletes the designated file.: d:/dat/254_doy019_pass01_file07.dat	FILE_DELETE	04-019/03:08:07.2
3107	M1O	04-019/03:18:44.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:08.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3108	M1O	04-019/03:18:45.4		Deletes the designated file.: d:/dat/254_doy019_pass01_file08.dat	FILE_DELETE	04-019/03:08:09.3
3109	M1O	04-019/03:18:46.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:10.4
3110	M1O	04-019/03:18:47.5		Deletes the designated file.: d:/dat/254_doy019_pass01_file09.dat	FILE_DELETE	04-019/03:08:11.4
3111	M1O	04-019/03:18:48.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:12.5
3112	M1O	04-019/03:18:49.6		Deletes the designated file.: d:/dat/254_doy019_pass01_file10.dat	FILE_DELETE	04-019/03:08:13.5
3113	M1O	04-019/03:18:50.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:14.6
3114	M1O	04-019/03:18:51.7		Deletes the designated file.: d:/dat/254_doy019_pass01_file11.dat	FILE_DELETE	04-019/03:08:15.6
3115	M1O	04-019/03:18:52.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:16.7
3116	M1O	04-019/03:18:53.8		Deletes the designated file.: d:/dat/254_doy019_pass01_file12.dat	FILE_DELETE	04-019/03:08:17.7
3117	M1O	04-019/03:18:54.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:18.8
3118	M1O	04-019/03:18:55.9		Deletes the designated file.: d:/dat/254_doy019_pass01_file13.dat	FILE_DELETE	04-019/03:08:19.8
3119	M1O	04-019/03:18:57.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:20.9
3120	M1O	04-019/03:18:58.0		Deletes the designated file.: d:/dat/254_doy019_pass01_file14.dat	FILE_DELETE	04-019/03:08:21.9
3121	M1O	04-019/03:18:59.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:23.0
3122	M1O	04-019/03:19:00.1		Deletes the designated file.: d:/dat/254_doy019_pass01_file15.dat	FILE_DELETE	04-019/03:08:24.0
3123	M1O	04-019/03:19:01.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:25.1
3124	M1O	04-019/03:19:02.2		Deletes the designated file.: d:/dat/254_doy019_pass01_file16.dat	FILE_DELETE	04-019/03:08:26.1
3125	M1O	04-019/03:19:03.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:27.2
3126	M1O	04-019/03:19:04.3		Deletes the designated file.: d:/dat/254_doy019_pass01_file17.dat	FILE_DELETE	04-019/03:08:28.2
3127	M1O	04-019/03:19:05.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:29.3
3128	M1O	04-019/03:19:06.4		Deletes the designated file.: d:/dat/254_doy019_pass01_file18.dat	FILE_DELETE	04-019/03:08:30.3
3129	M1O	04-019/03:19:07.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/03:08:31.4
3130	M1O	04-019/03:19:08.5		Deletes the designated file.: d:/dat/254_doy019_pass01_file19.dat	FILE_DELETE	04-019/03:08:32.4
3131	M1O	04-019/03:19:09.5		CALL, Engine = , Parameters = 254	get_apid	04-019/03:08:33.4
3132	M1O	04-019/03:19:10.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-019/03:08:34.5
3133	M1O	04-019/03:19:10.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-019/03:08:34.7
3134	M1O	04-019/03:19:11.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-019/03:08:35.8
3135	M1O	04-019/03:19:13.2		CALL, Engine = , Parameters = 254	get_coding	04-019/03:08:37.1
3136	M1O	04-019/03:19:14.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-019/03:08:38.3
3137	M1O	04-019/03:19:15.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-019/03:08:39.5
3138	M1O	04-019/03:20:20.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-019/03:09:44.3
3139	M1O	04-019/03:20:21.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-019/03:09:45.3
3140	M1O	04-019/03:20:22.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-019/03:09:46.3
3141	M1O	04-019/03:20:23.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-019/03:09:47.3
3142	M1O	04-019/03:20:24.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-019/03:09:48.3
3143	M1O	04-019/03:20:25.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-019/03:09:49.3
3144	M1O	04-019/03:20:26.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-019/03:09:50.3
3145	M1O	04-019/03:22:16.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/03:11:40.3
3146	M1O	04-019/03:22:26.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-019/03:11:50.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3147	M1O	04-019/03:23:30.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
3148	M1O	04-019/03:32:33.3		NOTE: Enter Solar Eclipse 9300		04-019/03:21:57.2
3149	M1O	04-019/03:33:30.0	14	Range Modulation Off		
3150	M1O	04-019/03:33:59.9		NOTE: Ascending Node Crossing 9300		04-019/03:23:23.7
3151	M1O	04-019/03:38:30.0	14	X-Band Transmitter Off		
3152	M1O	04-019/03:38:50.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-019/03:28:14.3
3153	M1O	04-019/03:38:51.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-019/03:28:15.4
3154	M1O	04-019/03:39:01.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-019/03:28:25.4
3155	M1O	04-019/03:39:02.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/03:28:26.4
3156	M1O	04-019/03:39:03.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-019/03:28:27.4
3157	M1O	04-019/03:39:03.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3158	M1O	04-019/03:39:04.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-019/03:28:28.4
3159	M1O	04-019/03:44:03.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/03:33:27.0
3160	M1O	04-019/03:44:03.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3161	M1O	04-019/03:50:38.1		NOTE: Exit Solar Eclipse 9300		04-019/03:40:01.8
3162	M1O	04-019/03:56:36.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3163	M1O	04-019/03:58:39.6		SPAWN, Engine = 65535, Parameters = 3, 00:24:06, 1	dpt	04-019/03:48:03.3
3164	M1O	04-019/03:58:41.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/03:48:05.4
3165	M1O	04-019/03:58:41.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3166	M1O	04-019/03:58:42.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/03:48:06.4
3167	M1O	04-019/03:59:42.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3168	M1O	04-019/03:59:43.2		NOTE: ENTER HGA KEEP OUT ZONE		
3169	M1O	04-019/03:59:43.2	14	NOTE: Loss Of X-Band Signal		
3170	M1O	04-019/04:01:36.0	14	Range Modulation On: SUP=3.0dB		
3171	M1O	04-019/04:02:36.0	14	Begin Ranging Acquisition		
3172	M1O	04-019/04:03:55.2		NOTE: Apoapsis 9300 -		04-019/03:53:19.0
3173	M1O	04-019/04:04:00.6		NOTE: North Pole Crossing 9300		04-019/03:53:24.3
3174	M1O	04-019/04:04:07.6		NOTE: Enter Planetary Atmosphere 9300		04-019/03:53:31.3
3175	M1O	04-019/04:06:39.3		NOTE: Enter Earth Occultation 9300		04-019/03:56:03.0
3176	M1O	04-019/04:07:43.2		NOTE: EXIT HGA KEEP OUT ZONE		
3177	M1O	04-019/04:17:15.9		NOTE: Exit Earth Occultation 9300		04-019/04:06:39.6
3178	M1O	04-019/04:17:15.9	14	Acquisition Of X-Band Signal		
3179	M1O	04-019/04:17:15.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3180	M1O	04-019/04:17:48.4	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3181	M1O	04-019/04:19:49.0		NOTE: Exit Planetary Atmosphere 9300		04-019/04:09:12.7
3182	M1O	04-019/04:20:26.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
3183	M1O	04-019/04:22:47.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/04:12:11.4
3184	M1O	04-019/04:22:47.8	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3185	M1O	04-019/04:22:48.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/04:12:12.4
3186	M1O	04-019/04:30:26.0	14	Range Modulation Off		
3187	M1O	04-019/04:34:01.0		NOTE: Descending Node Crossing 9301		04-019/04:23:24.6
3188	M1O	04-019/04:35:26.0	14	X-Band Transmitter Off		
3189	M1O	04-019/04:47:01.4		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-019/04:36:25.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3190	M1O	04-019/04:47:01.5		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-019/04:36:25.1
3191	M1O	04-019/04:47:02.5		Forces a desaturation of the reaction wheels.	RW_DESAT	04-019/04:36:26.1
3192	M1O	04-019/04:48:27.4		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-019/04:37:51.0
3193	M1O	04-019/04:48:43.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-017T04:37:51.100, 2004-019T04:37:51.100	PCKTS_RE_TX_TIME	04-019/04:38:06.8
3194	M1O	04-019/04:48:44.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-017T04:37:51.100, 2004-019T04:37:51.100	PCKTS_RE_TX_TIME	04-019/04:38:07.8
3195	M1O	04-019/04:48:45.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-017T04:37:51.100, 2004-019T04:37:51.100	PCKTS_RE_TX_TIME	04-019/04:38:08.8
3196	M1O	04-019/04:48:46.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-017T04:37:51.100, 2004-019T04:37:51.100	PCKTS_RE_TX_TIME	04-019/04:38:09.8
3197	M1O	04-019/04:48:47.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-017T04:37:51.100, 2004-019T04:37:51.100	PCKTS_RE_TX_TIME	04-019/04:38:10.8
3198	M1O	04-019/04:48:48.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-017T04:37:51.100, 2004-019T04:37:51.100	PCKTS_RE_TX_TIME	04-019/04:38:11.8
3199	M1O	04-019/04:48:48.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-019/04:38:11.8
3200	M1O	04-019/04:48:48.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3201	M1O	04-019/04:55:49.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/04:45:12.8
3202	M1O	04-019/04:55:49.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3203	M1O	04-019/04:55:50.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/04:45:13.8
3204	M1O	04-019/04:56:06.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-019/04:45:29.8
3205	M1O	04-019/04:56:06.2	14	D/L RF Warning: SC antenna change - expect signal level variation		
3206	M1O	04-019/04:56:07.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-019/04:45:30.8
3207	M1O	04-019/04:56:38.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3208	M1O	04-019/04:58:32.5		CALL, Engine = , Parameters = FALSE	park_hga	04-019/04:47:56.1
3209	M1O	04-019/04:58:32.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/04:47:56.1
3210	M1O	04-019/04:58:33.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-019/04:47:57.1
3211	M1O	04-019/04:58:34.5		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-019/04:47:58.1
3212	M1O	04-019/04:58:34.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-019/04:47:58.1
3213	M1O	04-019/04:58:34.5		NOTE: START HGA PARK		
3214	M1O	04-019/04:58:34.5	14	NOTE: Loss Of X-Band Signal		
3215	M1O	04-019/04:58:35.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-019/04:47:59.1
3216	M1O	04-019/04:58:36.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-019/04:48:00.1
3217	M1O	04-019/05:03:06.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-019/04:52:30.1
3218	M1O	04-019/05:03:09.6		NOTE: Periapsis 9301 ----------		04-019/04:52:33.1
3219	M1O	04-019/05:03:18.7		NOTE: South Pole Crossing 9301		04-019/04:52:42.2
3220	M1O	04-019/05:06:36.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-019/04:56:00.1
3221	M1O	04-019/05:06:36.5		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-019/04:56:00.1
3222	M1O	04-019/05:10:00.0	34	Begin Pre-Cal		
3223	M1O	04-019/05:10:00.0	34	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
3224	M1O	04-019/05:10:00.0	34	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
3225	M1O	04-019/05:10:00.0	34	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
3226	M1O	04-019/05:10:00.0	34	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
3227	M1O	04-019/05:10:00.0	34	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
3228	M1O	04-019/05:10:00.0	34	Config: RCV: Parms:		
3229	M1O	04-019/05:10:00.0	34	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3230	M1O	04-019/05:10:00.0	34	Config: TGC: BAND=X, SR=221200.000000		
3231	M1O	04-019/05:10:00.0	34	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
3232	M1O	04-019/05:17:41.4		SPAWN, Engine = 65535, Parameters = 019, 02, FALSE, 00:14:19.964, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-019/05:07:05.0
3233	M1O	04-019/05:17:42.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/05:07:06.1
3234	M1O	04-019/05:17:44.5		CALL, Engine = , Parameters = 254	get_cmd_opt	04-019/05:07:08.1
3235	M1O	04-019/05:18:26.8		CALL, Engine = , Parameters = 254	get_apid	04-019/05:07:50.3
3236	M1O	04-019/05:18:27.9		CALL, Engine = , Parameters = 254	get_rcv_mode	04-019/05:07:51.4
3237	M1O	04-019/05:18:28.1		CALL, Engine = , Parameters = 254	get_dl_rate	04-019/05:07:51.6
3238	M1O	04-019/05:18:29.2		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-019/05:07:52.7
3239	M1O	04-019/05:18:30.5		CALL, Engine = , Parameters = 254	get_coding	04-019/05:07:54.0
3240	M1O	04-019/05:18:31.7		CALL, Engine = , Parameters = 254	get_xmt_mode	04-019/05:07:55.2
3241	M1O	04-019/05:18:32.9		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-019/05:07:56.4
3242	M1O	04-019/05:19:37.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-019/05:09:01.2
3243	M1O	04-019/05:19:38.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-019/05:09:02.2
3244	M1O	04-019/05:19:39.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-019/05:09:03.2
3245	M1O	04-019/05:19:40.7		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-019/05:09:04.2
3246	M1O	04-019/05:19:41.7		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-019/05:09:05.2
3247	M1O	04-019/05:19:42.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-019/05:09:06.2
3248	M1O	04-019/05:19:43.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-019/05:09:07.2
3249	M1O	04-019/05:31:09.8		NOTE: Enter Solar Eclipse 9301		04-019/05:20:33.2
3250	M1O	04-019/05:32:36.7		NOTE: Ascending Node Crossing 9301		04-019/05:22:00.2
3251	M1O	04-019/05:33:59.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-019/05:23:23.1
3252	M1O	04-019/05:34:00.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-019/05:23:24.2
3253	M1O	04-019/05:34:10.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-019/05:23:34.2
3254	M1O	04-019/05:34:11.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/05:23:35.2
3255	M1O	04-019/05:36:36.5		GV: GV_DESAT_ACTIVE = 1		04-019/05:26:00.0
3256	M1O	04-019/05:36:37.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-019/05:26:01.0
3257	M1O	04-019/05:36:37.5		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-019/05:26:01.0
3258	M1O	04-019/05:46:36.5		GV: GV_DESAT_ACTIVE = 0		04-019/05:36:00.0
3259	M1O	04-019/05:46:37.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-019/05:36:01.0
3260	M1O	04-019/05:46:38.5		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-019/05:36:02.0
3261	M1O	04-019/05:46:39.5		CALL, Engine = , Parameters =	unpark_hga	04-019/05:36:03.0
3262	M1O	04-019/05:46:39.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-019/05:36:03.0
3263	M1O	04-019/05:46:40.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-019/05:36:04.0
3264	M1O	04-019/05:49:14.0		NOTE: Exit Solar Eclipse 9301		04-019/05:38:37.4
3265	M1O	04-019/05:51:10.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-019/05:40:34.0
3266	M1O	04-019/05:51:11.6		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-019/05:40:35.0
3267	M1O	04-019/05:54:36.6		SPAWN, Engine = 65535, Parameters = 00:26:22.257	cstr	04-019/05:44:00.0
3268	M1O	04-019/05:54:36.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/05:44:00.1
3269	M1O	04-019/05:54:37.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/05:44:01.1
3270	M1O	04-019/05:54:38.7		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-019/05:44:02.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3271	M1O	04-019/05:54:39.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-019/05:44:03.1
3272	M1O	04-019/05:54:40.7		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-019/05:44:04.1
3273	M1O	04-019/05:54:50.7		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-019/05:44:14.1
3274	M1O	04-019/05:55:00.7		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-019/05:44:24.1
3275	M1O	04-019/05:55:11.6		NOTE: EXIT HGA PARK		
3276	M1O	04-019/05:55:11.6	14	Acquisition Of X-Band Signal		
3277	M1O	04-019/05:55:11.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3278	M1O	04-019/05:55:13.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3279	M1O	04-019/05:58:20.6		NOTE: ENTER HGA KEEP OUT ZONE		
3280	M1O	04-019/05:58:20.6	14	NOTE: Loss Of X-Band Signal		
3281	M1O	04-019/06:00:13.0	14	Range Modulation On: SUP=3.0dB		
3282	M1O	04-019/06:01:13.0	14	Begin Ranging Acquisition		
3283	M1O	04-019/06:02:16.7		NOTE: Apoapsis 9301 -		04-019/05:51:40.1
3284	M1O	04-019/06:02:37.3		NOTE: North Pole Crossing 9301		04-019/05:52:00.6
3285	M1O	04-019/06:02:43.4		NOTE: Enter Planetary Atmosphere 9301		04-019/05:52:06.8
3286	M1O	04-019/06:05:14.6		NOTE: Enter Earth Occultation 9301		04-019/05:54:38.0
3287	M1O	04-019/06:06:20.6		NOTE: EXIT HGA KEEP OUT ZONE		
3288	M1O	04-019/06:15:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
3289	M1O	04-019/06:15:54.0		NOTE: Exit Earth Occultation 9301		04-019/06:05:17.3
3290	M1O	04-019/06:15:54.0	14	Acquisition Of X-Band Signal		
3291	M1O	04-019/06:15:54.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3292	M1O	04-019/06:16:26.2	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3293	M1O	04-019/06:18:26.6		NOTE: Exit Planetary Atmosphere 9301		04-019/06:07:49.9
3294	M1O	04-019/06:21:23.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/06:10:46.3
3295	M1O	04-019/06:21:24.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/06:10:47.3
3296	M1O	04-019/06:21:24.0	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3297	M1O	04-019/06:21:25.0		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-019/06:10:48.3
3298	M1O	04-019/06:25:00.0	14	Range Modulation Off		
3299	M1O	04-019/06:30:00.0	14	X-Band Transmitter Off		
3300	M1O	04-019/06:32:37.3		NOTE: Descending Node Crossing 9302		04-019/06:22:00.5
3301	M1O	04-019/06:38:46.4	14	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
3302	M1O	04-019/06:40:00.0	34	Begin Tracking		
3303	M1O	04-019/06:40:00.0	34	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3304	M1O	04-019/06:44:23.0	14	NOTE: Below Uplink Interlock Limit		
3305	M1O	04-019/06:50:11.3		SPAWN, Engine = 65535, Parameters = 3, 00:14:46.797, 1	dpt	04-019/06:39:34.5
3306	M1O	04-019/06:50:13.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/06:39:36.6
3307	M1O	04-019/06:50:13.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3308	M1O	04-019/06:50:13.4	34	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3309	M1O	04-019/06:50:14.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/06:39:37.6
3310	M1O	04-019/06:51:13.4	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3311	M1O	04-019/06:51:13.4	34	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3312	M1O	04-019/07:00:00.0	14	End Tracking		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3313	M1O	04-019/07:00:00.1		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-019/06:49:23.3
3314	M1O	04-019/07:00:00.1		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-019/06:49:23.3
3315	M1O	04-019/07:00:00.1	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3316	M1O	04-019/07:01:40.5		NOTE: Periapsis 9302 ----------		04-019/06:51:03.7
3317	M1O	04-019/07:01:55.1		NOTE: South Pole Crossing 9302		04-019/06:51:18.2
3318	M1O	04-019/07:05:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/06:54:23.4
3319	M1O	04-019/07:05:00.2	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3320	M1O	04-019/07:05:01.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/06:54:24.4
3321	M1O	04-019/07:10:36.8		SPAWN, Engine = 65535, Parameters =	scdiag	04-019/07:00:00.0
3322	M1O	04-019/07:10:37.9		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-019/07:00:01.1
3323	M1O	04-019/07:10:38.9		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-019/07:00:02.1
3324	M1O	04-019/07:11:39.8		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-019/07:01:03.0
3325	M1O	04-019/07:11:40.0		NOTE: Start Block fsw_diag		04-019/07:01:03.2
3326	M1O	04-019/07:11:41.0		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-019/07:01:04.2
3327	M1O	04-019/07:11:42.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-019/07:01:05.2
3328	M1O	04-019/07:11:53.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-019/07:01:16.2
3329	M1O	04-019/07:12:23.0		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-019/07:01:46.2
3330	M1O	04-019/07:12:43.0		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-019/07:02:06.2
3331	M1O	04-019/07:12:53.0		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-019/07:02:16.2
3332	M1O	04-019/07:13:13.0		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-019/07:02:36.2
3333	M1O	04-019/07:13:23.0		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-019/07:02:46.2
3334	M1O	04-019/07:13:28.0		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-019/07:02:51.2
3335	M1O	04-019/07:13:33.0		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-019/07:02:56.2
3336	M1O	04-019/07:13:38.0		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-019/07:03:01.2
3337	M1O	04-019/07:13:43.0		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-019/07:03:06.2
3338	M1O	04-019/07:13:48.0		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-019/07:03:11.2
3339	M1O	04-019/07:14:28.0		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-019/07:03:51.2
3340	M1O	04-019/07:14:33.0		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-019/07:03:56.2
3341	M1O	04-019/07:14:38.0		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-019/07:04:01.2
3342	M1O	04-019/07:14:43.0		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-019/07:04:06.2
3343	M1O	04-019/07:14:48.0		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-019/07:04:11.2
3344	M1O	04-019/07:14:49.0		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-019/07:04:12.2
3345	M1O	04-019/07:14:50.0		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-019/07:04:13.2
3346	M1O	04-019/07:14:51.0		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-019/07:04:14.2
3347	M1O	04-019/07:15:00.0	14	End Post-Cal		
3348	M1O	04-019/07:15:02.0		NOTE: End Block fsw_diag.mod		04-019/07:04:25.2
3349	M1O	04-019/07:29:46.5		NOTE: Enter Solar Eclipse 9302		04-019/07:19:09.6
3350	M1O	04-019/07:31:13.3		NOTE: Ascending Node Crossing 9302		04-019/07:20:36.3
3351	M1O	04-019/07:47:53.0		NOTE: Exit Solar Eclipse 9302		04-019/07:37:16.0
3352	M1O	04-019/07:55:54.9		SPAWN, Engine = 65535, Parameters = 3, 00:23:39.726, 1	dpt	04-019/07:45:18.0
3353	M1O	04-019/07:55:57.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/07:45:20.1
3354	M1O	04-019/07:55:57.0	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3355	M1O	04-019/07:55:58.0		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-019/07:45:21.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_nom.cfg		
3356	M1O	04-019/07:56:57.0		NOTE: ENTER HGA KEEP OUT ZONE		
3357	M1O	04-019/07:56:57.0	34	NOTE: Loss Of X-Band Signal		
3358	M1O	04-019/08:00:36.9		NOTE: Apoapsis 9302 -		04-019/07:49:59.9
3359	M1O	04-019/08:01:11.8		NOTE: Enter Planetary Atmosphere 9302		04-019/07:50:34.8
3360	M1O	04-019/08:01:12.7		NOTE: North Pole Crossing 9302		04-019/07:50:35.7
3361	M1O	04-019/08:03:40.2		NOTE: Enter Earth Occultation 9302		04-019/07:53:03.2
3362	M1O	04-019/08:04:57.0		NOTE: EXIT HGA KEEP OUT ZONE		
3363	M1O	04-019/08:14:36.7		NOTE: Exit Earth Occultation 9302		04-019/08:03:59.7
3364	M1O	04-019/08:14:36.7	34	Acquisition Of X-Band Signal		
3365	M1O	04-019/08:14:36.7	34	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3366	M1O	04-019/08:17:06.6		NOTE: Exit Planetary Atmosphere 9302		04-019/08:06:29.5
3367	M1O	04-019/08:19:36.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/08:08:59.8
3368	M1O	04-019/08:19:36.9	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3369	M1O	04-019/08:19:37.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/08:09:00.8
3370	M1O	04-019/08:31:11.3		NOTE: Descending Node Crossing 9303		04-019/08:20:34.2
3371	M1O	04-019/09:00:14.4		NOTE: Periapsis 9303 ----------		04-019/08:49:37.2
3372	M1O	04-019/09:00:29.0		NOTE: South Pole Crossing 9303		04-019/08:49:51.8
3373	M1O	04-019/09:22:13.2		SPAWN, Engine = 65535, Parameters = 019, 01, FALSE, 00:19:27.548, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-019/09:11:36.0
3374	M1O	04-019/09:22:14.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/09:11:37.1
3375	M1O	04-019/09:22:16.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-019/09:11:39.1
3376	M1O	04-019/09:22:58.5		CALL, Engine = , Parameters = 56	get_apid	04-019/09:12:21.3
3377	M1O	04-019/09:22:59.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-019/09:12:22.4
3378	M1O	04-019/09:22:59.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-019/09:12:22.6
3379	M1O	04-019/09:23:00.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-019/09:12:23.7
3380	M1O	04-019/09:23:02.1		CALL, Engine = , Parameters = 56	get_coding	04-019/09:12:24.9
3381	M1O	04-019/09:23:03.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-019/09:12:26.1
3382	M1O	04-019/09:23:04.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-019/09:12:27.3
3383	M1O	04-019/09:24:09.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-019/09:13:32.1
3384	M1O	04-019/09:24:10.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-019/09:13:33.1
3385	M1O	04-019/09:24:11.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-019/09:13:34.1
3386	M1O	04-019/09:24:12.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-019/09:13:35.1
3387	M1O	04-019/09:24:13.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-019/09:13:36.1
3388	M1O	04-019/09:24:14.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-019/09:13:37.1
3389	M1O	04-019/09:24:15.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-019/09:13:38.1
3390	M1O	04-019/09:28:20.0		NOTE: Enter Solar Eclipse 9303		04-019/09:17:42.7
3391	M1O	04-019/09:29:47.2		NOTE: Ascending Node Crossing 9303		04-019/09:19:09.9
3392	M1O	04-019/09:35:00.0	63	Begin Pre-Cal		
3393	M1O	04-019/09:35:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
3394	M1O	04-019/09:35:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
3395	M1O	04-019/09:35:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
3396	M1O	04-019/09:35:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
3397	M1O	04-019/09:35:00.0	63	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
3398	M1O	04-019/09:35:00.0	63	Config: RCV: Parms:		
3399	M1O	04-019/09:35:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
3400	M1O	04-019/09:35:00.0	63	Config: TGC: BAND=X, SR=79632.000000		
3401	M1O	04-019/09:35:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
3402	M1O	04-019/09:43:38.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-019/09:33:01.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
3403	M1O	04-019/09:43:40.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-019/09:33:02.7
3404	M1O	04-019/09:43:50.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-019/09:33:12.7
3405	M1O	04-019/09:43:51.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/09:33:13.7
3406	M1O	04-019/09:46:30.0		NOTE: Exit Solar Eclipse 9303		04-019/09:35:52.7
3407	M1O	04-019/09:47:21.3		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-019/09:36:44.0
3408	M1O	04-019/09:47:37.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-017T09:36:44.100, 2004-019T09:36:44.100	PCKTS_RE_TX_TIME	04-019/09:36:59.8
3409	M1O	04-019/09:47:38.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-017T09:36:44.100, 2004-019T09:36:44.100	PCKTS_RE_TX_TIME	04-019/09:37:00.8
3410	M1O	04-019/09:47:39.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-017T09:36:44.100, 2004-019T09:36:44.100	PCKTS_RE_TX_TIME	04-019/09:37:01.8
3411	M1O	04-019/09:47:40.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-017T09:36:44.100, 2004-019T09:36:44.100	PCKTS_RE_TX_TIME	04-019/09:37:02.8
3412	M1O	04-019/09:47:41.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-017T09:36:44.100, 2004-019T09:36:44.100	PCKTS_RE_TX_TIME	04-019/09:37:03.8
3413	M1O	04-019/09:47:42.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-017T09:36:44.100, 2004-019T09:36:44.100	PCKTS_RE_TX_TIME	04-019/09:37:04.8
3414	M1O	04-019/09:47:42.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-019/09:37:04.8
3415	M1O	04-019/09:47:42.1	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3416	M1O	04-019/09:54:43.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/09:44:05.8
3417	M1O	04-019/09:54:43.1	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3418	M1O	04-019/09:54:44.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/09:44:06.8
3419	M1O	04-019/09:55:00.1		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-019/09:44:22.8
3420	M1O	04-019/09:55:00.1	34	D/L RF Warning: SC antenna change - expect signal level variation		
3421	M1O	04-019/09:55:01.1		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-019/09:44:23.8
3422	M1O	04-019/09:55:31.3		NOTE: ENTER HGA KEEP OUT ZONE		
3423	M1O	04-019/09:55:31.3	34	NOTE: Loss Of X-Band Signal		
3424	M1O	04-019/09:59:18.0		NOTE: Apoapsis 9303 -		04-019/09:48:40.6
3425	M1O	04-019/09:59:38.4		NOTE: Enter Planetary Atmosphere 9303		04-019/09:49:01.1
3426	M1O	04-019/09:59:45.7		NOTE: North Pole Crossing 9303		04-019/09:49:08.3
3427	M1O	04-019/10:00:00.0	34	End Tracking		
3428	M1O	04-019/10:02:04.9		NOTE: Enter Earth Occultation 9303		04-019/09:51:27.5
3429	M1O	04-019/10:03:31.4		NOTE: EXIT HGA KEEP OUT ZONE		
3430	M1O	04-019/10:13:14.4		NOTE: Exit Earth Occultation 9303		04-019/10:02:36.9
3431	M1O	04-019/10:15:00.0	34	End Post-Cal		
3432	M1O	04-019/10:15:42.2		NOTE: Exit Planetary Atmosphere 9303		04-019/10:05:04.8
3433	M1O	04-019/10:29:43.4		NOTE: Descending Node Crossing 9304		04-019/10:19:05.9
3434	M1O	04-019/10:58:44.3		NOTE: Periapsis 9304 ----------		04-019/10:48:06.7
3435	M1O	04-019/10:59:00.2		NOTE: South Pole Crossing 9304		04-019/10:48:22.6
3436	M1O	04-019/11:24:47.6		SPAWN, Engine = 65535, Parameters = 019, 02, FALSE, 00:09:27.967, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-019/11:14:10.0
3437	M1O	04-019/11:24:48.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/11:14:11.1
3438	M1O	04-019/11:24:50.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-019/11:14:13.1
3439	M1O	04-019/11:25:32.9		CALL, Engine = , Parameters = 56	get_apid	04-019/11:14:55.3
3440	M1O	04-019/11:25:34.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-019/11:14:56.4
3441	M1O	04-019/11:25:34.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-019/11:14:56.6
3442	M1O	04-019/11:25:35.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-019/11:14:57.7
3443	M1O	04-019/11:25:36.5		CALL, Engine = , Parameters = 56	get_coding	04-019/11:14:58.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3444	M1O	04-019/11:25:37.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-019/11:15:00.1
3445	M1O	04-019/11:25:38.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-019/11:15:01.3
3446	M1O	04-019/11:26:43.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-019/11:16:06.1
3447	M1O	04-019/11:26:44.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-019/11:16:07.1
3448	M1O	04-019/11:26:45.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-019/11:16:08.1
3449	M1O	04-019/11:26:46.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-019/11:16:09.1
3450	M1O	04-019/11:26:47.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-019/11:16:10.1
3451	M1O	04-019/11:26:48.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-019/11:16:11.1
3452	M1O	04-019/11:26:49.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-019/11:16:12.1
3453	M1O	04-019/11:26:50.3		NOTE: Enter Solar Eclipse 9304		04-019/11:16:12.6
3454	M1O	04-019/11:28:17.8		NOTE: Ascending Node Crossing 9304		04-019/11:17:40.1
3455	M1O	04-019/11:36:13.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-019/11:25:36.0
3456	M1O	04-019/11:36:14.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-019/11:25:37.1
3457	M1O	04-019/11:36:24.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-019/11:25:47.1
3458	M1O	04-019/11:36:25.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/11:25:48.1
3459	M1O	04-019/11:44:59.4		NOTE: Exit Solar Eclipse 9304		04-019/11:34:21.7
3460	M1O	04-019/11:49:36.0		SPAWN, Engine = 65535, Parameters = 00:26:41.713	cstr	04-019/11:38:58.3
3461	M1O	04-019/11:49:36.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/11:38:58.4
3462	M1O	04-019/11:49:37.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/11:38:59.4
3463	M1O	04-019/11:49:38.1		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-019/11:39:00.4
3464	M1O	04-019/11:49:39.1		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-019/11:39:01.4
3465	M1O	04-019/11:49:40.1		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-019/11:39:02.4
3466	M1O	04-019/11:49:50.1		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-019/11:39:12.4
3467	M1O	04-019/11:50:00.0	63	Begin Tracking		
3468	M1O	04-019/11:50:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3469	M1O	04-019/11:50:00.1		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-019/11:39:22.4
3470	M1O	04-019/11:50:01.0		NOTE: Changing to 70M downlink rate: 110600_BPS		04-019/11:39:23.3
3471	M1O	04-019/11:50:01.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-019/11:39:23.3
3472	M1O	04-019/11:50:01.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3473	M1O	04-019/11:53:43.7		NOTE: ENTER HGA KEEP OUT ZONE		
3474	M1O	04-019/11:53:43.7	63	NOTE: Loss Of X-Band Signal		
3475	M1O	04-019/11:57:47.2		NOTE: Apoapsis 9304 -		04-019/11:47:09.4
3476	M1O	04-019/11:58:11.3		NOTE: Enter Planetary Atmosphere 9304		04-019/11:47:33.5
3477	M1O	04-019/11:58:16.8		NOTE: North Pole Crossing 9304		04-019/11:47:39.0
3478	M1O	04-019/12:00:38.6		NOTE: Enter Earth Occultation 9304		04-019/11:50:00.8
3479	M1O	04-019/12:02:03.7		NOTE: EXIT HGA KEEP OUT ZONE		
3480	M1O	04-019/12:04:03.0	63	NOTE: Above Uplink Interlock Limit		
3481	M1O	04-019/12:11:42.8		NOTE: Exit Earth Occultation 9304		04-019/12:01:05.0
3482	M1O	04-019/12:11:42.8	63	Acquisition Of X-Band Signal		
3483	M1O	04-019/12:11:42.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3484	M1O	04-019/12:14:11.5		NOTE: Exit Planetary Atmosphere 9304		04-019/12:03:33.7
3485	M1O	04-019/12:16:41.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/12:06:04.1
3486	M1O	04-019/12:16:42.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/12:06:05.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3487	M1O	04-019/12:16:42.9	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3488	M1O	04-019/12:16:43.9		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-019/12:06:06.1
3489	M1O	04-019/12:28:14.9		NOTE: Descending Node Crossing 9305		04-019/12:17:37.0
3490	M1O	04-019/12:56:56.8		NOTE: Periapsis 9305 ----------		04-019/12:46:18.8
3491	M1O	04-019/12:57:31.5		NOTE: South Pole Crossing 9305		04-019/12:46:53.5
3492	M1O	04-019/13:25:24.3		NOTE: Enter Solar Eclipse 9305		04-019/13:14:46.3
3493	M1O	04-019/13:26:49.6		NOTE: Ascending Node Crossing 9305		04-019/13:16:11.6
3494	M1O	04-019/13:43:25.5		NOTE: Exit Solar Eclipse 9305		04-019/13:32:47.4
3495	M1O	04-019/13:51:13.1		SPAWN, Engine = 65535, Parameters = 3, 00:23:50.991, 1	dpt	04-019/13:40:35.0
3496	M1O	04-019/13:51:15.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/13:40:37.1
3497	M1O	04-019/13:51:15.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3498	M1O	04-019/13:51:16.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/13:40:38.1
3499	M1O	04-019/13:52:15.1		NOTE: ENTER HGA KEEP OUT ZONE		
3500	M1O	04-019/13:52:15.1	63	NOTE: Loss Of X-Band Signal		
3501	M1O	04-019/13:56:03.8		NOTE: Apoapsis 9305 -		04-019/13:45:25.7
3502	M1O	04-019/13:56:49.7		NOTE: North Pole Crossing 9305		04-019/13:46:11.5
3503	M1O	04-019/13:56:52.8		NOTE: Enter Planetary Atmosphere 9305		04-019/13:46:14.6
3504	M1O	04-019/13:59:23.5		NOTE: Enter Earth Occultation 9305		04-019/13:48:45.4
3505	M1O	04-019/14:00:35.1		NOTE: EXIT HGA KEEP OUT ZONE		
3506	M1O	04-019/14:10:06.1		NOTE: Exit Earth Occultation 9305		04-019/13:59:27.9
3507	M1O	04-019/14:10:06.1	63	Acquisition Of X-Band Signal		
3508	M1O	04-019/14:10:06.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3509	M1O	04-019/14:12:38.4		NOTE: Exit Planetary Atmosphere 9305		04-019/14:02:00.2
3510	M1O	04-019/14:15:06.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/14:04:28.0
3511	M1O	04-019/14:15:06.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3512	M1O	04-019/14:15:07.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/14:04:29.0
3513	M1O	04-019/14:26:48.5		NOTE: Descending Node Crossing 9306		04-019/14:16:10.2
3514	M1O	04-019/14:27:24.2		SPAWN, Engine = 65535, Parameters = 019, 03, FALSE, 00:07:27.875, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-019/14:16:46.0
3515	M1O	04-019/14:27:25.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/14:16:47.1
3516	M1O	04-019/14:27:27.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-019/14:16:49.1
3517	M1O	04-019/14:28:09.5		CALL, Engine = , Parameters = 254	get_apid	04-019/14:17:31.3
3518	M1O	04-019/14:28:10.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-019/14:17:32.4
3519	M1O	04-019/14:28:10.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-019/14:17:32.6
3520	M1O	04-019/14:28:11.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-019/14:17:33.7
3521	M1O	04-019/14:28:13.2		CALL, Engine = , Parameters = 254	get_coding	04-019/14:17:35.0
3522	M1O	04-019/14:28:14.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-019/14:17:36.2
3523	M1O	04-019/14:28:15.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-019/14:17:37.4
3524	M1O	04-019/14:29:20.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-019/14:18:42.2
3525	M1O	04-019/14:29:21.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-019/14:18:43.2
3526	M1O	04-019/14:29:22.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-019/14:18:44.2
3527	M1O	04-019/14:29:23.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-019/14:18:45.2
3528	M1O	04-019/14:29:24.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-019/14:18:46.2
3529	M1O	04-019/14:29:25.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-019/14:18:47.2
3530	M1O	04-019/14:29:26.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-019/14:18:48.2
3531	M1O	04-019/14:36:50.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-019/14:26:12.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
3532	M1O	04-019/14:36:51.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-019/14:26:13.1
3533	M1O	04-019/14:37:01.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-019/14:26:23.1
3534	M1O	04-019/14:37:02.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/14:26:24.1
3535	M1O	04-019/14:55:32.0		NOTE: Periapsis 9306 ----------		04-019/14:44:53.7
3536	M1O	04-019/14:56:06.4		NOTE: South Pole Crossing 9306		04-019/14:45:28.1
3537	M1O	04-019/15:24:01.8		NOTE: Enter Solar Eclipse 9306		04-019/15:13:23.4
3538	M1O	04-019/15:25:25.7		NOTE: Ascending Node Crossing 9306		04-019/15:14:47.2
3539	M1O	04-019/15:41:58.1		NOTE: Exit Solar Eclipse 9306		04-019/15:31:19.6
3540	M1O	04-019/15:50:06.5		SPAWN, Engine = 65535, Parameters = 3, 00:23:26.635, 1	dpt	04-019/15:39:28.0
3541	M1O	04-019/15:50:08.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/15:39:30.1
3542	M1O	04-019/15:50:08.6	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3543	M1O	04-019/15:50:09.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/15:39:31.1
3544	M1O	04-019/15:51:08.5		NOTE: ENTER HGA KEEP OUT ZONE		
3545	M1O	04-019/15:51:08.5	63	NOTE: Loss Of X-Band Signal		
3546	M1O	04-019/15:54:48.3		NOTE: Apoapsis 9306 -		04-019/15:44:09.8
3547	M1O	04-019/15:55:25.5		NOTE: North Pole Crossing 9306		04-019/15:44:47.0
3548	M1O	04-019/15:55:33.1		NOTE: Enter Planetary Atmosphere 9306		04-019/15:44:54.6
3549	M1O	04-019/15:58:06.2		NOTE: Enter Earth Occultation 9306		04-019/15:47:27.6
3550	M1O	04-019/15:58:48.5		NOTE: EXIT HGA KEEP OUT ZONE		
3551	M1O	04-019/16:08:35.1		NOTE: Exit Earth Occultation 9306		04-019/15:57:56.6
3552	M1O	04-019/16:08:35.1	63	Acquisition Of X-Band Signal		
3553	M1O	04-019/16:08:35.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3554	M1O	04-019/16:11:09.6		NOTE: Exit Planetary Atmosphere 9306		04-019/16:00:31.0
3555	M1O	04-019/16:13:35.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/16:02:56.7
3556	M1O	04-019/16:13:35.3	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3557	M1O	04-019/16:13:36.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/16:02:57.7
3558	M1O	04-019/16:15:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3559	M1O	04-019/16:18:21.5		SPAWN, Engine = 65535, Parameters = 019, 04, TRUE, 00:19:15, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-019/16:07:43.0
3560	M1O	04-019/16:18:22.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/16:07:43.5
3561	M1O	04-019/16:18:22.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3562	M1O	04-019/16:18:22.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/16:07:44.1
3563	M1O	04-019/16:18:24.6		CALL, Engine = , Parameters = 254	get_cmd_opt	04-019/16:07:46.1
3564	M1O	04-019/16:18:24.9		CALL, Engine = , Parameters = 019, 04, 254	bld_autosw	04-019/16:07:46.4
3565	M1O	04-019/16:18:26.0		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-019/16:07:47.5
3566	M1O	04-019/16:18:27.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:07:48.6
3567	M1O	04-019/16:18:28.1		Deletes the designated file.: d:/dat/254_doy019_pass04_file01.dat	FILE_DELETE	04-019/16:07:49.6
3568	M1O	04-019/16:18:29.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:07:50.7
3569	M1O	04-019/16:18:30.2		Deletes the designated file.: d:/dat/254_doy019_pass04_file02.dat	FILE_DELETE	04-019/16:07:51.7
3570	M1O	04-019/16:18:31.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:07:52.8
3571	M1O	04-019/16:18:32.3		Deletes the designated file.: d:/dat/254_doy019_pass04_file03.dat	FILE_DELETE	04-019/16:07:53.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3572	M1O	04-019/16:18:33.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:07:54.9
3573	M1O	04-019/16:18:34.4		Deletes the designated file.: d:/dat/254_doy019_pass04_file04.dat	FILE_DELETE	04-019/16:07:55.9
3574	M1O	04-019/16:18:35.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:07:57.0
3575	M1O	04-019/16:18:36.5		Deletes the designated file.: d:/dat/254_doy019_pass04_file05.dat	FILE_DELETE	04-019/16:07:58.0
3576	M1O	04-019/16:18:37.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:07:59.1
3577	M1O	04-019/16:18:38.6		Deletes the designated file.: d:/dat/254_doy019_pass04_file06.dat	FILE_DELETE	04-019/16:08:00.1
3578	M1O	04-019/16:18:39.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:01.2
3579	M1O	04-019/16:18:40.7		Deletes the designated file.: d:/dat/254_doy019_pass04_file07.dat	FILE_DELETE	04-019/16:08:02.2
3580	M1O	04-019/16:18:41.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:03.3
3581	M1O	04-019/16:18:42.8		Deletes the designated file.: d:/dat/254_doy019_pass04_file08.dat	FILE_DELETE	04-019/16:08:04.3
3582	M1O	04-019/16:18:43.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:05.4
3583	M1O	04-019/16:18:44.9		Deletes the designated file.: d:/dat/254_doy019_pass04_file09.dat	FILE_DELETE	04-019/16:08:06.4
3584	M1O	04-019/16:18:46.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:07.5
3585	M1O	04-019/16:18:47.0		Deletes the designated file.: d:/dat/254_doy019_pass04_file10.dat	FILE_DELETE	04-019/16:08:08.5
3586	M1O	04-019/16:18:48.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:09.6
3587	M1O	04-019/16:18:49.1		Deletes the designated file.: d:/dat/254_doy019_pass04_file11.dat	FILE_DELETE	04-019/16:08:10.6
3588	M1O	04-019/16:18:50.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:11.7
3589	M1O	04-019/16:18:51.2		Deletes the designated file.: d:/dat/254_doy019_pass04_file12.dat	FILE_DELETE	04-019/16:08:12.7
3590	M1O	04-019/16:18:52.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:13.8
3591	M1O	04-019/16:18:53.3		Deletes the designated file.: d:/dat/254_doy019_pass04_file13.dat	FILE_DELETE	04-019/16:08:14.8
3592	M1O	04-019/16:18:54.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:15.9
3593	M1O	04-019/16:18:55.4		Deletes the designated file.: d:/dat/254_doy019_pass04_file14.dat	FILE_DELETE	04-019/16:08:16.9
3594	M1O	04-019/16:18:56.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:18.0
3595	M1O	04-019/16:18:57.5		Deletes the designated file.: d:/dat/254_doy019_pass04_file15.dat	FILE_DELETE	04-019/16:08:19.0
3596	M1O	04-019/16:18:58.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:20.1
3597	M1O	04-019/16:18:59.6		Deletes the designated file.: d:/dat/254_doy019_pass04_file16.dat	FILE_DELETE	04-019/16:08:21.1
3598	M1O	04-019/16:19:00.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:22.2
3599	M1O	04-019/16:19:01.7		Deletes the designated file.: d:/dat/254_doy019_pass04_file17.dat	FILE_DELETE	04-019/16:08:23.2
3600	M1O	04-019/16:19:02.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:24.3
3601	M1O	04-019/16:19:03.8		Deletes the designated file.: d:/dat/254_doy019_pass04_file18.dat	FILE_DELETE	04-019/16:08:25.3
3602	M1O	04-019/16:19:04.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy019_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-019/16:08:26.4
3603	M1O	04-019/16:19:05.9		Deletes the designated file.: d:/dat/254_doy019_pass04_file19.dat	FILE_DELETE	04-019/16:08:27.4
3604	M1O	04-019/16:19:06.9		CALL, Engine = , Parameters = 254	get_apid	04-019/16:08:28.4
3605	M1O	04-019/16:19:08.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-019/16:08:29.5
3606	M1O	04-019/16:19:08.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-019/16:08:29.7
3607	M1O	04-019/16:19:09.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-019/16:08:30.8
3608	M1O	04-019/16:19:10.6		CALL, Engine = , Parameters = 254	get_coding	04-019/16:08:32.1
3609	M1O	04-019/16:19:11.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-019/16:08:33.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3610	M1O	04-019/16:19:13.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-019/16:08:34.5
3611	M1O	04-019/16:20:00.0	63	Range Modulation On: SUP=3.0dB		
3612	M1O	04-019/16:20:17.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-019/16:09:39.3
3613	M1O	04-019/16:20:18.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-019/16:09:40.3
3614	M1O	04-019/16:20:19.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-019/16:09:41.3
3615	M1O	04-019/16:20:20.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-019/16:09:42.3
3616	M1O	04-019/16:20:21.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-019/16:09:43.3
3617	M1O	04-019/16:20:22.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-019/16:09:44.3
3618	M1O	04-019/16:20:23.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-019/16:09:45.3
3619	M1O	04-019/16:21:00.0	63	Begin Ranging Acquisition		
3620	M1O	04-019/16:22:13.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/16:11:35.3
3621	M1O	04-019/16:22:23.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-019/16:11:45.3
3622	M1O	04-019/16:25:24.4		NOTE: Descending Node Crossing 9307		04-019/16:14:45.8
3623	M1O	04-019/16:35:14.3		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-019/16:24:35.6
3624	M1O	04-019/16:35:16.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/16:24:37.7
3625	M1O	04-019/16:35:17.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/16:24:38.7
3626	M1O	04-019/16:36:17.1	63	Acquire D/L: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3627	M1O	04-019/16:39:36.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-019/16:28:58.3
3628	M1O	04-019/16:39:38.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-019/16:28:59.4
3629	M1O	04-019/16:39:48.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-019/16:29:09.4
3630	M1O	04-019/16:39:49.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/16:29:10.4
3631	M1O	04-019/16:39:50.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-019/16:29:11.4
3632	M1O	04-019/16:39:50.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3633	M1O	04-019/16:39:51.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-019/16:29:12.4
3634	M1O	04-019/16:41:16.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/16:30:37.7
3635	M1O	04-019/16:41:16.4	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3636	M1O	04-019/16:41:17.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/16:30:38.7
3637	M1O	04-019/16:54:31.5		NOTE: Periapsis 9307 ----------		04-019/16:43:52.8
3638	M1O	04-019/16:54:43.3		NOTE: South Pole Crossing 9307		04-019/16:44:04.6
3639	M1O	04-019/17:14:06.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
3640	M1O	04-019/17:22:37.7		NOTE: Enter Solar Eclipse 9307		04-019/17:11:58.9
3641	M1O	04-019/17:24:02.9		NOTE: Ascending Node Crossing 9307		04-019/17:13:24.1
3642	M1O	04-019/17:24:06.0	63	Range Modulation Off		
3643	M1O	04-019/17:29:06.0	63	X-Band Transmitter Off		
3644	M1O	04-019/17:40:34.9		NOTE: Exit Solar Eclipse 9307		04-019/17:29:56.0
3645	M1O	04-019/17:46:23.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3646	M1O	04-019/17:49:20.5		SPAWN, Engine = 65535, Parameters = 3, 00:23:15.859, 1	dpt	04-019/17:38:41.6
3647	M1O	04-019/17:49:22.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/17:38:43.7
3648	M1O	04-019/17:49:22.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3649	M1O	04-019/17:49:23.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/17:38:44.7
3650	M1O	04-019/17:50:23.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
3651	M1O	04-019/17:50:23.8		NOTE: ENTER HGA KEEP OUT ZONE		
3652	M1O	04-019/17:50:23.8	63	NOTE: Loss Of X-Band Signal		
3653	M1O	04-019/17:51:23.0	63	Range Modulation On: SUP=3.0dB		
3654	M1O	04-019/17:52:23.0	63	Begin Ranging Acquisition		
3655	M1O	04-019/17:53:54.5		NOTE: Apoapsis 9307 -		04-019/17:43:15.7
3656	M1O	04-019/17:54:02.2		NOTE: North Pole Crossing 9307		04-019/17:43:23.3
3657	M1O	04-019/17:54:10.4		NOTE: Enter Planetary Atmosphere 9307		04-019/17:43:31.5
3658	M1O	04-019/17:56:44.3		NOTE: Enter Earth Occultation 9307		04-019/17:46:05.4
3659	M1O	04-019/17:57:03.9		NOTE: EXIT HGA KEEP OUT ZONE		
3660	M1O	04-019/18:07:08.5		NOTE: Exit Earth Occultation 9307		04-019/17:56:29.6
3661	M1O	04-019/18:07:08.5	63	Acquisition Of X-Band Signal		
3662	M1O	04-019/18:07:08.5	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3663	M1O	04-019/18:07:40.7	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3664	M1O	04-019/18:09:43.7		NOTE: Exit Planetary Atmosphere 9307		04-019/17:59:04.7
3665	M1O	04-019/18:12:38.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/18:01:59.6
3666	M1O	04-019/18:12:38.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3667	M1O	04-019/18:12:39.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/18:02:00.6
3668	M1O	04-019/18:24:01.2		NOTE: Descending Node Crossing 9308		04-019/18:13:22.2
3669	M1O	04-019/18:53:20.0		NOTE: South Pole Crossing 9308		04-019/18:42:40.9
3670	M1O	04-019/18:53:27.8		NOTE: Periapsis 9308 ----------		04-019/18:42:48.7
3671	M1O	04-019/19:12:42.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
3672	M1O	04-019/19:21:11.3		NOTE: Enter Solar Eclipse 9308		04-019/19:10:32.1
3673	M1O	04-019/19:22:38.7		NOTE: Ascending Node Crossing 9308		04-019/19:11:59.6
3674	M1O	04-019/19:22:42.0	63	Range Modulation Off		
3675	M1O	04-019/19:27:42.0	63	X-Band Transmitter Off		
3676	M1O	04-019/19:39:12.0		NOTE: Exit Solar Eclipse 9308		04-019/19:28:32.8
3677	M1O	04-019/19:44:59.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3678	M1O	04-019/19:47:58.0		SPAWN, Engine = 65535, Parameters = 3, 00:23:17, 1	dpt	04-019/19:37:18.8
3679	M1O	04-019/19:48:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/19:37:20.9
3680	M1O	04-019/19:48:00.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3681	M1O	04-019/19:48:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/19:37:21.9
3682	M1O	04-019/19:49:00.3	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3683	M1O	04-019/19:49:01.2		NOTE: ENTER HGA KEEP OUT ZONE		
3684	M1O	04-019/19:49:01.2	63	NOTE: Loss Of X-Band Signal		
3685	M1O	04-019/19:49:59.0	63	Range Modulation On: SUP=3.0dB		
3686	M1O	04-019/19:50:59.0	63	Begin Ranging Acquisition		
3687	M1O	04-019/19:52:38.0		NOTE: North Pole Crossing 9308		04-019/19:41:58.8
3688	M1O	04-019/19:52:44.3		NOTE: Apoapsis 9308 -		04-019/19:42:05.0
3689	M1O	04-019/19:52:44.4		NOTE: Enter Planetary Atmosphere 9308		04-019/19:42:05.1
3690	M1O	04-019/19:55:17.7		NOTE: Enter Earth Occultation 9308		04-019/19:44:38.4
3691	M1O	04-019/19:55:41.2		NOTE: EXIT HGA KEEP OUT ZONE		
3692	M1O	04-019/20:05:45.5		NOTE: Exit Earth Occultation 9308		04-019/19:55:06.1
3693	M1O	04-019/20:05:45.5	63	Acquisition Of X-Band Signal		
3694	M1O	04-019/20:05:45.5	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3695	M1O	04-019/20:06:17.4	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
3696	M1O	04-019/20:08:20.1		NOTE: Exit Planetary Atmosphere 9308		04-019/19:57:40.8
3697	M1O	04-019/20:11:17.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/20:00:37.9
3698	M1O	04-019/20:11:17.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3699	M1O	04-019/20:11:18.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/20:00:38.9
3700	M1O	04-019/20:22:37.2		NOTE: Descending Node Crossing 9309		04-019/20:11:57.9
3701	M1O	04-019/20:51:54.8		NOTE: South Pole Crossing 9309		04-019/20:41:15.4
3702	M1O	04-019/20:52:02.8		NOTE: Periapsis 9309 ----------		04-019/20:41:23.3
3703	M1O	04-019/21:10:58.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
3704	M1O	04-019/21:19:42.7		NOTE: Enter Solar Eclipse 9309		04-019/21:09:03.2
3705	M1O	04-019/21:20:58.0	63	Range Modulation Off		
3706	M1O	04-019/21:21:12.3		NOTE: Ascending Node Crossing 9309		04-019/21:10:32.7
3707	M1O	04-019/21:25:58.0	63	X-Band Transmitter Off		
3708	M1O	04-019/21:37:47.7		NOTE: Exit Solar Eclipse 9309		04-019/21:27:08.1
3709	M1O	04-019/21:43:37.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3710	M1O	04-019/21:46:14.4		SPAWN, Engine = 65535, Parameters = 3, 00:23:39, 1	dpt	04-019/21:35:34.8
3711	M1O	04-019/21:46:16.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/21:35:36.9
3712	M1O	04-019/21:46:16.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3713	M1O	04-019/21:46:17.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/21:35:37.9
3714	M1O	04-019/21:47:17.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3715	M1O	04-019/21:47:17.6		NOTE: ENTER HGA KEEP OUT ZONE		
3716	M1O	04-019/21:47:17.6	63	NOTE: Loss Of X-Band Signal		
3717	M1O	04-019/21:48:37.0	63	Range Modulation On: SUP=3.0dB		
3718	M1O	04-019/21:49:37.0	63	Begin Ranging Acquisition		
3719	M1O	04-019/21:51:03.9		NOTE: Apoapsis 9309 -		04-019/21:40:24.3
3720	M1O	04-019/21:51:11.4		NOTE: North Pole Crossing 9309		04-019/21:40:31.7
3721	M1O	04-019/21:51:12.9		NOTE: Enter Planetary Atmosphere 9309		04-019/21:40:33.3
3722	M1O	04-019/21:53:44.3		NOTE: Enter Earth Occultation 9309		04-019/21:43:04.7
3723	M1O	04-019/21:54:17.6		NOTE: EXIT HGA KEEP OUT ZONE		
3724	M1O	04-019/22:04:24.1		NOTE: Exit Earth Occultation 9309		04-019/21:53:44.4
3725	M1O	04-019/22:04:24.1	63	Acquisition Of X-Band Signal		
3726	M1O	04-019/22:04:24.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3727	M1O	04-019/22:04:56.2	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3728	M1O	04-019/22:05:18.6		SPAWN, Engine = 65535, Parameters = 019, 03, FALSE, 00:19:35.543, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-019/21:54:39.0
3729	M1O	04-019/22:05:19.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/21:54:40.1
3730	M1O	04-019/22:05:21.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-019/21:54:42.1
3731	M1O	04-019/22:06:03.9		CALL, Engine = , Parameters = 56	get_apid	04-019/21:55:24.3
3732	M1O	04-019/22:06:05.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-019/21:55:25.4
3733	M1O	04-019/22:06:05.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-019/21:55:25.6
3734	M1O	04-019/22:06:06.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-019/21:55:26.7
3735	M1O	04-019/22:06:07.5		CALL, Engine = , Parameters = 56	get_coding	04-019/21:55:27.9
3736	M1O	04-019/22:06:08.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-019/21:55:29.1
3737	M1O	04-019/22:06:09.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-019/21:55:30.3
3738	M1O	04-019/22:06:56.9		NOTE: Exit Planetary Atmosphere 9309		04-019/21:56:17.3
3739	M1O	04-019/22:07:14.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-019/21:56:35.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3740	M1O	04-019/22:07:15.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-019/21:56:36.1
3741	M1O	04-019/22:07:16.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-019/21:56:37.1
3742	M1O	04-019/22:07:17.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-019/21:56:38.1
3743	M1O	04-019/22:07:18.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-019/21:56:39.1
3744	M1O	04-019/22:07:19.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-019/21:56:40.1
3745	M1O	04-019/22:07:20.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-019/21:56:41.1
3746	M1O	04-019/22:09:55.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-019/21:59:15.9
3747	M1O	04-019/22:09:55.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3748	M1O	04-019/22:09:56.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-019/21:59:16.9
3749	M1O	04-019/22:21:10.1		NOTE: Descending Node Crossing 9310		04-019/22:10:30.4
3750	M1O	04-019/22:26:52.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-019/22:16:12.6
3751	M1O	04-019/22:26:53.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-019/22:16:13.7
3752	M1O	04-019/22:27:03.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-019/22:16:23.7
3753	M1O	04-019/22:27:04.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-019/22:16:24.7
3754	M1O	04-019/22:38:41.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
3755	M1O	04-019/22:48:41.0	63	Range Modulation Off		
3756	M1O	04-019/22:50:15.0		NOTE: Periapsis 9310 ----------		04-019/22:39:35.2
3757	M1O	04-019/22:50:26.7		NOTE: South Pole Crossing 9310		04-019/22:39:46.9
3758	M1O	04-019/22:53:40.2	63	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
3759	M1O	04-019/22:53:41.0	63	X-Band Transmitter Off		
3760	M1O	04-019/23:06:49.8		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-019/22:56:10.0
3761	M1O	04-019/23:07:05.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-017T22:56:10.100, 2004-019T22:56:10.100	PCKTS_RE_TX_TIME	04-019/22:56:25.8
3762	M1O	04-019/23:07:06.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-017T22:56:10.100, 2004-019T22:56:10.100	PCKTS_RE_TX_TIME	04-019/22:56:26.8
3763	M1O	04-019/23:07:07.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-017T22:56:10.100, 2004-019T22:56:10.100	PCKTS_RE_TX_TIME	04-019/22:56:27.8
3764	M1O	04-019/23:07:08.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-017T22:56:10.100, 2004-019T22:56:10.100	PCKTS_RE_TX_TIME	04-019/22:56:28.8
3765	M1O	04-019/23:07:09.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-017T22:56:10.100, 2004-019T22:56:10.100	PCKTS_RE_TX_TIME	04-019/22:56:29.8
3766	M1O	04-019/23:07:10.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-017T22:56:10.100, 2004-019T22:56:10.100	PCKTS_RE_TX_TIME	04-019/22:56:30.8
3767	M1O	04-019/23:07:10.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-019/22:56:30.8
3768	M1O	04-019/23:07:10.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3769	M1O	04-019/23:14:11.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-019/23:03:31.8
3770	M1O	04-019/23:14:11.7	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3771	M1O	04-019/23:14:12.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-019/23:03:32.8
3772	M1O	04-019/23:14:28.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-019/23:03:48.8
3773	M1O	04-019/23:14:28.7	63	D/L RF Warning: SC antenna change - expect signal level variation		
3774	M1O	04-019/23:14:29.7		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-019/23:03:49.8
3775	M1O	04-019/23:14:32.0	63	NOTE: Below Uplink Interlock Limit		
3776	M1O	04-019/23:15:00.0	63	End Tracking		
3777	M1O	04-019/23:18:14.9		NOTE: Enter Solar Eclipse 9310		04-019/23:07:35.0
3778	M1O	04-019/23:19:43.9		NOTE: Ascending Node Crossing 9310		04-019/23:09:03.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3779	M1O	04-019/23:30:00.0	63	End Post-Cal		
3780	M1O	04-019/23:36:20.0		NOTE: Exit Solar Eclipse 9310		04-019/23:25:40.0
3781	M1O	04-019/23:45:30.0		NOTE: ENTER HGA KEEP OUT ZONE		
3782	M1O	04-019/23:49:17.6		NOTE: Apoapsis 9310 -		04-019/23:38:37.5
3783	M1O	04-019/23:49:41.1		NOTE: Enter Planetary Atmosphere 9310		04-019/23:39:01.0
3784	M1O	04-019/23:49:42.4		NOTE: North Pole Crossing 9310		04-019/23:39:02.4
3785	M1O	04-019/23:52:11.6		NOTE: Enter Earth Occultation 9310		04-019/23:41:31.6
3786	M1O	04-019/23:53:10.0		NOTE: EXIT HGA KEEP OUT ZONE		
3787	M1O	04-020/00:00:00.0		Light Time: OWLT = 10:40, RTLT = 21:20		
3788	M1O	04-020/00:00:00.0	14	Begin Pre-Cal		
3789	M1O	04-020/00:00:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
3790	M1O	04-020/00:00:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
3791	M1O	04-020/00:00:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
3792	M1O	04-020/00:00:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
3793	M1O	04-020/00:00:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
3794	M1O	04-020/00:00:00.0	14	Config: RCV: Parms:		
3795	M1O	04-020/00:00:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
3796	M1O	04-020/00:00:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
3797	M1O	04-020/00:00:00.0	14	Config: TXL		
3798	M1O	04-020/00:00:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
3799	M1O	04-020/00:00:00.0	14	Config: CMD		
3800	M1O	04-020/00:00:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
3801	M1O	04-020/00:02:57.1		NOTE: Exit Earth Occultation 9310		04-019/23:52:17.0
3802	M1O	04-020/00:05:29.0		NOTE: Exit Planetary Atmosphere 9310		04-019/23:54:48.9
3803	M1O	04-020/00:19:40.2		NOTE: Descending Node Crossing 9311		04-020/00:09:00.1
3804	M1O	04-020/00:48:32.9		NOTE: Periapsis 9311 ----------		04-020/00:37:52.7
3805	M1O	04-020/00:48:57.4		NOTE: South Pole Crossing 9311		04-020/00:38:17.2
3806	M1O	04-020/00:59:35.1		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-020/00:48:54.9
3807	M1O	04-020/00:59:35.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/00:48:55.0
3808	M1O	04-020/00:59:36.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/00:48:56.0
3809	M1O	04-020/00:59:37.2		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-020/00:48:57.0
3810	M1O	04-020/00:59:38.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-020/00:48:58.0
3811	M1O	04-020/00:59:39.2		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-020/00:48:59.0
3812	M1O	04-020/00:59:49.2		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-020/00:49:09.0
3813	M1O	04-020/00:59:59.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-020/00:49:19.0
3814	M1O	04-020/01:00:00.0	14	Begin Tracking		
3815	M1O	04-020/01:00:00.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3816	M1O	04-020/01:01:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3817	M1O	04-020/01:04:59.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/00:54:19.0
3818	M1O	04-020/01:05:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/00:54:20.0
3819	M1O	04-020/01:05:00.2	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3820	M1O	04-020/01:05:01.2		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-020/00:54:21.0
3821	M1O	04-020/01:06:00.0	14	Range Modulation On: SUP=3.0dB		
3822	M1O	04-020/01:07:00.0	14	Begin Ranging Acquisition		
3823	M1O	04-020/01:07:59.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
3824	M1O	04-020/01:16:48.5		NOTE: Enter Solar Eclipse 9311		04-020/01:06:08.2
3825	M1O	04-020/01:17:59.0	14	Range Modulation Off		
3826	M1O	04-020/01:18:15.7		NOTE: Ascending Node Crossing 9311		04-020/01:07:35.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3827	M1O	04-020/01:21:18.2		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-020/01:10:37.9
3828	M1O	04-020/01:21:20.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/01:10:40.0
3829	M1O	04-020/01:21:20.3	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3830	M1O	04-020/01:21:21.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/01:10:41.0
3831	M1O	04-020/01:22:20.5	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3832	M1O	04-020/01:22:59.0	14	X-Band Transmitter Off		
3833	M1O	04-020/01:27:20.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/01:16:40.0
3834	M1O	04-020/01:27:20.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3835	M1O	04-020/01:27:21.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/01:16:41.0
3836	M1O	04-020/01:34:47.5		NOTE: Exit Solar Eclipse 9311		04-020/01:24:07.1
3837	M1O	04-020/01:40:30.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3838	M1O	04-020/01:43:17.3		SPAWN, Engine = 65535, Parameters = 3, 00:23:31, 1	dpt	04-020/01:32:36.9
3839	M1O	04-020/01:43:19.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/01:32:39.0
3840	M1O	04-020/01:43:19.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3841	M1O	04-020/01:43:20.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/01:32:40.0
3842	M1O	04-020/01:44:19.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3843	M1O	04-020/01:44:20.3		NOTE: ENTER HGA KEEP OUT ZONE		
3844	M1O	04-020/01:44:20.3	14	NOTE: Loss Of X-Band Signal		
3845	M1O	04-020/01:45:30.0	14	Range Modulation On: SUP=3.0dB		
3846	M1O	04-020/01:46:30.0	14	Begin Ranging Acquisition		
3847	M1O	04-020/01:47:54.7		NOTE: Apoapsis 9311 -		04-020/01:37:14.3
3848	M1O	04-020/01:48:14.8		NOTE: North Pole Crossing 9311		04-020/01:37:34.4
3849	M1O	04-020/01:48:21.1		NOTE: Enter Planetary Atmosphere 9311		04-020/01:37:40.7
3850	M1O	04-020/01:50:55.3		NOTE: Enter Earth Occultation 9311		04-020/01:40:14.9
3851	M1O	04-020/01:51:20.4		NOTE: EXIT HGA KEEP OUT ZONE		
3852	M1O	04-020/02:01:19.0		NOTE: Exit Earth Occultation 9311		04-020/01:50:38.5
3853	M1O	04-020/02:01:19.0	14	Acquisition Of X-Band Signal		
3854	M1O	04-020/02:01:19.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3855	M1O	04-020/02:01:50.7	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3856	M1O	04-020/02:03:54.6		NOTE: Exit Planetary Atmosphere 9311		04-020/01:53:14.1
3857	M1O	04-020/02:06:50.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/01:56:10.0
3858	M1O	04-020/02:06:50.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3859	M1O	04-020/02:06:51.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/01:56:11.0
3860	M1O	04-020/02:18:13.0		NOTE: Descending Node Crossing 9312		04-020/02:07:32.5
3861	M1O	04-020/02:47:09.7		NOTE: Periapsis 9312 ----------		04-020/02:36:29.2
3862	M1O	04-020/02:47:30.9		NOTE: South Pole Crossing 9312		04-020/02:36:50.3
3863	M1O	04-020/03:04:48.6		SPAWN, Engine = 65535, Parameters = 020, 01, FALSE, 00:11:52.352, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-020/02:54:08.0
3864	M1O	04-020/03:04:49.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/02:54:09.1
3865	M1O	04-020/03:04:51.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-020/02:54:11.1
3866	M1O	04-020/03:05:33.9		CALL, Engine = , Parameters = 254	get_apid	04-020/02:54:53.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3867	M1O	04-020/03:05:35.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-020/02:54:54.4
3868	M1O	04-020/03:05:35.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-020/02:54:54.6
3869	M1O	04-020/03:05:36.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-020/02:54:55.7
3870	M1O	04-020/03:05:37.6		CALL, Engine = , Parameters = 254	get_coding	04-020/02:54:57.0
3871	M1O	04-020/03:05:38.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-020/02:54:58.2
3872	M1O	04-020/03:05:40.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-020/02:54:59.4
3873	M1O	04-020/03:06:44.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-020/02:56:04.2
3874	M1O	04-020/03:06:45.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-020/02:56:05.2
3875	M1O	04-020/03:06:46.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-020/02:56:06.2
3876	M1O	04-020/03:06:47.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-020/02:56:07.2
3877	M1O	04-020/03:06:48.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-020/02:56:08.2
3878	M1O	04-020/03:06:49.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-020/02:56:09.2
3879	M1O	04-020/03:06:50.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-020/02:56:10.2
3880	M1O	04-020/03:06:51.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
3881	M1O	04-020/03:15:23.0		NOTE: Enter Solar Eclipse 9312		04-020/03:04:42.3
3882	M1O	04-020/03:16:49.9		NOTE: Ascending Node Crossing 9312		04-020/03:06:09.2
3883	M1O	04-020/03:16:51.0	14	Range Modulation Off		
3884	M1O	04-020/03:18:39.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-020/03:07:58.5
3885	M1O	04-020/03:18:40.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-020/03:07:59.6
3886	M1O	04-020/03:18:50.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-020/03:08:09.6
3887	M1O	04-020/03:18:51.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/03:08:10.6
3888	M1O	04-020/03:21:51.0	14	X-Band Transmitter Off		
3889	M1O	04-020/03:33:16.2		NOTE: Exit Solar Eclipse 9312		04-020/03:22:35.5
3890	M1O	04-020/03:38:53.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
3891	M1O	04-020/03:42:09.7		SPAWN, Engine = 65535, Parameters = 3, 00:23:02, 1	dpt	04-020/03:31:28.9
3892	M1O	04-020/03:42:11.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/03:31:31.0
3893	M1O	04-020/03:42:11.8	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3894	M1O	04-020/03:42:12.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/03:31:32.0
3895	M1O	04-020/03:43:12.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3896	M1O	04-020/03:43:12.7		NOTE: ENTER HGA KEEP OUT ZONE		
3897	M1O	04-020/03:43:12.7	14	NOTE: Loss Of X-Band Signal		
3898	M1O	04-020/03:43:53.0	14	Range Modulation On: SUP=3.0dB		
3899	M1O	04-020/03:44:53.0	14	Begin Ranging Acquisition		
3900	M1O	04-020/03:46:34.7		NOTE: Apoapsis 9312 -		04-020/03:35:54.0
3901	M1O	04-020/03:46:50.3		NOTE: North Pole Crossing 9312		04-020/03:36:09.5
3902	M1O	04-020/03:47:06.6		NOTE: Enter Planetary Atmosphere 9312		04-020/03:36:25.8
3903	M1O	04-020/03:49:32.7		NOTE: EXIT HGA KEEP OUT ZONE		
3904	M1O	04-020/03:49:32.7	14	Acquisition Of X-Band Signal		
3905	M1O	04-020/03:49:32.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3906	M1O	04-020/03:49:45.4		NOTE: Enter Earth Occultation 9312		04-020/03:39:04.6
3907	M1O	04-020/03:49:45.4	14	NOTE: Loss Of X-Band Signal		
3908	M1O	04-020/03:59:42.6		NOTE: Exit Earth Occultation 9312		04-020/03:49:01.8
3909	M1O	04-020/03:59:42.6	14	Acquisition Of X-Band Signal		
3910	M1O	04-020/03:59:42.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3911	M1O	04-020/04:00:14.5	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
3912	M1O	04-020/04:02:22.8		NOTE: Exit Planetary Atmosphere 9312		04-020/03:51:42.0
3913	M1O	04-020/04:03:11.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
3914	M1O	04-020/04:05:13.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/03:54:33.0
3915	M1O	04-020/04:05:13.8	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3916	M1O	04-020/04:05:14.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/03:54:34.0
3917	M1O	04-020/04:13:11.0	14	Range Modulation Off		
3918	M1O	04-020/04:16:49.9		NOTE: Descending Node Crossing 9313		04-020/04:06:09.0
3919	M1O	04-020/04:18:11.0	14	X-Band Transmitter Off		
3920	M1O	04-020/04:29:50.9		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-020/04:19:10.0
3921	M1O	04-020/04:29:51.0		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-020/04:19:10.1
3922	M1O	04-020/04:29:52.0		Forces a desaturation of the reaction wheels.	RW_DESAT	04-020/04:19:11.1
3923	M1O	04-020/04:31:21.9		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-020/04:20:41.0
3924	M1O	04-020/04:31:37.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-018T04:20:41.100, 2004-020T04:20:41.100	PCKTS_RE_TX_TIME	04-020/04:20:56.8
3925	M1O	04-020/04:31:38.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-018T04:20:41.100, 2004-020T04:20:41.100	PCKTS_RE_TX_TIME	04-020/04:20:57.8
3926	M1O	04-020/04:31:39.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-018T04:20:41.100, 2004-020T04:20:41.100	PCKTS_RE_TX_TIME	04-020/04:20:58.8
3927	M1O	04-020/04:31:40.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-018T04:20:41.100, 2004-020T04:20:41.100	PCKTS_RE_TX_TIME	04-020/04:20:59.8
3928	M1O	04-020/04:31:41.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-018T04:20:41.100, 2004-020T04:20:41.100	PCKTS_RE_TX_TIME	04-020/04:21:00.8
3929	M1O	04-020/04:31:42.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-018T04:20:41.100, 2004-020T04:20:41.100	PCKTS_RE_TX_TIME	04-020/04:21:01.8
3930	M1O	04-020/04:31:42.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-020/04:21:01.8
3931	M1O	04-020/04:31:42.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3932	M1O	04-020/04:38:43.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/04:28:02.8
3933	M1O	04-020/04:38:43.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3934	M1O	04-020/04:38:44.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/04:28:03.8
3935	M1O	04-020/04:39:00.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-020/04:28:19.8
3936	M1O	04-020/04:39:00.7	14	D/L RF Warning: SC antenna change - expect signal level variation		
3937	M1O	04-020/04:39:01.7		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-020/04:28:20.8
3938	M1O	04-020/04:39:32.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
3939	M1O	04-020/04:41:22.0		CALL, Engine = , Parameters = FALSE	park_hga	04-020/04:30:41.1
3940	M1O	04-020/04:41:22.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/04:30:41.1
3941	M1O	04-020/04:41:23.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-020/04:30:42.1
3942	M1O	04-020/04:41:24.0		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-020/04:30:43.1
3943	M1O	04-020/04:41:24.0		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-020/04:30:43.1
3944	M1O	04-020/04:41:24.0		NOTE: START HGA PARK		
3945	M1O	04-020/04:41:24.0	14	NOTE: Loss Of X-Band Signal		
3946	M1O	04-020/04:41:25.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-020/04:30:44.1
3947	M1O	04-020/04:41:26.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-020/04:30:45.1
3948	M1O	04-020/04:45:51.7		NOTE: Periapsis 9313 ----------		04-020/04:35:10.7
3949	M1O	04-020/04:45:56.0		Move the specified appendage o the specified gimbal angles unless inhibited by	APPNDG_GOTO_POS	04-020/04:35:15.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				softstops.: HGA, 873, 873		
3950	M1O	04-020/04:46:07.7		NOTE: South Pole Crossing 9313		04-020/04:35:26.7
3951	M1O	04-020/04:49:26.0		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-020/04:38:45.1
3952	M1O	04-020/04:49:26.0		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-020/04:38:45.1
3953	M1O	04-020/04:59:03.0		SPAWN, Engine = 65535, Parameters = 020, 02, TRUE, 00:18:54, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-020/04:48:22.0
3954	M1O	04-020/04:59:04.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/04:48:23.1
3955	M1O	04-020/04:59:06.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-020/04:48:25.1
3956	M1O	04-020/04:59:06.4		CALL, Engine = , Parameters = 020, 02, 254	bld_autosw	04-020/04:48:25.4
3957	M1O	04-020/04:59:07.5		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-020/04:48:26.5
3958	M1O	04-020/04:59:08.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:27.6
3959	M1O	04-020/04:59:09.6		Deletes the designated file.: d:/dat/254_doy020_pass02_file01.dat	FILE_DELETE	04-020/04:48:28.6
3960	M1O	04-020/04:59:10.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:29.7
3961	M1O	04-020/04:59:11.7		Deletes the designated file.: d:/dat/254_doy020_pass02_file02.dat	FILE_DELETE	04-020/04:48:30.7
3962	M1O	04-020/04:59:12.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:31.8
3963	M1O	04-020/04:59:13.8		Deletes the designated file.: d:/dat/254_doy020_pass02_file03.dat	FILE_DELETE	04-020/04:48:32.8
3964	M1O	04-020/04:59:14.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:33.9
3965	M1O	04-020/04:59:15.9		Deletes the designated file.: d:/dat/254_doy020_pass02_file04.dat	FILE_DELETE	04-020/04:48:34.9
3966	M1O	04-020/04:59:17.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:36.0
3967	M1O	04-020/04:59:18.0		Deletes the designated file.: d:/dat/254_doy020_pass02_file05.dat	FILE_DELETE	04-020/04:48:37.0
3968	M1O	04-020/04:59:19.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:38.1
3969	M1O	04-020/04:59:20.1		Deletes the designated file.: d:/dat/254_doy020_pass02_file06.dat	FILE_DELETE	04-020/04:48:39.1
3970	M1O	04-020/04:59:21.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:40.2
3971	M1O	04-020/04:59:22.2		Deletes the designated file.: d:/dat/254_doy020_pass02_file07.dat	FILE_DELETE	04-020/04:48:41.2
3972	M1O	04-020/04:59:23.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:42.3
3973	M1O	04-020/04:59:24.3		Deletes the designated file.: d:/dat/254_doy020_pass02_file08.dat	FILE_DELETE	04-020/04:48:43.3
3974	M1O	04-020/04:59:25.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:44.4
3975	M1O	04-020/04:59:26.4		Deletes the designated file.: d:/dat/254_doy020_pass02_file09.dat	FILE_DELETE	04-020/04:48:45.4
3976	M1O	04-020/04:59:27.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:46.5
3977	M1O	04-020/04:59:28.5		Deletes the designated file.: d:/dat/254_doy020_pass02_file10.dat	FILE_DELETE	04-020/04:48:47.5
3978	M1O	04-020/04:59:29.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:48.6
3979	M1O	04-020/04:59:30.6		Deletes the designated file.: d:/dat/254_doy020_pass02_file11.dat	FILE_DELETE	04-020/04:48:49.6
3980	M1O	04-020/04:59:31.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:50.7
3981	M1O	04-020/04:59:32.7		Deletes the designated file.: d:/dat/254_doy020_pass02_file12.dat	FILE_DELETE	04-020/04:48:51.7
3982	M1O	04-020/04:59:33.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:52.8
3983	M1O	04-020/04:59:34.8		Deletes the designated file.: d:/dat/254_doy020_pass02_file13.dat	FILE_DELETE	04-020/04:48:53.8
3984	M1O	04-020/04:59:35.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:54.9
3985	M1O	04-020/04:59:36.9		Deletes the designated file.: d:/dat/254_doy020_pass02_file14.dat	FILE_DELETE	04-020/04:48:55.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
3986	M1O	04-020/04:59:38.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:57.0
3987	M1O	04-020/04:59:39.0		Deletes the designated file.: d:/dat/254_doy020_pass02_file15.dat	FILE_DELETE	04-020/04:48:58.0
3988	M1O	04-020/04:59:40.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:48:59.1
3989	M1O	04-020/04:59:41.1		Deletes the designated file.: d:/dat/254_doy020_pass02_file16.dat	FILE_DELETE	04-020/04:49:00.1
3990	M1O	04-020/04:59:42.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:49:01.2
3991	M1O	04-020/04:59:43.2		Deletes the designated file.: d:/dat/254_doy020_pass02_file17.dat	FILE_DELETE	04-020/04:49:02.2
3992	M1O	04-020/04:59:44.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:49:03.3
3993	M1O	04-020/04:59:45.3		Deletes the designated file.: d:/dat/254_doy020_pass02_file18.dat	FILE_DELETE	04-020/04:49:04.3
3994	M1O	04-020/04:59:46.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/04:49:05.4
3995	M1O	04-020/04:59:47.4		Deletes the designated file.: d:/dat/254_doy020_pass02_file19.dat	FILE_DELETE	04-020/04:49:06.4
3996	M1O	04-020/04:59:48.4		CALL, Engine = , Parameters = 254	get_apid	04-020/04:49:07.4
3997	M1O	04-020/04:59:49.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-020/04:49:08.5
3998	M1O	04-020/04:59:49.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-020/04:49:08.7
3999	M1O	04-020/04:59:50.8		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-020/04:49:09.8
4000	M1O	04-020/04:59:52.1		CALL, Engine = , Parameters = 254	get_coding	04-020/04:49:11.1
4001	M1O	04-020/04:59:53.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-020/04:49:12.3
4002	M1O	04-020/04:59:54.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-020/04:49:13.5
4003	M1O	04-020/05:00:59.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-020/04:50:18.3
4004	M1O	04-020/05:01:00.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-020/04:50:19.3
4005	M1O	04-020/05:01:01.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-020/04:50:20.3
4006	M1O	04-020/05:01:02.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-020/04:50:21.3
4007	M1O	04-020/05:01:03.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-020/04:50:22.3
4008	M1O	04-020/05:01:04.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-020/04:50:23.3
4009	M1O	04-020/05:01:05.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-020/04:50:24.3
4010	M1O	04-020/05:02:55.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/04:52:14.3
4011	M1O	04-020/05:03:05.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-020/04:52:24.3
4012	M1O	04-020/05:13:58.6		NOTE: Enter Solar Eclipse 9313		04-020/05:03:17.6
4013	M1O	04-020/05:15:26.2		NOTE: Ascending Node Crossing 9313		04-020/05:04:45.2
4014	M1O	04-020/05:19:26.0		GV: GV_DESAT_ACTIVE = 1		04-020/05:08:45.0
4015	M1O	04-020/05:19:27.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-020/05:08:46.0
4016	M1O	04-020/05:19:27.0		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-020/05:08:46.0
4017	M1O	04-020/05:19:57.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-020/05:09:16.3
4018	M1O	04-020/05:19:58.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-020/05:09:17.4
4019	M1O	04-020/05:20:08.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-020/05:09:27.4
4020	M1O	04-020/05:20:09.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/05:09:28.4
4021	M1O	04-020/05:20:10.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-020/05:09:29.4
4022	M1O	04-020/05:20:11.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-020/05:09:30.4
4023	M1O	04-020/05:25:00.0	43	Begin Pre-Cal		
4024	M1O	04-020/05:25:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
4025	M1O	04-020/05:25:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
4026	M1O	04-020/05:25:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4027	M1O	04-020/05:25:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
4028	M1O	04-020/05:25:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
4029	M1O	04-020/05:25:00.0	43	Config: RCV: Parms:		
4030	M1O	04-020/05:25:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
4031	M1O	04-020/05:25:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
4032	M1O	04-020/05:25:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
4033	M1O	04-020/05:29:26.1		GV: GV_DESAT_ACTIVE = 0		04-020/05:18:45.0
4034	M1O	04-020/05:29:27.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-020/05:18:46.0
4035	M1O	04-020/05:29:28.1		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-020/05:18:47.0
4036	M1O	04-020/05:29:29.1		CALL, Engine = , Parameters =	unpark_hga	04-020/05:18:48.0
4037	M1O	04-020/05:29:29.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-020/05:18:48.0
4038	M1O	04-020/05:29:30.1		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-020/05:18:49.0
4039	M1O	04-020/05:31:49.9		NOTE: Exit Solar Eclipse 9313		04-020/05:21:08.8
4040	M1O	04-020/05:34:00.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-020/05:23:19.0
4041	M1O	04-020/05:34:01.1		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-020/05:23:20.0
4042	M1O	04-020/05:37:26.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
4043	M1O	04-020/05:37:26.1		SPAWN, Engine = 65535, Parameters = 00:25:55.961	cstr	04-020/05:26:45.0
4044	M1O	04-020/05:37:26.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/05:26:45.1
4045	M1O	04-020/05:37:27.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/05:26:46.1
4046	M1O	04-020/05:37:28.2		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-020/05:26:47.1
4047	M1O	04-020/05:37:29.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-020/05:26:48.1
4048	M1O	04-020/05:37:30.2		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-020/05:26:49.1
4049	M1O	04-020/05:37:40.2		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-020/05:26:59.1
4050	M1O	04-020/05:37:50.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-020/05:27:09.1
4051	M1O	04-020/05:38:01.1		NOTE: EXIT HGA PARK		
4052	M1O	04-020/05:38:01.1	14	Acquisition Of X-Band Signal		
4053	M1O	04-020/05:38:01.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4054	M1O	04-020/05:42:10.1		NOTE: ENTER HGA KEEP OUT ZONE		
4055	M1O	04-020/05:42:10.1	14	NOTE: Loss Of X-Band Signal		
4056	M1O	04-020/05:42:26.0	14	Range Modulation On: SUP=3.0dB		
4057	M1O	04-020/05:43:26.0	14	Begin Ranging Acquisition		
4058	M1O	04-020/05:45:04.1		NOTE: Apoapsis 9313 -		04-020/05:34:23.0
4059	M1O	04-020/05:45:27.0		NOTE: North Pole Crossing 9313		04-020/05:34:45.8
4060	M1O	04-020/05:45:46.4		NOTE: Enter Planetary Atmosphere 9313		04-020/05:35:05.2
4061	M1O	04-020/05:47:50.1		NOTE: EXIT HGA KEEP OUT ZONE		
4062	M1O	04-020/05:47:50.1	14	Acquisition Of X-Band Signal		
4063	M1O	04-020/05:47:50.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4064	M1O	04-020/05:48:26.6		NOTE: Enter Earth Occultation 9313		04-020/05:37:45.4
4065	M1O	04-020/05:48:26.6	14	NOTE: Loss Of X-Band Signal		
4066	M1O	04-020/05:58:16.0		NOTE: Exit Earth Occultation 9313		04-020/05:47:34.8
4067	M1O	04-020/05:58:16.0	14	Acquisition Of X-Band Signal		
4068	M1O	04-020/05:58:16.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4069	M1O	04-020/05:58:48.2	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4070	M1O	04-020/06:00:57.6		NOTE: Exit Planetary Atmosphere 9313		04-020/05:50:16.4
4071	M1O	04-020/06:03:46.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/05:53:05.0
4072	M1O	04-020/06:03:47.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/05:53:06.0
4073	M1O	04-020/06:03:47.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4074	M1O	04-020/06:03:48.2		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-020/05:53:07.0
4075	M1O	04-020/06:15:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
4076	M1O	04-020/06:15:26.9		NOTE: Descending Node Crossing 9314		04-020/06:04:45.7
4077	M1O	04-020/06:25:00.0	14	Range Modulation Off		
4078	M1O	04-020/06:30:00.0	14	X-Band Transmitter Off		
4079	M1O	04-020/06:33:37.3	14	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
4080	M1O	04-020/06:40:00.0	43	Begin Tracking		
4081	M1O	04-020/06:40:00.0	43	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4082	M1O	04-020/06:43:28.0	14	NOTE: Below Uplink Interlock Limit		
4083	M1O	04-020/06:44:23.7		NOTE: Periapsis 9314 ----------		04-020/06:33:42.3
4084	M1O	04-020/06:44:44.7		NOTE: South Pole Crossing 9314		04-020/06:34:03.3
4085	M1O	04-020/06:50:20.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-020/06:39:39.1
4086	M1O	04-020/06:50:22.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/06:39:41.2
4087	M1O	04-020/06:50:22.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4088	M1O	04-020/06:50:22.5	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4089	M1O	04-020/06:50:23.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/06:39:42.2
4090	M1O	04-020/06:51:22.5	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4091	M1O	04-020/06:51:22.5	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4092	M1O	04-020/06:55:00.0	14	End Tracking		
4093	M1O	04-020/06:56:22.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/06:45:41.2
4094	M1O	04-020/06:56:22.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4095	M1O	04-020/06:56:23.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/06:45:42.2
4096	M1O	04-020/07:10:00.0	14	End Post-Cal		
4097	M1O	04-020/07:10:41.4		SPAWN, Engine = 65535, Parameters =	scdiag	04-020/07:00:00.0
4098	M1O	04-020/07:10:42.5		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-020/07:00:01.1
4099	M1O	04-020/07:10:43.5		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-020/07:00:02.1
4100	M1O	04-020/07:11:44.4		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-020/07:01:03.0
4101	M1O	04-020/07:11:44.6		NOTE: Start Block fsw_diag		04-020/07:01:03.2
4102	M1O	04-020/07:11:45.6		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-020/07:01:04.2
4103	M1O	04-020/07:11:46.6		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-020/07:01:05.2
4104	M1O	04-020/07:11:57.6		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-020/07:01:16.2
4105	M1O	04-020/07:12:27.6		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-020/07:01:46.2
4106	M1O	04-020/07:12:35.6		NOTE: Enter Solar Eclipse 9314		04-020/07:01:54.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4107	M1O	04-020/07:12:47.6		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-020/07:02:06.2
4108	M1O	04-020/07:12:57.6		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-020/07:02:16.2
4109	M1O	04-020/07:13:17.6		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-020/07:02:36.2
4110	M1O	04-020/07:13:27.6		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-020/07:02:46.2
4111	M1O	04-020/07:13:32.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-020/07:02:51.2
4112	M1O	04-020/07:13:37.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-020/07:02:56.2
4113	M1O	04-020/07:13:42.6		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-020/07:03:01.2
4114	M1O	04-020/07:13:47.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-020/07:03:06.2
4115	M1O	04-020/07:13:52.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-020/07:03:11.2
4116	M1O	04-020/07:14:03.2		NOTE: Ascending Node Crossing 9314		04-020/07:03:21.7
4117	M1O	04-020/07:14:32.6		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-020/07:03:51.2
4118	M1O	04-020/07:14:37.6		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-020/07:03:56.2
4119	M1O	04-020/07:14:42.6		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-020/07:04:01.2
4120	M1O	04-020/07:14:47.6		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-020/07:04:06.2
4121	M1O	04-020/07:14:52.6		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-020/07:04:11.2
4122	M1O	04-020/07:14:53.6		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-020/07:04:12.2
4123	M1O	04-020/07:14:54.6		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-020/07:04:13.2
4124	M1O	04-020/07:14:55.6		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-020/07:04:14.2
4125	M1O	04-020/07:15:06.6		NOTE: End Block fsw_diag.mod		04-020/07:04:25.2
4126	M1O	04-020/07:30:27.5		NOTE: Exit Solar Eclipse 9314		04-020/07:19:46.0
4127	M1O	04-020/07:39:44.5		SPAWN, Engine = 65535, Parameters = 3, 00:22:10.810, 1	dpt	04-020/07:29:03.0
4128	M1O	04-020/07:39:46.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/07:29:05.1
4129	M1O	04-020/07:39:46.6	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4130	M1O	04-020/07:39:47.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/07:29:06.1
4131	M1O	04-020/07:40:46.5		NOTE: ENTER HGA KEEP OUT ZONE		
4132	M1O	04-020/07:40:46.5	43	NOTE: Loss Of X-Band Signal		
4133	M1O	04-020/07:43:22.6		NOTE: Apoapsis 9314 -		04-020/07:32:41.1
4134	M1O	04-020/07:44:03.2		NOTE: North Pole Crossing 9314		04-020/07:33:21.7
4135	M1O	04-020/07:44:18.5		NOTE: Enter Planetary Atmosphere 9314		04-020/07:33:37.0
4136	M1O	04-020/07:46:26.5		NOTE: EXIT HGA KEEP OUT ZONE		
4137	M1O	04-020/07:46:26.5	43	Acquisition Of X-Band Signal		
4138	M1O	04-020/07:46:26.5	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4139	M1O	04-020/07:46:56.7		NOTE: Enter Earth Occultation 9314		04-020/07:36:15.1
4140	M1O	04-020/07:46:56.7	43	NOTE: Loss Of X-Band Signal		
4141	M1O	04-020/07:56:57.3		NOTE: Exit Earth Occultation 9314		04-020/07:46:15.8
4142	M1O	04-020/07:56:57.3	43	Acquisition Of X-Band Signal		
4143	M1O	04-020/07:56:57.3	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4144	M1O	04-020/07:59:36.9		NOTE: Exit Planetary Atmosphere 9314		04-020/07:48:55.3
4145	M1O	04-020/08:01:57.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/07:51:15.9
4146	M1O	04-020/08:01:57.4	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4147	M1O	04-020/08:01:58.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/07:51:16.9
4148	M1O	04-020/08:14:02.3		NOTE: Descending Node Crossing 9315		04-020/08:03:20.6
4149	M1O	04-020/08:42:59.2		NOTE: Periapsis 9315 ----------		04-020/08:32:17.5
4150	M1O	04-020/08:43:20.0		NOTE: South Pole Crossing 9315		04-020/08:32:38.3
4151	M1O	04-020/09:07:36.7		SPAWN, Engine = 65535, Parameters = 020, 01, FALSE, 00:15:52.342, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-020/08:56:55.0
4152	M1O	04-020/09:07:37.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/08:56:56.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4153	M1O	04-020/09:07:39.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-020/08:56:58.1
4154	M1O	04-020/09:08:22.0		CALL, Engine = , Parameters = 56	get_apid	04-020/08:57:40.3
4155	M1O	04-020/09:08:23.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-020/08:57:41.4
4156	M1O	04-020/09:08:23.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-020/08:57:41.6
4157	M1O	04-020/09:08:24.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-020/08:57:42.7
4158	M1O	04-020/09:08:25.6		CALL, Engine = , Parameters = 56	get_coding	04-020/08:57:43.9
4159	M1O	04-020/09:08:26.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-020/08:57:45.1
4160	M1O	04-020/09:08:28.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-020/08:57:46.3
4161	M1O	04-020/09:09:32.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-020/08:58:51.1
4162	M1O	04-020/09:09:33.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-020/08:58:52.1
4163	M1O	04-020/09:09:34.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-020/08:58:53.1
4164	M1O	04-020/09:09:35.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-020/08:58:54.1
4165	M1O	04-020/09:09:36.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-020/08:58:55.1
4166	M1O	04-020/09:09:37.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-020/08:58:56.1
4167	M1O	04-020/09:09:38.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-020/08:58:57.1
4168	M1O	04-020/09:11:10.7		NOTE: Enter Solar Eclipse 9315		04-020/09:00:28.9
4169	M1O	04-020/09:12:38.5		NOTE: Ascending Node Crossing 9315		04-020/09:01:56.7
4170	M1O	04-020/09:25:27.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-020/09:14:45.4
4171	M1O	04-020/09:25:28.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-020/09:14:46.5
4172	M1O	04-020/09:25:38.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-020/09:14:56.5
4173	M1O	04-020/09:25:39.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/09:14:57.5
4174	M1O	04-020/09:29:06.0		NOTE: Exit Solar Eclipse 9315		04-020/09:18:24.2
4175	M1O	04-020/09:38:19.8		SPAWN, Engine = 65535, Parameters = 3, 00:22:16.960, 1	dpt	04-020/09:27:38.0
4176	M1O	04-020/09:38:21.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/09:27:40.1
4177	M1O	04-020/09:38:21.9	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4178	M1O	04-020/09:38:22.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/09:27:41.1
4179	M1O	04-020/09:39:21.8		NOTE: ENTER HGA KEEP OUT ZONE		
4180	M1O	04-020/09:39:21.8	43	NOTE: Loss Of X-Band Signal		
4181	M1O	04-020/09:41:54.9		NOTE: Apoapsis 9315 -		04-020/09:31:13.0
4182	M1O	04-020/09:42:37.4		NOTE: North Pole Crossing 9315		04-020/09:31:55.5
4183	M1O	04-020/09:42:45.0		NOTE: Enter Planetary Atmosphere 9315		04-020/09:32:03.1
4184	M1O	04-020/09:45:01.9		NOTE: EXIT HGA KEEP OUT ZONE		
4185	M1O	04-020/09:45:01.9	43	Acquisition Of X-Band Signal		
4186	M1O	04-020/09:45:01.9	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4187	M1O	04-020/09:45:20.0		NOTE: Enter Earth Occultation 9315		04-020/09:34:38.1
4188	M1O	04-020/09:45:20.0	43	NOTE: Loss Of X-Band Signal		
4189	M1O	04-020/09:55:38.9		NOTE: Exit Earth Occultation 9315		04-020/09:44:56.9
4190	M1O	04-020/09:55:38.9	43	Acquisition Of X-Band Signal		
4191	M1O	04-020/09:55:38.9	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4192	M1O	04-020/09:58:15.2		NOTE: Exit Planetary Atmosphere 9315		04-020/09:47:33.3
4193	M1O	04-020/10:00:39.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/09:49:57.0
4194	M1O	04-020/10:00:39.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4195	M1O	04-020/10:00:40.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/09:49:58.0
4196	M1O	04-020/10:12:35.1		NOTE: Descending Node Crossing 9316		04-020/10:01:53.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4197	M1O	04-020/10:15:00.0	63	Begin Pre-Cal		
4198	M1O	04-020/10:15:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
4199	M1O	04-020/10:15:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
4200	M1O	04-020/10:15:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
4201	M1O	04-020/10:15:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
4202	M1O	04-020/10:15:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
4203	M1O	04-020/10:15:00.0	63	Config: RCV: Parms:		
4204	M1O	04-020/10:15:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
4205	M1O	04-020/10:15:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
4206	M1O	04-020/10:15:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
4207	M1O	04-020/10:41:32.3		NOTE: Periapsis 9316 ----------		04-020/10:30:50.2
4208	M1O	04-020/10:41:52.4		NOTE: South Pole Crossing 9316		04-020/10:31:10.3
4209	M1O	04-020/11:03:41.1		SPAWN, Engine = 65535, Parameters = 020, 02, FALSE, 00:18:11.946, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-020/10:52:59.0
4210	M1O	04-020/11:03:42.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/10:53:00.1
4211	M1O	04-020/11:03:44.2		CALL, Engine = , Parameters = 56	get_cmd_opt	04-020/10:53:02.1
4212	M1O	04-020/11:04:26.4		CALL, Engine = , Parameters = 56	get_apid	04-020/10:53:44.3
4213	M1O	04-020/11:04:27.5		CALL, Engine = , Parameters = 56	get_rcv_mode	04-020/10:53:45.4
4214	M1O	04-020/11:04:27.7		CALL, Engine = , Parameters = 56	get_dl_rate	04-020/10:53:45.6
4215	M1O	04-020/11:04:28.8		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-020/10:53:46.7
4216	M1O	04-020/11:04:30.0		CALL, Engine = , Parameters = 56	get_coding	04-020/10:53:47.9
4217	M1O	04-020/11:04:31.2		CALL, Engine = , Parameters = 56	get_xmt_mode	04-020/10:53:49.1
4218	M1O	04-020/11:04:32.4		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-020/10:53:50.3
4219	M1O	04-020/11:05:37.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-020/10:54:55.1
4220	M1O	04-020/11:05:38.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-020/10:54:56.1
4221	M1O	04-020/11:05:39.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-020/10:54:57.1
4222	M1O	04-020/11:05:40.2		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-020/10:54:58.1
4223	M1O	04-020/11:05:41.2		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-020/10:54:59.1
4224	M1O	04-020/11:05:42.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-020/10:55:00.1
4225	M1O	04-020/11:05:43.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-020/10:55:01.1
4226	M1O	04-020/11:09:42.1		NOTE: Enter Solar Eclipse 9316		04-020/10:58:59.9
4227	M1O	04-020/11:11:10.5		NOTE: Ascending Node Crossing 9316		04-020/11:00:28.3
4228	M1O	04-020/11:23:51.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-020/11:13:09.0
4229	M1O	04-020/11:23:52.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-020/11:13:10.1
4230	M1O	04-020/11:24:02.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-020/11:13:20.1
4231	M1O	04-020/11:24:03.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/11:13:21.1
4232	M1O	04-020/11:27:39.6		NOTE: Exit Solar Eclipse 9316		04-020/11:16:57.3
4233	M1O	04-020/11:36:53.2		SPAWN, Engine = 65535, Parameters = 3, 00:22:16.863, 1	dpt	04-020/11:26:11.0
4234	M1O	04-020/11:36:55.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/11:26:13.1
4235	M1O	04-020/11:36:55.3	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4236	M1O	04-020/11:36:56.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/11:26:14.1
4237	M1O	04-020/11:37:55.2		NOTE: ENTER HGA KEEP OUT ZONE		
4238	M1O	04-020/11:37:55.2	43	NOTE: Loss Of X-Band Signal		
4239	M1O	04-020/11:40:35.3		NOTE: Apoapsis 9316 -		04-020/11:29:53.0
4240	M1O	04-020/11:41:09.1		NOTE: North Pole Crossing 9316		04-020/11:30:26.9
4241	M1O	04-020/11:41:13.9		NOTE: Enter Planetary Atmosphere 9316		04-020/11:30:31.6
4242	M1O	04-020/11:43:48.1		NOTE: Enter Earth Occultation 9316		04-020/11:33:05.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4243	M1O	04-020/11:43:55.2		NOTE: EXIT HGA KEEP OUT ZONE		
4244	M1O	04-020/11:54:12.1		NOTE: Exit Earth Occultation 9316		04-020/11:43:29.8
4245	M1O	04-020/11:54:12.1	43	Acquisition Of X-Band Signal		
4246	M1O	04-020/11:54:12.1	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4247	M1O	04-020/11:56:47.7		NOTE: Exit Planetary Atmosphere 9316		04-020/11:46:05.4
4248	M1O	04-020/11:59:12.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/11:48:29.9
4249	M1O	04-020/11:59:12.3	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4250	M1O	04-020/11:59:13.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/11:48:30.9
4251	M1O	04-020/12:00:00.0	63	Begin Tracking		
4252	M1O	04-020/12:00:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4253	M1O	04-020/12:01:36.0	63	NOTE: Above Uplink Interlock Limit		
4254	M1O	04-020/12:08:35.0	43	NOTE: Below Uplink Interlock Limit		
4255	M1O	04-020/12:11:06.7		NOTE: Descending Node Crossing 9317		04-020/12:00:24.3
4256	M1O	04-020/12:20:00.0	43	End Tracking		
4257	M1O	04-020/12:35:00.0	43	End Post-Cal		
4258	M1O	04-020/12:39:53.3		NOTE: Periapsis 9317 ----------		04-020/12:29:10.8
4259	M1O	04-020/12:40:23.1		NOTE: South Pole Crossing 9317		04-020/12:29:40.6
4260	M1O	04-020/13:08:13.4		NOTE: Enter Solar Eclipse 9317		04-020/12:57:30.8
4261	M1O	04-020/13:09:40.8		NOTE: Ascending Node Crossing 9317		04-020/12:58:58.2
4262	M1O	04-020/13:26:05.1		NOTE: Exit Solar Eclipse 9317		04-020/13:15:22.5
4263	M1O	04-020/13:35:04.6		SPAWN, Engine = 65535, Parameters = 3, 00:22:28.064, 1	dpt	04-020/13:24:22.0
4264	M1O	04-020/13:35:06.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/13:24:24.1
4265	M1O	04-020/13:35:06.7	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4266	M1O	04-020/13:35:07.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/13:24:25.1
4267	M1O	04-020/13:36:06.6		NOTE: ENTER HGA KEEP OUT ZONE		
4268	M1O	04-020/13:36:06.6	63	NOTE: Loss Of X-Band Signal		
4269	M1O	04-020/13:38:54.5		NOTE: Apoapsis 9317 -		04-020/13:28:11.9
4270	M1O	04-020/13:39:40.6		NOTE: North Pole Crossing 9317		04-020/13:28:58.0
4271	M1O	04-020/13:39:53.1		NOTE: Enter Planetary Atmosphere 9317		04-020/13:29:10.4
4272	M1O	04-020/13:42:26.6		NOTE: EXIT HGA KEEP OUT ZONE		
4273	M1O	04-020/13:42:26.6	63	Acquisition Of X-Band Signal		
4274	M1O	04-020/13:42:26.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4275	M1O	04-020/13:42:30.7		NOTE: Enter Earth Occultation 9317		04-020/13:31:48.0
4276	M1O	04-020/13:42:30.7	63	NOTE: Loss Of X-Band Signal		
4277	M1O	04-020/13:52:34.7		NOTE: Exit Earth Occultation 9317		04-020/13:41:52.0
4278	M1O	04-020/13:52:34.7	63	Acquisition Of X-Band Signal		
4279	M1O	04-020/13:52:34.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4280	M1O	04-020/13:55:13.9		NOTE: Exit Planetary Atmosphere 9317		04-020/13:44:31.2
4281	M1O	04-020/13:57:34.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/13:46:52.1
4282	M1O	04-020/13:57:34.8	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4283	M1O	04-020/13:57:35.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/13:46:53.1
4284	M1O	04-020/14:09:39.1		NOTE: Descending Node Crossing 9318		04-020/13:58:56.4
4285	M1O	04-020/14:38:09.3		NOTE: Periapsis 9318 ----------		04-020/14:27:26.5
4286	M1O	04-020/14:38:56.0		NOTE: South Pole Crossing 9318		04-020/14:28:13.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4287	M1O	04-020/15:06:50.3		NOTE: Enter Solar Eclipse 9318		04-020/14:56:07.4
4288	M1O	04-020/15:08:14.9		NOTE: Ascending Node Crossing 9318		04-020/14:57:32.0
4289	M1O	04-020/15:24:33.3		NOTE: Exit Solar Eclipse 9318		04-020/15:13:50.3
4290	M1O	04-020/15:33:57.0		SPAWN, Engine = 65535, Parameters = 3, 00:22:00.079, 1	dpt	04-020/15:23:14.0
4291	M1O	04-020/15:33:59.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/15:23:16.1
4292	M1O	04-020/15:33:59.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4293	M1O	04-020/15:34:00.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/15:23:17.1
4294	M1O	04-020/15:34:59.0		NOTE: ENTER HGA KEEP OUT ZONE		
4295	M1O	04-020/15:34:59.0	63	NOTE: Loss Of X-Band Signal		
4296	M1O	04-020/15:37:17.9		NOTE: Apoapsis 9318 -		04-020/15:26:34.9
4297	M1O	04-020/15:38:15.4		NOTE: North Pole Crossing 9318		04-020/15:27:32.3
4298	M1O	04-020/15:38:36.2		NOTE: Enter Planetary Atmosphere 9318		04-020/15:27:53.2
4299	M1O	04-020/15:40:39.0		NOTE: EXIT HGA KEEP OUT ZONE		
4300	M1O	04-020/15:40:39.0	63	Acquisition Of X-Band Signal		
4301	M1O	04-020/15:40:39.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4302	M1O	04-020/15:41:17.9		NOTE: Enter Earth Occultation 9318		04-020/15:30:34.9
4303	M1O	04-020/15:41:17.9	63	NOTE: Loss Of X-Band Signal		
4304	M1O	04-020/15:50:59.1		NOTE: Exit Earth Occultation 9318		04-020/15:40:16.0
4305	M1O	04-020/15:50:59.1	63	Acquisition Of X-Band Signal		
4306	M1O	04-020/15:50:59.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4307	M1O	04-020/15:53:42.3		NOTE: Exit Planetary Atmosphere 9318		04-020/15:42:59.2
4308	M1O	04-020/15:55:59.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/15:45:16.1
4309	M1O	04-020/15:55:59.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4310	M1O	04-020/15:56:00.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/15:45:17.1
4311	M1O	04-020/16:02:35.1		SPAWN, Engine = 65535, Parameters = 020, 03, TRUE, 00:17:44, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-020/15:51:52.0
4312	M1O	04-020/16:02:35.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/15:51:52.5
4313	M1O	04-020/16:02:35.6	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4314	M1O	04-020/16:02:36.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/15:51:53.1
4315	M1O	04-020/16:02:38.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-020/15:51:55.1
4316	M1O	04-020/16:02:38.5		CALL, Engine = , Parameters = 020, 03, 254	bld_autosw	04-020/15:51:55.4
4317	M1O	04-020/16:02:39.6		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-020/15:51:56.5
4318	M1O	04-020/16:02:40.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:51:57.6
4319	M1O	04-020/16:02:41.7		Deletes the designated file.: d:/dat/254_doy020_pass03_file01.dat	FILE_DELETE	04-020/15:51:58.6
4320	M1O	04-020/16:02:42.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:51:59.7
4321	M1O	04-020/16:02:43.8		Deletes the designated file.: d:/dat/254_doy020_pass03_file02.dat	FILE_DELETE	04-020/15:52:00.7
4322	M1O	04-020/16:02:44.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:01.8
4323	M1O	04-020/16:02:45.9		Deletes the designated file.: d:/dat/254_doy020_pass03_file03.dat	FILE_DELETE	04-020/15:52:02.8
4324	M1O	04-020/16:02:47.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:03.9
4325	M1O	04-020/16:02:48.0		Deletes the designated file.: d:/dat/254_doy020_pass03_file04.dat	FILE_DELETE	04-020/15:52:04.9
4326	M1O	04-020/16:02:49.1		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-020/15:52:06.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy020_pass03_file05.dat, d:/dat/autoswitch.dat		
4327	M1O	04-020/16:02:50.1		Deletes the designated file.: d:/dat/254_doy020_pass03_file05.dat	FILE_DELETE	04-020/15:52:07.0
4328	M1O	04-020/16:02:51.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:08.1
4329	M1O	04-020/16:02:52.2		Deletes the designated file.: d:/dat/254_doy020_pass03_file06.dat	FILE_DELETE	04-020/15:52:09.1
4330	M1O	04-020/16:02:53.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:10.2
4331	M1O	04-020/16:02:54.3		Deletes the designated file.: d:/dat/254_doy020_pass03_file07.dat	FILE_DELETE	04-020/15:52:11.2
4332	M1O	04-020/16:02:55.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:12.3
4333	M1O	04-020/16:02:56.4		Deletes the designated file.: d:/dat/254_doy020_pass03_file08.dat	FILE_DELETE	04-020/15:52:13.3
4334	M1O	04-020/16:02:57.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:14.4
4335	M1O	04-020/16:02:58.5		Deletes the designated file.: d:/dat/254_doy020_pass03_file09.dat	FILE_DELETE	04-020/15:52:15.4
4336	M1O	04-020/16:02:59.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:16.5
4337	M1O	04-020/16:03:00.6		Deletes the designated file.: d:/dat/254_doy020_pass03_file10.dat	FILE_DELETE	04-020/15:52:17.5
4338	M1O	04-020/16:03:01.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:18.6
4339	M1O	04-020/16:03:02.7		Deletes the designated file.: d:/dat/254_doy020_pass03_file11.dat	FILE_DELETE	04-020/15:52:19.6
4340	M1O	04-020/16:03:03.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:20.7
4341	M1O	04-020/16:03:04.8		Deletes the designated file.: d:/dat/254_doy020_pass03_file12.dat	FILE_DELETE	04-020/15:52:21.7
4342	M1O	04-020/16:03:05.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:22.8
4343	M1O	04-020/16:03:06.9		Deletes the designated file.: d:/dat/254_doy020_pass03_file13.dat	FILE_DELETE	04-020/15:52:23.8
4344	M1O	04-020/16:03:08.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:24.9
4345	M1O	04-020/16:03:09.0		Deletes the designated file.: d:/dat/254_doy020_pass03_file14.dat	FILE_DELETE	04-020/15:52:25.9
4346	M1O	04-020/16:03:10.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:27.0
4347	M1O	04-020/16:03:11.1		Deletes the designated file.: d:/dat/254_doy020_pass03_file15.dat	FILE_DELETE	04-020/15:52:28.0
4348	M1O	04-020/16:03:12.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:29.1
4349	M1O	04-020/16:03:13.2		Deletes the designated file.: d:/dat/254_doy020_pass03_file16.dat	FILE_DELETE	04-020/15:52:30.1
4350	M1O	04-020/16:03:14.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:31.2
4351	M1O	04-020/16:03:15.3		Deletes the designated file.: d:/dat/254_doy020_pass03_file17.dat	FILE_DELETE	04-020/15:52:32.2
4352	M1O	04-020/16:03:16.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:33.3
4353	M1O	04-020/16:03:17.4		Deletes the designated file.: d:/dat/254_doy020_pass03_file18.dat	FILE_DELETE	04-020/15:52:34.3
4354	M1O	04-020/16:03:18.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy020_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-020/15:52:35.4
4355	M1O	04-020/16:03:19.5		Deletes the designated file.: d:/dat/254_doy020_pass03_file19.dat	FILE_DELETE	04-020/15:52:36.4
4356	M1O	04-020/16:03:20.5		CALL, Engine = , Parameters = 254	get_apid	04-020/15:52:37.4
4357	M1O	04-020/16:03:21.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-020/15:52:38.5
4358	M1O	04-020/16:03:21.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-020/15:52:38.7
4359	M1O	04-020/16:03:22.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-020/15:52:39.8
4360	M1O	04-020/16:03:24.2		CALL, Engine = , Parameters = 254	get_coding	04-020/15:52:41.1
4361	M1O	04-020/16:03:25.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-020/15:52:42.3
4362	M1O	04-020/16:03:26.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-020/15:52:43.5
4363	M1O	04-020/16:04:31.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-020/15:53:48.3
4364	M1O	04-020/16:04:32.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-020/15:53:49.3
4365	M1O	04-020/16:04:33.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-020/15:53:50.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4366	M1O	04-020/16:04:34.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-020/15:53:51.3
4367	M1O	04-020/16:04:35.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-020/15:53:52.3
4368	M1O	04-020/16:04:36.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-020/15:53:53.3
4369	M1O	04-020/16:04:37.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-020/15:53:54.3
4370	M1O	04-020/16:06:27.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/15:55:44.3
4371	M1O	04-020/16:06:37.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-020/15:55:54.3
4372	M1O	04-020/16:08:14.2		NOTE: Descending Node Crossing 9319		04-020/15:57:31.1
4373	M1O	04-020/16:22:19.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-020/16:11:36.3
4374	M1O	04-020/16:22:20.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-020/16:11:37.4
4375	M1O	04-020/16:22:30.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-020/16:11:47.4
4376	M1O	04-020/16:22:31.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/16:11:48.4
4377	M1O	04-020/16:22:32.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-020/16:11:49.4
4378	M1O	04-020/16:22:32.5	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4379	M1O	04-020/16:22:33.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-020/16:11:50.4
4380	M1O	04-020/16:27:32.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/16:16:49.0
4381	M1O	04-020/16:27:32.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4382	M1O	04-020/16:36:59.8		NOTE: Periapsis 9319 ----------		04-020/16:26:16.5
4383	M1O	04-020/16:37:32.5		NOTE: South Pole Crossing 9319		04-020/16:26:49.3
4384	M1O	04-020/16:55:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
4385	M1O	04-020/16:57:47.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
4386	M1O	04-020/17:00:00.0	63	Range Modulation On: SUP=3.0dB		
4387	M1O	04-020/17:01:00.0	63	Begin Ranging Acquisition		
4388	M1O	04-020/17:05:27.5		NOTE: Enter Solar Eclipse 9319		04-020/16:54:44.2
4389	M1O	04-020/17:06:52.2		NOTE: Ascending Node Crossing 9319		04-020/16:56:08.9
4390	M1O	04-020/17:07:47.0	63	Range Modulation Off		
4391	M1O	04-020/17:12:47.0	63	X-Band Transmitter Off		
4392	M1O	04-020/17:15:23.5		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-020/17:04:40.2
4393	M1O	04-020/17:15:25.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/17:04:42.3
4394	M1O	04-020/17:15:25.6	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4395	M1O	04-020/17:15:26.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/17:04:43.3
4396	M1O	04-020/17:16:26.5	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4397	M1O	04-020/17:21:25.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/17:10:42.3
4398	M1O	04-020/17:21:25.7	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4399	M1O	04-020/17:21:26.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/17:10:43.3
4400	M1O	04-020/17:23:09.0		NOTE: Exit Solar Eclipse 9319		04-020/17:12:25.6
4401	M1O	04-020/17:28:37.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
4402	M1O	04-020/17:33:10.6		SPAWN, Engine = 65535, Parameters = 3, 00:21:50, 1	dpt	04-020/17:22:27.2
4403	M1O	04-020/17:33:12.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/17:22:29.3
4404	M1O	04-020/17:33:12.7	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4405	M1O	04-020/17:33:13.7		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-020/17:22:30.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_nom.cfg		
4406	M1O	04-020/17:33:37.0	63	Range Modulation On: SUP=3.0dB		
4407	M1O	04-020/17:34:13.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4408	M1O	04-020/17:34:14.3		NOTE: ENTER HGA KEEP OUT ZONE		
4409	M1O	04-020/17:34:14.3	63	NOTE: Loss Of X-Band Signal		
4410	M1O	04-020/17:34:37.0	63	Begin Ranging Acquisition		
4411	M1O	04-020/17:36:16.5		NOTE: Apoapsis 9319 -		04-020/17:25:33.0
4412	M1O	04-020/17:36:52.0		NOTE: North Pole Crossing 9319		04-020/17:26:08.6
4413	M1O	04-020/17:37:15.0		NOTE: Enter Planetary Atmosphere 9319		04-020/17:26:31.6
4414	M1O	04-020/17:38:34.4		NOTE: EXIT HGA KEEP OUT ZONE		
4415	M1O	04-020/17:38:34.4	63	Acquisition Of X-Band Signal		
4416	M1O	04-020/17:38:34.4	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4417	M1O	04-020/17:39:58.4		NOTE: Enter Earth Occultation 9319		04-020/17:29:15.0
4418	M1O	04-020/17:39:58.4	63	NOTE: Loss Of X-Band Signal		
4419	M1O	04-020/17:49:30.7		NOTE: Exit Earth Occultation 9319		04-020/17:38:47.3
4420	M1O	04-020/17:49:30.7	63	Acquisition Of X-Band Signal		
4421	M1O	04-020/17:49:30.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4422	M1O	04-020/17:50:03.7	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4423	M1O	04-020/17:52:15.5		NOTE: Exit Planetary Atmosphere 9319		04-020/17:41:32.0
4424	M1O	04-020/17:55:02.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/17:44:19.3
4425	M1O	04-020/17:55:02.8	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4426	M1O	04-020/17:55:03.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/17:44:20.3
4427	M1O	04-020/18:01:10.4		SPAWN, Engine = 65535, Parameters = 020, 04, FALSE, 00:15:42.494, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-020/17:50:27.0
4428	M1O	04-020/18:01:11.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/17:50:28.1
4429	M1O	04-020/18:01:13.5		CALL, Engine = , Parameters = 254	get_cmd_opt	04-020/17:50:30.1
4430	M1O	04-020/18:01:55.7		CALL, Engine = , Parameters = 254	get_apid	04-020/17:51:12.3
4431	M1O	04-020/18:01:56.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-020/17:51:13.4
4432	M1O	04-020/18:01:57.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-020/17:51:13.6
4433	M1O	04-020/18:01:58.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-020/17:51:14.7
4434	M1O	04-020/18:01:59.4		CALL, Engine = , Parameters = 254	get_coding	04-020/17:51:16.0
4435	M1O	04-020/18:02:00.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-020/17:51:17.2
4436	M1O	04-020/18:02:01.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-020/17:51:18.4
4437	M1O	04-020/18:03:06.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-020/17:52:23.2
4438	M1O	04-020/18:03:07.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-020/17:52:24.2
4439	M1O	04-020/18:03:08.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-020/17:52:25.2
4440	M1O	04-020/18:03:09.6		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-020/17:52:26.2
4441	M1O	04-020/18:03:10.6		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-020/17:52:27.2
4442	M1O	04-020/18:03:11.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-020/17:52:28.2
4443	M1O	04-020/18:03:12.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-020/17:52:29.2
4444	M1O	04-020/18:06:50.9		NOTE: Descending Node Crossing 9320		04-020/17:56:07.4
4445	M1O	04-020/18:18:51.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-020/18:08:07.6
4446	M1O	04-020/18:18:52.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-020/18:08:08.7
4447	M1O	04-020/18:19:02.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-020/18:08:18.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4448	M1O	04-020/18:19:03.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/18:08:19.7
4449	M1O	04-020/18:36:00.8		NOTE: Periapsis 9320 ----------		04-020/18:25:17.2
4450	M1O	04-020/18:36:09.8		NOTE: South Pole Crossing 9320		04-020/18:25:26.2
4451	M1O	04-020/18:45:00.0	14	Begin Pre-Cal		
4452	M1O	04-020/18:45:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
4453	M1O	04-020/18:45:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
4454	M1O	04-020/18:45:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
4455	M1O	04-020/18:45:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
4456	M1O	04-020/18:45:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
4457	M1O	04-020/18:45:00.0	14	Config: RCV: Parms:		
4458	M1O	04-020/18:45:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
4459	M1O	04-020/18:45:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
4460	M1O	04-020/18:45:00.0	14	Config: TXL		
4461	M1O	04-020/18:45:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
4462	M1O	04-020/18:45:00.0	14	Config: CMD		
4463	M1O	04-020/18:45:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
4464	M1O	04-020/18:57:22.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
4465	M1O	04-020/19:04:02.4		NOTE: Enter Solar Eclipse 9320		04-020/18:53:18.7
4466	M1O	04-020/19:05:29.1		NOTE: Ascending Node Crossing 9320		04-020/18:54:45.5
4467	M1O	04-020/19:07:22.0	63	Range Modulation Off		
4468	M1O	04-020/19:12:22.0	63	X-Band Transmitter Off		
4469	M1O	04-020/19:21:46.6		NOTE: Exit Solar Eclipse 9320		04-020/19:11:02.9
4470	M1O	04-020/19:27:10.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
4471	M1O	04-020/19:32:10.0	63	Range Modulation On: SUP=3.0dB		
4472	M1O	04-020/19:32:47.1		SPAWN, Engine = 65535, Parameters = 3, 00:20:48, 1	dpt	04-020/19:22:03.3
4473	M1O	04-020/19:32:49.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/19:22:05.4
4474	M1O	04-020/19:32:49.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4475	M1O	04-020/19:32:50.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/19:22:06.4
4476	M1O	04-020/19:33:10.0	63	Begin Ranging Acquisition		
4477	M1O	04-020/19:33:49.4	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4478	M1O	04-020/19:33:50.7		NOTE: ENTER HGA KEEP OUT ZONE		
4479	M1O	04-020/19:33:50.7	63	NOTE: Loss Of X-Band Signal		
4480	M1O	04-020/19:35:18.8		NOTE: Apoapsis 9320 -		04-020/19:24:35.0
4481	M1O	04-020/19:35:28.7		NOTE: North Pole Crossing 9320		04-020/19:24:45.0
4482	M1O	04-020/19:35:51.0		NOTE: Enter Planetary Atmosphere 9320		04-020/19:25:07.2
4483	M1O	04-020/19:36:30.7		NOTE: EXIT HGA KEEP OUT ZONE		
4484	M1O	04-020/19:36:30.7	63	Acquisition Of X-Band Signal		
4485	M1O	04-020/19:36:30.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4486	M1O	04-020/19:38:34.6		NOTE: Enter Earth Occultation 9320		04-020/19:27:50.8
4487	M1O	04-020/19:38:34.6	63	NOTE: Loss Of X-Band Signal		
4488	M1O	04-020/19:41:00.0	63	Range Modulation Off		
4489	M1O	04-020/19:45:00.0	14	Begin Tracking		
4490	M1O	04-020/19:46:00.0	14	U/L Transfer From DSS-63 to DSS-14: PWR=20.0, BR=125.0		
4491	M1O	04-020/19:48:06.1		NOTE: Exit Earth Occultation 9320		04-020/19:37:22.2
4492	M1O	04-020/19:48:06.1	14	Acquisition Of X-Band Signal		
4493	M1O	04-020/19:48:06.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4494	M1O	04-020/19:48:06.1	63	Acquisition Of X-Band Signal		
4495	M1O	04-020/19:48:06.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
4496	M1O	04-020/19:48:37.5	14	Acquire D/L: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4497	M1O	04-020/19:48:37.5	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4498	M1O	04-020/19:50:51.0		NOTE: Exit Planetary Atmosphere 9320		04-020/19:40:07.2
4499	M1O	04-020/19:51:00.0	14	Range Modulation On: SUP=3.0dB		
4500	M1O	04-020/19:52:00.0	14	Begin Ranging Acquisition		
4501	M1O	04-020/19:53:37.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/19:42:53.4
4502	M1O	04-020/19:53:37.3	14	D/L Change: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4503	M1O	04-020/19:53:37.3	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4504	M1O	04-020/19:53:38.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/19:42:54.4
4505	M1O	04-020/20:00:00.0	63	End Tracking		
4506	M1O	04-020/20:05:27.9		NOTE: Descending Node Crossing 9321		04-020/19:54:44.0
4507	M1O	04-020/20:07:27.6	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4508	M1O	04-020/20:15:00.0	63	End Post-Cal		
4509	M1O	04-020/20:34:46.0		NOTE: South Pole Crossing 9321		04-020/20:24:02.0
4510	M1O	04-020/20:34:49.9		NOTE: Periapsis 9321 ----------		04-020/20:24:05.9
4511	M1O	04-020/20:55:39.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
4512	M1O	04-020/21:02:34.9		NOTE: Enter Solar Eclipse 9321		04-020/20:51:50.9
4513	M1O	04-020/21:04:04.2		NOTE: Ascending Node Crossing 9321		04-020/20:53:20.2
4514	M1O	04-020/21:05:39.0	14	Range Modulation Off		
4515	M1O	04-020/21:10:39.0	14	X-Band Transmitter Off		
4516	M1O	04-020/21:20:23.9		NOTE: Exit Solar Eclipse 9321		04-020/21:09:39.8
4517	M1O	04-020/21:25:49.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
4518	M1O	04-020/21:30:49.0	14	Range Modulation On: SUP=3.0dB		
4519	M1O	04-020/21:31:04.5		SPAWN, Engine = 65535, Parameters = 3, 00:21:10, 1	dpt	04-020/21:20:20.3
4520	M1O	04-020/21:31:06.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/21:20:22.4
4521	M1O	04-020/21:31:06.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4522	M1O	04-020/21:31:07.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/21:20:23.4
4523	M1O	04-020/21:31:49.0	14	Begin Ranging Acquisition		
4524	M1O	04-020/21:32:07.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4525	M1O	04-020/21:32:08.1		NOTE: ENTER HGA KEEP OUT ZONE		
4526	M1O	04-020/21:32:08.1	14	NOTE: Loss Of X-Band Signal		
4527	M1O	04-020/21:33:54.9		NOTE: Apoapsis 9321 -		04-020/21:23:10.7
4528	M1O	04-020/21:34:03.6		NOTE: North Pole Crossing 9321		04-020/21:23:19.5
4529	M1O	04-020/21:34:21.6		NOTE: Enter Planetary Atmosphere 9321		04-020/21:23:37.4
4530	M1O	04-020/21:35:28.1		NOTE: EXIT HGA KEEP OUT ZONE		
4531	M1O	04-020/21:35:28.1	14	Acquisition Of X-Band Signal		
4532	M1O	04-020/21:35:28.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4533	M1O	04-020/21:37:03.3		NOTE: Enter Earth Occultation 9321		04-020/21:26:19.1
4534	M1O	04-020/21:37:03.3	14	NOTE: Loss Of X-Band Signal		
4535	M1O	04-020/21:46:45.5		NOTE: Exit Earth Occultation 9321		04-020/21:36:01.3
4536	M1O	04-020/21:46:45.5	14	Acquisition Of X-Band Signal		
4537	M1O	04-020/21:46:45.5	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4538	M1O	04-020/21:47:17.2	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4539	M1O	04-020/21:49:28.6		NOTE: Exit Planetary Atmosphere 9321		04-020/21:38:44.4
4540	M1O	04-020/21:49:36.2		SPAWN, Engine = 65535, Parameters = 020, 03, FALSE, 00:17:42.468, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-020/21:38:52.0
4541	M1O	04-020/21:49:37.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/21:38:53.1
4542	M1O	04-020/21:49:39.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-020/21:38:55.1
4543	M1O	04-020/21:50:21.5		CALL, Engine = , Parameters = 56	get_apid	04-020/21:39:37.3
4544	M1O	04-020/21:50:22.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-020/21:39:38.4
4545	M1O	04-020/21:50:22.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-020/21:39:38.6
4546	M1O	04-020/21:50:23.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-020/21:39:39.7
4547	M1O	04-020/21:50:25.1		CALL, Engine = , Parameters = 56	get_coding	04-020/21:39:40.9
4548	M1O	04-020/21:50:26.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-020/21:39:42.1
4549	M1O	04-020/21:50:27.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-020/21:39:43.3
4550	M1O	04-020/21:51:32.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-020/21:40:48.1
4551	M1O	04-020/21:51:33.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-020/21:40:49.1
4552	M1O	04-020/21:51:34.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-020/21:40:50.1
4553	M1O	04-020/21:51:35.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-020/21:40:51.1
4554	M1O	04-020/21:51:36.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-020/21:40:52.1
4555	M1O	04-020/21:51:37.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-020/21:40:53.1
4556	M1O	04-020/21:51:38.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-020/21:40:54.1
4557	M1O	04-020/21:52:16.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/21:41:32.4
4558	M1O	04-020/21:52:16.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4559	M1O	04-020/21:52:17.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/21:41:33.4
4560	M1O	04-020/22:04:02.5		NOTE: Descending Node Crossing 9322		04-020/21:53:18.2
4561	M1O	04-020/22:09:16.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-020/21:58:32.5
4562	M1O	04-020/22:09:17.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-020/21:58:33.6
4563	M1O	04-020/22:09:27.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-020/21:58:43.6
4564	M1O	04-020/22:09:28.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/21:58:44.6
4565	M1O	04-020/22:33:11.1		NOTE: Periapsis 9322 ----------		04-020/22:22:26.7
4566	M1O	04-020/22:33:19.4		NOTE: South Pole Crossing 9322		04-020/22:22:35.1
4567	M1O	04-020/22:53:33.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
4568	M1O	04-020/23:01:06.8		NOTE: Enter Solar Eclipse 9322		04-020/22:50:22.4
4569	M1O	04-020/23:02:36.8		NOTE: Ascending Node Crossing 9322		04-020/22:51:52.4
4570	M1O	04-020/23:03:33.0	14	Range Modulation Off		
4571	M1O	04-020/23:08:33.0	14	X-Band Transmitter Off		
4572	M1O	04-020/23:18:58.4		NOTE: Exit Solar Eclipse 9322		04-020/23:08:13.9
4573	M1O	04-020/23:24:27.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
4574	M1O	04-020/23:28:58.9		SPAWN, Engine = 65535, Parameters = 3, 00:21:54, 1	dpt	04-020/23:18:14.3
4575	M1O	04-020/23:29:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-020/23:18:16.4
4576	M1O	04-020/23:29:01.0	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4577	M1O	04-020/23:29:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-020/23:18:17.4
4578	M1O	04-020/23:29:27.0	14	Range Modulation On: SUP=3.0dB		
4579	M1O	04-020/23:30:01.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4580	M1O	04-020/23:30:02.5		NOTE: ENTER HGA KEEP OUT ZONE		
4581	M1O	04-020/23:30:02.5	14	NOTE: Loss Of X-Band Signal		
4582	M1O	04-020/23:30:27.0	14	Begin Ranging Acquisition		
4583	M1O	04-020/23:32:06.2		NOTE: Apoapsis 9322 -		04-020/23:21:21.7
4584	M1O	04-020/23:32:35.9		NOTE: North Pole Crossing 9322		04-020/23:21:51.3
4585	M1O	04-020/23:32:48.8		NOTE: Enter Planetary Atmosphere 9322		04-020/23:22:04.2
4586	M1O	04-020/23:34:22.5		NOTE: EXIT HGA KEEP OUT ZONE		
4587	M1O	04-020/23:34:22.5	14	Acquisition Of X-Band Signal		
4588	M1O	04-020/23:34:22.5	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4589	M1O	04-020/23:35:28.2		NOTE: Enter Earth Occultation 9322		04-020/23:24:43.6
4590	M1O	04-020/23:35:28.2	14	NOTE: Loss Of X-Band Signal		
4591	M1O	04-020/23:45:23.3		NOTE: Exit Earth Occultation 9322		04-020/23:34:38.7
4592	M1O	04-020/23:45:23.3	14	Acquisition Of X-Band Signal		
4593	M1O	04-020/23:45:23.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4594	M1O	04-020/23:45:56.0	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4595	M1O	04-020/23:47:27.5		SPAWN, Engine = 65535, Parameters = 020, 04, FALSE, 00:16:34.563, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-020/23:36:43.0
4596	M1O	04-020/23:47:28.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/23:36:44.1
4597	M1O	04-020/23:47:30.6		CALL, Engine = , Parameters = 56	get_cmd_opt	04-020/23:36:46.1
4598	M1O	04-020/23:48:04.1		NOTE: Exit Planetary Atmosphere 9322		04-020/23:37:19.5
4599	M1O	04-020/23:48:12.8		CALL, Engine = , Parameters = 56	get_apid	04-020/23:37:28.3
4600	M1O	04-020/23:48:13.9		CALL, Engine = , Parameters = 56	get_rcv_mode	04-020/23:37:29.4
4601	M1O	04-020/23:48:14.1		CALL, Engine = , Parameters = 56	get_dl_rate	04-020/23:37:29.6
4602	M1O	04-020/23:48:15.2		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-020/23:37:30.7
4603	M1O	04-020/23:48:16.4		CALL, Engine = , Parameters = 56	get_coding	04-020/23:37:31.9
4604	M1O	04-020/23:48:17.6		CALL, Engine = , Parameters = 56	get_xmt_mode	04-020/23:37:33.1
4605	M1O	04-020/23:48:18.8		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-020/23:37:34.3
4606	M1O	04-020/23:49:23.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-020/23:38:39.1
4607	M1O	04-020/23:49:24.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-020/23:38:40.1
4608	M1O	04-020/23:49:25.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-020/23:38:41.1
4609	M1O	04-020/23:49:26.6		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-020/23:38:42.1
4610	M1O	04-020/23:49:27.6		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-020/23:38:43.1
4611	M1O	04-020/23:49:28.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-020/23:38:44.1
4612	M1O	04-020/23:49:29.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-020/23:38:45.1
4613	M1O	04-020/23:50:55.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-020/23:40:10.4
4614	M1O	04-020/23:50:55.0	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4615	M1O	04-020/23:50:56.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-020/23:40:11.4
4616	M1O	04-021/00:00:00.0		Light Time: OWLT = 10:44, RTLT = 21:29		
4617	M1O	04-021/00:02:33.8		NOTE: Descending Node Crossing 9323		04-020/23:51:49.2
4618	M1O	04-021/00:06:00.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-020/23:55:15.6
4619	M1O	04-021/00:06:01.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-020/23:55:16.7
4620	M1O	04-021/00:06:11.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-020/23:55:26.7
4621	M1O	04-021/00:06:12.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-020/23:55:27.7
4622	M1O	04-021/00:31:24.1		NOTE: Periapsis 9323 ----------		04-021/00:20:39.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4623	M1O	04-021/00:31:50.6		NOTE: South Pole Crossing 9323		04-021/00:21:05.9
4624	M1O	04-021/00:51:43.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
4625	M1O	04-021/00:59:39.8		NOTE: Enter Solar Eclipse 9323		04-021/00:48:55.0
4626	M1O	04-021/01:01:08.5		NOTE: Ascending Node Crossing 9323		04-021/00:50:23.7
4627	M1O	04-021/01:01:43.0	14	Range Modulation Off		
4628	M1O	04-021/01:06:43.0	14	X-Band Transmitter Off		
4629	M1O	04-021/01:17:28.6		NOTE: Exit Solar Eclipse 9323		04-021/01:06:43.7
4630	M1O	04-021/01:22:52.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
4631	M1O	04-021/01:27:10.4		SPAWN, Engine = 65535, Parameters = 3, 00:22:09, 1	dpt	04-021/01:16:25.5
4632	M1O	04-021/01:27:12.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/01:16:27.6
4633	M1O	04-021/01:27:12.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4634	M1O	04-021/01:27:13.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/01:16:28.6
4635	M1O	04-021/01:27:52.0	14	Range Modulation On: SUP=3.0dB		
4636	M1O	04-021/01:28:12.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4637	M1O	04-021/01:28:13.9		NOTE: ENTER HGA KEEP OUT ZONE		
4638	M1O	04-021/01:28:13.9	14	NOTE: Loss Of X-Band Signal		
4639	M1O	04-021/01:28:52.0	14	Begin Ranging Acquisition		
4640	M1O	04-021/01:30:38.2		NOTE: Apoapsis 9323 -		04-021/01:19:53.3
4641	M1O	04-021/01:31:07.2		NOTE: North Pole Crossing 9323		04-021/01:20:22.3
4642	M1O	04-021/01:31:22.2		NOTE: Enter Planetary Atmosphere 9323		04-021/01:20:37.3
4643	M1O	04-021/01:33:13.9		NOTE: EXIT HGA KEEP OUT ZONE		
4644	M1O	04-021/01:33:13.9	14	Acquisition Of X-Band Signal		
4645	M1O	04-021/01:33:13.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4646	M1O	04-021/01:34:03.2		NOTE: Enter Earth Occultation 9323		04-021/01:23:18.3
4647	M1O	04-021/01:34:03.2	14	NOTE: Loss Of X-Band Signal		
4648	M1O	04-021/01:43:49.9		NOTE: Exit Earth Occultation 9323		04-021/01:33:05.0
4649	M1O	04-021/01:43:49.9	14	Acquisition Of X-Band Signal		
4650	M1O	04-021/01:43:49.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4651	M1O	04-021/01:44:21.7	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4652	M1O	04-021/01:46:32.3		NOTE: Exit Planetary Atmosphere 9323		04-021/01:35:47.4
4653	M1O	04-021/01:49:21.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/01:38:36.6
4654	M1O	04-021/01:49:21.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4655	M1O	04-021/01:49:22.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/01:38:37.6
4656	M1O	04-021/02:01:04.9		NOTE: Descending Node Crossing 9324		04-021/01:50:19.9
4657	M1O	04-021/02:29:54.3		NOTE: Periapsis 9324 ----------		04-021/02:19:09.2
4658	M1O	04-021/02:30:22.5		NOTE: South Pole Crossing 9324		04-021/02:19:37.4
4659	M1O	04-021/02:50:54.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
4660	M1O	04-021/02:58:13.9		NOTE: Enter Solar Eclipse 9324		04-021/02:47:28.7
4661	M1O	04-021/02:59:41.5		NOTE: Ascending Node Crossing 9324		04-021/02:48:56.3
4662	M1O	04-021/03:00:54.0	14	Range Modulation Off		
4663	M1O	04-021/03:05:54.0	14	X-Band Transmitter Off		
4664	M1O	04-021/03:15:55.5		NOTE: Exit Solar Eclipse 9324		04-021/03:05:10.3
4665	M1O	04-021/03:21:11.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
4666	M1O	04-021/03:26:11.0	14	Range Modulation On: SUP=3.0dB		
4667	M1O	04-021/03:26:21.8		SPAWN, Engine = 65535, Parameters = 3, 00:21:17, 1	dpt	04-021/03:15:36.5
4668	M1O	04-021/03:26:23.9		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-021/03:15:38.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_nom_rt_only.cfg,		
4669	M1O	04-021/03:26:23.9	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4670	M1O	04-021/03:26:24.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/03:15:39.6
4671	M1O	04-021/03:27:11.0	14	Begin Ranging Acquisition		
4672	M1O	04-021/03:27:24.4	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4673	M1O	04-021/03:27:25.2		NOTE: ENTER HGA KEEP OUT ZONE		
4674	M1O	04-021/03:27:25.2	14	NOTE: Loss Of X-Band Signal		
4675	M1O	04-021/03:29:21.4		NOTE: Apoapsis 9324 -		04-021/03:18:36.1
4676	M1O	04-021/03:29:41.5		NOTE: North Pole Crossing 9324		04-021/03:18:56.2
4677	M1O	04-021/03:30:08.2		NOTE: Enter Planetary Atmosphere 9324		04-021/03:19:22.9
4678	M1O	04-021/03:31:05.2		NOTE: EXIT HGA KEEP OUT ZONE		
4679	M1O	04-021/03:31:05.2	14	Acquisition Of X-Band Signal		
4680	M1O	04-021/03:31:05.2	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4681	M1O	04-021/03:32:55.4		NOTE: Enter Earth Occultation 9324		04-021/03:22:10.1
4682	M1O	04-021/03:32:55.4	14	NOTE: Loss Of X-Band Signal		
4683	M1O	04-021/03:42:08.8		NOTE: Exit Earth Occultation 9324		04-021/03:31:23.5
4684	M1O	04-021/03:42:08.8	14	Acquisition Of X-Band Signal		
4685	M1O	04-021/03:42:08.8	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4686	M1O	04-021/03:42:41.5	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4687	M1O	04-021/03:44:57.5		NOTE: Exit Planetary Atmosphere 9324		04-021/03:34:12.1
4688	M1O	04-021/03:45:57.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
4689	M1O	04-021/03:47:40.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/03:36:55.6
4690	M1O	04-021/03:47:40.9	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4691	M1O	04-021/03:47:41.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/03:36:56.6
4692	M1O	04-021/03:55:57.0	14	Range Modulation Off		
4693	M1O	04-021/03:59:40.6		NOTE: Descending Node Crossing 9325		04-021/03:48:55.2
4694	M1O	04-021/04:00:57.0	14	X-Band Transmitter Off		
4695	M1O	04-021/04:12:41.4		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-021/04:01:56.0
4696	M1O	04-021/04:12:41.5		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-021/04:01:56.1
4697	M1O	04-021/04:12:42.5		Forces a desaturation of the reaction wheels.	RW_DESAT	04-021/04:01:57.1
4698	M1O	04-021/04:14:16.4		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-021/04:03:31.0
4699	M1O	04-021/04:14:32.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-019T04:03:31.100, 2004-021T04:03:31.100	PCKTS_RE_TX_TIME	04-021/04:03:46.8
4700	M1O	04-021/04:14:33.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-019T04:03:31.100, 2004-021T04:03:31.100	PCKTS_RE_TX_TIME	04-021/04:03:47.8
4701	M1O	04-021/04:14:34.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-019T04:03:31.100, 2004-021T04:03:31.100	PCKTS_RE_TX_TIME	04-021/04:03:48.8
4702	M1O	04-021/04:14:35.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-019T04:03:31.100, 2004-021T04:03:31.100	PCKTS_RE_TX_TIME	04-021/04:03:49.8
4703	M1O	04-021/04:14:36.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-019T04:03:31.100, 2004-021T04:03:31.100	PCKTS_RE_TX_TIME	04-021/04:03:50.8
4704	M1O	04-021/04:14:37.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-019T04:03:31.100, 2004-021T04:03:31.100	PCKTS_RE_TX_TIME	04-021/04:03:51.8
4705	M1O	04-021/04:14:37.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-021/04:03:51.8
4706	M1O	04-021/04:14:37.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4707	M1O	04-021/04:21:38.2		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-021/04:10:52.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_nom_rt_only.cfg,		
4708	M1O	04-021/04:21:38.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4709	M1O	04-021/04:21:39.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/04:10:53.8
4710	M1O	04-021/04:21:55.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-021/04:11:09.8
4711	M1O	04-021/04:21:55.2	14	D/L RF Warning: SC antenna change - expect signal level variation		
4712	M1O	04-021/04:21:56.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-021/04:11:10.8
4713	M1O	04-021/04:22:27.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4714	M1O	04-021/04:24:12.5		CALL, Engine = , Parameters = FALSE	park_hga	04-021/04:13:27.1
4715	M1O	04-021/04:24:12.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/04:13:27.1
4716	M1O	04-021/04:24:13.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-021/04:13:28.1
4717	M1O	04-021/04:24:14.5		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-021/04:13:29.1
4718	M1O	04-021/04:24:14.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-021/04:13:29.1
4719	M1O	04-021/04:24:14.5		NOTE: START HGA PARK		
4720	M1O	04-021/04:24:14.5	14	NOTE: Loss Of X-Band Signal		
4721	M1O	04-021/04:24:15.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-021/04:13:30.1
4722	M1O	04-021/04:24:16.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-021/04:13:31.1
4723	M1O	04-021/04:28:38.1		NOTE: Periapsis 9325 ----------		04-021/04:17:52.6
4724	M1O	04-021/04:28:46.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-021/04:18:01.1
4725	M1O	04-021/04:28:58.2		NOTE: South Pole Crossing 9325		04-021/04:18:12.8
4726	M1O	04-021/04:32:16.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-021/04:21:31.1
4727	M1O	04-021/04:32:16.5		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-021/04:21:31.1
4728	M1O	04-021/04:42:32.5		SPAWN, Engine = 65535, Parameters = 021, 01, TRUE, 00:18:40, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-021/04:31:47.0
4729	M1O	04-021/04:42:33.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/04:31:48.1
4730	M1O	04-021/04:42:35.6		CALL, Engine = , Parameters = 254	get_cmd_opt	04-021/04:31:50.1
4731	M1O	04-021/04:42:35.9		CALL, Engine = , Parameters = 021, 01, 254	bld_autosw	04-021/04:31:50.4
4732	M1O	04-021/04:42:37.0		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-021/04:31:51.5
4733	M1O	04-021/04:42:38.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:31:52.6
4734	M1O	04-021/04:42:39.1		Deletes the designated file.: d:/dat/254_doy021_pass01_file01.dat	FILE_DELETE	04-021/04:31:53.6
4735	M1O	04-021/04:42:40.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:31:54.7
4736	M1O	04-021/04:42:41.2		Deletes the designated file.: d:/dat/254_doy021_pass01_file02.dat	FILE_DELETE	04-021/04:31:55.7
4737	M1O	04-021/04:42:42.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:31:56.8
4738	M1O	04-021/04:42:43.3		Deletes the designated file.: d:/dat/254_doy021_pass01_file03.dat	FILE_DELETE	04-021/04:31:57.8
4739	M1O	04-021/04:42:44.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:31:58.9
4740	M1O	04-021/04:42:45.4		Deletes the designated file.: d:/dat/254_doy021_pass01_file04.dat	FILE_DELETE	04-021/04:31:59.9
4741	M1O	04-021/04:42:46.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:01.0
4742	M1O	04-021/04:42:47.5		Deletes the designated file.: d:/dat/254_doy021_pass01_file05.dat	FILE_DELETE	04-021/04:32:02.0
4743	M1O	04-021/04:42:48.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:03.1
4744	M1O	04-021/04:42:49.6		Deletes the designated file.: d:/dat/254_doy021_pass01_file06.dat	FILE_DELETE	04-021/04:32:04.1
4745	M1O	04-021/04:42:50.7		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-021/04:32:05.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy021_pass01_file07.dat, d:/dat/autoswitch.dat		
4746	M1O	04-021/04:42:51.7		Deletes the designated file.: d:/dat/254_doy021_pass01_file07.dat	FILE_DELETE	04-021/04:32:06.2
4747	M1O	04-021/04:42:52.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:07.3
4748	M1O	04-021/04:42:53.8		Deletes the designated file.: d:/dat/254_doy021_pass01_file08.dat	FILE_DELETE	04-021/04:32:08.3
4749	M1O	04-021/04:42:54.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:09.4
4750	M1O	04-021/04:42:55.9		Deletes the designated file.: d:/dat/254_doy021_pass01_file09.dat	FILE_DELETE	04-021/04:32:10.4
4751	M1O	04-021/04:42:57.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:11.5
4752	M1O	04-021/04:42:58.0		Deletes the designated file.: d:/dat/254_doy021_pass01_file10.dat	FILE_DELETE	04-021/04:32:12.5
4753	M1O	04-021/04:42:59.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:13.6
4754	M1O	04-021/04:43:00.1		Deletes the designated file.: d:/dat/254_doy021_pass01_file11.dat	FILE_DELETE	04-021/04:32:14.6
4755	M1O	04-021/04:43:01.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:15.7
4756	M1O	04-021/04:43:02.2		Deletes the designated file.: d:/dat/254_doy021_pass01_file12.dat	FILE_DELETE	04-021/04:32:16.7
4757	M1O	04-021/04:43:03.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:17.8
4758	M1O	04-021/04:43:04.3		Deletes the designated file.: d:/dat/254_doy021_pass01_file13.dat	FILE_DELETE	04-021/04:32:18.8
4759	M1O	04-021/04:43:05.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:19.9
4760	M1O	04-021/04:43:06.4		Deletes the designated file.: d:/dat/254_doy021_pass01_file14.dat	FILE_DELETE	04-021/04:32:20.9
4761	M1O	04-021/04:43:07.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:22.0
4762	M1O	04-021/04:43:08.5		Deletes the designated file.: d:/dat/254_doy021_pass01_file15.dat	FILE_DELETE	04-021/04:32:23.0
4763	M1O	04-021/04:43:09.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:24.1
4764	M1O	04-021/04:43:10.6		Deletes the designated file.: d:/dat/254_doy021_pass01_file16.dat	FILE_DELETE	04-021/04:32:25.1
4765	M1O	04-021/04:43:11.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:26.2
4766	M1O	04-021/04:43:12.7		Deletes the designated file.: d:/dat/254_doy021_pass01_file17.dat	FILE_DELETE	04-021/04:32:27.2
4767	M1O	04-021/04:43:13.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:28.3
4768	M1O	04-021/04:43:14.8		Deletes the designated file.: d:/dat/254_doy021_pass01_file18.dat	FILE_DELETE	04-021/04:32:29.3
4769	M1O	04-021/04:43:15.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/04:32:30.4
4770	M1O	04-021/04:43:16.9		Deletes the designated file.: d:/dat/254_doy021_pass01_file19.dat	FILE_DELETE	04-021/04:32:31.4
4771	M1O	04-021/04:43:17.9		CALL, Engine = , Parameters = 254	get_apid	04-021/04:32:32.4
4772	M1O	04-021/04:43:19.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-021/04:32:33.5
4773	M1O	04-021/04:43:19.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-021/04:32:33.7
4774	M1O	04-021/04:43:20.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-021/04:32:34.8
4775	M1O	04-021/04:43:21.6		CALL, Engine = , Parameters = 254	get_coding	04-021/04:32:36.1
4776	M1O	04-021/04:43:22.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-021/04:32:37.3
4777	M1O	04-021/04:43:24.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-021/04:32:38.5
4778	M1O	04-021/04:44:28.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-021/04:33:43.3
4779	M1O	04-021/04:44:29.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-021/04:33:44.3
4780	M1O	04-021/04:44:30.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-021/04:33:45.3
4781	M1O	04-021/04:44:31.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-021/04:33:46.3
4782	M1O	04-021/04:44:32.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-021/04:33:47.3
4783	M1O	04-021/04:44:33.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-021/04:33:48.3
4784	M1O	04-021/04:44:34.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-021/04:33:49.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4785	M1O	04-021/04:46:24.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/04:35:39.3
4786	M1O	04-021/04:46:34.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-021/04:35:49.3
4787	M1O	04-021/04:56:48.8		NOTE: Enter Solar Eclipse 9325		04-021/04:46:03.2
4788	M1O	04-021/04:58:17.0		NOTE: Ascending Node Crossing 9325		04-021/04:47:31.4
4789	M1O	04-021/05:02:16.5		GV: GV_DESAT_ACTIVE = 1		04-021/04:51:31.0
4790	M1O	04-021/05:02:17.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-021/04:51:32.0
4791	M1O	04-021/05:02:17.5		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-021/04:51:32.0
4792	M1O	04-021/05:03:12.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-021/04:52:27.3
4793	M1O	04-021/05:03:13.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-021/04:52:28.4
4794	M1O	04-021/05:03:23.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-021/04:52:38.4
4795	M1O	04-021/05:03:24.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/04:52:39.4
4796	M1O	04-021/05:03:25.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-021/04:52:40.4
4797	M1O	04-021/05:03:26.9		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-021/04:52:41.4
4798	M1O	04-021/05:10:00.0	14	End Tracking		
4799	M1O	04-021/05:12:16.6		GV: GV_DESAT_ACTIVE = 0		04-021/05:01:31.0
4800	M1O	04-021/05:12:17.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-021/05:01:32.0
4801	M1O	04-021/05:12:18.6		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-021/05:01:33.0
4802	M1O	04-021/05:12:19.6		CALL, Engine = , Parameters =	unpark_hga	04-021/05:01:34.0
4803	M1O	04-021/05:12:19.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-021/05:01:34.0
4804	M1O	04-021/05:12:20.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-021/05:01:35.0
4805	M1O	04-021/05:14:26.8		NOTE: Exit Solar Eclipse 9325		04-021/05:03:41.2
4806	M1O	04-021/05:16:50.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-021/05:06:05.0
4807	M1O	04-021/05:16:51.6		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-021/05:06:06.0
4808	M1O	04-021/05:20:51.6		NOTE: EXIT HGA PARK		
4809	M1O	04-021/05:25:00.0	14	End Post-Cal		
4810	M1O	04-021/05:27:55.8		NOTE: Apoapsis 9325 -		04-021/05:17:10.2
4811	M1O	04-021/05:28:17.9		NOTE: North Pole Crossing 9325		04-021/05:17:32.2
4812	M1O	04-021/05:28:51.7		NOTE: Enter Planetary Atmosphere 9325		04-021/05:18:06.0
4813	M1O	04-021/05:31:42.8		NOTE: Enter Earth Occultation 9325		04-021/05:20:57.1
4814	M1O	04-021/05:40:36.3		NOTE: Exit Earth Occultation 9325		04-021/05:29:50.6
4815	M1O	04-021/05:43:28.9		NOTE: Exit Planetary Atmosphere 9325		04-021/05:32:43.2
4816	M1O	04-021/05:58:17.9		NOTE: Descending Node Crossing 9326		04-021/05:47:32.1
4817	M1O	04-021/06:27:14.5		NOTE: Periapsis 9326 ----------		04-021/06:16:28.6
4818	M1O	04-021/06:27:35.4		NOTE: South Pole Crossing 9326		04-021/06:16:49.6
4819	M1O	04-021/06:42:15.9		SPAWN, Engine = 65535, Parameters = 021, 02, FALSE, 00:13:34.145, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-021/06:31:30.0
4820	M1O	04-021/06:42:17.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/06:31:31.1
4821	M1O	04-021/06:42:19.0		CALL, Engine = , Parameters = 254	get_cmd_opt	04-021/06:31:33.1
4822	M1O	04-021/06:43:01.2		CALL, Engine = , Parameters = 254	get_apid	04-021/06:32:15.3
4823	M1O	04-021/06:43:02.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-021/06:32:16.4
4824	M1O	04-021/06:43:02.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-021/06:32:16.6
4825	M1O	04-021/06:43:03.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-021/06:32:17.7
4826	M1O	04-021/06:43:04.9		CALL, Engine = , Parameters = 254	get_coding	04-021/06:32:19.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4827	M1O	04-021/06:43:06.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-021/06:32:20.2
4828	M1O	04-021/06:43:07.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-021/06:32:21.4
4829	M1O	04-021/06:44:12.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-021/06:33:26.2
4830	M1O	04-021/06:44:13.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-021/06:33:27.2
4831	M1O	04-021/06:44:14.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-021/06:33:28.2
4832	M1O	04-021/06:44:15.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-021/06:33:29.2
4833	M1O	04-021/06:44:16.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-021/06:33:30.2
4834	M1O	04-021/06:44:17.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-021/06:33:31.2
4835	M1O	04-021/06:44:18.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-021/06:33:32.2
4836	M1O	04-021/06:55:25.3		NOTE: Enter Solar Eclipse 9326		04-021/06:44:39.3
4837	M1O	04-021/06:56:53.8		NOTE: Ascending Node Crossing 9326		04-021/06:46:07.9
4838	M1O	04-021/06:57:48.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-021/06:47:02.3
4839	M1O	04-021/06:57:49.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-021/06:47:03.4
4840	M1O	04-021/06:57:59.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-021/06:47:13.4
4841	M1O	04-021/06:58:00.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/06:47:14.4
4842	M1O	04-021/07:10:45.9		SPAWN, Engine = 65535, Parameters =	scdiag	04-021/07:00:00.0
4843	M1O	04-021/07:10:47.0		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-021/07:00:01.1
4844	M1O	04-021/07:10:48.0		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-021/07:00:02.1
4845	M1O	04-021/07:11:48.9		SPAWN, Engine = 65535, Parameters = WEEKLY	fsw_diag	04-021/07:01:03.0
4846	M1O	04-021/07:11:49.1		NOTE: Start Block fsw_diag		04-021/07:01:03.2
4847	M1O	04-021/07:11:50.1		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D53,0x686F7720,0x313B6368,0x65636B53,0x7461636B,0x3B690000,0x0000,0x0000,0x0000, 0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000]	FSW_VX_CMD	04-021/07:01:04.2
4848	M1O	04-021/07:11:51.1		Creates a non-channelized telemetry packet for APID 7.: d:/	FILE_SYS_STATUS	04-021/07:01:05.2
4849	M1O	04-021/07:12:02.1		NOTE: End Block fsw_diag.mod		04-021/07:01:16.2
4850	M1O	04-021/07:13:01.9		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-021/07:02:16.0
4851	M1O	04-021/07:13:02.1		NOTE: Start Block fsw_diag		04-021/07:02:16.2
4852	M1O	04-021/07:13:02.9		NOTE: Exit Solar Eclipse 9326		04-021/07:02:16.9
4853	M1O	04-021/07:13:03.1		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-021/07:02:17.2
4854	M1O	04-021/07:13:04.1		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-021/07:02:18.2
4855	M1O	04-021/07:13:15.1		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-021/07:02:29.2
4856	M1O	04-021/07:13:45.2		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-021/07:02:59.2
4857	M1O	04-021/07:14:05.2		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-021/07:03:19.2
4858	M1O	04-021/07:14:15.2		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-021/07:03:29.2
4859	M1O	04-021/07:14:35.2		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-021/07:03:49.2
4860	M1O	04-021/07:14:45.2		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-021/07:03:59.2
4861	M1O	04-021/07:14:50.2		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-021/07:04:04.2
4862	M1O	04-021/07:14:55.2		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-021/07:04:09.2
4863	M1O	04-021/07:15:00.2		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-021/07:04:14.2
4864	M1O	04-021/07:15:05.2		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-021/07:04:19.2
4865	M1O	04-021/07:15:10.2		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-021/07:04:24.2
4866	M1O	04-021/07:15:50.2		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-021/07:05:04.2
4867	M1O	04-021/07:15:55.2		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-021/07:05:09.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4868	M1O	04-021/07:16:00.2		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-021/07:05:14.2
4869	M1O	04-021/07:16:05.2		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-021/07:05:19.2
4870	M1O	04-021/07:16:10.2		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-021/07:05:24.2
4871	M1O	04-021/07:16:11.2		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-021/07:05:25.2
4872	M1O	04-021/07:16:12.2		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-021/07:05:26.2
4873	M1O	04-021/07:16:13.2		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-021/07:05:27.2
4874	M1O	04-021/07:16:24.2		NOTE: End Block fsw_diag.mod		04-021/07:05:38.2
4875	M1O	04-021/07:26:16.6		NOTE: Apoapsis 9326 -		04-021/07:15:30.5
4876	M1O	04-021/07:26:54.5		NOTE: North Pole Crossing 9326		04-021/07:16:08.5
4877	M1O	04-021/07:27:27.1		NOTE: Enter Planetary Atmosphere 9326		04-021/07:16:41.1
4878	M1O	04-021/07:30:17.4		NOTE: Enter Earth Occultation 9326		04-021/07:19:31.4
4879	M1O	04-021/07:39:15.0		NOTE: Exit Earth Occultation 9326		04-021/07:28:28.9
4880	M1O	04-021/07:42:06.7		NOTE: Exit Planetary Atmosphere 9326		04-021/07:31:20.6
4881	M1O	04-021/07:56:54.1		NOTE: Descending Node Crossing 9327		04-021/07:46:07.9
4882	M1O	04-021/08:25:45.2		NOTE: Periapsis 9327 ----------		04-021/08:14:59.0
4883	M1O	04-021/08:26:11.7		NOTE: South Pole Crossing 9327		04-021/08:15:25.5
4884	M1O	04-021/08:54:02.0		NOTE: Enter Solar Eclipse 9327		04-021/08:43:15.7
4885	M1O	04-021/08:55:30.3		NOTE: Ascending Node Crossing 9327		04-021/08:44:44.0
4886	M1O	04-021/09:11:41.9		NOTE: Exit Solar Eclipse 9327		04-021/09:00:55.5
4887	M1O	04-021/09:24:36.3		NOTE: Apoapsis 9327 -		04-021/09:13:49.8
4888	M1O	04-021/09:25:29.9		NOTE: North Pole Crossing 9327		04-021/09:14:43.5
4889	M1O	04-021/09:25:54.7		NOTE: Enter Planetary Atmosphere 9327		04-021/09:15:08.3
4890	M1O	04-021/09:28:40.9		NOTE: Enter Earth Occultation 9327		04-021/09:17:54.5
4891	M1O	04-021/09:37:59.6		NOTE: Exit Earth Occultation 9327		04-021/09:27:13.2
4892	M1O	04-021/09:40:47.2		NOTE: Exit Planetary Atmosphere 9327		04-021/09:30:00.8
4893	M1O	04-021/09:55:28.0		NOTE: Descending Node Crossing 9328		04-021/09:44:41.5
4894	M1O	04-021/10:24:18.9		NOTE: Periapsis 9328 ----------		04-021/10:13:32.3
4895	M1O	04-021/10:24:45.6		NOTE: South Pole Crossing 9328		04-021/10:13:59.0
4896	M1O	04-021/10:46:23.6		SPAWN, Engine = 65535, Parameters = 021, 01, FALSE, 00:19:33.105, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-021/10:35:37.0
4897	M1O	04-021/10:46:24.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/10:35:38.1
4898	M1O	04-021/10:46:26.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-021/10:35:40.1
4899	M1O	04-021/10:47:08.9		CALL, Engine = , Parameters = 56	get_apid	04-021/10:36:22.3
4900	M1O	04-021/10:47:10.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-021/10:36:23.4
4901	M1O	04-021/10:47:10.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-021/10:36:23.6
4902	M1O	04-021/10:47:11.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-021/10:36:24.7
4903	M1O	04-021/10:47:12.5		CALL, Engine = , Parameters = 56	get_coding	04-021/10:36:25.9
4904	M1O	04-021/10:47:13.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-021/10:36:27.1
4905	M1O	04-021/10:47:14.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-021/10:36:28.3
4906	M1O	04-021/10:48:19.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-021/10:37:33.1
4907	M1O	04-021/10:48:20.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-021/10:37:34.1
4908	M1O	04-021/10:48:21.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-021/10:37:35.1
4909	M1O	04-021/10:48:22.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-021/10:37:36.1
4910	M1O	04-021/10:48:23.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-021/10:37:37.1
4911	M1O	04-021/10:48:24.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-021/10:37:38.1
4912	M1O	04-021/10:48:25.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-021/10:37:39.1
4913	M1O	04-021/10:52:35.3		NOTE: Enter Solar Eclipse 9328		04-021/10:41:48.6
4914	M1O	04-021/10:54:04.1		NOTE: Ascending Node Crossing 9328		04-021/10:43:17.4
4915	M1O	04-021/11:00:00.0	54	Begin Pre-Cal		
4916	M1O	04-021/11:00:00.0	54	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
4917	M1O	04-021/11:00:00.0	54	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4918	M1O	04-021/11:00:00.0	54	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
4919	M1O	04-021/11:00:00.0	54	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
4920	M1O	04-021/11:00:00.0	54	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
4921	M1O	04-021/11:00:00.0	54	Config: RCV: Parms:		
4922	M1O	04-021/11:00:00.0	54	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
4923	M1O	04-021/11:00:00.0	54	Config: TGC: BAND=X, SR=221200.000000		
4924	M1O	04-021/11:00:00.0	54	Config: UWV: AMP=XTWM1, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
4925	M1O	04-021/11:07:54.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-021/10:57:08.2
4926	M1O	04-021/11:07:56.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-021/10:57:09.3
4927	M1O	04-021/11:08:06.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-021/10:57:19.3
4928	M1O	04-021/11:08:07.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/10:57:20.3
4929	M1O	04-021/11:10:18.8		NOTE: Exit Solar Eclipse 9328		04-021/10:59:32.1
4930	M1O	04-021/11:23:17.5		NOTE: Apoapsis 9328 -		04-021/11:12:30.7
4931	M1O	04-021/11:24:02.7		NOTE: North Pole Crossing 9328		04-021/11:13:15.9
4932	M1O	04-021/11:24:21.0		NOTE: Enter Planetary Atmosphere 9328		04-021/11:13:34.2
4933	M1O	04-021/11:27:04.4		NOTE: Enter Earth Occultation 9328		04-021/11:16:17.6
4934	M1O	04-021/11:36:38.3		NOTE: Exit Earth Occultation 9328		04-021/11:25:51.4
4935	M1O	04-021/11:39:23.1		NOTE: Exit Planetary Atmosphere 9328		04-021/11:28:36.2
4936	M1O	04-021/11:54:00.0		NOTE: Descending Node Crossing 9329		04-021/11:43:13.1
4937	M1O	04-021/12:22:48.3		NOTE: Periapsis 9329 ----------		04-021/12:12:01.3
4938	M1O	04-021/12:23:16.7		NOTE: South Pole Crossing 9329		04-021/12:12:29.7
4939	M1O	04-021/12:29:35.0		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-021/12:18:48.0
4940	M1O	04-021/12:29:35.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/12:18:48.1
4941	M1O	04-021/12:29:36.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/12:18:49.1
4942	M1O	04-021/12:29:37.1		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-021/12:18:50.1
4943	M1O	04-021/12:29:38.1		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-021/12:18:51.1
4944	M1O	04-021/12:29:39.1		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-021/12:18:52.1
4945	M1O	04-021/12:29:49.1		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-021/12:19:02.1
4946	M1O	04-021/12:29:59.1		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-021/12:19:12.1
4947	M1O	04-021/12:30:00.0	54	Begin Tracking		
4948	M1O	04-021/12:30:00.0	54	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4949	M1O	04-021/12:30:00.0		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-021/12:19:13.0
4950	M1O	04-021/12:30:00.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-021/12:19:13.0
4951	M1O	04-021/12:30:00.0	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4952	M1O	04-021/12:30:06.0		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-021/12:19:19.0
4953	M1O	04-021/12:30:06.0	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4954	M1O	04-021/12:34:59.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/12:24:12.1
4955	M1O	04-021/12:35:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/12:24:13.1
4956	M1O	04-021/12:35:00.1	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4957	M1O	04-021/12:35:01.1		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-021/12:24:14.1
4958	M1O	04-021/12:50:06.0		SPAWN, Engine = 65535, Parameters = 021, 02, FALSE, 00:07:22.504, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-021/12:39:19.0
4959	M1O	04-021/12:50:07.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/12:39:20.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
4960	M1O	04-021/12:50:09.1		CALL, Engine = , Parameters = 56	get_cmd_opt	04-021/12:39:22.1
4961	M1O	04-021/12:50:51.3		CALL, Engine = , Parameters = 56	get_apid	04-021/12:40:04.3
4962	M1O	04-021/12:50:52.4		CALL, Engine = , Parameters = 56	get_rcv_mode	04-021/12:40:05.4
4963	M1O	04-021/12:50:52.6		CALL, Engine = , Parameters = 56	get_dl_rate	04-021/12:40:05.6
4964	M1O	04-021/12:50:53.7		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-021/12:40:06.7
4965	M1O	04-021/12:50:54.9		CALL, Engine = , Parameters = 56	get_coding	04-021/12:40:07.9
4966	M1O	04-021/12:50:56.1		CALL, Engine = , Parameters = 56	get_xmt_mode	04-021/12:40:09.1
4967	M1O	04-021/12:50:57.3		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-021/12:40:10.3
4968	M1O	04-021/12:51:05.6		NOTE: Enter Solar Eclipse 9329		04-021/12:40:18.5
4969	M1O	04-021/12:52:02.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-021/12:41:15.1
4970	M1O	04-021/12:52:03.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-021/12:41:16.1
4971	M1O	04-021/12:52:04.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-021/12:41:17.1
4972	M1O	04-021/12:52:05.1		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-021/12:41:18.1
4973	M1O	04-021/12:52:06.1		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-021/12:41:19.1
4974	M1O	04-021/12:52:07.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-021/12:41:20.1
4975	M1O	04-021/12:52:08.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-021/12:41:21.1
4976	M1O	04-021/12:52:34.6		NOTE: Ascending Node Crossing 9329		04-021/12:41:47.5
4977	M1O	04-021/12:59:26.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-021/12:48:39.6
4978	M1O	04-021/12:59:27.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-021/12:48:40.7
4979	M1O	04-021/12:59:37.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-021/12:48:50.7
4980	M1O	04-021/12:59:38.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/12:48:51.7
4981	M1O	04-021/13:08:47.8		NOTE: Exit Solar Eclipse 9329		04-021/12:58:00.7
4982	M1O	04-021/13:21:46.0		NOTE: Apoapsis 9329 -		04-021/13:10:58.8
4983	M1O	04-021/13:22:33.8		NOTE: North Pole Crossing 9329		04-021/13:11:46.6
4984	M1O	04-021/13:22:54.6		NOTE: Enter Planetary Atmosphere 9329		04-021/13:12:07.4
4985	M1O	04-021/13:24:37.5		SPAWN, Engine = 65535, Parameters = 3, 00:15:25.968, 1	dpt	04-021/13:13:50.3
4986	M1O	04-021/13:24:39.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/13:13:52.4
4987	M1O	04-021/13:24:39.6	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4988	M1O	04-021/13:24:40.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/13:13:53.4
4989	M1O	04-021/13:25:39.5		NOTE: Enter Earth Occultation 9329		04-021/13:14:52.3
4990	M1O	04-021/13:25:39.5	54	NOTE: Loss Of X-Band Signal		
4991	M1O	04-021/13:35:05.5		NOTE: Exit Earth Occultation 9329		04-021/13:24:18.2
4992	M1O	04-021/13:35:05.5	54	Acquisition Of X-Band Signal		
4993	M1O	04-021/13:35:05.5	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4994	M1O	04-021/13:37:51.8		NOTE: Exit Planetary Atmosphere 9329		04-021/13:27:04.6
4995	M1O	04-021/13:40:05.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/13:29:18.3
4996	M1O	04-021/13:40:05.6	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
4997	M1O	04-021/13:40:06.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/13:29:19.3
4998	M1O	04-021/13:52:31.5		NOTE: Descending Node Crossing 9330		04-021/13:41:44.3
4999	M1O	04-021/14:21:00.6		NOTE: Periapsis 9330 ----------		04-021/14:10:13.3
5000	M1O	04-021/14:21:48.0		NOTE: South Pole Crossing 9330		04-021/14:11:00.7
5001	M1O	04-021/14:49:39.9		NOTE: Enter Solar Eclipse 9330		04-021/14:38:52.5
5002	M1O	04-021/14:51:06.6		NOTE: Ascending Node Crossing 9330		04-021/14:40:19.1
5003	M1O	04-021/15:07:13.9		NOTE: Exit Solar Eclipse 9330		04-021/14:56:26.4
5004	M1O	04-021/15:20:03.1		NOTE: Apoapsis 9330 -		04-021/15:09:15.6
5005	M1O	04-021/15:21:06.8		NOTE: North Pole Crossing 9330		04-021/15:10:19.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5006	M1O	04-021/15:21:36.8		NOTE: Enter Planetary Atmosphere 9330		04-021/15:10:49.3
5007	M1O	04-021/15:23:24.7		SPAWN, Engine = 65535, Parameters = 3, 00:14:59.878, 1	dpt	04-021/15:12:37.2
5008	M1O	04-021/15:23:26.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/15:12:39.3
5009	M1O	04-021/15:23:26.8	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5010	M1O	04-021/15:23:27.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/15:12:40.3
5011	M1O	04-021/15:24:26.7		NOTE: Enter Earth Occultation 9330		04-021/15:13:39.2
5012	M1O	04-021/15:24:26.7	54	NOTE: Loss Of X-Band Signal		
5013	M1O	04-021/15:33:26.6		NOTE: Exit Earth Occultation 9330		04-021/15:22:39.0
5014	M1O	04-021/15:33:26.6	54	Acquisition Of X-Band Signal		
5015	M1O	04-021/15:33:26.6	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5016	M1O	04-021/15:36:18.1		NOTE: Exit Planetary Atmosphere 9330		04-021/15:25:30.5
5017	M1O	04-021/15:38:26.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/15:27:39.1
5018	M1O	04-021/15:38:26.8	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5019	M1O	04-021/15:38:27.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/15:27:40.1
5020	M1O	04-021/15:50:37.6		SPAWN, Engine = 65535, Parameters = 021, 03, FALSE, 00:09:20.634, 254, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-021/15:39:50.0
5021	M1O	04-021/15:50:38.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/15:39:51.1
5022	M1O	04-021/15:50:40.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-021/15:39:53.1
5023	M1O	04-021/15:51:05.2		NOTE: Descending Node Crossing 9331		04-021/15:40:17.6
5024	M1O	04-021/15:51:22.9		CALL, Engine = , Parameters = 254	get_apid	04-021/15:40:35.3
5025	M1O	04-021/15:51:24.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-021/15:40:36.4
5026	M1O	04-021/15:51:24.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-021/15:40:36.6
5027	M1O	04-021/15:51:25.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-021/15:40:37.7
5028	M1O	04-021/15:51:26.6		CALL, Engine = , Parameters = 254	get_coding	04-021/15:40:39.0
5029	M1O	04-021/15:51:27.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-021/15:40:40.2
5030	M1O	04-021/15:51:29.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-021/15:40:41.4
5031	M1O	04-021/15:52:33.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-021/15:41:46.2
5032	M1O	04-021/15:52:34.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-021/15:41:47.2
5033	M1O	04-021/15:52:35.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-021/15:41:48.2
5034	M1O	04-021/15:52:36.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-021/15:41:49.2
5035	M1O	04-021/15:52:37.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-021/15:41:50.2
5036	M1O	04-021/15:52:38.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-021/15:41:51.2
5037	M1O	04-021/15:52:39.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-021/15:41:52.2
5038	M1O	04-021/16:01:56.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-021/15:51:08.8
5039	M1O	04-021/16:01:57.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-021/15:51:09.9
5040	M1O	04-021/16:02:07.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-021/15:51:19.9
5041	M1O	04-021/16:02:08.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/15:51:20.9
5042	M1O	04-021/16:19:36.9		NOTE: Periapsis 9331 ----------		04-021/16:08:49.1
5043	M1O	04-021/16:20:23.0		NOTE: South Pole Crossing 9331		04-021/16:09:35.3
5044	M1O	04-021/16:48:17.4		NOTE: Enter Solar Eclipse 9331		04-021/16:37:29.6
5045	M1O	04-021/16:49:42.7		NOTE: Ascending Node Crossing 9331		04-021/16:38:54.9
5046	M1O	04-021/17:05:46.6		NOTE: Exit Solar Eclipse 9331		04-021/16:54:58.7
5047	M1O	04-021/17:18:48.4		NOTE: Apoapsis 9331 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5050	M1O	04-021/17:22:08.6		SPAWN, Engine = 65535, Parameters = 3, 00:14:43.797, 1	dpt	04-021/17:11:20.7
5051	M1O	04-021/17:22:10.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/17:11:22.8
5052	M1O	04-021/17:22:10.7	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5053	M1O	04-021/17:22:11.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/17:11:23.8
5054	M1O	04-021/17:23:10.6		NOTE: Enter Earth Occultation 9331		04-021/17:12:22.7
5055	M1O	04-021/17:23:10.6	54	NOTE: Loss Of X-Band Signal		
5056	M1O	04-021/17:31:54.4		NOTE: Exit Earth Occultation 9331		04-021/17:21:06.5
5057	M1O	04-021/17:31:54.4	54	Acquisition Of X-Band Signal		
5058	M1O	04-021/17:31:54.4	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5059	M1O	04-021/17:34:49.0		NOTE: Exit Planetary Atmosphere 9331		04-021/17:24:01.0
5060	M1O	04-021/17:36:54.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/17:26:06.6
5061	M1O	04-021/17:36:54.5	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5062	M1O	04-021/17:36:55.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/17:26:07.6
5063	M1O	04-021/17:42:37.9		SPAWN, Engine = 65535, Parameters = 021, 04, TRUE, 00:19:10, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-021/17:31:50.0
5064	M1O	04-021/17:42:38.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/17:31:50.5
5065	M1O	04-021/17:42:38.4	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5066	M1O	04-021/17:42:39.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/17:31:51.1
5067	M1O	04-021/17:42:41.0		CALL, Engine = , Parameters = 254	get_cmd_opt	04-021/17:31:53.1
5068	M1O	04-021/17:42:41.3		CALL, Engine = , Parameters = 021, 04, 254	bld_autosw	04-021/17:31:53.4
5069	M1O	04-021/17:42:42.4		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-021/17:31:54.5
5070	M1O	04-021/17:42:43.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:31:55.6
5071	M1O	04-021/17:42:44.5		Deletes the designated file.: d:/dat/254_doy021_pass04_file01.dat	FILE_DELETE	04-021/17:31:56.6
5072	M1O	04-021/17:42:45.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:31:57.7
5073	M1O	04-021/17:42:46.6		Deletes the designated file.: d:/dat/254_doy021_pass04_file02.dat	FILE_DELETE	04-021/17:31:58.7
5074	M1O	04-021/17:42:47.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:31:59.8
5075	M1O	04-021/17:42:48.7		Deletes the designated file.: d:/dat/254_doy021_pass04_file03.dat	FILE_DELETE	04-021/17:32:00.8
5076	M1O	04-021/17:42:49.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:01.9
5077	M1O	04-021/17:42:50.8		Deletes the designated file.: d:/dat/254_doy021_pass04_file04.dat	FILE_DELETE	04-021/17:32:02.9
5078	M1O	04-021/17:42:51.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:04.0
5079	M1O	04-021/17:42:52.9		Deletes the designated file.: d:/dat/254_doy021_pass04_file05.dat	FILE_DELETE	04-021/17:32:05.0
5080	M1O	04-021/17:42:54.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:06.1
5081	M1O	04-021/17:42:55.0		Deletes the designated file.: d:/dat/254_doy021_pass04_file06.dat	FILE_DELETE	04-021/17:32:07.1
5082	M1O	04-021/17:42:56.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:08.2
5083	M1O	04-021/17:42:57.1		Deletes the designated file.: d:/dat/254_doy021_pass04_file07.dat	FILE_DELETE	04-021/17:32:09.2
5084	M1O	04-021/17:42:58.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:10.3
5085	M1O	04-021/17:42:59.2		Deletes the designated file.: d:/dat/254_doy021_pass04_file08.dat	FILE_DELETE	04-021/17:32:11.3
5086	M1O	04-021/17:43:00.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:12.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5087	M1O	04-021/17:43:01.3		Deletes the designated file.: d:/dat/254_doy021_pass04_file09.dat	FILE_DELETE	04-021/17:32:13.4
5088	M1O	04-021/17:43:02.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:14.5
5089	M1O	04-021/17:43:03.4		Deletes the designated file.: d:/dat/254_doy021_pass04_file10.dat	FILE_DELETE	04-021/17:32:15.5
5090	M1O	04-021/17:43:04.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:16.6
5091	M1O	04-021/17:43:05.5		Deletes the designated file.: d:/dat/254_doy021_pass04_file11.dat	FILE_DELETE	04-021/17:32:17.6
5092	M1O	04-021/17:43:06.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:18.7
5093	M1O	04-021/17:43:07.6		Deletes the designated file.: d:/dat/254_doy021_pass04_file12.dat	FILE_DELETE	04-021/17:32:19.7
5094	M1O	04-021/17:43:08.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:20.8
5095	M1O	04-021/17:43:09.7		Deletes the designated file.: d:/dat/254_doy021_pass04_file13.dat	FILE_DELETE	04-021/17:32:21.8
5096	M1O	04-021/17:43:10.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:22.9
5097	M1O	04-021/17:43:11.8		Deletes the designated file.: d:/dat/254_doy021_pass04_file14.dat	FILE_DELETE	04-021/17:32:23.9
5098	M1O	04-021/17:43:12.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:25.0
5099	M1O	04-021/17:43:13.9		Deletes the designated file.: d:/dat/254_doy021_pass04_file15.dat	FILE_DELETE	04-021/17:32:26.0
5100	M1O	04-021/17:43:15.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:27.1
5101	M1O	04-021/17:43:16.1		Deletes the designated file.: d:/dat/254_doy021_pass04_file16.dat	FILE_DELETE	04-021/17:32:28.1
5102	M1O	04-021/17:43:17.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:29.2
5103	M1O	04-021/17:43:18.2		Deletes the designated file.: d:/dat/254_doy021_pass04_file17.dat	FILE_DELETE	04-021/17:32:30.2
5104	M1O	04-021/17:43:19.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:31.3
5105	M1O	04-021/17:43:20.3		Deletes the designated file.: d:/dat/254_doy021_pass04_file18.dat	FILE_DELETE	04-021/17:32:32.3
5106	M1O	04-021/17:43:21.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy021_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-021/17:32:33.4
5107	M1O	04-021/17:43:22.4		Deletes the designated file.: d:/dat/254_doy021_pass04_file19.dat	FILE_DELETE	04-021/17:32:34.4
5108	M1O	04-021/17:43:23.4		CALL, Engine = , Parameters = 254	get_apid	04-021/17:32:35.4
5109	M1O	04-021/17:43:24.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-021/17:32:36.5
5110	M1O	04-021/17:43:24.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-021/17:32:36.7
5111	M1O	04-021/17:43:25.8		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-021/17:32:37.8
5112	M1O	04-021/17:43:27.1		CALL, Engine = , Parameters = 254	get_coding	04-021/17:32:39.1
5113	M1O	04-021/17:43:28.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-021/17:32:40.3
5114	M1O	04-021/17:43:29.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-021/17:32:41.5
5115	M1O	04-021/17:44:34.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-021/17:33:46.3
5116	M1O	04-021/17:44:35.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-021/17:33:47.3
5117	M1O	04-021/17:44:36.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-021/17:33:48.3
5118	M1O	04-021/17:44:37.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-021/17:33:49.3
5119	M1O	04-021/17:44:38.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-021/17:33:50.3
5120	M1O	04-021/17:44:39.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-021/17:33:51.3
5121	M1O	04-021/17:44:40.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-021/17:33:52.3
5122	M1O	04-021/17:46:30.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/17:35:42.3
5123	M1O	04-021/17:46:40.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-021/17:35:52.3
5124	M1O	04-021/17:49:41.1		NOTE: Descending Node Crossing 9332		04-021/17:38:53.1
5125	M1O	04-021/18:03:48.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-021/17:53:00.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5126	M1O	04-021/18:03:49.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-021/17:53:01.4
5127	M1O	04-021/18:03:59.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-021/17:53:11.4
5128	M1O	04-021/18:04:00.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/17:53:12.4
5129	M1O	04-021/18:04:01.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-021/17:53:13.4
5130	M1O	04-021/18:04:01.4	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5131	M1O	04-021/18:04:02.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-021/17:53:14.4
5132	M1O	04-021/18:09:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/17:58:13.0
5133	M1O	04-021/18:09:01.0	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5134	M1O	04-021/18:18:36.6		NOTE: Periapsis 9332 ----------		04-021/18:07:48.5
5135	M1O	04-021/18:19:00.0		NOTE: South Pole Crossing 9332		04-021/18:08:11.9
5136	M1O	04-021/18:30:00.0	15	Begin Pre-Cal		
5137	M1O	04-021/18:30:00.0	15	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
5138	M1O	04-021/18:30:00.0	15	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
5139	M1O	04-021/18:30:00.0	15	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
5140	M1O	04-021/18:30:00.0	15	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
5141	M1O	04-021/18:30:00.0	15	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
5142	M1O	04-021/18:30:00.0	15	Config: RCV: Parms:		
5143	M1O	04-021/18:30:00.0	15	Config: TLM: DC= 3700, IC1=L, IC2=6, IC3=A15R6, OC1=B, OC2=S		
5144	M1O	04-021/18:30:00.0	15	Config: TGC: BAND=X, SR=238896.000000		
5145	M1O	04-021/18:30:00.0	15	Config: TXL		
5146	M1O	04-021/18:30:00.0	15	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
5147	M1O	04-021/18:30:00.0	15	Config: CMD		
5148	M1O	04-021/18:30:00.0	15	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
5149	M1O	04-021/18:46:53.2		NOTE: Enter Solar Eclipse 9332		04-021/18:36:05.0
5150	M1O	04-021/18:48:19.9		NOTE: Ascending Node Crossing 9332		04-021/18:37:31.7
5151	M1O	04-021/19:04:23.5		NOTE: Exit Solar Eclipse 9332		04-021/18:53:35.3
5152	M1O	04-021/19:17:54.7		NOTE: Apoapsis 9332 -		04-021/19:07:06.4
5153	M1O	04-021/19:18:19.3		NOTE: North Pole Crossing 9332		04-021/19:07:31.0
5154	M1O	04-021/19:18:54.8		NOTE: Enter Planetary Atmosphere 9332		04-021/19:08:06.5
5155	M1O	04-021/19:20:47.2		SPAWN, Engine = 65535, Parameters = 3, 00:14:38.086, 1	dpt	04-021/19:09:58.9
5156	M1O	04-021/19:20:49.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/19:10:01.0
5157	M1O	04-021/19:20:49.3	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5158	M1O	04-021/19:20:50.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/19:10:02.0
5159	M1O	04-021/19:21:49.2		NOTE: Enter Earth Occultation 9332		04-021/19:11:00.9
5160	M1O	04-021/19:21:49.2	54	NOTE: Loss Of X-Band Signal		
5161	M1O	04-021/19:30:27.3		NOTE: Exit Earth Occultation 9332		04-021/19:19:39.0
5162	M1O	04-021/19:30:27.3	54	Acquisition Of X-Band Signal		
5163	M1O	04-021/19:30:27.3	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5164	M1O	04-021/19:33:23.0		NOTE: Exit Planetary Atmosphere 9332		04-021/19:22:34.6
5165	M1O	04-021/19:35:27.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/19:24:39.1
5166	M1O	04-021/19:35:27.4	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5167	M1O	04-021/19:35:28.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/19:24:40.1
5168	M1O	04-021/19:48:17.9		NOTE: Descending Node Crossing 9333		04-021/19:37:29.5
5169	M1O	04-021/20:00:00.0	15	Begin Tracking		
5170	M1O	04-021/20:00:00.0	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5171	M1O	04-021/20:01:00.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5172	M1O	04-021/20:06:00.0	15	Range Modulation On: SUP=3.0dB		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5173	M1O	04-021/20:07:00.0	15	Begin Ranging Acquisition		
5174	M1O	04-021/20:17:32.6		NOTE: Periapsis 9333 ----------		04-021/20:06:44.1
5175	M1O	04-021/20:17:36.6		NOTE: South Pole Crossing 9333		04-021/20:06:48.1
5176	M1O	04-021/20:21:34.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-021/20:10:45.9
5177	M1O	04-021/20:21:36.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/20:10:48.0
5178	M1O	04-021/20:21:36.5	15	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5179	M1O	04-021/20:21:36.5	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5180	M1O	04-021/20:21:37.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/20:10:49.0
5181	M1O	04-021/20:22:36.8	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5182	M1O	04-021/20:22:36.8	54	Acquire D/L: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5183	M1O	04-021/20:27:36.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/20:16:48.0
5184	M1O	04-021/20:27:36.5	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5185	M1O	04-021/20:27:36.5	54	D/L Change: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5186	M1O	04-021/20:27:37.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/20:16:49.0
5187	M1O	04-021/20:43:14.7	15	NOTE: X-Band Transmitter Off in 15 minutes		
5188	M1O	04-021/20:45:26.6		NOTE: Enter Solar Eclipse 9333		04-021/20:34:38.0
5189	M1O	04-021/20:46:55.7		NOTE: Ascending Node Crossing 9333		04-021/20:36:07.1
5190	M1O	04-021/20:53:15.0	15	Range Modulation Off		
5191	M1O	04-021/20:58:14.7	15	X-Band Transmitter Off		
5192	M1O	04-021/21:03:00.6		NOTE: Exit Solar Eclipse 9333		04-021/20:52:12.0
5193	M1O	04-021/21:08:00.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5194	M1O	04-021/21:13:00.0	15	Range Modulation On: SUP=3.0dB		
5195	M1O	04-021/21:14:00.0	15	Begin Ranging Acquisition		
5196	M1O	04-021/21:16:43.7		NOTE: Apoapsis 9333 -		04-021/21:05:55.0
5197	M1O	04-021/21:16:55.1		NOTE: North Pole Crossing 9333		04-021/21:06:06.4
5198	M1O	04-021/21:17:28.5		NOTE: Enter Planetary Atmosphere 9333		04-021/21:06:39.8
5199	M1O	04-021/21:18:49.6		SPAWN, Engine = 65535, Parameters = 3, 00:15:45, 1	dpt	04-021/21:08:00.9
5200	M1O	04-021/21:18:51.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/21:08:03.0
5201	M1O	04-021/21:18:51.7	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5202	M1O	04-021/21:18:51.7	54	D/L Change: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5203	M1O	04-021/21:18:52.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/21:08:04.0
5204	M1O	04-021/21:19:51.9	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5205	M1O	04-021/21:19:51.9	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5206	M1O	04-021/21:20:21.9		NOTE: Enter Earth Occultation 9333		04-021/21:09:33.2
5207	M1O	04-021/21:20:21.9	15	NOTE: Loss Of X-Band Signal		
5208	M1O	04-021/21:20:21.9	54	NOTE: Loss Of X-Band Signal		
5209	M1O	04-021/21:29:04.7		NOTE: Exit Earth Occultation 9333		04-021/21:18:16.0
5210	M1O	04-021/21:29:04.7	15	Acquisition Of X-Band Signal		
5211	M1O	04-021/21:29:04.7	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5212	M1O	04-021/21:29:04.7	54	Acquisition Of X-Band Signal		
5213	M1O	04-021/21:29:04.7	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5214	M1O	04-021/21:29:37.3	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5215	M1O	04-021/21:29:37.3	54	Acquire D/L: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5216	M1O	04-021/21:31:59.6		NOTE: Exit Planetary Atmosphere 9333		04-021/21:21:10.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5217	M1O	04-021/21:34:36.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/21:23:48.0
5218	M1O	04-021/21:34:36.7	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5219	M1O	04-021/21:34:36.7	54	D/L Change: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5220	M1O	04-021/21:34:37.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/21:23:49.0
5221	M1O	04-021/21:38:32.7		SPAWN, Engine = 65535, Parameters = 021, 03, FALSE, 00:06:16.317, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-021/21:27:44.0
5222	M1O	04-021/21:38:33.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/21:27:45.1
5223	M1O	04-021/21:38:35.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-021/21:27:47.1
5224	M1O	04-021/21:39:18.0		CALL, Engine = , Parameters = 56	get_apid	04-021/21:28:29.3
5225	M1O	04-021/21:39:19.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-021/21:28:30.4
5226	M1O	04-021/21:39:19.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-021/21:28:30.6
5227	M1O	04-021/21:39:20.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-021/21:28:31.7
5228	M1O	04-021/21:39:21.6		CALL, Engine = , Parameters = 56	get_coding	04-021/21:28:32.9
5229	M1O	04-021/21:39:22.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-021/21:28:34.1
5230	M1O	04-021/21:39:24.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-021/21:28:35.3
5231	M1O	04-021/21:40:28.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-021/21:29:40.1
5232	M1O	04-021/21:40:29.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-021/21:29:41.1
5233	M1O	04-021/21:40:30.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-021/21:29:42.1
5234	M1O	04-021/21:40:31.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-021/21:29:43.1
5235	M1O	04-021/21:40:32.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-021/21:29:44.1
5236	M1O	04-021/21:40:33.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-021/21:29:45.1
5237	M1O	04-021/21:40:34.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-021/21:29:46.1
5238	M1O	04-021/21:46:47.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-021/21:35:58.4
5239	M1O	04-021/21:46:48.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-021/21:35:59.5
5240	M1O	04-021/21:46:53.9		NOTE: Descending Node Crossing 9334		04-021/21:36:05.1
5241	M1O	04-021/21:46:58.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-021/21:36:09.5
5242	M1O	04-021/21:46:59.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/21:36:10.5
5243	M1O	04-021/22:16:06.7		NOTE: Periapsis 9334 ----------		04-021/22:05:17.8
5244	M1O	04-021/22:16:11.2		NOTE: South Pole Crossing 9334		04-021/22:05:22.4
5245	M1O	04-021/22:41:39.0	15	NOTE: X-Band Transmitter Off in 15 minutes		
5246	M1O	04-021/22:43:58.0		NOTE: Enter Solar Eclipse 9334		04-021/22:33:09.0
5247	M1O	04-021/22:45:29.1		NOTE: Ascending Node Crossing 9334		04-021/22:34:40.1
5248	M1O	04-021/22:51:39.0	15	Range Modulation Off		
5249	M1O	04-021/22:56:39.0	15	X-Band Transmitter Off		
5250	M1O	04-021/23:01:36.2		NOTE: Exit Solar Eclipse 9334		04-021/22:50:47.2
5251	M1O	04-021/23:06:39.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5252	M1O	04-021/23:10:00.0	54	End Tracking		
5253	M1O	04-021/23:11:39.0	15	Range Modulation On: SUP=3.0dB		
5254	M1O	04-021/23:12:39.0	15	Begin Ranging Acquisition		
5255	M1O	04-021/23:15:02.4		NOTE: Apoapsis 9334 -		04-021/23:04:13.4
5256	M1O	04-021/23:15:28.3		NOTE: North Pole Crossing 9334		04-021/23:04:39.2
5257	M1O	04-021/23:15:56.4		NOTE: Enter Planetary Atmosphere 9334		04-021/23:05:07.4
5258	M1O	04-021/23:17:15.0		SPAWN, Engine = 65535, Parameters = 3, 00:15:59, 1	dpt	04-021/23:06:25.9
5259	M1O	04-021/23:17:17.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-021/23:06:28.0
5260	M1O	04-021/23:17:17.1	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5261	M1O	04-021/23:17:18.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-021/23:06:29.0
5262	M1O	04-021/23:18:17.0	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5263	M1O	04-021/23:18:47.0		NOTE: Enter Earth Occultation 9334		04-021/23:07:57.9
5264	M1O	04-021/23:18:47.0	15	NOTE: Loss Of X-Band Signal		
5265	M1O	04-021/23:25:00.0	54	End Post-Cal		
5266	M1O	04-021/23:27:44.6		NOTE: Exit Earth Occultation 9334		04-021/23:16:55.5
5267	M1O	04-021/23:27:44.6	15	Acquisition Of X-Band Signal		
5268	M1O	04-021/23:27:44.6	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5269	M1O	04-021/23:28:17.0	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5270	M1O	04-021/23:29:34.1		SPAWN, Engine = 65535, Parameters = 021, 04, FALSE, 00:19:32.270, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-021/23:18:45.0
5271	M1O	04-021/23:29:35.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/23:18:46.1
5272	M1O	04-021/23:29:37.2		CALL, Engine = , Parameters = 56	get_cmd_opt	04-021/23:18:48.1
5273	M1O	04-021/23:30:19.4		CALL, Engine = , Parameters = 56	get_apid	04-021/23:19:30.3
5274	M1O	04-021/23:30:20.5		CALL, Engine = , Parameters = 56	get_rcv_mode	04-021/23:19:31.4
5275	M1O	04-021/23:30:20.7		CALL, Engine = , Parameters = 56	get_dl_rate	04-021/23:19:31.6
5276	M1O	04-021/23:30:21.8		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-021/23:19:32.7
5277	M1O	04-021/23:30:23.0		CALL, Engine = , Parameters = 56	get_coding	04-021/23:19:33.9
5278	M1O	04-021/23:30:24.2		CALL, Engine = , Parameters = 56	get_xmt_mode	04-021/23:19:35.1
5279	M1O	04-021/23:30:25.4		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-021/23:19:36.3
5280	M1O	04-021/23:30:36.6		NOTE: Exit Planetary Atmosphere 9334		04-021/23:19:47.5
5281	M1O	04-021/23:31:30.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-021/23:20:41.1
5282	M1O	04-021/23:31:31.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-021/23:20:42.1
5283	M1O	04-021/23:31:32.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-021/23:20:43.1
5284	M1O	04-021/23:31:33.2		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-021/23:20:44.1
5285	M1O	04-021/23:31:34.2		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-021/23:20:45.1
5286	M1O	04-021/23:31:35.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-021/23:20:46.1
5287	M1O	04-021/23:31:36.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-021/23:20:47.1
5288	M1O	04-021/23:33:16.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-021/23:22:27.0
5289	M1O	04-021/23:33:16.1	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5290	M1O	04-021/23:33:17.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-021/23:22:28.0
5291	M1O	04-021/23:45:26.5		NOTE: Descending Node Crossing 9335		04-021/23:34:37.4
5292	M1O	04-021/23:51:04.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-021/23:40:15.3
5293	M1O	04-021/23:51:05.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-021/23:40:16.4
5294	M1O	04-021/23:51:15.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-021/23:40:26.4
5295	M1O	04-021/23:51:16.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-021/23:40:27.4
5296	M1O	04-022/00:00:00.0		Light Time: OWLT = 10:49, RTLT = 21:38		
5297	M1O	04-022/00:10:46.2		Loads the disignated sequence block from the file system.: 65535, d:/seq/cz505.abs	VM_LOAD	04-021/23:59:57.0
5298	M1O	04-022/00:10:49.2		Dummy command to mark beg/end of mini sequences: cz505a, 2004-029T00:00:02.000	START_MINI	04-022/00:00:00.0
5299	M1O	04-022/00:10:59.2		Deletes the designated file.: d:/seq/cz505.abs	FILE_DELETE	04-022/00:00:10.0
5300	M1O	04-022/00:14:18.6		NOTE: Periapsis 9335 ----------		04-022/00:03:29.3
5301	M1O	04-022/00:14:43.0		NOTE: South Pole Crossing 9335		04-022/00:03:53.8
5302	M1O	04-022/00:40:05.8	15	NOTE: X-Band Transmitter Off in 15 minutes		
5303	M1O	04-022/00:42:30.2		NOTE: Enter Solar Eclipse 9335		04-022/00:31:40.9
5304	M1O	04-022/00:44:00.6		NOTE: Ascending Node Crossing 9335		04-022/00:33:11.3
5305	M1O	04-022/00:50:06.0	15	Range Modulation Off		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5306	M1O	04-022/00:55:05.8	15	X-Band Transmitter Off		
5307	M1O	04-022/01:00:08.1		NOTE: Exit Solar Eclipse 9335		04-022/00:49:18.7
5308	M1O	04-022/01:05:10.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5309	M1O	04-022/01:10:10.0	15	Range Modulation On: SUP=3.0dB		
5310	M1O	04-022/01:11:10.0	15	Begin Ranging Acquisition		
5311	M1O	04-022/01:13:16.3		NOTE: Apoapsis 9335 -		04-022/01:02:26.8
5312	M1O	04-022/01:13:59.3		NOTE: North Pole Crossing 9335		04-022/01:03:09.9
5313	M1O	04-022/01:14:24.9		NOTE: Enter Planetary Atmosphere 9335		04-022/01:03:35.5
5314	M1O	04-022/01:15:42.5		SPAWN, Engine = 65535, Parameters = 3, 00:16:04, 1	dpt	04-022/01:04:53.1
5315	M1O	04-022/01:15:44.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/01:04:55.2
5316	M1O	04-022/01:15:44.6	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5317	M1O	04-022/01:15:45.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/01:04:56.2
5318	M1O	04-022/01:16:44.5	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5319	M1O	04-022/01:17:14.5		NOTE: Enter Earth Occultation 9335		04-022/01:06:25.1
5320	M1O	04-022/01:17:14.5	15	NOTE: Loss Of X-Band Signal		
5321	M1O	04-022/01:26:17.4		NOTE: Exit Earth Occultation 9335		04-022/01:15:27.9
5322	M1O	04-022/01:26:17.4	15	Acquisition Of X-Band Signal		
5323	M1O	04-022/01:26:17.4	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5324	M1O	04-022/01:26:48.8	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5325	M1O	04-022/01:29:08.4		NOTE: Exit Planetary Atmosphere 9335		04-022/01:18:18.9
5326	M1O	04-022/01:31:48.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/01:20:59.2
5327	M1O	04-022/01:31:48.6	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5328	M1O	04-022/01:31:49.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/01:21:00.2
5329	M1O	04-022/01:43:56.6		NOTE: Descending Node Crossing 9336		04-022/01:33:07.1
5330	M1O	04-022/02:12:36.8		NOTE: Periapsis 9336 ----------		04-022/02:01:47.2
5331	M1O	04-022/02:13:13.7		NOTE: South Pole Crossing 9336		04-022/02:02:24.1
5332	M1O	04-022/02:38:52.5	15	NOTE: X-Band Transmitter Off in 15 minutes		
5333	M1O	04-022/02:41:03.9		NOTE: Enter Solar Eclipse 9336		04-022/02:30:14.2
5334	M1O	04-022/02:42:32.5		NOTE: Ascending Node Crossing 9336		04-022/02:31:42.8
5335	M1O	04-022/02:48:53.0	15	Range Modulation Off		
5336	M1O	04-022/02:53:52.5	15	X-Band Transmitter Off		
5337	M1O	04-022/02:58:35.4		NOTE: Exit Solar Eclipse 9336		04-022/02:47:45.6
5338	M1O	04-022/03:03:29.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5339	M1O	04-022/03:08:29.0	15	Range Modulation On: SUP=3.0dB		
5340	M1O	04-022/03:09:29.0	15	Begin Ranging Acquisition		
5341	M1O	04-022/03:11:55.1		NOTE: Apoapsis 9336 -		04-022/03:01:05.3
5342	M1O	04-022/03:12:31.8		NOTE: North Pole Crossing 9336		04-022/03:01:42.0
5343	M1O	04-022/03:13:06.5		NOTE: Enter Planetary Atmosphere 9336		04-022/03:02:16.7
5344	M1O	04-022/03:14:29.9		SPAWN, Engine = 65535, Parameters = 3, 00:15:36, 1	dpt	04-022/03:03:40.1
5345	M1O	04-022/03:14:32.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/03:03:42.2
5346	M1O	04-022/03:14:32.0	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5347	M1O	04-022/03:14:33.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/03:03:43.2
5348	M1O	04-022/03:15:32.0	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5349	M1O	04-022/03:16:02.0		NOTE: Enter Earth Occultation 9336		04-022/03:05:12.2
5350	M1O	04-022/03:16:02.0	15	NOTE: Loss Of X-Band Signal		
5351	M1O	04-022/03:24:36.0		NOTE: Exit Earth Occultation 9336		04-022/03:13:46.1
5352	M1O	04-022/03:24:36.0	15	Acquisition Of X-Band Signal		
5353	M1O	04-022/03:24:36.0	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5354	M1O	04-022/03:25:08.5	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5355	M1O	04-022/03:27:32.9		NOTE: Exit Planetary Atmosphere 9336		04-022/03:16:43.0
5356	M1O	04-022/03:28:41.0	15	NOTE: X-Band Transmitter Off in 15 minutes		
5357	M1O	04-022/03:30:08.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/03:19:18.2
5358	M1O	04-022/03:30:08.0	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5359	M1O	04-022/03:30:09.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/03:19:19.2
5360	M1O	04-022/03:38:41.0	15	Range Modulation Off		
5361	M1O	04-022/03:42:29.8		NOTE: Descending Node Crossing 9337		04-022/03:31:39.9
5362	M1O	04-022/03:43:41.0	15	X-Band Transmitter Off		
5363	M1O	04-022/03:55:29.9		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-022/03:44:40.0
5364	M1O	04-022/03:55:30.0		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-022/03:44:40.1
5365	M1O	04-022/03:55:31.0		Forces a desaturation of the reaction wheels.	RW_DESAT	04-022/03:44:41.1
5366	M1O	04-022/03:57:09.9		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, TRUE	cend	04-022/03:46:20.0
5367	M1O	04-022/03:57:25.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-020T03:46:20.100, 2004-022T03:46:20.100	PCKTS_RE_TX_TIME	04-022/03:46:35.8
5368	M1O	04-022/03:57:26.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-020T03:46:20.100, 2004-022T03:46:20.100	PCKTS_RE_TX_TIME	04-022/03:46:36.8
5369	M1O	04-022/03:57:27.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-020T03:46:20.100, 2004-022T03:46:20.100	PCKTS_RE_TX_TIME	04-022/03:46:37.8
5370	M1O	04-022/03:57:28.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-020T03:46:20.100, 2004-022T03:46:20.100	PCKTS_RE_TX_TIME	04-022/03:46:38.8
5371	M1O	04-022/03:57:29.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-020T03:46:20.100, 2004-022T03:46:20.100	PCKTS_RE_TX_TIME	04-022/03:46:39.8
5372	M1O	04-022/03:57:30.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-020T03:46:20.100, 2004-022T03:46:20.100	PCKTS_RE_TX_TIME	04-022/03:46:40.8
5373	M1O	04-022/03:57:30.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-022/03:46:40.8
5374	M1O	04-022/03:57:30.7	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5375	M1O	04-022/04:04:31.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/03:53:41.8
5376	M1O	04-022/04:04:31.7	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5377	M1O	04-022/04:04:32.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/03:53:42.8
5378	M1O	04-022/04:05:02.7		Turns power OFF or ON to the SDST exciter on the active telecom side.: OFF	SDST_EXCITER	04-022/03:54:12.8
5379	M1O	04-022/04:05:02.7	15	NOTE: Loss Of X-Band Signal		
5380	M1O	04-022/04:05:12.7		Turns power OFF or ON to the SSPA assigned as active.: OFF	SSPA_POWER	04-022/03:54:22.8
5381	M1O	04-022/04:05:13.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-022/03:54:23.8
5382	M1O	04-022/04:05:14.7		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-022/03:54:24.8
5383	M1O	04-022/04:07:01.0		CALL, Engine = , Parameters = FALSE	park_hga	04-022/03:56:11.1
5384	M1O	04-022/04:07:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/03:56:11.1
5385	M1O	04-022/04:07:02.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-022/03:56:12.1
5386	M1O	04-022/04:07:03.0		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-022/03:56:13.1
5387	M1O	04-022/04:07:03.0		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-022/03:56:13.1
5388	M1O	04-022/04:07:03.0		NOTE: START HGA PARK		
5389	M1O	04-022/04:07:04.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-022/03:56:14.1
5390	M1O	04-022/04:07:05.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-022/03:56:15.1
5391	M1O	04-022/04:11:15.1		NOTE: Periapsis 9337 ----------		04-022/04:00:25.2
5392	M1O	04-022/04:11:35.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-022/04:00:45.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5393	M1O	04-022/04:11:47.5		NOTE: South Pole Crossing 9337		04-022/04:00:57.5
5394	M1O	04-022/04:15:05.1		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-022/04:04:15.1
5395	M1O	04-022/04:15:05.1		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-022/04:04:15.1
5396	M1O	04-022/04:28:32.0		SPAWN, Engine = 65535, Parameters = 022, 01, FALSE, 00:12:57.142, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-022/04:17:42.0
5397	M1O	04-022/04:28:33.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/04:17:43.1
5398	M1O	04-022/04:28:35.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-022/04:17:45.1
5399	M1O	04-022/04:29:17.3		CALL, Engine = , Parameters = 254	get_apid	04-022/04:18:27.3
5400	M1O	04-022/04:29:18.4		CALL, Engine = , Parameters = 254	get_rcv_mode	04-022/04:18:28.4
5401	M1O	04-022/04:29:18.6		CALL, Engine = , Parameters = 254	get_dl_rate	04-022/04:18:28.6
5402	M1O	04-022/04:29:19.7		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-022/04:18:29.7
5403	M1O	04-022/04:29:21.0		CALL, Engine = , Parameters = 254	get_coding	04-022/04:18:31.0
5404	M1O	04-022/04:29:22.2		CALL, Engine = , Parameters = 254	get_xmt_mode	04-022/04:18:32.2
5405	M1O	04-022/04:29:23.4		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-022/04:18:33.4
5406	M1O	04-022/04:30:28.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-022/04:19:38.2
5407	M1O	04-022/04:30:29.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-022/04:19:39.2
5408	M1O	04-022/04:30:30.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-022/04:19:40.2
5409	M1O	04-022/04:30:31.2		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-022/04:19:41.2
5410	M1O	04-022/04:30:32.2		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-022/04:19:42.2
5411	M1O	04-022/04:30:33.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-022/04:19:43.2
5412	M1O	04-022/04:30:34.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-022/04:19:44.2
5413	M1O	04-022/04:39:38.4		NOTE: Enter Solar Eclipse 9337		04-022/04:28:48.3
5414	M1O	04-022/04:41:06.8		NOTE: Ascending Node Crossing 9337		04-022/04:30:16.7
5415	M1O	04-022/04:43:27.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-022/04:32:37.3
5416	M1O	04-022/04:43:28.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-022/04:32:38.4
5417	M1O	04-022/04:43:38.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-022/04:32:48.4
5418	M1O	04-022/04:43:39.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/04:32:49.4
5419	M1O	04-022/04:45:05.1		GV: GV_DESAT_ACTIVE = 1		04-022/04:34:15.0
5420	M1O	04-022/04:45:06.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-022/04:34:16.0
5421	M1O	04-022/04:45:06.1		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-022/04:34:16.0
5422	M1O	04-022/04:55:05.1		GV: GV_DESAT_ACTIVE = 0		04-022/04:44:15.0
5423	M1O	04-022/04:55:06.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-022/04:44:16.0
5424	M1O	04-022/04:55:07.1		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-022/04:44:17.0
5425	M1O	04-022/04:55:08.1		CALL, Engine = , Parameters =	unpark_hga	04-022/04:44:18.0
5426	M1O	04-022/04:55:08.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-022/04:44:18.0
5427	M1O	04-022/04:55:09.1		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-022/04:44:19.0
5428	M1O	04-022/04:57:04.2		NOTE: Exit Solar Eclipse 9337		04-022/04:46:14.1
5429	M1O	04-022/04:59:39.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-022/04:48:49.0
5430	M1O	04-022/04:59:40.1		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-022/04:48:50.0
5431	M1O	04-022/05:01:49.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5432	M1O	04-022/05:03:05.1		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-022/04:52:15.0
5433	M1O	04-022/05:03:05.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/04:52:15.1
5434	M1O	04-022/05:03:06.2		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-022/04:52:16.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_nom.cfg		
5435	M1O	04-022/05:03:07.2		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-022/04:52:17.1
5436	M1O	04-022/05:03:08.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-022/04:52:18.1
5437	M1O	04-022/05:03:09.2		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-022/04:52:19.1
5438	M1O	04-022/05:03:19.2		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-022/04:52:29.1
5439	M1O	04-022/05:03:29.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-022/04:52:39.1
5440	M1O	04-022/05:03:40.1		NOTE: EXIT HGA PARK		
5441	M1O	04-022/05:03:40.1	15	Acquisition Of X-Band Signal		
5442	M1O	04-022/05:03:40.1	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5443	M1O	04-022/05:06:49.0	15	Range Modulation On: SUP=3.0dB		
5444	M1O	04-022/05:07:49.0	15	Begin Ranging Acquisition		
5445	M1O	04-022/05:08:29.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/04:57:39.1
5446	M1O	04-022/05:08:30.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/04:57:40.1
5447	M1O	04-022/05:08:30.2	15	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5448	M1O	04-022/05:08:31.2		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-022/04:57:41.1
5449	M1O	04-022/05:10:35.7		NOTE: Apoapsis 9337 -		04-022/04:59:45.5
5450	M1O	04-022/05:11:07.4		NOTE: North Pole Crossing 9337		04-022/05:00:17.2
5451	M1O	04-022/05:11:52.9		NOTE: Enter Planetary Atmosphere 9337		04-022/05:01:02.7
5452	M1O	04-022/05:13:53.3		SPAWN, Engine = 65535, Parameters = 3, 00:14:32.976, 1	dpt	04-022/05:03:03.1
5453	M1O	04-022/05:13:55.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/05:03:05.2
5454	M1O	04-022/05:13:55.4	15	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5455	M1O	04-022/05:13:56.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/05:03:06.2
5456	M1O	04-022/05:14:55.3		NOTE: Enter Earth Occultation 9337		04-022/05:04:05.1
5457	M1O	04-022/05:14:55.3	15	NOTE: Loss Of X-Band Signal		
5458	M1O	04-022/05:22:56.6		NOTE: Exit Earth Occultation 9337		04-022/05:12:06.4
5459	M1O	04-022/05:22:56.6	15	Acquisition Of X-Band Signal		
5460	M1O	04-022/05:22:56.6	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5461	M1O	04-022/05:23:29.3	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5462	M1O	04-022/05:25:00.0	34	Begin Pre-Cal		
5463	M1O	04-022/05:25:00.0	34	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
5464	M1O	04-022/05:25:00.0	34	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
5465	M1O	04-022/05:25:00.0	34	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
5466	M1O	04-022/05:25:00.0	34	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
5467	M1O	04-022/05:25:00.0	34	At BOT: S/C Tlm Mode: BR=0.0, FL=10112, SC=375KHZ, MI=71.7		
5468	M1O	04-022/05:25:00.0	34	Config: RCV: Parms:		
5469	M1O	04-022/05:25:00.0	34	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
5470	M1O	04-022/05:25:00.0	34	Config: TGC: BAND=X, SR=0.000000		
5471	M1O	04-022/05:25:00.0	34	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
5472	M1O	04-022/05:26:00.4		NOTE: Exit Planetary Atmosphere 9337		04-022/05:15:10.2
5473	M1O	04-022/05:28:28.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/05:17:38.2
5474	M1O	04-022/05:28:28.4	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5475	M1O	04-022/05:28:29.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/05:17:39.2
5476	M1O	04-022/05:41:06.7		NOTE: Descending Node Crossing 9338		04-022/05:30:16.4
5477	M1O	04-022/06:09:57.1		NOTE: Periapsis 9338 ----------		04-022/05:59:06.7
5478	M1O	04-022/06:10:24.3		NOTE: South Pole Crossing 9338		04-022/05:59:33.9
5479	M1O	04-022/06:15:00.0	15	NOTE: X-Band Transmitter Off in 15 minutes		
5480	M1O	04-022/06:23:21.4		SPAWN, Engine = 65535, Parameters = 022, 02, TRUE, 00:18:44, 254, FALSE, 128_KPS,	uhf	04-022/06:12:31.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				00:02:00, 00:00:00		
5481	M1O	04-022/06:23:21.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/06:12:31.5
5482	M1O	04-022/06:23:21.9	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5483	M1O	04-022/06:23:22.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/06:12:32.1
5484	M1O	04-022/06:23:24.5		CALL, Engine = , Parameters = 254	get_cmd_opt	04-022/06:12:34.1
5485	M1O	04-022/06:23:24.8		CALL, Engine = , Parameters = 022, 02, 254	bld_autosw	04-022/06:12:34.4
5486	M1O	04-022/06:23:25.9		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-022/06:12:35.5
5487	M1O	04-022/06:23:27.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:36.6
5488	M1O	04-022/06:23:28.0		Deletes the designated file.: d:/dat/254_doy022_pass02_file01.dat	FILE_DELETE	04-022/06:12:37.6
5489	M1O	04-022/06:23:29.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:38.7
5490	M1O	04-022/06:23:30.1		Deletes the designated file.: d:/dat/254_doy022_pass02_file02.dat	FILE_DELETE	04-022/06:12:39.7
5491	M1O	04-022/06:23:31.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:40.8
5492	M1O	04-022/06:23:32.2		Deletes the designated file.: d:/dat/254_doy022_pass02_file03.dat	FILE_DELETE	04-022/06:12:41.8
5493	M1O	04-022/06:23:33.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:42.9
5494	M1O	04-022/06:23:34.3		Deletes the designated file.: d:/dat/254_doy022_pass02_file04.dat	FILE_DELETE	04-022/06:12:43.9
5495	M1O	04-022/06:23:35.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:45.0
5496	M1O	04-022/06:23:36.4		Deletes the designated file.: d:/dat/254_doy022_pass02_file05.dat	FILE_DELETE	04-022/06:12:46.0
5497	M1O	04-022/06:23:37.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:47.1
5498	M1O	04-022/06:23:38.5		Deletes the designated file.: d:/dat/254_doy022_pass02_file06.dat	FILE_DELETE	04-022/06:12:48.1
5499	M1O	04-022/06:23:39.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:49.2
5500	M1O	04-022/06:23:40.6		Deletes the designated file.: d:/dat/254_doy022_pass02_file07.dat	FILE_DELETE	04-022/06:12:50.2
5501	M1O	04-022/06:23:41.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:51.3
5502	M1O	04-022/06:23:42.7		Deletes the designated file.: d:/dat/254_doy022_pass02_file08.dat	FILE_DELETE	04-022/06:12:52.3
5503	M1O	04-022/06:23:43.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:53.4
5504	M1O	04-022/06:23:44.8		Deletes the designated file.: d:/dat/254_doy022_pass02_file09.dat	FILE_DELETE	04-022/06:12:54.4
5505	M1O	04-022/06:23:45.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:55.5
5506	M1O	04-022/06:23:46.9		Deletes the designated file.: d:/dat/254_doy022_pass02_file10.dat	FILE_DELETE	04-022/06:12:56.5
5507	M1O	04-022/06:23:48.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:57.6
5508	M1O	04-022/06:23:49.0		Deletes the designated file.: d:/dat/254_doy022_pass02_file11.dat	FILE_DELETE	04-022/06:12:58.6
5509	M1O	04-022/06:23:50.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:12:59.7
5510	M1O	04-022/06:23:51.1		Deletes the designated file.: d:/dat/254_doy022_pass02_file12.dat	FILE_DELETE	04-022/06:13:00.7
5511	M1O	04-022/06:23:52.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:13:01.8
5512	M1O	04-022/06:23:53.2		Deletes the designated file.: d:/dat/254_doy022_pass02_file13.dat	FILE_DELETE	04-022/06:13:02.8
5513	M1O	04-022/06:23:54.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:13:03.9
5514	M1O	04-022/06:23:55.3		Deletes the designated file.: d:/dat/254_doy022_pass02_file14.dat	FILE_DELETE	04-022/06:13:04.9
5515	M1O	04-022/06:23:56.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:13:06.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5516	M1O	04-022/06:23:57.4		Deletes the designated file.: d:/dat/254_doy022_pass02_file15.dat	FILE_DELETE	04-022/06:13:07.0
5517	M1O	04-022/06:23:58.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:13:08.1
5518	M1O	04-022/06:23:59.5		Deletes the designated file.: d:/dat/254_doy022_pass02_file16.dat	FILE_DELETE	04-022/06:13:09.1
5519	M1O	04-022/06:24:00.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:13:10.2
5520	M1O	04-022/06:24:01.6		Deletes the designated file.: d:/dat/254_doy022_pass02_file17.dat	FILE_DELETE	04-022/06:13:11.2
5521	M1O	04-022/06:24:02.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:13:12.3
5522	M1O	04-022/06:24:03.7		Deletes the designated file.: d:/dat/254_doy022_pass02_file18.dat	FILE_DELETE	04-022/06:13:13.3
5523	M1O	04-022/06:24:04.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/06:13:14.4
5524	M1O	04-022/06:24:05.8		Deletes the designated file.: d:/dat/254_doy022_pass02_file19.dat	FILE_DELETE	04-022/06:13:15.4
5525	M1O	04-022/06:24:06.8		CALL, Engine = , Parameters = 254	get_apid	04-022/06:13:16.4
5526	M1O	04-022/06:24:07.9		CALL, Engine = , Parameters = 254	get_rcv_mode	04-022/06:13:17.5
5527	M1O	04-022/06:24:08.1		CALL, Engine = , Parameters = 254	get_dl_rate	04-022/06:13:17.7
5528	M1O	04-022/06:24:09.2		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-022/06:13:18.8
5529	M1O	04-022/06:24:10.5		CALL, Engine = , Parameters = 254	get_coding	04-022/06:13:20.1
5530	M1O	04-022/06:24:11.7		CALL, Engine = , Parameters = 254	get_xmt_mode	04-022/06:13:21.3
5531	M1O	04-022/06:24:12.9		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-022/06:13:22.5
5532	M1O	04-022/06:25:00.0	15	Range Modulation Off		
5533	M1O	04-022/06:25:17.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-022/06:14:27.3
5534	M1O	04-022/06:25:18.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-022/06:14:28.3
5535	M1O	04-022/06:25:19.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-022/06:14:29.3
5536	M1O	04-022/06:25:20.7		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-022/06:14:30.3
5537	M1O	04-022/06:25:21.7		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-022/06:14:31.3
5538	M1O	04-022/06:25:22.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-022/06:14:32.3
5539	M1O	04-022/06:25:23.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-022/06:14:33.3
5540	M1O	04-022/06:27:13.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/06:16:23.3
5541	M1O	04-022/06:27:23.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-022/06:16:33.3
5542	M1O	04-022/06:28:19.0	15	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
5543	M1O	04-022/06:30:00.0	15	X-Band Transmitter Off		
5544	M1O	04-022/06:38:14.1		NOTE: Enter Solar Eclipse 9338		04-022/06:27:23.6
5545	M1O	04-022/06:39:43.2		NOTE: Ascending Node Crossing 9338		04-022/06:28:52.7
5546	M1O	04-022/06:40:00.0	34	Begin Tracking		
5547	M1O	04-022/06:40:00.0	34	Acquire D/L: X/08, 3-Way/15, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5548	M1O	04-022/06:40:38.0	15	NOTE: Below Uplink Interlock Limit		
5549	M1O	04-022/06:44:05.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-022/06:33:15.3
5550	M1O	04-022/06:44:06.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-022/06:33:16.4
5551	M1O	04-022/06:44:16.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-022/06:33:26.4
5552	M1O	04-022/06:44:17.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/06:33:27.4
5553	M1O	04-022/06:44:18.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-022/06:33:28.4
5554	M1O	04-022/06:44:18.8	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5555	M1O	04-022/06:44:18.8	34	D/L Change: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5556	M1O	04-022/06:44:19.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-022/06:33:29.4
5557	M1O	04-022/06:49:18.4		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-022/06:38:28.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_sci.cfg,		
5558	M1O	04-022/06:49:18.4	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5559	M1O	04-022/06:49:18.4	34	D/L Change: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5560	M1O	04-022/06:50:00.0	15	End Tracking		
5561	M1O	04-022/06:50:38.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-022/06:39:48.2
5562	M1O	04-022/06:50:40.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/06:39:50.3
5563	M1O	04-022/06:50:40.8	34	D/L Change: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5564	M1O	04-022/06:50:41.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/06:39:51.3
5565	M1O	04-022/06:51:20.5		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-022/06:40:30.0
5566	M1O	04-022/06:51:20.5	34	D/L Change: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5567	M1O	04-022/06:51:40.8	34	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5568	M1O	04-022/06:55:38.0		NOTE: Exit Solar Eclipse 9338		04-022/06:44:47.5
5569	M1O	04-022/06:56:40.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/06:45:50.3
5570	M1O	04-022/06:56:40.8	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5571	M1O	04-022/06:56:41.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/06:45:51.3
5572	M1O	04-022/07:05:00.0	15	End Post-Cal		
5573	M1O	04-022/07:09:04.7		NOTE: Apoapsis 9338 -		04-022/06:58:14.1
5574	M1O	04-022/07:09:44.1		NOTE: North Pole Crossing 9338		04-022/06:58:53.5
5575	M1O	04-022/07:10:32.7		NOTE: Enter Planetary Atmosphere 9338		04-022/06:59:42.1
5576	M1O	04-022/07:10:50.5		SPAWN, Engine = 65535, Parameters =	scdiag	04-022/07:00:00.0
5577	M1O	04-022/07:10:51.6		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-022/07:00:01.1
5578	M1O	04-022/07:10:52.6		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-022/07:00:02.1
5579	M1O	04-022/07:11:53.5		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-022/07:01:03.0
5580	M1O	04-022/07:11:53.7		NOTE: Start Block fsw_diag		04-022/07:01:03.2
5581	M1O	04-022/07:11:54.7		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-022/07:01:04.2
5582	M1O	04-022/07:11:55.7		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-022/07:01:05.2
5583	M1O	04-022/07:12:06.7		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-022/07:01:16.2
5584	M1O	04-022/07:12:35.0		SPAWN, Engine = 65535, Parameters = 3, 00:14:23.716, 1	dpt	04-022/07:01:44.5
5585	M1O	04-022/07:12:36.7		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-022/07:01:46.2
5586	M1O	04-022/07:12:37.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/07:01:46.6
5587	M1O	04-022/07:12:37.1	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5588	M1O	04-022/07:12:38.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/07:01:47.6
5589	M1O	04-022/07:12:56.7		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-022/07:02:06.2
5590	M1O	04-022/07:13:06.7		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-022/07:02:16.2
5591	M1O	04-022/07:13:26.7		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-022/07:02:36.2
5592	M1O	04-022/07:13:36.7		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-022/07:02:46.2
5593	M1O	04-022/07:13:37.1		NOTE: Enter Earth Occultation 9338		04-022/07:02:46.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5594	M1O	04-022/07:13:37.1	34	NOTE: Loss Of X-Band Signal		
5595	M1O	04-022/07:13:41.7		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-022/07:02:51.2
5596	M1O	04-022/07:13:46.7		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-022/07:02:56.2
5597	M1O	04-022/07:13:51.7		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-022/07:03:01.2
5598	M1O	04-022/07:13:56.7		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-022/07:03:06.2
5599	M1O	04-022/07:14:01.7		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-022/07:03:11.2
5600	M1O	04-022/07:14:41.7		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-022/07:03:51.2
5601	M1O	04-022/07:14:46.7		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-022/07:03:56.2
5602	M1O	04-022/07:14:51.7		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-022/07:04:01.2
5603	M1O	04-022/07:14:56.7		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-022/07:04:06.2
5604	M1O	04-022/07:15:01.7		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-022/07:04:11.2
5605	M1O	04-022/07:15:02.7		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-022/07:04:12.2
5606	M1O	04-022/07:15:03.7		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-022/07:04:13.2
5607	M1O	04-022/07:15:04.7		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-022/07:04:14.2
5608	M1O	04-022/07:15:15.7		NOTE: End Block fsw_diag.mod		04-022/07:04:25.2
5609	M1O	04-022/07:21:29.4		NOTE: Exit Earth Occultation 9338		04-022/07:10:38.8
5610	M1O	04-022/07:21:29.4	34	Acquisition Of X-Band Signal		
5611	M1O	04-022/07:21:29.4	34	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5612	M1O	04-022/07:24:35.2		NOTE: Exit Planetary Atmosphere 9338		04-022/07:13:44.6
5613	M1O	04-022/07:27:00.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/07:16:10.3
5614	M1O	04-022/07:27:00.9	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5615	M1O	04-022/07:27:01.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/07:16:11.3
5616	M1O	04-022/07:39:43.7		NOTE: Descending Node Crossing 9339		04-022/07:28:53.0
5617	M1O	04-022/08:08:28.8		NOTE: Periapsis 9339 ----------		04-022/07:57:38.0
5618	M1O	04-022/08:09:01.3		NOTE: South Pole Crossing 9339		04-022/07:58:10.5
5619	M1O	04-022/08:36:51.2		NOTE: Enter Solar Eclipse 9339		04-022/08:26:00.3
5620	M1O	04-022/08:38:20.1		NOTE: Ascending Node Crossing 9339		04-022/08:27:29.3
5621	M1O	04-022/08:54:15.8		NOTE: Exit Solar Eclipse 9339		04-022/08:43:24.9
5622	M1O	04-022/09:07:22.6		NOTE: Apoapsis 9339 -		04-022/08:56:31.6
5623	M1O	04-022/09:08:20.3		NOTE: North Pole Crossing 9339		04-022/08:57:29.4
5624	M1O	04-022/09:09:04.1		NOTE: Enter Planetary Atmosphere 9339		04-022/08:58:13.1
5625	M1O	04-022/09:10:32.1		SPAWN, Engine = 65535, Parameters = 3, 00:15:10, 1	dpt	04-022/08:59:41.2
5626	M1O	04-022/09:10:34.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/08:59:43.3
5627	M1O	04-022/09:10:34.2	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5628	M1O	04-022/09:10:35.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/08:59:44.3
5629	M1O	04-022/09:12:05.1		NOTE: Enter Earth Occultation 9339		04-022/09:01:14.1
5630	M1O	04-022/09:12:05.1	34	NOTE: Loss Of X-Band Signal		
5631	M1O	04-022/09:20:12.6		NOTE: Exit Earth Occultation 9339		04-022/09:09:21.6
5632	M1O	04-022/09:20:12.6	34	Acquisition Of X-Band Signal		
5633	M1O	04-022/09:20:12.6	34	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5634	M1O	04-022/09:23:15.1		NOTE: Exit Planetary Atmosphere 9339		04-022/09:12:24.1
5635	M1O	04-022/09:25:44.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/09:14:53.3
5636	M1O	04-022/09:25:44.3	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5637	M1O	04-022/09:25:45.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/09:14:54.3
5638	M1O	04-022/09:35:38.2		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-022/09:24:47.2
5639	M1O	04-022/09:35:40.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/09:24:49.3
5640	M1O	04-022/09:35:40.3	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5641	M1O	04-022/09:35:41.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/09:24:50.3
5642	M1O	04-022/09:38:18.9		NOTE: Descending Node Crossing 9340		04-022/09:27:27.9
5643	M1O	04-022/09:41:40.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/09:30:49.3
5644	M1O	04-022/09:41:40.3	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5645	M1O	04-022/09:41:41.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/09:30:50.3
5646	M1O	04-022/10:00:00.0	34	End Tracking		
5647	M1O	04-022/10:07:04.3		NOTE: Periapsis 9340 ----------		04-022/09:56:13.1
5648	M1O	04-022/10:07:36.5		NOTE: South Pole Crossing 9340		04-022/09:56:45.4
5649	M1O	04-022/10:15:00.0	34	End Post-Cal		
5650	M1O	04-022/10:20:00.0	54	Begin Pre-Cal		
5651	M1O	04-022/10:20:00.0	54	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
5652	M1O	04-022/10:20:00.0	54	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
5653	M1O	04-022/10:20:00.0	54	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
5654	M1O	04-022/10:20:00.0	54	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
5655	M1O	04-022/10:20:00.0	54	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
5656	M1O	04-022/10:20:00.0	54	Config: RCV: Parms:		
5657	M1O	04-022/10:20:00.0	54	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
5658	M1O	04-022/10:20:00.0	54	Config: TGC: BAND=X, SR=79632.000000		
5659	M1O	04-022/10:20:00.0	54	Config: TXL		
5660	M1O	04-022/10:20:00.0	54	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
5661	M1O	04-022/10:20:00.0	54	Config: CMD		
5662	M1O	04-022/10:20:00.0	54	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
5663	M1O	04-022/10:31:31.2		SPAWN, Engine = 65535, Parameters = 022, 01, FALSE, 00:16:26.517, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-022/10:20:40.0
5664	M1O	04-022/10:31:32.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/10:20:41.1
5665	M1O	04-022/10:31:34.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-022/10:20:43.1
5666	M1O	04-022/10:32:16.5		CALL, Engine = , Parameters = 56	get_apid	04-022/10:21:25.3
5667	M1O	04-022/10:32:17.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-022/10:21:26.4
5668	M1O	04-022/10:32:17.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-022/10:21:26.6
5669	M1O	04-022/10:32:18.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-022/10:21:27.7
5670	M1O	04-022/10:32:20.1		CALL, Engine = , Parameters = 56	get_coding	04-022/10:21:28.9
5671	M1O	04-022/10:32:21.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-022/10:21:30.1
5672	M1O	04-022/10:32:22.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-022/10:21:31.3
5673	M1O	04-022/10:33:27.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-022/10:22:36.1
5674	M1O	04-022/10:33:28.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-022/10:22:37.1
5675	M1O	04-022/10:33:29.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-022/10:22:38.1
5676	M1O	04-022/10:33:30.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-022/10:22:39.1
5677	M1O	04-022/10:33:31.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-022/10:22:40.1
5678	M1O	04-022/10:33:32.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-022/10:22:41.1
5679	M1O	04-022/10:33:33.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-022/10:22:42.1
5680	M1O	04-022/10:35:26.1		NOTE: Enter Solar Eclipse 9340		04-022/10:24:34.9
5681	M1O	04-022/10:36:55.3		NOTE: Ascending Node Crossing 9340		04-022/10:26:04.1
5682	M1O	04-022/10:49:55.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-022/10:39:04.6
5683	M1O	04-022/10:49:56.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-022/10:39:05.7
5684	M1O	04-022/10:50:06.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-022/10:39:15.7
5685	M1O	04-022/10:50:07.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/10:39:16.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5686	M1O	04-022/10:52:54.3		NOTE: Exit Solar Eclipse 9340		04-022/10:42:03.0
5687	M1O	04-022/11:05:55.3		NOTE: Apoapsis 9340 -		04-022/10:55:03.9
5688	M1O	04-022/11:06:54.4		NOTE: North Pole Crossing 9340		04-022/10:56:03.0
5689	M1O	04-022/11:07:29.8		NOTE: Enter Planetary Atmosphere 9340		04-022/10:56:38.5
5690	M1O	04-022/11:09:24.1		SPAWN, Engine = 65535, Parameters = 3, 00:14:30.007, 1	dpt	04-022/10:58:32.8
5691	M1O	04-022/11:09:26.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/10:58:34.9
5692	M1O	04-022/11:09:27.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/10:58:35.9
5693	M1O	04-022/11:10:26.1		NOTE: Enter Earth Occultation 9340		04-022/10:59:34.8
5694	M1O	04-022/11:18:56.2		NOTE: Exit Earth Occultation 9340		04-022/11:08:04.8
5695	M1O	04-022/11:21:53.8		NOTE: Exit Planetary Atmosphere 9340		04-022/11:11:02.5
5696	M1O	04-022/11:23:56.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/11:13:04.9
5697	M1O	04-022/11:23:57.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/11:13:05.9
5698	M1O	04-022/11:36:51.7		NOTE: Descending Node Crossing 9341		04-022/11:26:00.3
5699	M1O	04-022/11:50:00.0	54	Begin Tracking		
5700	M1O	04-022/11:50:00.0	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5701	M1O	04-022/11:57:06.0	54	NOTE: Above Uplink Interlock Limit		
5702	M1O	04-022/12:00:00.0	54	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5703	M1O	04-022/12:05:00.0	54	Range Modulation On: SUP=3.0dB		
5704	M1O	04-022/12:05:37.2		NOTE: Periapsis 9341 ----------		04-022/11:54:45.7
5705	M1O	04-022/12:06:00.0	54	Begin Ranging Acquisition		
5706	M1O	04-022/12:06:08.8		NOTE: South Pole Crossing 9341		04-022/11:55:17.3
5707	M1O	04-022/12:13:51.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/12:03:00.0
5708	M1O	04-022/12:13:51.5	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5709	M1O	04-022/12:20:40.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-022/12:09:49.3
5710	M1O	04-022/12:20:43.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/12:09:51.4
5711	M1O	04-022/12:20:44.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/12:09:52.4
5712	M1O	04-022/12:21:42.9	54	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5713	M1O	04-022/12:26:43.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/12:15:51.4
5714	M1O	04-022/12:26:43.0	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5715	M1O	04-022/12:26:44.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/12:15:52.4
5716	M1O	04-022/12:28:05.5		SPAWN, Engine = 65535, Parameters = 022, 02, FALSE, 00:17:51.772, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-022/12:17:14.0
5717	M1O	04-022/12:28:06.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/12:17:15.1
5718	M1O	04-022/12:28:08.6		CALL, Engine = , Parameters = 56	get_cmd_opt	04-022/12:17:17.1
5719	M1O	04-022/12:28:50.8		CALL, Engine = , Parameters = 56	get_apid	04-022/12:17:59.3
5720	M1O	04-022/12:28:51.9		CALL, Engine = , Parameters = 56	get_rcv_mode	04-022/12:18:00.4
5721	M1O	04-022/12:28:52.1		CALL, Engine = , Parameters = 56	get_dl_rate	04-022/12:18:00.6
5722	M1O	04-022/12:28:53.2		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-022/12:18:01.7
5723	M1O	04-022/12:28:54.4		CALL, Engine = , Parameters = 56	get_coding	04-022/12:18:02.9
5724	M1O	04-022/12:28:55.6		CALL, Engine = , Parameters = 56	get_xmt_mode	04-022/12:18:04.1
5725	M1O	04-022/12:28:56.8		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-022/12:18:05.3
5726	M1O	04-022/12:30:01.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-022/12:19:10.1
5727	M1O	04-022/12:30:02.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-022/12:19:11.1
5728	M1O	04-022/12:30:03.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-022/12:19:12.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5729	M1O	04-022/12:30:04.6		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-022/12:19:13.1
5730	M1O	04-022/12:30:05.6		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-022/12:19:14.1
5731	M1O	04-022/12:30:06.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-022/12:19:15.1
5732	M1O	04-022/12:30:07.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-022/12:19:16.1
5733	M1O	04-022/12:31:40.9	54	NOTE: X-Band Transmitter Off in 15 minutes		
5734	M1O	04-022/12:33:57.4		NOTE: Enter Solar Eclipse 9341		04-022/12:23:05.8
5735	M1O	04-022/12:35:27.2		NOTE: Ascending Node Crossing 9341		04-022/12:24:35.6
5736	M1O	04-022/12:41:41.0	54	Range Modulation Off		
5737	M1O	04-022/12:46:40.9	54	X-Band Transmitter Off		
5738	M1O	04-022/12:47:55.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-022/12:37:03.8
5739	M1O	04-022/12:47:56.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-022/12:37:04.9
5740	M1O	04-022/12:48:06.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-022/12:37:14.9
5741	M1O	04-022/12:48:07.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/12:37:15.9
5742	M1O	04-022/12:51:27.5		NOTE: Exit Solar Eclipse 9341		04-022/12:40:35.9
5743	M1O	04-022/12:56:18.0	54	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5744	M1O	04-022/13:01:18.0	54	Range Modulation On: SUP=3.0dB		
5745	M1O	04-022/13:02:18.0	54	Begin Ranging Acquisition		
5746	M1O	04-022/13:04:35.0		NOTE: Apoapsis 9341 -		04-022/12:53:43.3
5747	M1O	04-022/13:05:26.1		NOTE: North Pole Crossing 9341		04-022/12:54:34.4
5748	M1O	04-022/13:05:58.9		NOTE: Enter Planetary Atmosphere 9341		04-022/12:55:07.2
5749	M1O	04-022/13:07:22.0		SPAWN, Engine = 65535, Parameters = 3, 00:15:37, 1	dpt	04-022/12:56:30.3
5750	M1O	04-022/13:07:24.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/12:56:32.4
5751	M1O	04-022/13:07:24.1	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5752	M1O	04-022/13:07:25.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/12:56:33.4
5753	M1O	04-022/13:08:24.1	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5754	M1O	04-022/13:08:54.1		NOTE: Enter Earth Occultation 9341		04-022/12:58:02.4
5755	M1O	04-022/13:08:54.1	54	NOTE: Loss Of X-Band Signal		
5756	M1O	04-022/13:17:29.5		NOTE: Exit Earth Occultation 9341		04-022/13:06:37.8
5757	M1O	04-022/13:17:29.5	54	Acquisition Of X-Band Signal		
5758	M1O	04-022/13:17:29.5	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5759	M1O	04-022/13:18:01.3	54	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5760	M1O	04-022/13:20:26.2		NOTE: Exit Planetary Atmosphere 9341		04-022/13:09:34.4
5761	M1O	04-022/13:23:01.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/13:12:09.4
5762	M1O	04-022/13:23:01.2	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5763	M1O	04-022/13:23:02.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/13:12:10.4
5764	M1O	04-022/13:35:23.3		NOTE: Descending Node Crossing 9342		04-022/13:24:31.5
5765	M1O	04-022/14:03:57.7		NOTE: Periapsis 9342 ----------		04-022/13:53:05.8
5766	M1O	04-022/14:04:39.5		NOTE: South Pole Crossing 9342		04-022/13:53:47.6
5767	M1O	04-022/14:30:26.0	54	NOTE: X-Band Transmitter Off in 15 minutes		
5768	M1O	04-022/14:32:28.9		NOTE: Enter Solar Eclipse 9342		04-022/14:21:36.9
5769	M1O	04-022/14:33:57.6		NOTE: Ascending Node Crossing 9342		04-022/14:23:05.6
5770	M1O	04-022/14:40:26.0	54	Range Modulation Off		
5771	M1O	04-022/14:45:26.0	54	X-Band Transmitter Off		
5772	M1O	04-022/14:49:52.7		NOTE: Exit Solar Eclipse 9342		04-022/14:39:00.7
5773	M1O	04-022/14:54:37.0	54	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5774	M1O	04-022/14:59:37.0	54	Range Modulation On: SUP=3.0dB		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5775	M1O	04-022/15:00:37.0	54	Begin Ranging Acquisition		
5776	M1O	04-022/15:02:54.6		NOTE: Apoapsis 9342 -		04-022/14:52:02.6
5777	M1O	04-022/15:03:57.6		NOTE: North Pole Crossing 9342		04-022/14:53:05.6
5778	M1O	04-022/15:04:39.4		NOTE: Enter Planetary Atmosphere 9342		04-022/14:53:47.3
5779	M1O	04-022/15:06:07.4		SPAWN, Engine = 65535, Parameters = 3, 00:15:11, 1	dpt	04-022/14:55:15.3
5780	M1O	04-022/15:06:09.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/14:55:17.4
5781	M1O	04-022/15:06:09.5	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5782	M1O	04-022/15:06:10.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/14:55:18.4
5783	M1O	04-022/15:07:10.0	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5784	M1O	04-022/15:07:40.2		NOTE: Enter Earth Occultation 9342		04-022/14:56:48.1
5785	M1O	04-022/15:07:40.2	54	NOTE: Loss Of X-Band Signal		
5786	M1O	04-022/15:15:48.9		NOTE: Exit Earth Occultation 9342		04-022/15:04:56.8
5787	M1O	04-022/15:15:48.9	54	Acquisition Of X-Band Signal		
5788	M1O	04-022/15:15:48.9	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5789	M1O	04-022/15:16:21.0	54	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5790	M1O	04-022/15:18:51.3		NOTE: Exit Planetary Atmosphere 9342		04-022/15:07:59.2
5791	M1O	04-022/15:21:20.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/15:10:28.4
5792	M1O	04-022/15:21:20.6	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5793	M1O	04-022/15:21:21.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/15:10:29.4
5794	M1O	04-022/15:33:55.8		NOTE: Descending Node Crossing 9343		04-022/15:23:03.6
5795	M1O	04-022/16:02:15.2		NOTE: Periapsis 9343 ----------		04-022/15:51:22.9
5796	M1O	04-022/16:03:12.7		NOTE: South Pole Crossing 9343		04-022/15:52:20.4
5797	M1O	04-022/16:29:15.4	54	NOTE: X-Band Transmitter Off in 15 minutes		
5798	M1O	04-022/16:31:06.1		NOTE: Enter Solar Eclipse 9343		04-022/16:20:13.8
5799	M1O	04-022/16:32:32.0		NOTE: Ascending Node Crossing 9343		04-022/16:21:39.6
5800	M1O	04-022/16:39:15.0	54	Range Modulation Off		
5801	M1O	04-022/16:44:15.4	54	X-Band Transmitter Off		
5802	M1O	04-022/16:48:21.2		NOTE: Exit Solar Eclipse 9343		04-022/16:37:28.8
5803	M1O	04-022/16:57:49.4		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-022/16:46:57.0
5804	M1O	04-022/16:58:05.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-020T16:46:57.100, 2004-022T16:46:57.100	PCKTS_RE_TX_TIME	04-022/16:47:12.8
5805	M1O	04-022/16:58:06.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-020T16:46:57.100, 2004-022T16:46:57.100	PCKTS_RE_TX_TIME	04-022/16:47:13.8
5806	M1O	04-022/16:58:07.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-020T16:46:57.100, 2004-022T16:46:57.100	PCKTS_RE_TX_TIME	04-022/16:47:14.8
5807	M1O	04-022/16:58:08.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-020T16:46:57.100, 2004-022T16:46:57.100	PCKTS_RE_TX_TIME	04-022/16:47:15.8
5808	M1O	04-022/16:58:09.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-020T16:46:57.100, 2004-022T16:46:57.100	PCKTS_RE_TX_TIME	04-022/16:47:16.8
5809	M1O	04-022/16:58:10.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-020T16:46:57.100, 2004-022T16:46:57.100	PCKTS_RE_TX_TIME	04-022/16:47:17.8
5810	M1O	04-022/16:58:10.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-022/16:47:17.8
5811	M1O	04-022/16:58:10.2	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5812	M1O	04-022/17:01:19.7		NOTE: Apoapsis 9343 -		04-022/16:50:27.3
5813	M1O	04-022/17:02:32.5		NOTE: North Pole Crossing 9343		04-022/16:51:40.0
5814	M1O	04-022/17:03:23.1		NOTE: Enter Planetary Atmosphere 9343		04-022/16:52:30.6
5815	M1O	04-022/17:05:11.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/16:54:18.8
5816	M1O	04-022/17:05:11.2	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5817	M1O	04-022/17:05:12.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/16:54:19.8
5818	M1O	04-022/17:05:28.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-022/16:54:35.8
5819	M1O	04-022/17:05:28.2	54	D/L RF Warning: SC antenna change - expect signal level variation		
5820	M1O	04-022/17:05:29.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-022/16:54:36.8
5821	M1O	04-022/17:06:00.2	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5822	M1O	04-022/17:06:30.2		NOTE: Enter Earth Occultation 9343		04-022/16:55:37.7
5823	M1O	04-022/17:06:30.2	54	NOTE: Loss Of X-Band Signal		
5824	M1O	04-022/17:14:10.7		NOTE: Exit Earth Occultation 9343		04-022/17:03:18.2
5825	M1O	04-022/17:14:10.7	54	Acquisition Of X-Band Signal		
5826	M1O	04-022/17:14:10.7	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5827	M1O	04-022/17:15:02.0	54	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5828	M1O	04-022/17:17:19.3		NOTE: Exit Planetary Atmosphere 9343		04-022/17:06:26.8
5829	M1O	04-022/17:20:02.0	54	Range Modulation On: SUP=3.0dB		
5830	M1O	04-022/17:21:02.0	54	Begin Ranging Acquisition		
5831	M1O	04-022/17:26:38.5		SPAWN, Engine = 65535, Parameters = 022, 03, TRUE, 00:18:02, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-022/17:15:46.0
5832	M1O	04-022/17:26:39.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/17:15:47.1
5833	M1O	04-022/17:26:41.6		CALL, Engine = , Parameters = 254	get_cmd_opt	04-022/17:15:49.1
5834	M1O	04-022/17:26:41.9		CALL, Engine = , Parameters = 022, 03, 254	bld_autosw	04-022/17:15:49.4
5835	M1O	04-022/17:26:43.0		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-022/17:15:50.5
5836	M1O	04-022/17:26:44.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:15:51.6
5837	M1O	04-022/17:26:45.1		Deletes the designated file.: d:/dat/254_doy022_pass03_file01.dat	FILE_DELETE	04-022/17:15:52.6
5838	M1O	04-022/17:26:46.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:15:53.7
5839	M1O	04-022/17:26:47.2		Deletes the designated file.: d:/dat/254_doy022_pass03_file02.dat	FILE_DELETE	04-022/17:15:54.7
5840	M1O	04-022/17:26:48.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:15:55.8
5841	M1O	04-022/17:26:49.3		Deletes the designated file.: d:/dat/254_doy022_pass03_file03.dat	FILE_DELETE	04-022/17:15:56.8
5842	M1O	04-022/17:26:50.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:15:57.9
5843	M1O	04-022/17:26:51.4		Deletes the designated file.: d:/dat/254_doy022_pass03_file04.dat	FILE_DELETE	04-022/17:15:58.9
5844	M1O	04-022/17:26:52.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:00.0
5845	M1O	04-022/17:26:53.5		Deletes the designated file.: d:/dat/254_doy022_pass03_file05.dat	FILE_DELETE	04-022/17:16:01.0
5846	M1O	04-022/17:26:54.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:02.1
5847	M1O	04-022/17:26:55.6		Deletes the designated file.: d:/dat/254_doy022_pass03_file06.dat	FILE_DELETE	04-022/17:16:03.1
5848	M1O	04-022/17:26:56.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:04.2
5849	M1O	04-022/17:26:57.7		Deletes the designated file.: d:/dat/254_doy022_pass03_file07.dat	FILE_DELETE	04-022/17:16:05.2
5850	M1O	04-022/17:26:58.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:06.3
5851	M1O	04-022/17:26:59.8		Deletes the designated file.: d:/dat/254_doy022_pass03_file08.dat	FILE_DELETE	04-022/17:16:07.3
5852	M1O	04-022/17:27:00.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:08.4
5853	M1O	04-022/17:27:01.9		Deletes the designated file.: d:/dat/254_doy022_pass03_file09.dat	FILE_DELETE	04-022/17:16:09.4
5854	M1O	04-022/17:27:03.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:10.5
5855	M1O	04-022/17:27:04.0		Deletes the designated file.: d:/dat/254_doy022_pass03_file10.dat	FILE_DELETE	04-022/17:16:11.5
5856	M1O	04-022/17:27:05.1		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-022/17:16:12.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy022_pass03_file11.dat, d:/dat/autoswitch.dat		
5857	M1O	04-022/17:27:06.1		Deletes the designated file.: d:/dat/254_doy022_pass03_file11.dat	FILE_DELETE	04-022/17:16:13.6
5858	M1O	04-022/17:27:07.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:14.7
5859	M1O	04-022/17:27:08.2		Deletes the designated file.: d:/dat/254_doy022_pass03_file12.dat	FILE_DELETE	04-022/17:16:15.7
5860	M1O	04-022/17:27:09.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:16.8
5861	M1O	04-022/17:27:10.3		Deletes the designated file.: d:/dat/254_doy022_pass03_file13.dat	FILE_DELETE	04-022/17:16:17.8
5862	M1O	04-022/17:27:11.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:18.9
5863	M1O	04-022/17:27:12.4		Deletes the designated file.: d:/dat/254_doy022_pass03_file14.dat	FILE_DELETE	04-022/17:16:19.9
5864	M1O	04-022/17:27:13.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:21.0
5865	M1O	04-022/17:27:14.5		Deletes the designated file.: d:/dat/254_doy022_pass03_file15.dat	FILE_DELETE	04-022/17:16:22.0
5866	M1O	04-022/17:27:15.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:23.1
5867	M1O	04-022/17:27:16.6		Deletes the designated file.: d:/dat/254_doy022_pass03_file16.dat	FILE_DELETE	04-022/17:16:24.1
5868	M1O	04-022/17:27:17.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:25.2
5869	M1O	04-022/17:27:18.7		Deletes the designated file.: d:/dat/254_doy022_pass03_file17.dat	FILE_DELETE	04-022/17:16:26.2
5870	M1O	04-022/17:27:19.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:27.3
5871	M1O	04-022/17:27:20.8		Deletes the designated file.: d:/dat/254_doy022_pass03_file18.dat	FILE_DELETE	04-022/17:16:28.3
5872	M1O	04-022/17:27:21.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy022_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-022/17:16:29.4
5873	M1O	04-022/17:27:22.9		Deletes the designated file.: d:/dat/254_doy022_pass03_file19.dat	FILE_DELETE	04-022/17:16:30.4
5874	M1O	04-022/17:27:23.9		CALL, Engine = , Parameters = 254	get_apid	04-022/17:16:31.4
5875	M1O	04-022/17:27:25.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-022/17:16:32.5
5876	M1O	04-022/17:27:25.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-022/17:16:32.7
5877	M1O	04-022/17:27:26.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-022/17:16:33.8
5878	M1O	04-022/17:27:27.6		CALL, Engine = , Parameters = 254	get_coding	04-022/17:16:35.1
5879	M1O	04-022/17:27:28.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-022/17:16:36.3
5880	M1O	04-022/17:27:30.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-022/17:16:37.5
5881	M1O	04-022/17:28:34.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-022/17:17:42.3
5882	M1O	04-022/17:28:35.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-022/17:17:43.3
5883	M1O	04-022/17:28:36.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-022/17:17:44.3
5884	M1O	04-022/17:28:37.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-022/17:17:45.3
5885	M1O	04-022/17:28:38.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-022/17:17:46.3
5886	M1O	04-022/17:28:39.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-022/17:17:47.3
5887	M1O	04-022/17:28:40.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-022/17:17:48.3
5888	M1O	04-022/17:30:30.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/17:19:38.3
5889	M1O	04-022/17:30:40.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-022/17:19:48.3
5890	M1O	04-022/17:32:31.0		NOTE: Descending Node Crossing 9344		04-022/17:21:38.4
5891	M1O	04-022/17:36:46.9	54	Acquire D/L: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5892	M1O	04-022/17:46:40.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-022/17:35:48.3
5893	M1O	04-022/17:46:41.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-022/17:35:49.4
5894	M1O	04-022/17:46:51.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-022/17:35:59.4
5895	M1O	04-022/17:46:52.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/17:36:00.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5896	M1O	04-022/17:46:53.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-022/17:36:01.4
5897	M1O	04-022/17:46:53.9	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5898	M1O	04-022/17:46:54.9		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-022/17:36:02.4
5899	M1O	04-022/17:58:14.6	54	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
5900	M1O	04-022/18:00:00.0	54	NOTE: X-Band Transmitter Off in 15 minutes		
5901	M1O	04-022/18:01:06.4		NOTE: Periapsis 9344 ----------		04-022/17:50:13.8
5902	M1O	04-022/18:01:49.2		NOTE: South Pole Crossing 9344		04-022/17:50:56.6
5903	M1O	04-022/18:10:00.0	54	Range Modulation Off		
5904	M1O	04-022/18:15:00.0	54	X-Band Transmitter Off		
5905	M1O	04-022/18:20:00.0	54	End Tracking		
5906	M1O	04-022/18:29:43.2		NOTE: Enter Solar Eclipse 9344		04-022/18:18:50.5
5907	M1O	04-022/18:30:00.0	54	End Post-Cal		
5908	M1O	04-022/18:31:09.2		NOTE: Ascending Node Crossing 9344		04-022/18:20:16.5
5909	M1O	04-022/18:46:57.1		NOTE: Exit Solar Eclipse 9344		04-022/18:36:04.3
5910	M1O	04-022/19:00:18.9		NOTE: Apoapsis 9344 -		04-022/18:49:26.1
5911	M1O	04-022/19:01:09.2		NOTE: North Pole Crossing 9344		04-022/18:50:16.4
5912	M1O	04-022/19:02:02.0		NOTE: Enter Planetary Atmosphere 9344		04-022/18:51:09.2
5913	M1O	04-022/19:05:11.7		NOTE: Enter Earth Occultation 9344		04-022/18:54:18.9
5914	M1O	04-022/19:12:41.2		NOTE: Exit Earth Occultation 9344		04-022/19:01:48.4
5915	M1O	04-022/19:15:52.3		NOTE: Exit Planetary Atmosphere 9344		04-022/19:04:59.4
5916	M1O	04-022/19:25:44.9		SPAWN, Engine = 65535, Parameters = 022, 04, FALSE, 00:15:03.885, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-022/19:14:52.0
5917	M1O	04-022/19:25:46.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/19:14:53.1
5918	M1O	04-022/19:25:48.0		CALL, Engine = , Parameters = 254	get_cmd_opt	04-022/19:14:55.1
5919	M1O	04-022/19:26:30.2		CALL, Engine = , Parameters = 254	get_apid	04-022/19:15:37.3
5920	M1O	04-022/19:26:31.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-022/19:15:38.4
5921	M1O	04-022/19:26:31.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-022/19:15:38.6
5922	M1O	04-022/19:26:32.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-022/19:15:39.7
5923	M1O	04-022/19:26:33.9		CALL, Engine = , Parameters = 254	get_coding	04-022/19:15:41.0
5924	M1O	04-022/19:26:35.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-022/19:15:42.2
5925	M1O	04-022/19:26:36.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-022/19:15:43.4
5926	M1O	04-022/19:27:41.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-022/19:16:48.2
5927	M1O	04-022/19:27:42.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-022/19:16:49.2
5928	M1O	04-022/19:27:43.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-022/19:16:50.2
5929	M1O	04-022/19:27:44.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-022/19:16:51.2
5930	M1O	04-022/19:27:45.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-022/19:16:52.2
5931	M1O	04-022/19:27:46.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-022/19:16:53.2
5932	M1O	04-022/19:27:47.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-022/19:16:54.2
5933	M1O	04-022/19:31:07.7		NOTE: Descending Node Crossing 9345		04-022/19:20:14.8
5934	M1O	04-022/19:42:47.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-022/19:31:54.0
5935	M1O	04-022/19:42:48.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-022/19:31:55.1
5936	M1O	04-022/19:42:58.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-022/19:32:05.1
5937	M1O	04-022/19:42:59.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/19:32:06.1
5938	M1O	04-022/20:00:07.4		NOTE: Periapsis 9345 ----------		04-022/19:49:14.4
5939	M1O	04-022/20:00:26.4		NOTE: South Pole Crossing 9345		04-022/19:49:33.4
5940	M1O	04-022/20:28:18.0		NOTE: Enter Solar Eclipse 9345		04-022/20:17:24.9
5941	M1O	04-022/20:29:46.1		NOTE: Ascending Node Crossing 9345		04-022/20:18:53.0
5942	M1O	04-022/20:45:34.8		NOTE: Exit Solar Eclipse 9345		04-022/20:34:41.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5943	M1O	04-022/20:59:20.9		NOTE: Apoapsis 9345 -		04-022/20:48:27.7
5944	M1O	04-022/20:59:45.9		NOTE: North Pole Crossing 9345		04-022/20:48:52.7
5945	M1O	04-022/21:00:37.9		NOTE: Enter Planetary Atmosphere 9345		04-022/20:49:44.7
5946	M1O	04-022/21:03:47.8		NOTE: Enter Earth Occultation 9345		04-022/20:52:54.6
5947	M1O	04-022/21:11:16.6		NOTE: Exit Earth Occultation 9345		04-022/21:00:23.4
5948	M1O	04-022/21:14:27.9		NOTE: Exit Planetary Atmosphere 9345		04-022/21:03:34.6
5949	M1O	04-022/21:29:44.6		NOTE: Descending Node Crossing 9346		04-022/21:18:51.3
5950	M1O	04-022/21:58:56.0		NOTE: Periapsis 9346 ----------		04-022/21:48:02.6
5951	M1O	04-022/21:59:02.6		NOTE: South Pole Crossing 9346		04-022/21:48:09.2
5952	M1O	04-022/22:00:00.0	15	Begin Pre-Cal		
5953	M1O	04-022/22:00:00.0	15	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
5954	M1O	04-022/22:00:00.0	15	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
5955	M1O	04-022/22:00:00.0	15	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
5956	M1O	04-022/22:00:00.0	15	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
5957	M1O	04-022/22:00:00.0	15	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
5958	M1O	04-022/22:00:00.0	15	Config: RCV: Parms:		
5959	M1O	04-022/22:00:00.0	15	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
5960	M1O	04-022/22:00:00.0	15	Config: TGC: BAND=X, SR=79632.000000		
5961	M1O	04-022/22:00:00.0	15	Config: TXL		
5962	M1O	04-022/22:00:00.0	15	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
5963	M1O	04-022/22:00:00.0	15	Config: CMD		
5964	M1O	04-022/22:00:00.0	15	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
5965	M1O	04-022/22:26:50.3		NOTE: Enter Solar Eclipse 9346		04-022/22:15:56.8
5966	M1O	04-022/22:28:21.1		NOTE: Ascending Node Crossing 9346		04-022/22:17:27.6
5967	M1O	04-022/22:44:12.1		NOTE: Exit Solar Eclipse 9346		04-022/22:33:18.5
5968	M1O	04-022/22:57:56.2		NOTE: Apoapsis 9346 -		04-022/22:47:02.7
5969	M1O	04-022/22:58:20.6		NOTE: North Pole Crossing 9346		04-022/22:47:27.1
5970	M1O	04-022/22:59:07.9		NOTE: Enter Planetary Atmosphere 9346		04-022/22:48:14.4
5971	M1O	04-022/22:59:35.9		SPAWN, Engine = 65535, Parameters = 00:14:56.630	cstr	04-022/22:48:42.3
5972	M1O	04-022/22:59:36.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/22:48:42.4
5973	M1O	04-022/22:59:37.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/22:48:43.4
5974	M1O	04-022/22:59:38.0		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-022/22:48:44.4
5975	M1O	04-022/22:59:39.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-022/22:48:45.4
5976	M1O	04-022/22:59:40.0		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-022/22:48:46.4
5977	M1O	04-022/22:59:50.0		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-022/22:48:56.4
5978	M1O	04-022/23:00:00.0	15	Begin Tracking		
5979	M1O	04-022/23:00:00.0	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5980	M1O	04-022/23:00:00.0		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-022/22:49:06.4
5981	M1O	04-022/23:01:00.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
5982	M1O	04-022/23:02:14.7		NOTE: Enter Earth Occultation 9346		04-022/22:51:21.1
5983	M1O	04-022/23:02:14.7	15	NOTE: Loss Of X-Band Signal		
5984	M1O	04-022/23:06:00.0	15	Range Modulation On: SUP=3.0dB		
5985	M1O	04-022/23:07:00.0	15	Begin Ranging Acquisition		
5986	M1O	04-022/23:09:57.5		NOTE: Exit Earth Occultation 9346		04-022/22:59:03.9
5987	M1O	04-022/23:09:57.5	15	Acquisition Of X-Band Signal		
5988	M1O	04-022/23:09:57.5	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
5989	M1O	04-022/23:13:05.7		NOTE: Exit Planetary Atmosphere 9346		04-022/23:02:12.1
5990	M1O	04-022/23:13:40.6		SPAWN, Engine = 65535, Parameters = 022, 03, FALSE, 00:18:03.521, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-022/23:02:47.0
5991	M1O	04-022/23:13:41.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/23:02:48.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
5992	M1O	04-022/23:13:43.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-022/23:02:50.1
5993	M1O	04-022/23:14:25.9		CALL, Engine = , Parameters = 56	get_apid	04-022/23:03:32.3
5994	M1O	04-022/23:14:27.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-022/23:03:33.4
5995	M1O	04-022/23:14:27.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-022/23:03:33.6
5996	M1O	04-022/23:14:28.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-022/23:03:34.7
5997	M1O	04-022/23:14:29.5		CALL, Engine = , Parameters = 56	get_coding	04-022/23:03:35.9
5998	M1O	04-022/23:14:30.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-022/23:03:37.1
5999	M1O	04-022/23:14:31.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-022/23:03:38.3
6000	M1O	04-022/23:14:56.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/23:04:03.0
6001	M1O	04-022/23:14:57.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/23:04:04.0
6002	M1O	04-022/23:14:57.6	15	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6003	M1O	04-022/23:14:58.6		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-022/23:04:05.0
6004	M1O	04-022/23:15:36.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-022/23:04:43.1
6005	M1O	04-022/23:15:37.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-022/23:04:44.1
6006	M1O	04-022/23:15:38.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-022/23:04:45.1
6007	M1O	04-022/23:15:39.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-022/23:04:46.1
6008	M1O	04-022/23:15:40.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-022/23:04:47.1
6009	M1O	04-022/23:15:41.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-022/23:04:48.1
6010	M1O	04-022/23:15:42.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-022/23:04:49.1
6011	M1O	04-022/23:21:44.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-022/23:10:50.5
6012	M1O	04-022/23:21:46.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-022/23:10:52.6
6013	M1O	04-022/23:21:46.2	15	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6014	M1O	04-022/23:21:47.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-022/23:10:53.6
6015	M1O	04-022/23:22:47.1	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6016	M1O	04-022/23:27:46.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-022/23:16:52.6
6017	M1O	04-022/23:27:46.3	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6018	M1O	04-022/23:27:47.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-022/23:16:53.6
6019	M1O	04-022/23:28:19.1		NOTE: Descending Node Crossing 9347		04-022/23:17:25.4
6020	M1O	04-022/23:33:42.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-022/23:22:48.6
6021	M1O	04-022/23:33:43.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-022/23:22:49.7
6022	M1O	04-022/23:33:53.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-022/23:22:59.7
6023	M1O	04-022/23:33:54.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-022/23:23:00.7
6024	M1O	04-022/23:57:16.4		NOTE: Periapsis 9347 ----------		04-022/23:46:22.7
6025	M1O	04-022/23:57:35.9		NOTE: South Pole Crossing 9347		04-022/23:46:42.1
6026	M1O	04-023/00:00:00.0		Light Time: OWLT = 10:53, RTLT = 21:47		
6027	M1O	04-023/00:23:19.9	15	NOTE: X-Band Transmitter Off in 15 minutes		
6028	M1O	04-023/00:25:22.2		NOTE: Enter Solar Eclipse 9347		04-023/00:14:28.4
6029	M1O	04-023/00:26:53.6		NOTE: Ascending Node Crossing 9347		04-023/00:15:59.8
6030	M1O	04-023/00:33:20.0	15	Range Modulation Off		
6031	M1O	04-023/00:38:19.9	15	X-Band Transmitter Off		
6032	M1O	04-023/00:42:46.4		NOTE: Exit Solar Eclipse 9347		04-023/00:31:52.5
6033	M1O	04-023/00:47:21.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6034	M1O	04-023/00:52:21.0	15	Range Modulation On: SUP=3.0dB		
6035	M1O	04-023/00:53:21.0	15	Begin Ranging Acquisition		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6036	M1O	04-023/00:56:06.9		NOTE: Apoapsis 9347 -		04-023/00:45:12.9
6037	M1O	04-023/00:56:52.7		NOTE: North Pole Crossing 9347		04-023/00:45:58.8
6038	M1O	04-023/00:57:34.6		NOTE: Enter Planetary Atmosphere 9347		04-023/00:46:40.6
6039	M1O	04-023/00:59:05.6		SPAWN, Engine = 65535, Parameters = 3, 00:15:01, 1	dpt	04-023/00:48:11.6
6040	M1O	04-023/00:59:07.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/00:48:13.7
6041	M1O	04-023/00:59:07.7	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6042	M1O	04-023/00:59:08.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/00:48:14.7
6043	M1O	04-023/01:00:07.7	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6044	M1O	04-023/01:00:37.7		NOTE: Enter Earth Occultation 9347		04-023/00:49:43.8
6045	M1O	04-023/01:00:37.7	15	NOTE: Loss Of X-Band Signal		
6046	M1O	04-023/01:08:36.9		NOTE: Exit Earth Occultation 9347		04-023/00:57:42.9
6047	M1O	04-023/01:08:36.9	15	Acquisition Of X-Band Signal		
6048	M1O	04-023/01:08:36.9	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6049	M1O	04-023/01:09:08.8	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6050	M1O	04-023/01:11:41.5		NOTE: Exit Planetary Atmosphere 9347		04-023/01:00:47.5
6051	M1O	04-023/01:11:56.0		SPAWN, Engine = 65535, Parameters = 023, 01, FALSE, 00:16:01.512, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-023/01:01:02.0
6052	M1O	04-023/01:11:57.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/01:01:03.1
6053	M1O	04-023/01:11:59.1		CALL, Engine = , Parameters = 56	get_cmd_opt	04-023/01:01:05.1
6054	M1O	04-023/01:12:41.3		CALL, Engine = , Parameters = 56	get_apid	04-023/01:01:47.3
6055	M1O	04-023/01:12:42.4		CALL, Engine = , Parameters = 56	get_rcv_mode	04-023/01:01:48.4
6056	M1O	04-023/01:12:42.6		CALL, Engine = , Parameters = 56	get_dl_rate	04-023/01:01:48.6
6057	M1O	04-023/01:12:43.7		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-023/01:01:49.7
6058	M1O	04-023/01:12:44.9		CALL, Engine = , Parameters = 56	get_coding	04-023/01:01:50.9
6059	M1O	04-023/01:12:46.1		CALL, Engine = , Parameters = 56	get_xmt_mode	04-023/01:01:52.1
6060	M1O	04-023/01:12:47.3		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-023/01:01:53.3
6061	M1O	04-023/01:13:52.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-023/01:02:58.1
6062	M1O	04-023/01:13:53.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-023/01:02:59.1
6063	M1O	04-023/01:13:54.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-023/01:03:00.1
6064	M1O	04-023/01:13:55.1		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-023/01:03:01.1
6065	M1O	04-023/01:13:56.1		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-023/01:03:02.1
6066	M1O	04-023/01:13:57.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-023/01:03:03.1
6067	M1O	04-023/01:13:58.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-023/01:03:04.1
6068	M1O	04-023/01:14:08.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/01:03:14.7
6069	M1O	04-023/01:14:08.7	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6070	M1O	04-023/01:14:09.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/01:03:15.7
6071	M1O	04-023/01:26:50.3		NOTE: Descending Node Crossing 9348		04-023/01:15:56.3
6072	M1O	04-023/01:29:55.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-023/01:19:01.6
6073	M1O	04-023/01:29:56.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-023/01:19:02.7
6074	M1O	04-023/01:30:06.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-023/01:19:12.7
6075	M1O	04-023/01:30:07.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/01:19:13.7
6076	M1O	04-023/01:55:29.4		NOTE: Periapsis 9348 ----------		04-023/01:44:35.2
6077	M1O	04-023/01:56:07.0		NOTE: South Pole Crossing 9348		04-023/01:45:12.8
6078	M1O	04-023/02:21:56.0	15	NOTE: X-Band Transmitter Off in 15 minutes		
6079	M1O	04-023/02:23:55.3		NOTE: Enter Solar Eclipse 9348		04-023/02:13:01.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6080	M1O	04-023/02:25:25.3		NOTE: Ascending Node Crossing 9348		04-023/02:14:31.1
6081	M1O	04-023/02:31:56.0	15	Range Modulation Off		
6082	M1O	04-023/02:36:56.0	15	X-Band Transmitter Off		
6083	M1O	04-023/02:41:16.3		NOTE: Exit Solar Eclipse 9348		04-023/02:30:22.0
6084	M1O	04-023/02:45:45.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6085	M1O	04-023/02:50:45.0	15	Range Modulation On: SUP=3.0dB		
6086	M1O	04-023/02:51:45.0	15	Begin Ranging Acquisition		
6087	M1O	04-023/02:54:39.4		NOTE: Apoapsis 9348 -		04-023/02:43:45.0
6088	M1O	04-023/02:55:24.1		NOTE: North Pole Crossing 9348		04-023/02:44:29.8
6089	M1O	04-023/02:56:08.9		NOTE: Enter Planetary Atmosphere 9348		04-023/02:45:14.5
6090	M1O	04-023/02:57:42.0		SPAWN, Engine = 65535, Parameters = 3, 00:14:49, 1	dpt	04-023/02:46:47.6
6091	M1O	04-023/02:57:44.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/02:46:49.7
6092	M1O	04-023/02:57:44.1	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6093	M1O	04-023/02:57:45.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/02:46:50.7
6094	M1O	04-023/02:58:44.5	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6095	M1O	04-023/02:59:14.9		NOTE: Enter Earth Occultation 9348		04-023/02:48:20.6
6096	M1O	04-023/02:59:14.9	15	NOTE: Loss Of X-Band Signal		
6097	M1O	04-023/03:07:01.6		NOTE: Exit Earth Occultation 9348		04-023/02:56:07.3
6098	M1O	04-023/03:07:01.6	15	Acquisition Of X-Band Signal		
6099	M1O	04-023/03:07:01.6	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6100	M1O	04-023/03:07:33.6	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6101	M1O	04-023/03:10:09.1		NOTE: Exit Planetary Atmosphere 9348		04-023/02:59:14.7
6102	M1O	04-023/03:11:29.0	15	NOTE: X-Band Transmitter Off in 15 minutes		
6103	M1O	04-023/03:12:33.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/03:01:38.7
6104	M1O	04-023/03:12:33.1	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6105	M1O	04-023/03:12:34.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/03:01:39.7
6106	M1O	04-023/03:21:29.0	15	Range Modulation Off		
6107	M1O	04-023/03:25:21.4		NOTE: Descending Node Crossing 9349		04-023/03:14:27.0
6108	M1O	04-023/03:26:29.0	15	X-Band Transmitter Off		
6109	M1O	04-023/03:38:22.4		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-023/03:27:28.0
6110	M1O	04-023/03:38:22.5		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-023/03:27:28.1
6111	M1O	04-023/03:38:23.5		Forces a desaturation of the reaction wheels.	RW_DESAT	04-023/03:27:29.1
6112	M1O	04-023/03:40:06.4		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-023/03:29:12.0
6113	M1O	04-023/03:40:22.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-021T03:29:12.100, 2004-023T03:29:12.100	PCKTS_RE_TX_TIME	04-023/03:29:27.8
6114	M1O	04-023/03:40:23.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-021T03:29:12.100, 2004-023T03:29:12.100	PCKTS_RE_TX_TIME	04-023/03:29:28.8
6115	M1O	04-023/03:40:24.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-021T03:29:12.100, 2004-023T03:29:12.100	PCKTS_RE_TX_TIME	04-023/03:29:29.8
6116	M1O	04-023/03:40:25.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-021T03:29:12.100, 2004-023T03:29:12.100	PCKTS_RE_TX_TIME	04-023/03:29:30.8
6117	M1O	04-023/03:40:26.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-021T03:29:12.100, 2004-023T03:29:12.100	PCKTS_RE_TX_TIME	04-023/03:29:31.8
6118	M1O	04-023/03:40:27.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-021T03:29:12.100, 2004-023T03:29:12.100	PCKTS_RE_TX_TIME	04-023/03:29:32.8
6119	M1O	04-023/03:40:27.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-023/03:29:32.8
6120	M1O	04-023/03:40:27.2	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6121	M1O	04-023/03:47:28.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/03:36:33.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6122	M1O	04-023/03:47:28.2	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6123	M1O	04-023/03:47:29.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/03:36:34.8
6124	M1O	04-023/03:47:45.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-023/03:36:50.8
6125	M1O	04-023/03:47:45.2	15	D/L RF Warning: SC antenna change - expect signal level variation		
6126	M1O	04-023/03:47:46.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-023/03:36:51.8
6127	M1O	04-023/03:48:10.9	15	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
6128	M1O	04-023/03:48:17.8	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6129	M1O	04-023/03:49:53.6		CALL, Engine = , Parameters = FALSE	park_hga	04-023/03:38:59.1
6130	M1O	04-023/03:49:53.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/03:38:59.1
6131	M1O	04-023/03:49:54.6		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-023/03:39:00.1
6132	M1O	04-023/03:49:55.6		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-023/03:39:01.1
6133	M1O	04-023/03:49:55.6		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-023/03:39:01.1
6134	M1O	04-023/03:49:55.6		NOTE: START HGA PARK		
6135	M1O	04-023/03:49:55.6	15	NOTE: Loss Of X-Band Signal		
6136	M1O	04-023/03:49:56.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-023/03:39:02.1
6137	M1O	04-023/03:49:57.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-023/03:39:03.1
6138	M1O	04-023/03:54:00.1		NOTE: Periapsis 9349 ----------		04-023/03:43:05.6
6139	M1O	04-023/03:54:27.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-023/03:43:33.1
6140	M1O	04-023/03:54:38.9		NOTE: South Pole Crossing 9349		04-023/03:43:44.4
6141	M1O	04-023/03:57:57.6		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-023/03:47:03.1
6142	M1O	04-023/03:57:57.6		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-023/03:47:03.1
6143	M1O	04-023/04:10:00.0	15	End Tracking		
6144	M1O	04-023/04:22:29.4		NOTE: Enter Solar Eclipse 9349		04-023/04:11:34.8
6145	M1O	04-023/04:23:58.3		NOTE: Ascending Node Crossing 9349		04-023/04:13:03.7
6146	M1O	04-023/04:25:00.0	15	End Post-Cal		
6147	M1O	04-023/04:27:57.6		GV: GV_DESAT_ACTIVE = 1		04-023/04:17:03.0
6148	M1O	04-023/04:27:58.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-023/04:17:04.0
6149	M1O	04-023/04:27:58.6		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-023/04:17:04.0
6150	M1O	04-023/04:37:57.6		GV: GV_DESAT_ACTIVE = 0		04-023/04:27:03.0
6151	M1O	04-023/04:37:58.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-023/04:27:04.0
6152	M1O	04-023/04:37:59.6		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-023/04:27:05.0
6153	M1O	04-023/04:38:00.6		CALL, Engine = , Parameters =	unpark_hga	04-023/04:27:06.0
6154	M1O	04-023/04:38:00.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-023/04:27:06.0
6155	M1O	04-023/04:38:01.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-023/04:27:07.0
6156	M1O	04-023/04:39:43.3		NOTE: Exit Solar Eclipse 9349		04-023/04:28:48.7
6157	M1O	04-023/04:42:31.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-023/04:31:37.0
6158	M1O	04-023/04:42:32.6		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-023/04:31:38.0
6159	M1O	04-023/04:46:32.6		NOTE: EXIT HGA PARK		
6160	M1O	04-023/04:53:23.0		NOTE: Apoapsis 9349 -		04-023/04:42:28.3
6161	M1O	04-023/04:53:58.5		NOTE: North Pole Crossing 9349		04-023/04:43:03.8
6162	M1O	04-023/04:54:56.1		NOTE: Enter Planetary Atmosphere 9349		04-023/04:44:01.4
6163	M1O	04-023/04:58:12.4		NOTE: Enter Earth Occultation 9349		04-023/04:47:17.7
6164	M1O	04-023/05:00:00.0	34	Begin Pre-Cal		
6165	M1O	04-023/05:00:00.0	34	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6166	M1O	04-023/05:00:00.0	34	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
6167	M1O	04-023/05:00:00.0	34	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
6168	M1O	04-023/05:00:00.0	34	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
6169	M1O	04-023/05:00:00.0	34	At BOT: S/C Tlm Mode: BR=0.0, FL=10112, SC=375KHZ, MI=71.7		
6170	M1O	04-023/05:00:00.0	34	Config: RCV: Parms:		
6171	M1O	04-023/05:00:00.0	34	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
6172	M1O	04-023/05:00:00.0	34	Config: TGC: BAND=X, SR=0.000000		
6173	M1O	04-023/05:00:00.0	34	Config: TXL		
6174	M1O	04-023/05:00:00.0	34	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
6175	M1O	04-023/05:00:00.0	34	Config: CMD		
6176	M1O	04-023/05:04:50.5		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-023/04:53:55.7
6177	M1O	04-023/05:04:50.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/04:53:55.8
6178	M1O	04-023/05:04:51.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/04:53:56.8
6179	M1O	04-023/05:04:52.6		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-023/04:53:57.8
6180	M1O	04-023/05:04:53.6		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-023/04:53:58.8
6181	M1O	04-023/05:04:54.6		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-023/04:53:59.8
6182	M1O	04-023/05:05:04.6		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-023/04:54:09.8
6183	M1O	04-023/05:05:14.6		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-023/04:54:19.8
6184	M1O	04-023/05:05:15.5		NOTE: Exit Earth Occultation 9349		04-023/04:54:20.7
6185	M1O	04-023/05:05:54.7		Dummy command to mark beg/end of mini sequences: cz059a, 2004-025T12:30:03.000	START_MINI	04-023/04:55:00.0
6186	M1O	04-023/05:05:59.7		Deletes the designated file.: d:/seq/cz059a.abs	FILE_DELETE	04-023/04:55:05.0
6187	M1O	04-023/05:08:33.2		NOTE: Exit Planetary Atmosphere 9349		04-023/04:57:38.4
6188	M1O	04-023/05:10:14.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/04:59:19.8
6189	M1O	04-023/05:10:15.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/04:59:20.8
6190	M1O	04-023/05:10:16.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/04:59:21.3
6191	M1O	04-023/05:10:16.6		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-023/04:59:21.8
6192	M1O	04-023/05:21:46.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-023/05:10:51.6
6193	M1O	04-023/05:21:48.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/05:10:53.7
6194	M1O	04-023/05:21:49.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/05:10:54.7
6195	M1O	04-023/05:23:57.2		NOTE: Descending Node Crossing 9350		04-023/05:13:02.4
6196	M1O	04-023/05:27:48.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/05:16:53.7
6197	M1O	04-023/05:27:49.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/05:16:54.2
6198	M1O	04-023/05:27:49.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/05:16:54.7
6199	M1O	04-023/05:52:44.1		NOTE: Periapsis 9350 ----------		04-023/05:41:49.2
6200	M1O	04-023/05:53:14.8		NOTE: South Pole Crossing 9350		04-023/05:42:19.9
6201	M1O	04-023/06:06:40.9		SPAWN, Engine = 65535, Parameters = 023, 01, TRUE, 00:18:52, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-023/05:55:46.0
6202	M1O	04-023/06:06:41.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/05:55:46.5
6203	M1O	04-023/06:06:42.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/05:55:47.1
6204	M1O	04-023/06:06:44.0		CALL, Engine = , Parameters = 254	get_cmd_opt	04-023/05:55:49.1
6205	M1O	04-023/06:06:44.3		CALL, Engine = , Parameters = 023, 01, 254	bld_autosw	04-023/05:55:49.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6206	M1O	04-023/06:06:45.4		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-023/05:55:50.5
6207	M1O	04-023/06:06:46.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:55:51.6
6208	M1O	04-023/06:06:47.5		Deletes the designated file.: d:/dat/254_doy023_pass01_file01.dat	FILE_DELETE	04-023/05:55:52.6
6209	M1O	04-023/06:06:48.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:55:53.7
6210	M1O	04-023/06:06:49.6		Deletes the designated file.: d:/dat/254_doy023_pass01_file02.dat	FILE_DELETE	04-023/05:55:54.7
6211	M1O	04-023/06:06:50.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:55:55.8
6212	M1O	04-023/06:06:51.7		Deletes the designated file.: d:/dat/254_doy023_pass01_file03.dat	FILE_DELETE	04-023/05:55:56.8
6213	M1O	04-023/06:06:52.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:55:57.9
6214	M1O	04-023/06:06:53.8		Deletes the designated file.: d:/dat/254_doy023_pass01_file04.dat	FILE_DELETE	04-023/05:55:58.9
6215	M1O	04-023/06:06:54.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:00.0
6216	M1O	04-023/06:06:55.9		Deletes the designated file.: d:/dat/254_doy023_pass01_file05.dat	FILE_DELETE	04-023/05:56:01.0
6217	M1O	04-023/06:06:57.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:02.1
6218	M1O	04-023/06:06:58.0		Deletes the designated file.: d:/dat/254_doy023_pass01_file06.dat	FILE_DELETE	04-023/05:56:03.1
6219	M1O	04-023/06:06:59.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:04.2
6220	M1O	04-023/06:07:00.1		Deletes the designated file.: d:/dat/254_doy023_pass01_file07.dat	FILE_DELETE	04-023/05:56:05.2
6221	M1O	04-023/06:07:01.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:06.3
6222	M1O	04-023/06:07:02.2		Deletes the designated file.: d:/dat/254_doy023_pass01_file08.dat	FILE_DELETE	04-023/05:56:07.3
6223	M1O	04-023/06:07:03.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:08.4
6224	M1O	04-023/06:07:04.3		Deletes the designated file.: d:/dat/254_doy023_pass01_file09.dat	FILE_DELETE	04-023/05:56:09.4
6225	M1O	04-023/06:07:05.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:10.5
6226	M1O	04-023/06:07:06.4		Deletes the designated file.: d:/dat/254_doy023_pass01_file10.dat	FILE_DELETE	04-023/05:56:11.5
6227	M1O	04-023/06:07:07.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:12.6
6228	M1O	04-023/06:07:08.5		Deletes the designated file.: d:/dat/254_doy023_pass01_file11.dat	FILE_DELETE	04-023/05:56:13.6
6229	M1O	04-023/06:07:09.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:14.7
6230	M1O	04-023/06:07:10.6		Deletes the designated file.: d:/dat/254_doy023_pass01_file12.dat	FILE_DELETE	04-023/05:56:15.7
6231	M1O	04-023/06:07:11.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:16.8
6232	M1O	04-023/06:07:12.7		Deletes the designated file.: d:/dat/254_doy023_pass01_file13.dat	FILE_DELETE	04-023/05:56:17.8
6233	M1O	04-023/06:07:13.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:18.9
6234	M1O	04-023/06:07:14.8		Deletes the designated file.: d:/dat/254_doy023_pass01_file14.dat	FILE_DELETE	04-023/05:56:19.9
6235	M1O	04-023/06:07:15.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:21.0
6236	M1O	04-023/06:07:16.9		Deletes the designated file.: d:/dat/254_doy023_pass01_file15.dat	FILE_DELETE	04-023/05:56:22.0
6237	M1O	04-023/06:07:18.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:23.1
6238	M1O	04-023/06:07:19.0		Deletes the designated file.: d:/dat/254_doy023_pass01_file16.dat	FILE_DELETE	04-023/05:56:24.1
6239	M1O	04-023/06:07:20.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:25.2
6240	M1O	04-023/06:07:21.1		Deletes the designated file.: d:/dat/254_doy023_pass01_file17.dat	FILE_DELETE	04-023/05:56:26.2
6241	M1O	04-023/06:07:22.2		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-023/05:56:27.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy023_pass01_file18.dat, d:/dat/autoswitch.dat		
6242	M1O	04-023/06:07:23.2		Deletes the designated file.: d:/dat/254_doy023_pass01_file18.dat	FILE_DELETE	04-023/05:56:28.3
6243	M1O	04-023/06:07:24.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/05:56:29.4
6244	M1O	04-023/06:07:25.3		Deletes the designated file.: d:/dat/254_doy023_pass01_file19.dat	FILE_DELETE	04-023/05:56:30.4
6245	M1O	04-023/06:07:26.3		CALL, Engine = , Parameters = 254	get_apid	04-023/05:56:31.4
6246	M1O	04-023/06:07:27.4		CALL, Engine = , Parameters = 254	get_rcv_mode	04-023/05:56:32.5
6247	M1O	04-023/06:07:27.6		CALL, Engine = , Parameters = 254	get_dl_rate	04-023/05:56:32.7
6248	M1O	04-023/06:07:28.7		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-023/05:56:33.8
6249	M1O	04-023/06:07:30.0		CALL, Engine = , Parameters = 254	get_coding	04-023/05:56:35.1
6250	M1O	04-023/06:07:31.2		CALL, Engine = , Parameters = 254	get_xmt_mode	04-023/05:56:36.3
6251	M1O	04-023/06:07:32.4		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-023/05:56:37.5
6252	M1O	04-023/06:08:37.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-023/05:57:42.3
6253	M1O	04-023/06:08:38.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-023/05:57:43.3
6254	M1O	04-023/06:08:39.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-023/05:57:44.3
6255	M1O	04-023/06:08:40.2		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-023/05:57:45.3
6256	M1O	04-023/06:08:41.2		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-023/05:57:46.3
6257	M1O	04-023/06:08:42.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-023/05:57:47.3
6258	M1O	04-023/06:08:43.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-023/05:57:48.3
6259	M1O	04-023/06:10:33.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/05:59:38.3
6260	M1O	04-023/06:10:43.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-023/05:59:48.3
6261	M1O	04-023/06:15:00.0	34	Begin Tracking		
6262	M1O	04-023/06:15:00.0	34	Acquire D/L: X/08, 1-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6263	M1O	04-023/06:16:00.0	34	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6264	M1O	04-023/06:19:42.8	34	NOTE: X-Band Transmitter Off in 15 minutes		
6265	M1O	04-023/06:21:04.4		NOTE: Enter Solar Eclipse 9350		04-023/06:10:09.4
6266	M1O	04-023/06:22:33.9		NOTE: Ascending Node Crossing 9350		04-023/06:11:38.9
6267	M1O	04-023/06:27:33.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-023/06:16:38.3
6268	M1O	04-023/06:27:34.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-023/06:16:39.4
6269	M1O	04-023/06:27:44.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-023/06:16:49.4
6270	M1O	04-023/06:27:45.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/06:16:50.4
6271	M1O	04-023/06:27:46.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-023/06:16:51.4
6272	M1O	04-023/06:27:46.4	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6273	M1O	04-023/06:27:47.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-023/06:16:52.4
6274	M1O	04-023/06:32:46.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/06:21:51.0
6275	M1O	04-023/06:32:46.0	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6276	M1O	04-023/06:32:46.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/06:21:51.5
6277	M1O	04-023/06:32:46.5	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6278	M1O	04-023/06:34:42.8	34	X-Band Transmitter Off		
6279	M1O	04-023/06:37:49.9	34	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6280	M1O	04-023/06:38:14.7		NOTE: Exit Solar Eclipse 9350		04-023/06:27:19.6
6281	M1O	04-023/06:42:21.0	34	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6282	M1O	04-023/06:43:47.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/06:32:52.0
6283	M1O	04-023/06:43:47.0	34	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6284	M1O	04-023/06:51:57.6		NOTE: Apoapsis 9350 -		04-023/06:41:02.6
6285	M1O	04-023/06:52:34.9		NOTE: North Pole Crossing 9350		04-023/06:41:39.8
6286	M1O	04-023/06:53:40.1		NOTE: Enter Planetary Atmosphere 9350		04-023/06:42:45.0
6287	M1O	04-023/06:55:30.9		SPAWN, Engine = 65535, Parameters = 3, 00:13:38, 1	dpt	04-023/06:44:35.8
6288	M1O	04-023/06:55:33.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/06:44:37.9
6289	M1O	04-023/06:55:33.0	34	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6290	M1O	04-023/06:55:34.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/06:44:38.9
6291	M1O	04-023/06:56:32.9	34	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6292	M1O	04-023/06:57:02.9		NOTE: Enter Earth Occultation 9350		04-023/06:46:07.8
6293	M1O	04-023/06:57:02.9	34	NOTE: Loss Of X-Band Signal		
6294	M1O	04-023/07:03:39.8		NOTE: Exit Earth Occultation 9350		04-023/06:52:44.7
6295	M1O	04-023/07:03:39.8	34	Acquisition Of X-Band Signal		
6296	M1O	04-023/07:03:39.8	34	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6297	M1O	04-023/07:04:11.1	34	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6298	M1O	04-023/07:07:04.1		NOTE: Exit Planetary Atmosphere 9350		04-023/06:56:09.0
6299	M1O	04-023/07:09:11.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/06:58:15.9
6300	M1O	04-023/07:09:11.0	34	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6301	M1O	04-023/07:09:12.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/06:58:16.9
6302	M1O	04-023/07:10:55.1		SPAWN, Engine = 65535, Parameters =	scdiag	04-023/07:00:00.0
6303	M1O	04-023/07:10:56.2		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-023/07:00:01.1
6304	M1O	04-023/07:10:57.2		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-023/07:00:02.1
6305	M1O	04-023/07:11:58.1		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-023/07:01:03.0
6306	M1O	04-023/07:11:58.3		NOTE: Start Block fsw_diag		04-023/07:01:03.2
6307	M1O	04-023/07:11:59.3		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-023/07:01:04.2
6308	M1O	04-023/07:12:00.3		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-023/07:01:05.2
6309	M1O	04-023/07:12:11.3		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-023/07:01:16.2
6310	M1O	04-023/07:12:41.3		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-023/07:01:46.2
6311	M1O	04-023/07:13:01.3		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-023/07:02:06.2
6312	M1O	04-023/07:13:11.3		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-023/07:02:16.2
6313	M1O	04-023/07:13:31.3		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-023/07:02:36.2
6314	M1O	04-023/07:13:41.3		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-023/07:02:46.2
6315	M1O	04-023/07:13:46.3		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-023/07:02:51.2
6316	M1O	04-023/07:13:51.3		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-023/07:02:56.2
6317	M1O	04-023/07:13:56.3		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-023/07:03:01.2
6318	M1O	04-023/07:14:01.3		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-023/07:03:06.2
6319	M1O	04-023/07:14:06.3		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-023/07:03:11.2
6320	M1O	04-023/07:14:46.3		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-023/07:03:51.2
6321	M1O	04-023/07:14:51.3		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-023/07:03:56.2
6322	M1O	04-023/07:14:56.3		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-023/07:04:01.2
6323	M1O	04-023/07:15:01.3		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-023/07:04:06.2
6324	M1O	04-023/07:15:06.3		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-023/07:04:11.2
6325	M1O	04-023/07:15:07.3		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-023/07:04:12.2
6326	M1O	04-023/07:15:08.3		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-023/07:04:13.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6327	M1O	04-023/07:15:09.3		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-023/07:04:14.2
6328	M1O	04-023/07:15:20.3		NOTE: End Block fsw_diag.mod		04-023/07:04:25.2
6329	M1O	04-023/07:22:34.5		NOTE: Descending Node Crossing 9351		04-023/07:11:39.3
6330	M1O	04-023/07:51:20.2		NOTE: Periapsis 9351 ----------		04-023/07:40:25.0
6331	M1O	04-023/07:51:51.9		NOTE: South Pole Crossing 9351		04-023/07:40:56.7
6332	M1O	04-023/08:06:52.3		SPAWN, Engine = 65535, Parameters = 023, 02, FALSE, 00:12:41.686, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-023/07:55:57.0
6333	M1O	04-023/08:06:53.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/07:55:58.1
6334	M1O	04-023/08:06:55.4		CALL, Engine = , Parameters = 254	get_cmd_opt	04-023/07:56:00.1
6335	M1O	04-023/08:07:37.6		CALL, Engine = , Parameters = 254	get_apid	04-023/07:56:42.3
6336	M1O	04-023/08:07:38.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-023/07:56:43.4
6337	M1O	04-023/08:07:38.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-023/07:56:43.6
6338	M1O	04-023/08:07:40.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-023/07:56:44.7
6339	M1O	04-023/08:07:41.3		CALL, Engine = , Parameters = 254	get_coding	04-023/07:56:46.0
6340	M1O	04-023/08:07:42.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-023/07:56:47.2
6341	M1O	04-023/08:07:43.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-023/07:56:48.4
6342	M1O	04-023/08:08:48.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-023/07:57:53.2
6343	M1O	04-023/08:08:49.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-023/07:57:54.2
6344	M1O	04-023/08:08:50.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-023/07:57:55.2
6345	M1O	04-023/08:08:51.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-023/07:57:56.2
6346	M1O	04-023/08:08:52.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-023/07:57:57.2
6347	M1O	04-023/08:08:53.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-023/07:57:58.2
6348	M1O	04-023/08:08:54.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-023/07:57:59.2
6349	M1O	04-023/08:18:15.0	34	NOTE: X-Band Transmitter Off in 15 minutes		
6350	M1O	04-023/08:19:40.9		NOTE: Enter Solar Eclipse 9351		04-023/08:08:45.5
6351	M1O	04-023/08:21:10.7		NOTE: Ascending Node Crossing 9351		04-023/08:10:15.4
6352	M1O	04-023/08:21:32.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-023/08:10:36.8
6353	M1O	04-023/08:21:33.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-023/08:10:37.9
6354	M1O	04-023/08:21:43.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-023/08:10:47.9
6355	M1O	04-023/08:21:44.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/08:10:48.9
6356	M1O	04-023/08:33:15.0	34	X-Band Transmitter Off		
6357	M1O	04-023/08:36:50.8		NOTE: Exit Solar Eclipse 9351		04-023/08:25:55.4
6358	M1O	04-023/08:41:01.0	34	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6359	M1O	04-023/08:50:17.5		NOTE: Apoapsis 9351 -		04-023/08:39:22.1
6360	M1O	04-023/08:51:11.5		NOTE: North Pole Crossing 9351		04-023/08:40:16.0
6361	M1O	04-023/08:52:15.1		NOTE: Enter Planetary Atmosphere 9351		04-023/08:41:19.6
6362	M1O	04-023/08:54:03.2		SPAWN, Engine = 65535, Parameters = 3, 00:13:46, 1	dpt	04-023/08:43:07.8
6363	M1O	04-023/08:54:05.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/08:43:09.9
6364	M1O	04-023/08:54:05.3	34	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6365	M1O	04-023/08:54:06.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/08:43:10.9
6366	M1O	04-023/08:55:05.8	34	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6367	M1O	04-023/08:55:36.2		NOTE: Enter Earth Occultation 9351		04-023/08:44:40.7
6368	M1O	04-023/08:55:36.2	34	NOTE: Loss Of X-Band Signal		
6369	M1O	04-023/09:02:19.7		NOTE: Exit Earth Occultation 9351		04-023/08:51:24.2
6370	M1O	04-023/09:02:19.7	34	Acquisition Of X-Band Signal		
6371	M1O	04-023/09:02:19.7	34	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6372	M1O	04-023/09:02:51.8	34	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6373	M1O	04-023/09:05:42.3		NOTE: Exit Planetary Atmosphere 9351		04-023/08:54:46.7
6374	M1O	04-023/09:07:51.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/08:56:55.9
6375	M1O	04-023/09:07:51.4	34	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6376	M1O	04-023/09:07:52.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/08:56:56.9
6377	M1O	04-023/09:21:10.6		NOTE: Descending Node Crossing 9352		04-023/09:10:15.0
6378	M1O	04-023/09:38:08.7	34	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
6379	M1O	04-023/09:40:00.0	34	NOTE: X-Band Transmitter Off in 15 minutes		
6380	M1O	04-023/09:49:50.7		NOTE: Periapsis 9352 ----------		04-023/09:38:55.1
6381	M1O	04-023/09:50:28.1		NOTE: South Pole Crossing 9352		04-023/09:39:32.5
6382	M1O	04-023/09:55:00.0	34	X-Band Transmitter Off		
6383	M1O	04-023/10:00:00.0	34	End Tracking		
6384	M1O	04-023/10:15:00.0	34	End Post-Cal		
6385	M1O	04-023/10:15:47.5		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-023/10:04:51.8
6386	M1O	04-023/10:15:49.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/10:04:53.9
6387	M1O	04-023/10:15:50.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/10:04:54.9
6388	M1O	04-023/10:18:17.6		NOTE: Enter Solar Eclipse 9352		04-023/10:07:21.8
6389	M1O	04-023/10:19:47.1		NOTE: Ascending Node Crossing 9352		04-023/10:08:51.4
6390	M1O	04-023/10:21:49.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/10:10:53.9
6391	M1O	04-023/10:21:50.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/10:10:54.4
6392	M1O	04-023/10:21:50.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/10:10:54.9
6393	M1O	04-023/10:30:00.0	54	Begin Pre-Cal		
6394	M1O	04-023/10:30:00.0	54	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
6395	M1O	04-023/10:30:00.0	54	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
6396	M1O	04-023/10:30:00.0	54	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
6397	M1O	04-023/10:30:00.0	54	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
6398	M1O	04-023/10:30:00.0	54	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
6399	M1O	04-023/10:30:00.0	54	Config: RCV: Parms:		
6400	M1O	04-023/10:30:00.0	54	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
6401	M1O	04-023/10:30:00.0	54	Config: TGC: BAND=X, SR=221200.000000		
6402	M1O	04-023/10:30:00.0	54	Config: TXL		
6403	M1O	04-023/10:30:00.0	54	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
6404	M1O	04-023/10:30:00.0	54	Config: CMD		
6405	M1O	04-023/10:30:00.0	54	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
6406	M1O	04-023/10:35:29.8		NOTE: Exit Solar Eclipse 9352		04-023/10:24:34.0
6407	M1O	04-023/10:48:36.9		NOTE: Apoapsis 9352 -		04-023/10:37:41.1
6408	M1O	04-023/10:49:46.7		NOTE: North Pole Crossing 9352		04-023/10:38:50.9
6409	M1O	04-023/10:50:41.6		NOTE: Enter Planetary Atmosphere 9352		04-023/10:39:45.8
6410	M1O	04-023/10:52:53.6		SPAWN, Engine = 65535, Parameters = 3, 00:13:12.401, 1	dpt	04-023/10:41:57.8
6411	M1O	04-023/10:52:55.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/10:41:59.9
6412	M1O	04-023/10:52:56.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/10:42:00.9
6413	M1O	04-023/10:53:55.6		NOTE: Enter Earth Occultation 9352		04-023/10:42:59.8
6414	M1O	04-023/11:01:08.1		NOTE: Exit Earth Occultation 9352		04-023/10:50:12.2
6415	M1O	04-023/11:04:23.5		NOTE: Exit Planetary Atmosphere 9352		04-023/10:53:27.6
6416	M1O	04-023/11:06:08.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/10:55:12.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6417	M1O	04-023/11:06:08.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/10:55:12.8
6418	M1O	04-023/11:06:09.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/10:55:13.3
6419	M1O	04-023/11:19:44.4		NOTE: Descending Node Crossing 9353		04-023/11:08:48.5
6420	M1O	04-023/11:48:24.3		NOTE: Periapsis 9353 ----------		04-023/11:37:28.3
6421	M1O	04-023/11:49:01.8		NOTE: South Pole Crossing 9353		04-023/11:38:05.8
6422	M1O	04-023/11:58:57.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-023/11:48:01.9
6423	M1O	04-023/11:59:00.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/11:48:04.0
6424	M1O	04-023/11:59:01.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/11:48:05.0
6425	M1O	04-023/11:59:59.9		NOTE: Changing to 70M downlink rate: 110600_BPS		04-023/11:49:03.9
6426	M1O	04-023/11:59:59.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-023/11:49:03.9
6427	M1O	04-023/12:00:00.0	54	Begin Tracking		
6428	M1O	04-023/12:00:00.0	54	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6429	M1O	04-023/12:00:00.5		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-023/11:49:04.5
6430	M1O	04-023/12:00:00.5	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6431	M1O	04-023/12:01:00.0	54	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6432	M1O	04-023/12:05:00.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/11:54:04.0
6433	M1O	04-023/12:05:00.0	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6434	M1O	04-023/12:05:01.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/11:54:05.0
6435	M1O	04-023/12:06:00.0	54	Range Modulation On: SUP=3.0dB		
6436	M1O	04-023/12:07:00.0	54	Begin Ranging Acquisition		
6437	M1O	04-023/12:10:35.0		SPAWN, Engine = 65535, Parameters = 023, 02, FALSE, 00:19:36.689, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-023/11:59:39.0
6438	M1O	04-023/12:10:36.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/11:59:40.1
6439	M1O	04-023/12:10:38.1		CALL, Engine = , Parameters = 56	get_cmd_opt	04-023/11:59:42.1
6440	M1O	04-023/12:11:20.3		CALL, Engine = , Parameters = 56	get_apid	04-023/12:00:24.3
6441	M1O	04-023/12:11:21.4		CALL, Engine = , Parameters = 56	get_rcv_mode	04-023/12:00:25.4
6442	M1O	04-023/12:11:21.6		CALL, Engine = , Parameters = 56	get_dl_rate	04-023/12:00:25.6
6443	M1O	04-023/12:11:22.7		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-023/12:00:26.7
6444	M1O	04-023/12:11:23.9		CALL, Engine = , Parameters = 56	get_coding	04-023/12:00:27.9
6445	M1O	04-023/12:11:25.1		CALL, Engine = , Parameters = 56	get_xmt_mode	04-023/12:00:29.1
6446	M1O	04-023/12:11:26.3		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-023/12:00:30.3
6447	M1O	04-023/12:12:31.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-023/12:01:35.1
6448	M1O	04-023/12:12:32.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-023/12:01:36.1
6449	M1O	04-023/12:12:33.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-023/12:01:37.1
6450	M1O	04-023/12:12:34.2		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-023/12:01:38.1
6451	M1O	04-023/12:12:35.2		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-023/12:01:39.1
6452	M1O	04-023/12:12:36.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-023/12:01:40.1
6453	M1O	04-023/12:12:37.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-023/12:01:41.1
6454	M1O	04-023/12:14:54.0	54	NOTE: X-Band Transmitter Off in 15 minutes		
6455	M1O	04-023/12:16:50.7		NOTE: Enter Solar Eclipse 9353		04-023/12:05:54.6
6456	M1O	04-023/12:18:20.7		NOTE: Ascending Node Crossing 9353		04-023/12:07:24.6
6457	M1O	04-023/12:21:56.1		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-023/12:11:00.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_nom_rt_only.cfg,		
6458	M1O	04-023/12:21:56.1	54	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6459	M1O	04-023/12:22:52.1	54	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6460	M1O	04-023/12:24:54.0	54	Range Modulation Off		
6461	M1O	04-023/12:29:54.0	54	X-Band Transmitter Off		
6462	M1O	04-023/12:32:09.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-023/12:21:13.7
6463	M1O	04-023/12:32:11.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-023/12:21:14.8
6464	M1O	04-023/12:32:21.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-023/12:21:24.8
6465	M1O	04-023/12:32:22.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/12:21:25.8
6466	M1O	04-023/12:32:56.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/12:22:00.0
6467	M1O	04-023/12:32:56.1	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6468	M1O	04-023/12:34:06.6		NOTE: Exit Solar Eclipse 9353		04-023/12:23:10.5
6469	M1O	04-023/12:38:28.0	54	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6470	M1O	04-023/12:43:28.0	54	Range Modulation On: SUP=3.0dB		
6471	M1O	04-023/12:44:28.0	54	Begin Ranging Acquisition		
6472	M1O	04-023/12:47:18.3		NOTE: Apoapsis 9353 -		04-023/12:36:22.1
6473	M1O	04-023/12:48:19.4		NOTE: North Pole Crossing 9353		04-023/12:37:23.2
6474	M1O	04-023/12:49:07.4		NOTE: Enter Planetary Atmosphere 9353		04-023/12:38:11.2
6475	M1O	04-023/12:51:14.9		SPAWN, Engine = 65535, Parameters = 3, 00:13:31.635, 1	dpt	04-023/12:40:18.7
6476	M1O	04-023/12:51:17.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/12:40:20.8
6477	M1O	04-023/12:51:17.0	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6478	M1O	04-023/12:51:18.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/12:40:21.8
6479	M1O	04-023/12:51:46.3	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6480	M1O	04-023/12:52:16.9		NOTE: Enter Earth Occultation 9353		04-023/12:41:20.7
6481	M1O	04-023/12:52:16.9	54	NOTE: Loss Of X-Band Signal		
6482	M1O	04-023/12:59:48.6		NOTE: Exit Earth Occultation 9353		04-023/12:48:52.3
6483	M1O	04-023/12:59:48.6	54	Acquisition Of X-Band Signal		
6484	M1O	04-023/12:59:48.6	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6485	M1O	04-023/13:00:20.3	54	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6486	M1O	04-023/13:02:59.5		NOTE: Exit Planetary Atmosphere 9353		04-023/12:52:03.3
6487	M1O	04-023/13:04:48.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/12:53:52.4
6488	M1O	04-023/13:04:48.7	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6489	M1O	04-023/13:04:49.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/12:53:53.4
6490	M1O	04-023/13:18:16.3		NOTE: Descending Node Crossing 9354		04-023/13:07:20.0
6491	M1O	04-023/13:46:53.2		NOTE: Periapsis 9354 ----------		04-023/13:35:56.8
6492	M1O	04-023/13:47:32.8		NOTE: South Pole Crossing 9354		04-023/13:36:36.4
6493	M1O	04-023/14:13:31.0	54	NOTE: X-Band Transmitter Off in 15 minutes		
6494	M1O	04-023/14:15:21.0		NOTE: Enter Solar Eclipse 9354		04-023/14:04:24.5
6495	M1O	04-023/14:16:51.1		NOTE: Ascending Node Crossing 9354		04-023/14:05:54.6
6496	M1O	04-023/14:23:31.0	54	Range Modulation Off		
6497	M1O	04-023/14:28:31.0	54	X-Band Transmitter Off		
6498	M1O	04-023/14:32:35.1		NOTE: Exit Solar Eclipse 9354		04-023/14:21:38.6
6499	M1O	04-023/14:36:53.0	54	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6500	M1O	04-023/14:41:53.0	54	Range Modulation On: SUP=3.0dB		
6501	M1O	04-023/14:42:53.0	54	Begin Ranging Acquisition		
6502	M1O	04-023/14:45:46.1		NOTE: Apoapsis 9354 -		04-023/14:34:49.5
6503	M1O	04-023/14:46:50.4		NOTE: North Pole Crossing 9354		04-023/14:35:53.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6504	M1O	04-023/14:47:41.9		NOTE: Enter Planetary Atmosphere 9354		04-023/14:36:45.3
6505	M1O	04-023/14:49:52.4		SPAWN, Engine = 65535, Parameters = 3, 00:13:19.201, 1	dpt	04-023/14:38:55.8
6506	M1O	04-023/14:49:54.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/14:38:57.9
6507	M1O	04-023/14:49:54.5	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6508	M1O	04-023/14:49:55.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/14:38:58.9
6509	M1O	04-023/14:50:24.0	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6510	M1O	04-023/14:50:54.4		NOTE: Enter Earth Occultation 9354		04-023/14:39:57.8
6511	M1O	04-023/14:50:54.4	54	NOTE: Loss Of X-Band Signal		
6512	M1O	04-023/14:58:13.6		NOTE: Exit Earth Occultation 9354		04-023/14:47:17.0
6513	M1O	04-023/14:58:13.6	54	Acquisition Of X-Band Signal		
6514	M1O	04-023/14:58:13.6	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6515	M1O	04-023/14:58:46.1	54	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6516	M1O	04-023/15:01:27.5		NOTE: Exit Planetary Atmosphere 9354		04-023/14:50:30.9
6517	M1O	04-023/15:03:13.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/14:52:17.1
6518	M1O	04-023/15:03:13.7	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6519	M1O	04-023/15:03:14.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/14:52:18.1
6520	M1O	04-023/15:16:47.8		NOTE: Descending Node Crossing 9355		04-023/15:05:51.1
6521	M1O	04-023/15:45:05.2		NOTE: Periapsis 9355 ----------		04-023/15:34:08.4
6522	M1O	04-023/15:46:04.2		NOTE: South Pole Crossing 9355		04-023/15:35:07.4
6523	M1O	04-023/16:12:22.4	54	NOTE: X-Band Transmitter Off in 15 minutes		
6524	M1O	04-023/16:13:55.5		NOTE: Enter Solar Eclipse 9355		04-023/16:02:58.6
6525	M1O	04-023/16:15:23.2		NOTE: Ascending Node Crossing 9355		04-023/16:04:26.3
6526	M1O	04-023/16:22:22.0	54	Range Modulation Off		
6527	M1O	04-023/16:27:22.4	54	X-Band Transmitter Off		
6528	M1O	04-023/16:31:01.1		NOTE: Exit Solar Eclipse 9355		04-023/16:20:04.2
6529	M1O	04-023/16:35:09.0	54	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6530	M1O	04-023/16:40:09.0	54	Range Modulation On: SUP=3.0dB		
6531	M1O	04-023/16:41:09.0	54	Begin Ranging Acquisition		
6532	M1O	04-023/16:44:03.5		NOTE: Apoapsis 9355 -		04-023/16:33:06.5
6533	M1O	04-023/16:45:23.5		NOTE: North Pole Crossing 9355		04-023/16:34:26.6
6534	M1O	04-023/16:46:25.2		NOTE: Enter Planetary Atmosphere 9355		04-023/16:35:28.2
6535	M1O	04-023/16:48:44.2		SPAWN, Engine = 65535, Parameters = 3, 00:12:44.039, 1	dpt	04-023/16:37:47.3
6536	M1O	04-023/16:48:46.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/16:37:49.4
6537	M1O	04-023/16:48:46.3	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6538	M1O	04-023/16:48:47.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/16:37:50.4
6539	M1O	04-023/16:49:16.2	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6540	M1O	04-023/16:49:46.2		NOTE: Enter Earth Occultation 9355		04-023/16:38:49.3
6541	M1O	04-023/16:49:46.2	54	NOTE: Loss Of X-Band Signal		
6542	M1O	04-023/16:56:30.3		NOTE: Exit Earth Occultation 9355		04-023/16:45:33.3
6543	M1O	04-023/16:56:30.3	54	Acquisition Of X-Band Signal		
6544	M1O	04-023/16:56:30.3	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6545	M1O	04-023/16:57:02.8	54	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6546	M1O	04-023/16:59:52.9		NOTE: Exit Planetary Atmosphere 9355		04-023/16:48:55.9
6547	M1O	04-023/17:01:30.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/16:50:33.4
6548	M1O	04-023/17:01:30.4	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6549	M1O	04-023/17:01:31.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/16:50:34.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6550	M1O	04-023/17:14:05.0		SPAWN, Engine = 65535, Parameters = 023, 03, FALSE, 00:10:45.549, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-023/17:03:08.0
6551	M1O	04-023/17:14:06.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/17:03:09.1
6552	M1O	04-023/17:14:08.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-023/17:03:11.1
6553	M1O	04-023/17:14:50.3		CALL, Engine = , Parameters = 254	get_apid	04-023/17:03:53.3
6554	M1O	04-023/17:14:51.4		CALL, Engine = , Parameters = 254	get_rcv_mode	04-023/17:03:54.4
6555	M1O	04-023/17:14:51.6		CALL, Engine = , Parameters = 254	get_dl_rate	04-023/17:03:54.6
6556	M1O	04-023/17:14:52.7		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-023/17:03:55.7
6557	M1O	04-023/17:14:54.0		CALL, Engine = , Parameters = 254	get_coding	04-023/17:03:57.0
6558	M1O	04-023/17:14:55.2		CALL, Engine = , Parameters = 254	get_xmt_mode	04-023/17:03:58.2
6559	M1O	04-023/17:14:56.4		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-023/17:03:59.4
6560	M1O	04-023/17:15:21.6		NOTE: Descending Node Crossing 9356		04-023/17:04:24.5
6561	M1O	04-023/17:16:01.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-023/17:05:04.2
6562	M1O	04-023/17:16:02.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-023/17:05:05.2
6563	M1O	04-023/17:16:03.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-023/17:05:06.2
6564	M1O	04-023/17:16:04.2		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-023/17:05:07.2
6565	M1O	04-023/17:16:05.2		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-023/17:05:08.2
6566	M1O	04-023/17:16:06.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-023/17:05:09.2
6567	M1O	04-023/17:16:07.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-023/17:05:10.2
6568	M1O	04-023/17:26:48.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-023/17:15:51.7
6569	M1O	04-023/17:26:49.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-023/17:15:52.8
6570	M1O	04-023/17:26:59.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-023/17:16:02.8
6571	M1O	04-023/17:27:00.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/17:16:03.8
6572	M1O	04-023/17:43:42.4		NOTE: Periapsis 9356 ----------		04-023/17:32:45.2
6573	M1O	04-023/17:44:39.3		NOTE: South Pole Crossing 9356		04-023/17:33:42.1
6574	M1O	04-023/18:11:08.0	54	NOTE: X-Band Transmitter Off in 15 minutes		
6575	M1O	04-023/18:12:33.0		NOTE: Enter Solar Eclipse 9356		04-023/18:01:35.7
6576	M1O	04-023/18:13:59.4		NOTE: Ascending Node Crossing 9356		04-023/18:03:02.1
6577	M1O	04-023/18:21:08.0	54	Range Modulation Off		
6578	M1O	04-023/18:26:08.0	54	X-Band Transmitter Off		
6579	M1O	04-023/18:29:34.0		NOTE: Exit Solar Eclipse 9356		04-023/18:18:36.7
6580	M1O	04-023/18:33:32.0	54	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6581	M1O	04-023/18:38:32.0	54	Range Modulation On: SUP=3.0dB		
6582	M1O	04-023/18:39:32.0	54	Begin Ranging Acquisition		
6583	M1O	04-023/18:40:00.0	63	Begin Pre-Cal		
6584	M1O	04-023/18:40:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
6585	M1O	04-023/18:40:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
6586	M1O	04-023/18:40:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
6587	M1O	04-023/18:40:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
6588	M1O	04-023/18:40:00.0	63	At BOT: S/C Tlm Mode: BR=0.0, FL=10112, SC=375KHZ, MI=71.7		
6589	M1O	04-023/18:40:00.0	63	Config: RCV: Parms:		
6590	M1O	04-023/18:40:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
6591	M1O	04-023/18:40:00.0	63	Config: TGC: BAND=X, SR=0.000000		
6592	M1O	04-023/18:40:00.0	63	Config: TXL		
6593	M1O	04-023/18:40:00.0	63	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
6594	M1O	04-023/18:40:00.0	63	Config: CMD		
6595	M1O	04-023/18:42:49.5		NOTE: Apoapsis 9356 -		04-023/18:31:52.1
6596	M1O	04-023/18:43:59.4		NOTE: North Pole Crossing 9356		04-023/18:33:02.1
6597	M1O	04-023/18:45:06.2		NOTE: Enter Planetary Atmosphere 9356		04-023/18:34:08.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6598	M1O	04-023/18:47:30.8		SPAWN, Engine = 65535, Parameters = 3, 00:12:22.579, 1	dpt	04-023/18:36:33.4
6599	M1O	04-023/18:47:32.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/18:36:35.5
6600	M1O	04-023/18:47:32.9	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6601	M1O	04-023/18:47:33.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/18:36:36.5
6602	M1O	04-023/18:48:02.5	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6603	M1O	04-023/18:48:32.8		NOTE: Enter Earth Occultation 9356		04-023/18:37:35.4
6604	M1O	04-023/18:48:32.8	54	NOTE: Loss Of X-Band Signal		
6605	M1O	04-023/18:54:55.4		NOTE: Exit Earth Occultation 9356		04-023/18:43:58.0
6606	M1O	04-023/18:54:55.4	54	Acquisition Of X-Band Signal		
6607	M1O	04-023/18:54:55.4	54	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6608	M1O	04-023/18:55:26.6	54	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6609	M1O	04-023/18:58:23.4		NOTE: Exit Planetary Atmosphere 9356		04-023/18:47:26.0
6610	M1O	04-023/18:59:55.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/18:48:58.1
6611	M1O	04-023/18:59:55.5	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6612	M1O	04-023/18:59:56.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/18:48:59.1
6613	M1O	04-023/19:06:55.4		SPAWN, Engine = 65535, Parameters = 023, 04, TRUE, 00:19:04, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-023/18:55:58.0
6614	M1O	04-023/19:06:55.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/18:55:58.5
6615	M1O	04-023/19:06:55.9	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6616	M1O	04-023/19:06:56.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/18:55:59.1
6617	M1O	04-023/19:06:58.5		CALL, Engine = , Parameters = 254	get_cmd_opt	04-023/18:56:01.1
6618	M1O	04-023/19:06:58.8		CALL, Engine = , Parameters = 023, 04, 254	bld_autosw	04-023/18:56:01.4
6619	M1O	04-023/19:06:59.9		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-023/18:56:02.5
6620	M1O	04-023/19:07:01.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:03.6
6621	M1O	04-023/19:07:02.0		Deletes the designated file.: d:/dat/254_doy023_pass04_file01.dat	FILE_DELETE	04-023/18:56:04.6
6622	M1O	04-023/19:07:03.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:05.7
6623	M1O	04-023/19:07:04.1		Deletes the designated file.: d:/dat/254_doy023_pass04_file02.dat	FILE_DELETE	04-023/18:56:06.7
6624	M1O	04-023/19:07:05.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:07.8
6625	M1O	04-023/19:07:06.2		Deletes the designated file.: d:/dat/254_doy023_pass04_file03.dat	FILE_DELETE	04-023/18:56:08.8
6626	M1O	04-023/19:07:07.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:09.9
6627	M1O	04-023/19:07:08.3		Deletes the designated file.: d:/dat/254_doy023_pass04_file04.dat	FILE_DELETE	04-023/18:56:10.9
6628	M1O	04-023/19:07:09.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:12.0
6629	M1O	04-023/19:07:10.4		Deletes the designated file.: d:/dat/254_doy023_pass04_file05.dat	FILE_DELETE	04-023/18:56:13.0
6630	M1O	04-023/19:07:11.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:14.1
6631	M1O	04-023/19:07:12.5		Deletes the designated file.: d:/dat/254_doy023_pass04_file06.dat	FILE_DELETE	04-023/18:56:15.1
6632	M1O	04-023/19:07:13.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:16.2
6633	M1O	04-023/19:07:14.6		Deletes the designated file.: d:/dat/254_doy023_pass04_file07.dat	FILE_DELETE	04-023/18:56:17.2
6634	M1O	04-023/19:07:15.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:18.3
6635	M1O	04-023/19:07:16.7		Deletes the designated file.: d:/dat/254_doy023_pass04_file08.dat	FILE_DELETE	04-023/18:56:19.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6636	M1O	04-023/19:07:17.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:20.4
6637	M1O	04-023/19:07:18.8		Deletes the designated file.: d:/dat/254_doy023_pass04_file09.dat	FILE_DELETE	04-023/18:56:21.4
6638	M1O	04-023/19:07:19.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:22.5
6639	M1O	04-023/19:07:20.9		Deletes the designated file.: d:/dat/254_doy023_pass04_file10.dat	FILE_DELETE	04-023/18:56:23.5
6640	M1O	04-023/19:07:22.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:24.6
6641	M1O	04-023/19:07:23.0		Deletes the designated file.: d:/dat/254_doy023_pass04_file11.dat	FILE_DELETE	04-023/18:56:25.6
6642	M1O	04-023/19:07:24.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:26.7
6643	M1O	04-023/19:07:25.1		Deletes the designated file.: d:/dat/254_doy023_pass04_file12.dat	FILE_DELETE	04-023/18:56:27.7
6644	M1O	04-023/19:07:26.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:28.8
6645	M1O	04-023/19:07:27.2		Deletes the designated file.: d:/dat/254_doy023_pass04_file13.dat	FILE_DELETE	04-023/18:56:29.8
6646	M1O	04-023/19:07:28.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:30.9
6647	M1O	04-023/19:07:29.3		Deletes the designated file.: d:/dat/254_doy023_pass04_file14.dat	FILE_DELETE	04-023/18:56:31.9
6648	M1O	04-023/19:07:30.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:33.0
6649	M1O	04-023/19:07:31.4		Deletes the designated file.: d:/dat/254_doy023_pass04_file15.dat	FILE_DELETE	04-023/18:56:34.0
6650	M1O	04-023/19:07:32.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:35.1
6651	M1O	04-023/19:07:33.5		Deletes the designated file.: d:/dat/254_doy023_pass04_file16.dat	FILE_DELETE	04-023/18:56:36.1
6652	M1O	04-023/19:07:34.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:37.2
6653	M1O	04-023/19:07:35.6		Deletes the designated file.: d:/dat/254_doy023_pass04_file17.dat	FILE_DELETE	04-023/18:56:38.2
6654	M1O	04-023/19:07:36.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:39.3
6655	M1O	04-023/19:07:37.7		Deletes the designated file.: d:/dat/254_doy023_pass04_file18.dat	FILE_DELETE	04-023/18:56:40.3
6656	M1O	04-023/19:07:38.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy023_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-023/18:56:41.4
6657	M1O	04-023/19:07:39.8		Deletes the designated file.: d:/dat/254_doy023_pass04_file19.dat	FILE_DELETE	04-023/18:56:42.4
6658	M1O	04-023/19:07:40.8		CALL, Engine = , Parameters = 254	get_apid	04-023/18:56:43.4
6659	M1O	04-023/19:07:41.9		CALL, Engine = , Parameters = 254	get_rcv_mode	04-023/18:56:44.5
6660	M1O	04-023/19:07:42.1		CALL, Engine = , Parameters = 254	get_dl_rate	04-023/18:56:44.7
6661	M1O	04-023/19:07:43.2		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-023/18:56:45.8
6662	M1O	04-023/19:07:44.5		CALL, Engine = , Parameters = 254	get_coding	04-023/18:56:47.1
6663	M1O	04-023/19:07:45.7		CALL, Engine = , Parameters = 254	get_xmt_mode	04-023/18:56:48.3
6664	M1O	04-023/19:07:46.9		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-023/18:56:49.5
6665	M1O	04-023/19:08:51.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-023/18:57:54.3
6666	M1O	04-023/19:08:52.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-023/18:57:55.3
6667	M1O	04-023/19:08:53.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-023/18:57:56.3
6668	M1O	04-023/19:08:54.7		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-023/18:57:57.3
6669	M1O	04-023/19:08:55.7		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-023/18:57:58.3
6670	M1O	04-023/19:08:56.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-023/18:57:59.3
6671	M1O	04-023/19:08:57.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-023/18:58:00.3
6672	M1O	04-023/19:10:47.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/18:59:50.3
6673	M1O	04-023/19:10:57.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-023/19:00:00.3
6674	M1O	04-023/19:13:05.0	54	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6675	M1O	04-023/19:13:57.5		NOTE: Descending Node Crossing 9357		04-023/19:03:00.0
6676	M1O	04-023/19:15:52.5		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-023/19:04:55.1
6677	M1O	04-023/19:15:54.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/19:04:57.2
6678	M1O	04-023/19:15:55.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/19:04:58.2
6679	M1O	04-023/19:21:00.0	54	Range Modulation Off		
6680	M1O	04-023/19:21:54.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/19:10:57.2
6681	M1O	04-023/19:21:54.6	54	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6682	M1O	04-023/19:21:55.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/19:10:58.2
6683	M1O	04-023/19:21:55.6	54	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6684	M1O	04-023/19:21:55.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/19:10:58.2
6685	M1O	04-023/19:25:00.0	63	Begin Tracking		
6686	M1O	04-023/19:25:00.0	63	Acquire D/L: X/08, 3-Way/54, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6687	M1O	04-023/19:26:00.0	63	U/L Transfer From DSS-54 to DSS-63: PWR=20.0, BR=125.0		
6688	M1O	04-023/19:27:59.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-023/19:17:02.3
6689	M1O	04-023/19:28:00.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-023/19:17:03.4
6690	M1O	04-023/19:28:10.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-023/19:17:13.4
6691	M1O	04-023/19:28:11.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/19:17:14.4
6692	M1O	04-023/19:28:12.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-023/19:17:15.4
6693	M1O	04-023/19:28:12.8	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6694	M1O	04-023/19:28:12.8	63	D/L Change: X/08, 3-Way/54, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6695	M1O	04-023/19:28:13.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-023/19:17:16.4
6696	M1O	04-023/19:33:12.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/19:22:15.0
6697	M1O	04-023/19:33:12.5	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6698	M1O	04-023/19:33:12.5	63	D/L Change: X/08, 3-Way/54, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6699	M1O	04-023/19:33:13.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/19:22:15.5
6700	M1O	04-023/19:33:13.0	54	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6701	M1O	04-023/19:33:13.0	63	D/L Change: X/08, 3-Way/54, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6702	M1O	04-023/19:34:12.5		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-023/19:23:15.0
6703	M1O	04-023/19:34:12.5	54	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6704	M1O	04-023/19:34:12.5	63	D/L Change: X/08, 3-Way/54, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6705	M1O	04-023/19:35:00.0	54	End Tracking		
6706	M1O	04-023/19:42:42.3		NOTE: Periapsis 9357 ----------		04-023/19:31:44.8
6707	M1O	04-023/19:43:16.2		NOTE: South Pole Crossing 9357		04-023/19:32:18.7
6708	M1O	04-023/19:43:57.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/19:33:00.0
6709	M1O	04-023/19:43:57.5	63	D/L Change: X/08, 3-Way/54, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6710	M1O	04-023/19:47:54.9	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6711	M1O	04-023/19:50:00.0	54	End Post-Cal		
6712	M1O	04-023/20:09:47.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
6713	M1O	04-023/20:11:08.6		NOTE: Enter Solar Eclipse 9357		04-023/20:00:11.0
6714	M1O	04-023/20:12:36.5		NOTE: Ascending Node Crossing 9357		04-023/20:01:38.8
6715	M1O	04-023/20:24:47.0	63	X-Band Transmitter Off		
6716	M1O	04-023/20:28:11.0		NOTE: Exit Solar Eclipse 9357		04-023/20:17:13.3
6717	M1O	04-023/20:32:04.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6718	M1O	04-023/20:41:55.9		NOTE: Apoapsis 9357 -		04-023/20:30:58.2
6719	M1O	04-023/20:42:36.0		NOTE: North Pole Crossing 9357		04-023/20:31:38.3
6720	M1O	04-023/20:43:43.6		NOTE: Enter Planetary Atmosphere 9357		04-023/20:32:45.9
6721	M1O	04-023/20:45:39.8		SPAWN, Engine = 65535, Parameters = 3, 00:13:17, 1	dpt	04-023/20:34:42.1
6722	M1O	04-023/20:45:41.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/20:34:44.2
6723	M1O	04-023/20:45:41.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6724	M1O	04-023/20:45:42.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/20:34:45.2
6725	M1O	04-023/20:46:42.3	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6726	M1O	04-023/20:47:12.3		NOTE: Enter Earth Occultation 9357		04-023/20:36:14.6
6727	M1O	04-023/20:47:12.3	63	NOTE: Loss Of X-Band Signal		
6728	M1O	04-023/20:53:27.2		NOTE: Exit Earth Occultation 9357		04-023/20:42:29.4
6729	M1O	04-023/20:53:27.2	63	Acquisition Of X-Band Signal		
6730	M1O	04-023/20:53:27.2	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6731	M1O	04-023/20:53:59.3	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6732	M1O	04-023/20:56:57.2		NOTE: Exit Planetary Atmosphere 9357		04-023/20:45:59.5
6733	M1O	04-023/20:58:58.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/20:48:01.2
6734	M1O	04-023/20:58:58.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6735	M1O	04-023/20:58:59.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/20:48:02.2
6736	M1O	04-023/21:12:34.2		NOTE: Descending Node Crossing 9358		04-023/21:01:36.4
6737	M1O	04-023/21:41:38.0		NOTE: Periapsis 9358 ----------		04-023/21:30:40.0
6738	M1O	04-023/21:41:52.7		NOTE: South Pole Crossing 9358		04-023/21:30:54.8
6739	M1O	04-023/22:08:17.6	63	NOTE: X-Band Transmitter Off in 15 minutes		
6740	M1O	04-023/22:09:41.9		NOTE: Enter Solar Eclipse 9358		04-023/21:58:43.9
6741	M1O	04-023/22:11:12.1		NOTE: Ascending Node Crossing 9358		04-023/22:00:14.1
6742	M1O	04-023/22:23:17.6	63	X-Band Transmitter Off		
6743	M1O	04-023/22:26:48.0		NOTE: Exit Solar Eclipse 9358		04-023/22:15:50.0
6744	M1O	04-023/22:30:00.0	15	Begin Pre-Cal		
6745	M1O	04-023/22:30:00.0	15	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
6746	M1O	04-023/22:30:00.0	15	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
6747	M1O	04-023/22:30:00.0	15	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
6748	M1O	04-023/22:30:00.0	15	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
6749	M1O	04-023/22:30:00.0	15	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
6750	M1O	04-023/22:30:00.0	15	Config: RCV: Parms:		
6751	M1O	04-023/22:30:00.0	15	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
6752	M1O	04-023/22:30:00.0	15	Config: TGC: BAND=X, SR=221200.000000		
6753	M1O	04-023/22:30:00.0	15	Config: TXL		
6754	M1O	04-023/22:30:00.0	15	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
6755	M1O	04-023/22:30:00.0	15	Config: CMD		
6756	M1O	04-023/22:30:00.0	15	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
6757	M1O	04-023/22:30:42.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6758	M1O	04-023/22:38:03.7	63	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
6759	M1O	04-023/22:40:00.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
6760	M1O	04-023/22:40:44.0		NOTE: Apoapsis 9358 -		04-023/22:29:45.9
6761	M1O	04-023/22:41:11.6		NOTE: North Pole Crossing 9358		04-023/22:30:13.5
6762	M1O	04-023/22:42:16.8		NOTE: Enter Planetary Atmosphere 9358		04-023/22:31:18.7
6763	M1O	04-023/22:44:11.2		SPAWN, Engine = 65535, Parameters = 3, 00:13:24, 1	dpt	04-023/22:33:13.1
6764	M1O	04-023/22:44:13.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/22:33:15.2
6765	M1O	04-023/22:44:13.3	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6766	M1O	04-023/22:44:14.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/22:33:16.2
6767	M1O	04-023/22:45:13.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6768	M1O	04-023/22:45:43.7		NOTE: Enter Earth Occultation 9358		04-023/22:34:45.6
6769	M1O	04-023/22:45:43.7	63	NOTE: Loss Of X-Band Signal		
6770	M1O	04-023/22:52:05.7		NOTE: Exit Earth Occultation 9358		04-023/22:41:07.6
6771	M1O	04-023/22:52:05.7	63	Acquisition Of X-Band Signal		
6772	M1O	04-023/22:52:05.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6773	M1O	04-023/22:52:38.1	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6774	M1O	04-023/22:55:00.0	63	X-Band Transmitter Off		
6775	M1O	04-023/22:55:34.0		NOTE: Exit Planetary Atmosphere 9358		04-023/22:44:35.8
6776	M1O	04-023/22:57:37.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/22:46:39.2
6777	M1O	04-023/22:57:37.3	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6778	M1O	04-023/22:57:37.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/22:46:39.7
6779	M1O	04-023/22:57:37.8	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6780	M1O	04-023/22:57:38.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/22:46:40.2
6781	M1O	04-023/23:00:00.0	63	End Tracking		
6782	M1O	04-023/23:00:00.0	15	Begin Tracking		
6783	M1O	04-023/23:00:00.0	15	Acquire D/L: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6784	M1O	04-023/23:01:00.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6785	M1O	04-023/23:01:32.1		SPAWN, Engine = 65535, Parameters = 023, 04, FALSE, 00:08:45.097, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-023/22:50:34.0
6786	M1O	04-023/23:01:33.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/22:50:35.1
6787	M1O	04-023/23:01:35.2		CALL, Engine = , Parameters = 56	get_cmd_opt	04-023/22:50:37.1
6788	M1O	04-023/23:02:17.4		CALL, Engine = , Parameters = 56	get_apid	04-023/22:51:19.3
6789	M1O	04-023/23:02:18.5		CALL, Engine = , Parameters = 56	get_rcv_mode	04-023/22:51:20.4
6790	M1O	04-023/23:02:18.7		CALL, Engine = , Parameters = 56	get_dl_rate	04-023/22:51:20.6
6791	M1O	04-023/23:02:19.8		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-023/22:51:21.7
6792	M1O	04-023/23:02:21.0		CALL, Engine = , Parameters = 56	get_coding	04-023/22:51:22.9
6793	M1O	04-023/23:02:22.2		CALL, Engine = , Parameters = 56	get_xmt_mode	04-023/22:51:24.1
6794	M1O	04-023/23:02:23.4		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-023/22:51:25.3
6795	M1O	04-023/23:03:28.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-023/22:52:30.1
6796	M1O	04-023/23:03:29.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-023/22:52:31.1
6797	M1O	04-023/23:03:30.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-023/22:52:32.1
6798	M1O	04-023/23:03:31.2		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-023/22:52:33.1
6799	M1O	04-023/23:03:32.2		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-023/22:52:34.1
6800	M1O	04-023/23:03:33.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK,	UHF_RCV_MODE	04-023/22:52:35.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT		
6801	M1O	04-023/23:03:34.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-023/22:52:36.1
6802	M1O	04-023/23:06:00.0	15	Range Modulation On: SUP=3.0dB		
6803	M1O	04-023/23:07:00.0	15	Begin Ranging Acquisition		
6804	M1O	04-023/23:10:58.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/23:00:00.0
6805	M1O	04-023/23:10:58.1	15	D/L Change: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6806	M1O	04-023/23:11:10.0		NOTE: Descending Node Crossing 9359		04-023/23:00:11.8
6807	M1O	04-023/23:12:15.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-023/23:01:17.1
6808	M1O	04-023/23:12:16.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-023/23:01:18.2
6809	M1O	04-023/23:12:26.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-023/23:01:28.2
6810	M1O	04-023/23:12:27.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-023/23:01:29.2
6811	M1O	04-023/23:13:58.9		SPAWN, Engine = 65535, Parameters = 3, 00:13:54.353, 1	dpt	04-023/23:03:00.7
6812	M1O	04-023/23:14:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-023/23:03:02.8
6813	M1O	04-023/23:14:01.0	15	D/L Change: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6814	M1O	04-023/23:14:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-023/23:03:03.8
6815	M1O	04-023/23:15:00.0	63	End Post-Cal		
6816	M1O	04-023/23:15:00.9		NOTE: Changing to 34M (HEF) downlink rate: 39816_BPS		04-023/23:04:02.7
6817	M1O	04-023/23:15:00.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-023/23:04:02.7
6818	M1O	04-023/23:15:00.9	15	D/L Change: X/08, 3-Way/63, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6819	M1O	04-023/23:15:06.9		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-023/23:04:08.7
6820	M1O	04-023/23:15:06.9	15	D/L Change: X/08, 3-Way/63, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6821	M1O	04-023/23:15:13.2		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-023/23:04:15.0
6822	M1O	04-023/23:15:13.2	15	D/L Change: X/08, 3-Way/63, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6823	M1O	04-023/23:16:56.2	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6824	M1O	04-023/23:22:56.3	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6825	M1O	04-023/23:27:55.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-023/23:16:57.2
6826	M1O	04-023/23:27:55.4	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6827	M1O	04-023/23:27:56.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-023/23:16:58.2
6828	M1O	04-023/23:40:11.2		NOTE: Periapsis 9359 ----------		04-023/23:29:12.9
6829	M1O	04-023/23:40:27.2		NOTE: South Pole Crossing 9359		04-023/23:29:28.9
6830	M1O	04-024/00:00:00.0		Light Time: OWLT = 10:58, RTLT = 21:56		
6831	M1O	04-024/00:06:38.9	15	NOTE: X-Band Transmitter Off in 15 minutes		
6832	M1O	04-024/00:08:13.2		NOTE: Enter Solar Eclipse 9359		04-023/23:57:14.8
6833	M1O	04-024/00:09:45.4		NOTE: Ascending Node Crossing 9359		04-023/23:58:47.0
6834	M1O	04-024/00:16:39.0	15	Range Modulation Off		
6835	M1O	04-024/00:21:38.9	15	X-Band Transmitter Off		
6836	M1O	04-024/00:25:23.5		NOTE: Exit Solar Eclipse 9359		04-024/00:14:25.1
6837	M1O	04-024/00:29:23.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6838	M1O	04-024/00:34:23.0	15	Range Modulation On: SUP=3.0dB		
6839	M1O	04-024/00:35:23.0	15	Begin Ranging Acquisition		
6840	M1O	04-024/00:39:01.9		NOTE: Apoapsis 9359 -		04-024/00:28:03.4
6841	M1O	04-024/00:39:44.7		NOTE: North Pole Crossing 9359		04-024/00:28:46.2
6842	M1O	04-024/00:40:44.1		NOTE: Enter Planetary Atmosphere 9359		04-024/00:29:45.6
6843	M1O	04-024/00:42:33.7		SPAWN, Engine = 65535, Parameters = 3, 00:13:44, 1	dpt	04-024/00:31:35.2
6844	M1O	04-024/00:42:35.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/00:31:37.3
6845	M1O	04-024/00:42:35.8	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6846	M1O	04-024/00:42:36.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/00:31:38.3
6847	M1O	04-024/00:43:35.8	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6848	M1O	04-024/00:44:05.8		NOTE: Enter Earth Occultation 9359		04-024/00:33:07.3
6849	M1O	04-024/00:44:05.8	15	NOTE: Loss Of X-Band Signal		
6850	M1O	04-024/00:50:48.2		NOTE: Exit Earth Occultation 9359		04-024/00:39:49.7
6851	M1O	04-024/00:50:48.2	15	Acquisition Of X-Band Signal		
6852	M1O	04-024/00:50:48.2	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6853	M1O	04-024/00:51:19.8	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6854	M1O	04-024/00:53:49.5		SPAWN, Engine = 65535, Parameters = 024, 01, FALSE, 00:19:27.203, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-024/00:42:51.0
6855	M1O	04-024/00:53:50.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/00:42:52.1
6856	M1O	04-024/00:53:52.6		CALL, Engine = , Parameters = 56	get_cmd_opt	04-024/00:42:54.1
6857	M1O	04-024/00:54:11.4		NOTE: Exit Planetary Atmosphere 9359		04-024/00:43:12.9
6858	M1O	04-024/00:54:34.8		CALL, Engine = , Parameters = 56	get_apid	04-024/00:43:36.3
6859	M1O	04-024/00:54:35.9		CALL, Engine = , Parameters = 56	get_rcv_mode	04-024/00:43:37.4
6860	M1O	04-024/00:54:36.1		CALL, Engine = , Parameters = 56	get_dl_rate	04-024/00:43:37.6
6861	M1O	04-024/00:54:37.2		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-024/00:43:38.7
6862	M1O	04-024/00:54:38.4		CALL, Engine = , Parameters = 56	get_coding	04-024/00:43:39.9
6863	M1O	04-024/00:54:39.6		CALL, Engine = , Parameters = 56	get_xmt_mode	04-024/00:43:41.1
6864	M1O	04-024/00:54:40.8		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-024/00:43:42.3
6865	M1O	04-024/00:55:45.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-024/00:44:47.1
6866	M1O	04-024/00:55:46.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-024/00:44:48.1
6867	M1O	04-024/00:55:47.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-024/00:44:49.1
6868	M1O	04-024/00:55:48.6		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-024/00:44:50.1
6869	M1O	04-024/00:55:49.6		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-024/00:44:51.1
6870	M1O	04-024/00:55:50.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-024/00:44:52.1
6871	M1O	04-024/00:55:51.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-024/00:44:53.1
6872	M1O	04-024/00:56:19.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/00:45:21.3
6873	M1O	04-024/00:56:19.8	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6874	M1O	04-024/00:56:20.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/00:45:22.3
6875	M1O	04-024/01:09:42.5		NOTE: Descending Node Crossing 9360		04-024/00:58:43.9
6876	M1O	04-024/01:15:14.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-024/01:04:16.3
6877	M1O	04-024/01:15:15.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-024/01:04:17.4
6878	M1O	04-024/01:15:25.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-024/01:04:27.4
6879	M1O	04-024/01:15:26.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/01:04:28.4
6880	M1O	04-024/01:38:22.8		NOTE: Periapsis 9360 ----------		04-024/01:27:24.1
6881	M1O	04-024/01:38:58.8		NOTE: South Pole Crossing 9360		04-024/01:28:00.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6882	M1O	04-024/02:05:05.9	15	NOTE: X-Band Transmitter Off in 15 minutes		
6883	M1O	04-024/02:06:45.5		NOTE: Enter Solar Eclipse 9360		04-024/01:55:46.8
6884	M1O	04-024/02:08:16.8		NOTE: Ascending Node Crossing 9360		04-024/01:57:18.1
6885	M1O	04-024/02:15:06.0	15	Range Modulation Off		
6886	M1O	04-024/02:20:05.9	15	X-Band Transmitter Off		
6887	M1O	04-024/02:23:55.1		NOTE: Exit Solar Eclipse 9360		04-024/02:12:56.3
6888	M1O	04-024/02:27:55.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6889	M1O	04-024/02:32:55.0	15	Range Modulation On: SUP=3.0dB		
6890	M1O	04-024/02:33:55.0	15	Begin Ranging Acquisition		
6891	M1O	04-024/02:37:16.0		NOTE: Apoapsis 9360 -		04-024/02:26:17.2
6892	M1O	04-024/02:38:15.7		NOTE: North Pole Crossing 9360		04-024/02:27:16.8
6893	M1O	04-024/02:39:13.0		NOTE: Enter Planetary Atmosphere 9360		04-024/02:28:14.1
6894	M1O	04-024/02:41:01.1		SPAWN, Engine = 65535, Parameters = 3, 00:13:49, 1	dpt	04-024/02:30:02.2
6895	M1O	04-024/02:41:03.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/02:30:04.3
6896	M1O	04-024/02:41:03.2	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6897	M1O	04-024/02:41:04.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/02:30:05.3
6898	M1O	04-024/02:42:03.5	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6899	M1O	04-024/02:42:33.5		NOTE: Enter Earth Occultation 9360		04-024/02:31:34.6
6900	M1O	04-024/02:42:33.5	15	NOTE: Loss Of X-Band Signal		
6901	M1O	04-024/02:49:20.9		NOTE: Exit Earth Occultation 9360		04-024/02:38:22.0
6902	M1O	04-024/02:49:20.9	15	Acquisition Of X-Band Signal		
6903	M1O	04-024/02:49:20.9	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6904	M1O	04-024/02:49:52.6	15	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6905	M1O	04-024/02:52:42.9		NOTE: Exit Planetary Atmosphere 9360		04-024/02:41:44.0
6906	M1O	04-024/02:54:15.0	15	NOTE: X-Band Transmitter Off in 15 minutes		
6907	M1O	04-024/02:54:52.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/02:43:53.3
6908	M1O	04-024/02:54:52.2	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6909	M1O	04-024/02:54:53.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/02:43:54.3
6910	M1O	04-024/03:04:15.0	15	Range Modulation Off		
6911	M1O	04-024/03:08:12.6		NOTE: Descending Node Crossing 9361		04-024/02:57:13.6
6912	M1O	04-024/03:09:15.0	15	X-Band Transmitter Off		
6913	M1O	04-024/03:21:12.9		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-024/03:10:14.0
6914	M1O	04-024/03:21:13.0		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-024/03:10:14.1
6915	M1O	04-024/03:21:14.0		Forces a desaturation of the reaction wheels.	RW_DESAT	04-024/03:10:15.1
6916	M1O	04-024/03:23:01.9		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-024/03:12:03.0
6917	M1O	04-024/03:23:17.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-022T03:12:03.100, 2004-024T03:12:03.100	PCKTS_RE_TX_TIME	04-024/03:12:18.8
6918	M1O	04-024/03:23:18.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-022T03:12:03.100, 2004-024T03:12:03.100	PCKTS_RE_TX_TIME	04-024/03:12:19.8
6919	M1O	04-024/03:23:19.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-022T03:12:03.100, 2004-024T03:12:03.100	PCKTS_RE_TX_TIME	04-024/03:12:20.8
6920	M1O	04-024/03:23:20.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-022T03:12:03.100, 2004-024T03:12:03.100	PCKTS_RE_TX_TIME	04-024/03:12:21.8
6921	M1O	04-024/03:23:21.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-022T03:12:03.100, 2004-024T03:12:03.100	PCKTS_RE_TX_TIME	04-024/03:12:22.8
6922	M1O	04-024/03:23:22.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-022T03:12:03.100, 2004-024T03:12:03.100	PCKTS_RE_TX_TIME	04-024/03:12:23.8
6923	M1O	04-024/03:23:22.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-024/03:12:23.8
6924	M1O	04-024/03:23:22.7	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
6925	M1O	04-024/03:30:23.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/03:19:24.8
6926	M1O	04-024/03:30:23.8	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6927	M1O	04-024/03:30:24.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/03:19:25.8
6928	M1O	04-024/03:30:40.8		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-024/03:19:41.8
6929	M1O	04-024/03:30:40.8	15	D/L RF Warning: SC antenna change - expect signal level variation		
6930	M1O	04-024/03:30:41.8		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-024/03:19:42.8
6931	M1O	04-024/03:31:12.9	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6932	M1O	04-024/03:32:44.1		CALL, Engine = , Parameters = FALSE	park_hga	04-024/03:21:45.1
6933	M1O	04-024/03:32:44.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/03:21:45.1
6934	M1O	04-024/03:32:45.1		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-024/03:21:46.1
6935	M1O	04-024/03:32:46.1		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-024/03:21:47.1
6936	M1O	04-024/03:32:46.1		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-024/03:21:47.1
6937	M1O	04-024/03:32:46.1		NOTE: START HGA PARK		
6938	M1O	04-024/03:32:46.1	15	NOTE: Loss Of X-Band Signal		
6939	M1O	04-024/03:32:47.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-024/03:21:48.1
6940	M1O	04-024/03:32:48.1		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-024/03:21:49.1
6941	M1O	04-024/03:36:41.4		NOTE: Periapsis 9361 ----------		04-024/03:25:42.4
6942	M1O	04-024/03:37:18.1		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-024/03:26:19.1
6943	M1O	04-024/03:37:29.6		NOTE: South Pole Crossing 9361		04-024/03:26:30.5
6944	M1O	04-024/03:40:48.1		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-024/03:29:49.1
6945	M1O	04-024/03:40:48.1		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-024/03:29:49.1
6946	M1O	04-024/04:00:00.0	34	Begin Pre-Cal		
6947	M1O	04-024/04:00:00.0	34	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
6948	M1O	04-024/04:00:00.0	34	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
6949	M1O	04-024/04:00:00.0	34	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
6950	M1O	04-024/04:00:00.0	34	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
6951	M1O	04-024/04:00:00.0	34	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
6952	M1O	04-024/04:00:00.0	34	Config: RCV: Parms:		
6953	M1O	04-024/04:00:00.0	34	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
6954	M1O	04-024/04:00:00.0	34	Config: TGC: BAND=X, SR=79632.000000		
6955	M1O	04-024/04:00:00.0	34	Config: TXL		
6956	M1O	04-024/04:00:00.0	34	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
6957	M1O	04-024/04:00:00.0	34	Config: CMD		
6958	M1O	04-024/04:00:00.0	34	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
6959	M1O	04-024/04:05:19.3		NOTE: Enter Solar Eclipse 9361		04-024/03:54:20.1
6960	M1O	04-024/04:06:48.8		NOTE: Ascending Node Crossing 9361		04-024/03:55:49.7
6961	M1O	04-024/04:10:48.1		GV: GV_DESAT_ACTIVE = 1		04-024/03:59:49.0
6962	M1O	04-024/04:10:49.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-024/03:59:50.0
6963	M1O	04-024/04:10:49.1		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-024/03:59:50.0
6964	M1O	04-024/04:20:48.1		GV: GV_DESAT_ACTIVE = 0		04-024/04:09:49.0
6965	M1O	04-024/04:20:49.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-024/04:09:50.0
6966	M1O	04-024/04:20:50.1		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-024/04:09:51.0
6967	M1O	04-024/04:20:51.1		CALL, Engine = , Parameters =	unpark_hga	04-024/04:09:52.0
6968	M1O	04-024/04:20:51.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-024/04:09:52.0
6969	M1O	04-024/04:20:52.1		Move the specified appendage o the specified gimbal angles unless inhibited by	APPNDG_GOTO_POS	04-024/04:09:53.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				softstops.: HGA, -87, -87		
6970	M1O	04-024/04:22:22.1		NOTE: Exit Solar Eclipse 9361		04-024/04:11:22.9
6971	M1O	04-024/04:25:22.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-024/04:14:23.0
6972	M1O	04-024/04:25:23.1		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-024/04:14:24.0
6973	M1O	04-024/04:26:07.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
6974	M1O	04-024/04:28:48.2		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-024/04:17:49.0
6975	M1O	04-024/04:28:48.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/04:17:49.1
6976	M1O	04-024/04:28:49.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/04:17:50.1
6977	M1O	04-024/04:28:50.3		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-024/04:17:51.1
6978	M1O	04-024/04:28:51.3		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-024/04:17:52.1
6979	M1O	04-024/04:28:52.3		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-024/04:17:53.1
6980	M1O	04-024/04:29:02.3		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-024/04:18:03.1
6981	M1O	04-024/04:29:12.3		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-024/04:18:13.1
6982	M1O	04-024/04:29:23.1		NOTE: EXIT HGA PARK		
6983	M1O	04-024/04:29:23.1	15	Acquisition Of X-Band Signal		
6984	M1O	04-024/04:29:23.1	15	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6985	M1O	04-024/04:31:07.0	15	Range Modulation On: SUP=3.0dB		
6986	M1O	04-024/04:32:07.0	15	Begin Ranging Acquisition		
6987	M1O	04-024/04:34:12.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/04:23:13.1
6988	M1O	04-024/04:34:13.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/04:23:14.1
6989	M1O	04-024/04:34:13.3	15	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
6990	M1O	04-024/04:34:14.3		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-024/04:23:15.1
6991	M1O	04-024/04:35:56.6		NOTE: Apoapsis 9361 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7011	M1O	04-024/05:26:00.0	15	Range Modulation Off		
7012	M1O	04-024/05:30:00.0	34	Begin Tracking		
7013	M1O	04-024/05:30:00.0	34	Acquire D/L: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7014	M1O	04-024/05:31:00.0	34	U/L Transfer From DSS-15 to DSS-34: PWR=20.0, BR=125.0		
7015	M1O	04-024/05:35:21.2		NOTE: Periapsis 9362 ----------		04-024/05:24:21.7
7016	M1O	04-024/05:36:00.0	34	Range Modulation On: SUP=3.0dB		
7017	M1O	04-024/05:36:03.5		NOTE: South Pole Crossing 9362		04-024/05:25:04.1
7018	M1O	04-024/05:37:00.0	34	Begin Ranging Acquisition		
7019	M1O	04-024/05:38:01.0	15	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
7020	M1O	04-024/05:45:58.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-024/05:34:58.6
7021	M1O	04-024/05:46:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/05:35:00.7
7022	M1O	04-024/05:46:00.2	15	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7023	M1O	04-024/05:46:00.2	34	D/L Change: X/08, 3-Way/15, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7024	M1O	04-024/05:46:01.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/05:35:01.7
7025	M1O	04-024/05:46:29.4		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 28440_BPS	DOWNLINK_RATE	04-024/05:35:30.0
7026	M1O	04-024/05:46:29.4	15	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7027	M1O	04-024/05:46:29.4	34	D/L Change: X/08, 3-Way/15, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7028	M1O	04-024/05:52:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/05:41:00.7
7029	M1O	04-024/05:52:00.2	15	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7030	M1O	04-024/05:52:00.2	34	D/L Change: X/08, 3-Way/15, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7031	M1O	04-024/05:52:00.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/05:41:01.2
7032	M1O	04-024/05:52:00.6	15	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7033	M1O	04-024/05:52:00.6	34	D/L Change: X/08, 3-Way/15, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7034	M1O	04-024/05:52:01.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/05:41:01.7
7035	M1O	04-024/05:52:19.4		SPAWN, Engine = 65535, Parameters = 024, 01, FALSE, 00:13:52.220, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-024/05:41:20.0
7036	M1O	04-024/05:52:20.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/05:41:21.1
7037	M1O	04-024/05:52:22.5		CALL, Engine = , Parameters = 254	get_cmd_opt	04-024/05:41:23.1
7038	M1O	04-024/05:52:58.8	15	Acquire D/L: X/08, 3-Way/34, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7039	M1O	04-024/05:52:58.8	34	Acquire D/L: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7040	M1O	04-024/05:53:04.7		CALL, Engine = , Parameters = 254	get_apid	04-024/05:42:05.3
7041	M1O	04-024/05:53:05.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-024/05:42:06.4
7042	M1O	04-024/05:53:06.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-024/05:42:06.6
7043	M1O	04-024/05:53:07.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-024/05:42:07.7
7044	M1O	04-024/05:53:08.4		CALL, Engine = , Parameters = 254	get_coding	04-024/05:42:09.0
7045	M1O	04-024/05:53:09.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-024/05:42:10.2
7046	M1O	04-024/05:53:10.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-024/05:42:11.4
7047	M1O	04-024/05:54:15.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-024/05:43:16.2
7048	M1O	04-024/05:54:16.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-024/05:43:17.2
7049	M1O	04-024/05:54:17.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-024/05:43:18.2
7050	M1O	04-024/05:54:18.6		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-024/05:43:19.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7051	M1O	04-024/05:54:19.6		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-024/05:43:20.2
7052	M1O	04-024/05:54:20.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-024/05:43:21.2
7053	M1O	04-024/05:54:21.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-024/05:43:22.2
7054	M1O	04-024/06:00:00.0	15	End Tracking		
7055	M1O	04-024/06:00:00.0	15	End Post-Cal		
7056	M1O	04-024/06:03:00.0	34	NOTE: X-Band Transmitter Off in 15 minutes		
7057	M1O	04-024/06:03:53.7		NOTE: Enter Solar Eclipse 9362		04-024/05:52:54.2
7058	M1O	04-024/06:05:23.2		NOTE: Ascending Node Crossing 9362		04-024/05:54:23.7
7059	M1O	04-024/06:08:09.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-024/05:57:10.4
7060	M1O	04-024/06:08:11.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-024/05:57:11.5
7061	M1O	04-024/06:08:21.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-024/05:57:21.5
7062	M1O	04-024/06:08:22.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/05:57:22.5
7063	M1O	04-024/06:13:00.0	34	Range Modulation Off		
7064	M1O	04-024/06:18:00.0	34	X-Band Transmitter Off		
7065	M1O	04-024/06:20:51.0		NOTE: Exit Solar Eclipse 9362		04-024/06:09:51.4
7066	M1O	04-024/06:24:18.0	34	Acquire U/L: X/08, PWR=20.0, BR=125.0		
7067	M1O	04-024/06:29:18.0	34	Range Modulation On: SUP=3.0dB		
7068	M1O	04-024/06:30:18.0	34	Begin Ranging Acquisition		
7069	M1O	04-024/06:34:37.5		NOTE: Apoapsis 9362 -		04-024/06:23:37.9
7070	M1O	04-024/06:35:23.9		NOTE: North Pole Crossing 9362		04-024/06:24:24.3
7071	M1O	04-024/06:36:43.9		NOTE: Enter Planetary Atmosphere 9362		04-024/06:25:44.3
7072	M1O	04-024/06:39:27.4		SPAWN, Engine = 65535, Parameters = 3, 00:11:47.570, 1	dpt	04-024/06:28:27.8
7073	M1O	04-024/06:39:29.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/06:28:29.9
7074	M1O	04-024/06:39:30.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/06:28:30.9
7075	M1O	04-024/06:39:59.1	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7076	M1O	04-024/06:40:29.4		NOTE: Enter Earth Occultation 9362		04-024/06:29:29.8
7077	M1O	04-024/06:40:29.4	34	NOTE: Loss Of X-Band Signal		
7078	M1O	04-024/06:45:45.5		NOTE: Exit Earth Occultation 9362		04-024/06:34:45.9
7079	M1O	04-024/06:45:45.5	34	Acquisition Of X-Band Signal		
7080	M1O	04-024/06:45:45.5	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7081	M1O	04-024/06:46:17.1	34	Acquire D/L: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7082	M1O	04-024/06:49:32.5		NOTE: Exit Planetary Atmosphere 9362		04-024/06:38:32.8
7083	M1O	04-024/06:51:17.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/06:40:17.5
7084	M1O	04-024/06:51:17.1	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7085	M1O	04-024/06:51:18.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/06:40:18.5
7086	M1O	04-024/07:05:22.9		NOTE: Descending Node Crossing 9363		04-024/06:54:23.2
7087	M1O	04-024/07:10:59.7		SPAWN, Engine = 65535, Parameters =	scdiag	04-024/07:00:00.0
7088	M1O	04-024/07:11:00.8		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-024/07:00:01.1
7089	M1O	04-024/07:11:01.8		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-024/07:00:02.1
7090	M1O	04-024/07:12:02.7		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-024/07:01:03.0
7091	M1O	04-024/07:12:02.9		NOTE: Start Block fsw_diag		04-024/07:01:03.2
7092	M1O	04-024/07:12:03.9		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-024/07:01:04.2
7093	M1O	04-024/07:12:04.9		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65,	FSW_VX_CMD	04-024/07:01:05.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				0x73636543,0x6F756E74,0x2C312C34,0x0000]		
7094	M1O	04-024/07:12:15.9		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-024/07:01:16.2
7095	M1O	04-024/07:12:45.9		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-024/07:01:46.2
7096	M1O	04-024/07:13:05.9		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-024/07:02:06.2
7097	M1O	04-024/07:13:15.9		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-024/07:02:16.2
7098	M1O	04-024/07:13:35.9		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-024/07:02:36.2
7099	M1O	04-024/07:13:45.9		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-024/07:02:46.2
7100	M1O	04-024/07:13:50.9		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-024/07:02:51.2
7101	M1O	04-024/07:13:55.9		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-024/07:02:56.2
7102	M1O	04-024/07:14:00.9		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-024/07:03:01.2
7103	M1O	04-024/07:14:05.9		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-024/07:03:06.2
7104	M1O	04-024/07:14:10.9		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-024/07:03:11.2
7105	M1O	04-024/07:14:50.9		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-024/07:03:51.2
7106	M1O	04-024/07:14:55.9		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-024/07:03:56.2
7107	M1O	04-024/07:15:00.9		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-024/07:04:01.2
7108	M1O	04-024/07:15:05.9		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-024/07:04:06.2
7109	M1O	04-024/07:15:10.9		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-024/07:04:11.2
7110	M1O	04-024/07:15:11.9		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-024/07:04:12.2
7111	M1O	04-024/07:15:12.9		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-024/07:04:13.2
7112	M1O	04-024/07:15:13.9		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-024/07:04:14.2
7113	M1O	04-024/07:15:24.9		NOTE: End Block fsw_diag.mod		04-024/07:04:25.2
7114	M1O	04-024/07:34:02.9		NOTE: Periapsis 9363 ----------		04-024/07:23:03.1
7115	M1O	04-024/07:34:40.4		NOTE: South Pole Crossing 9363		04-024/07:23:40.6
7116	M1O	04-024/07:47:39.8		SPAWN, Engine = 65535, Parameters = 024, 02, TRUE, 00:18:32, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-024/07:36:40.0
7117	M1O	04-024/07:47:40.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/07:36:40.5
7118	M1O	04-024/07:47:40.3	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7119	M1O	04-024/07:47:40.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/07:36:41.1
7120	M1O	04-024/07:47:42.9		CALL, Engine = , Parameters = 254	get_cmd_opt	04-024/07:36:43.1
7121	M1O	04-024/07:47:43.2		CALL, Engine = , Parameters = 024, 02, 254	bld_autosw	04-024/07:36:43.4
7122	M1O	04-024/07:47:44.3		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-024/07:36:44.5
7123	M1O	04-024/07:47:45.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:36:45.6
7124	M1O	04-024/07:47:46.4		Deletes the designated file.: d:/dat/254_doy024_pass02_file01.dat	FILE_DELETE	04-024/07:36:46.6
7125	M1O	04-024/07:47:47.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:36:47.7
7126	M1O	04-024/07:47:48.5		Deletes the designated file.: d:/dat/254_doy024_pass02_file02.dat	FILE_DELETE	04-024/07:36:48.7
7127	M1O	04-024/07:47:49.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:36:49.8
7128	M1O	04-024/07:47:50.6		Deletes the designated file.: d:/dat/254_doy024_pass02_file03.dat	FILE_DELETE	04-024/07:36:50.8
7129	M1O	04-024/07:47:51.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:36:51.9
7130	M1O	04-024/07:47:52.7		Deletes the designated file.: d:/dat/254_doy024_pass02_file04.dat	FILE_DELETE	04-024/07:36:52.9
7131	M1O	04-024/07:47:53.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:36:54.0
7132	M1O	04-024/07:47:54.8		Deletes the designated file.: d:/dat/254_doy024_pass02_file05.dat	FILE_DELETE	04-024/07:36:55.0
7133	M1O	04-024/07:47:55.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:36:56.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7134	M1O	04-024/07:47:56.9		Deletes the designated file.: d:/dat/254_doy024_pass02_file06.dat	FILE_DELETE	04-024/07:36:57.1
7135	M1O	04-024/07:47:58.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:36:58.2
7136	M1O	04-024/07:47:59.0		Deletes the designated file.: d:/dat/254_doy024_pass02_file07.dat	FILE_DELETE	04-024/07:36:59.2
7137	M1O	04-024/07:48:00.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:00.3
7138	M1O	04-024/07:48:01.1		Deletes the designated file.: d:/dat/254_doy024_pass02_file08.dat	FILE_DELETE	04-024/07:37:01.3
7139	M1O	04-024/07:48:02.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:02.4
7140	M1O	04-024/07:48:03.2		Deletes the designated file.: d:/dat/254_doy024_pass02_file09.dat	FILE_DELETE	04-024/07:37:03.4
7141	M1O	04-024/07:48:04.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:04.5
7142	M1O	04-024/07:48:05.3		Deletes the designated file.: d:/dat/254_doy024_pass02_file10.dat	FILE_DELETE	04-024/07:37:05.5
7143	M1O	04-024/07:48:06.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:06.6
7144	M1O	04-024/07:48:07.4		Deletes the designated file.: d:/dat/254_doy024_pass02_file11.dat	FILE_DELETE	04-024/07:37:07.6
7145	M1O	04-024/07:48:08.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:08.7
7146	M1O	04-024/07:48:09.5		Deletes the designated file.: d:/dat/254_doy024_pass02_file12.dat	FILE_DELETE	04-024/07:37:09.7
7147	M1O	04-024/07:48:10.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:10.8
7148	M1O	04-024/07:48:11.6		Deletes the designated file.: d:/dat/254_doy024_pass02_file13.dat	FILE_DELETE	04-024/07:37:11.8
7149	M1O	04-024/07:48:12.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:12.9
7150	M1O	04-024/07:48:13.7		Deletes the designated file.: d:/dat/254_doy024_pass02_file14.dat	FILE_DELETE	04-024/07:37:13.9
7151	M1O	04-024/07:48:14.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:15.0
7152	M1O	04-024/07:48:15.8		Deletes the designated file.: d:/dat/254_doy024_pass02_file15.dat	FILE_DELETE	04-024/07:37:16.0
7153	M1O	04-024/07:48:16.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:17.1
7154	M1O	04-024/07:48:17.9		Deletes the designated file.: d:/dat/254_doy024_pass02_file16.dat	FILE_DELETE	04-024/07:37:18.1
7155	M1O	04-024/07:48:19.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:19.2
7156	M1O	04-024/07:48:20.0		Deletes the designated file.: d:/dat/254_doy024_pass02_file17.dat	FILE_DELETE	04-024/07:37:20.2
7157	M1O	04-024/07:48:21.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:21.3
7158	M1O	04-024/07:48:22.1		Deletes the designated file.: d:/dat/254_doy024_pass02_file18.dat	FILE_DELETE	04-024/07:37:22.3
7159	M1O	04-024/07:48:23.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/07:37:23.4
7160	M1O	04-024/07:48:24.2		Deletes the designated file.: d:/dat/254_doy024_pass02_file19.dat	FILE_DELETE	04-024/07:37:24.4
7161	M1O	04-024/07:48:25.2		CALL, Engine = , Parameters = 254	get_apid	04-024/07:37:25.4
7162	M1O	04-024/07:48:26.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-024/07:37:26.5
7163	M1O	04-024/07:48:26.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-024/07:37:26.7
7164	M1O	04-024/07:48:27.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-024/07:37:27.8
7165	M1O	04-024/07:48:28.9		CALL, Engine = , Parameters = 254	get_coding	04-024/07:37:29.1
7166	M1O	04-024/07:48:30.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-024/07:37:30.3
7167	M1O	04-024/07:48:31.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-024/07:37:31.5
7168	M1O	04-024/07:49:36.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-024/07:38:36.3
7169	M1O	04-024/07:49:37.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-024/07:38:37.3
7170	M1O	04-024/07:49:38.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-024/07:38:38.3
7171	M1O	04-024/07:49:39.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-024/07:38:39.3
7172	M1O	04-024/07:49:40.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-024/07:38:40.3
7173	M1O	04-024/07:49:41.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-024/07:38:41.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7174	M1O	04-024/07:49:42.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-024/07:38:42.3
7175	M1O	04-024/07:51:32.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/07:40:32.3
7176	M1O	04-024/07:51:42.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-024/07:40:42.3
7177	M1O	04-024/08:01:43.0	34	NOTE: X-Band Transmitter Off in 15 minutes		
7178	M1O	04-024/08:02:29.5		NOTE: Enter Solar Eclipse 9363		04-024/07:51:29.6
7179	M1O	04-024/08:03:59.6		NOTE: Ascending Node Crossing 9363		04-024/07:52:59.7
7180	M1O	04-024/08:08:12.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-024/07:57:12.3
7181	M1O	04-024/08:08:13.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-024/07:57:13.4
7182	M1O	04-024/08:08:23.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-024/07:57:23.4
7183	M1O	04-024/08:08:24.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/07:57:24.4
7184	M1O	04-024/08:08:25.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-024/07:57:25.4
7185	M1O	04-024/08:08:25.3	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7186	M1O	04-024/08:08:26.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-024/07:57:26.4
7187	M1O	04-024/08:11:43.0	34	Range Modulation Off		
7188	M1O	04-024/08:13:24.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/08:02:25.0
7189	M1O	04-024/08:13:24.9	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7190	M1O	04-024/08:16:43.0	34	X-Band Transmitter Off		
7191	M1O	04-024/08:19:24.9		NOTE: Exit Solar Eclipse 9363		04-024/08:08:25.0
7192	M1O	04-024/08:22:49.0	34	Acquire U/L: X/08, PWR=20.0, BR=125.0		
7193	M1O	04-024/08:27:49.0	34	Range Modulation On: SUP=3.0dB		
7194	M1O	04-024/08:28:49.0	34	Begin Ranging Acquisition		
7195	M1O	04-024/08:33:06.0		NOTE: Apoapsis 9363 -		04-024/08:22:06.0
7196	M1O	04-024/08:34:00.6		NOTE: North Pole Crossing 9363		04-024/08:23:00.6
7197	M1O	04-024/08:35:23.7		NOTE: Enter Planetary Atmosphere 9363		04-024/08:24:23.7
7198	M1O	04-024/08:37:40.4		SPAWN, Engine = 65535, Parameters = 3, 00:12:06, 1	dpt	04-024/08:26:40.4
7199	M1O	04-024/08:37:42.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/08:26:42.5
7200	M1O	04-024/08:37:42.5	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7201	M1O	04-024/08:37:43.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/08:26:43.5
7202	M1O	04-024/08:38:42.8	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7203	M1O	04-024/08:39:12.9		NOTE: Enter Earth Occultation 9363		04-024/08:28:12.9
7204	M1O	04-024/08:39:12.9	34	NOTE: Loss Of X-Band Signal		
7205	M1O	04-024/08:44:16.5		NOTE: Exit Earth Occultation 9363		04-024/08:33:16.4
7206	M1O	04-024/08:44:16.5	34	Acquisition Of X-Band Signal		
7207	M1O	04-024/08:44:16.5	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7208	M1O	04-024/08:44:48.9	34	Acquire D/L: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7209	M1O	04-024/08:48:07.2		NOTE: Exit Planetary Atmosphere 9363		04-024/08:37:07.2
7210	M1O	04-024/08:49:48.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/08:38:48.5
7211	M1O	04-024/08:49:48.5	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7212	M1O	04-024/08:49:49.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/08:38:49.5
7213	M1O	04-024/09:03:59.9		NOTE: Descending Node Crossing 9364		04-024/08:52:59.8
7214	M1O	04-024/09:32:34.4		NOTE: Periapsis 9364 ----------		04-024/09:21:34.2
7215	M1O	04-024/09:33:17.3		NOTE: South Pole Crossing 9364		04-024/09:22:17.1
7216	M1O	04-024/09:37:59.5	34	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7217	M1O	04-024/09:40:00.0	34	NOTE: X-Band Transmitter Off in 15 minutes		
7218	M1O	04-024/09:50:00.0	34	Range Modulation Off		
7219	M1O	04-024/09:55:00.0	34	X-Band Transmitter Off		
7220	M1O	04-024/09:59:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/09:48:00.0
7221	M1O	04-024/09:59:00.2	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7222	M1O	04-024/10:00:00.0	34	End Tracking		
7223	M1O	04-024/10:01:06.6		NOTE: Enter Solar Eclipse 9364		04-024/09:50:06.3
7224	M1O	04-024/10:02:36.5		NOTE: Ascending Node Crossing 9364		04-024/09:51:36.2
7225	M1O	04-024/10:15:00.0	34	End Post-Cal		
7226	M1O	04-024/10:18:02.8		NOTE: Exit Solar Eclipse 9364		04-024/10:07:02.4
7227	M1O	04-024/10:20:00.0	55	Begin Pre-Cal		
7228	M1O	04-024/10:20:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
7229	M1O	04-024/10:20:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
7230	M1O	04-024/10:20:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
7231	M1O	04-024/10:20:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
7232	M1O	04-024/10:20:00.0	55	At BOT: S/C Tlm Mode: BR=28440.0, FL=10112, SC=375KHZ, MI=71.7		
7233	M1O	04-024/10:20:00.0	55	Config: RCV: Parms:		
7234	M1O	04-024/10:20:00.0	55	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
7235	M1O	04-024/10:20:00.0	55	Config: TGC: BAND=X, SR=56880.000000		
7236	M1O	04-024/10:20:00.0	55	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
7237	M1O	04-024/10:31:23.2		NOTE: Apoapsis 9364 -		04-024/10:20:22.9
7238	M1O	04-024/10:32:36.8		NOTE: North Pole Crossing 9364		04-024/10:21:36.4
7239	M1O	04-024/10:33:54.1		NOTE: Enter Planetary Atmosphere 9364		04-024/10:22:53.7
7240	M1O	04-024/10:36:03.7		SPAWN, Engine = 65535, Parameters = 3, 00:11:58.862, 1	dpt	04-024/10:25:03.4
7241	M1O	04-024/10:36:05.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/10:25:05.5
7242	M1O	04-024/10:36:06.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/10:25:06.5
7243	M1O	04-024/10:37:35.8		NOTE: Enter Earth Occultation 9364		04-024/10:26:35.5
7244	M1O	04-024/10:43:04.6		NOTE: Exit Earth Occultation 9364		04-024/10:32:04.2
7245	M1O	04-024/10:46:47.9		NOTE: Exit Planetary Atmosphere 9364		04-024/10:35:47.4
7246	M1O	04-024/10:48:04.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/10:37:04.3
7247	M1O	04-024/10:48:05.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/10:37:05.3
7248	M1O	04-024/10:53:05.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/10:42:04.8
7249	M1O	04-024/11:02:35.0		NOTE: Descending Node Crossing 9365		04-024/10:51:34.5
7250	M1O	04-024/11:31:09.7		NOTE: Periapsis 9365 ----------		04-024/11:20:09.1
7251	M1O	04-024/11:31:52.4		NOTE: South Pole Crossing 9365		04-024/11:20:51.9
7252	M1O	04-024/11:55:27.6		SPAWN, Engine = 65535, Parameters = 024, 02, FALSE, 00:16:56.868, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-024/11:44:27.0
7253	M1O	04-024/11:55:28.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/11:44:28.1
7254	M1O	04-024/11:55:30.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-024/11:44:30.1
7255	M1O	04-024/11:56:12.9		CALL, Engine = , Parameters = 56	get_apid	04-024/11:45:12.3
7256	M1O	04-024/11:56:14.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-024/11:45:13.4
7257	M1O	04-024/11:56:14.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-024/11:45:13.6
7258	M1O	04-024/11:56:15.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-024/11:45:14.7
7259	M1O	04-024/11:56:16.5		CALL, Engine = , Parameters = 56	get_coding	04-024/11:45:15.9
7260	M1O	04-024/11:56:17.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-024/11:45:17.1
7261	M1O	04-024/11:56:18.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-024/11:45:18.3
7262	M1O	04-024/11:57:23.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-024/11:46:23.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7263	M1O	04-024/11:57:24.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-024/11:46:24.1
7264	M1O	04-024/11:57:25.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-024/11:46:25.1
7265	M1O	04-024/11:57:26.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-024/11:46:26.1
7266	M1O	04-024/11:57:27.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-024/11:46:27.1
7267	M1O	04-024/11:57:28.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-024/11:46:28.1
7268	M1O	04-024/11:57:29.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-024/11:46:29.1
7269	M1O	04-024/11:59:41.3		NOTE: Enter Solar Eclipse 9365		04-024/11:48:40.7
7270	M1O	04-024/12:01:11.5		NOTE: Ascending Node Crossing 9365		04-024/11:50:10.9
7271	M1O	04-024/12:01:49.6		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-024/11:50:49.0
7272	M1O	04-024/12:02:05.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-022T11:50:49.100, 2004-024T11:50:49.100	PCKTS_RE_TX_TIME	04-024/11:51:04.8
7273	M1O	04-024/12:02:06.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-022T11:50:49.100, 2004-024T11:50:49.100	PCKTS_RE_TX_TIME	04-024/11:51:05.8
7274	M1O	04-024/12:02:07.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-022T11:50:49.100, 2004-024T11:50:49.100	PCKTS_RE_TX_TIME	04-024/11:51:06.8
7275	M1O	04-024/12:02:08.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-022T11:50:49.100, 2004-024T11:50:49.100	PCKTS_RE_TX_TIME	04-024/11:51:07.8
7276	M1O	04-024/12:02:09.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-022T11:50:49.100, 2004-024T11:50:49.100	PCKTS_RE_TX_TIME	04-024/11:51:08.8
7277	M1O	04-024/12:02:10.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-022T11:50:49.100, 2004-024T11:50:49.100	PCKTS_RE_TX_TIME	04-024/11:51:09.8
7278	M1O	04-024/12:02:10.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-024/11:51:09.8
7279	M1O	04-024/12:07:10.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/11:56:10.3
7280	M1O	04-024/12:09:11.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/11:58:10.8
7281	M1O	04-024/12:09:12.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/11:58:11.8
7282	M1O	04-024/12:09:28.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-024/11:58:27.8
7283	M1O	04-024/12:09:29.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-024/11:58:28.8
7284	M1O	04-024/12:14:22.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-024/12:03:21.9
7285	M1O	04-024/12:14:23.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-024/12:03:23.0
7286	M1O	04-024/12:14:33.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-024/12:03:33.0
7287	M1O	04-024/12:14:34.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/12:03:34.0
7288	M1O	04-024/12:16:41.2		NOTE: Exit Solar Eclipse 9365		04-024/12:05:40.5
7289	M1O	04-024/12:19:35.0		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-024/12:08:34.3
7290	M1O	04-024/12:19:35.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/12:08:34.4
7291	M1O	04-024/12:19:36.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/12:08:35.4
7292	M1O	04-024/12:19:37.1		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-024/12:08:36.4
7293	M1O	04-024/12:19:38.1		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-024/12:08:37.4
7294	M1O	04-024/12:19:39.1		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-024/12:08:38.4
7295	M1O	04-024/12:19:49.1		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-024/12:08:48.4
7296	M1O	04-024/12:19:59.1		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-024/12:08:58.4
7297	M1O	04-024/12:20:00.0	55	Begin Tracking		
7298	M1O	04-024/12:20:00.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7299	M1O	04-024/12:20:00.0		NOTE: Changing to 34M (BWG) downlink rate: 28440_BPS		04-024/12:08:59.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7300	M1O	04-024/12:20:00.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 28440_BPS	DOWNLINK_RATE	04-024/12:08:59.3
7301	M1O	04-024/12:24:59.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/12:13:58.4
7302	M1O	04-024/12:25:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/12:13:59.4
7303	M1O	04-024/12:25:00.1	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7304	M1O	04-024/12:25:01.1		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-024/12:14:00.4
7305	M1O	04-024/12:29:56.3		NOTE: Apoapsis 9365 -		04-024/12:18:55.6
7306	M1O	04-024/12:31:10.7		NOTE: North Pole Crossing 9365		04-024/12:20:09.9
7307	M1O	04-024/12:32:18.9		NOTE: Enter Planetary Atmosphere 9365		04-024/12:21:18.2
7308	M1O	04-024/12:34:49.5		SPAWN, Engine = 65535, Parameters = 3, 00:12:01.666, 1	dpt	04-024/12:23:48.7
7309	M1O	04-024/12:34:51.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/12:23:50.8
7310	M1O	04-024/12:34:51.6	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7311	M1O	04-024/12:34:52.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/12:23:51.8
7312	M1O	04-024/12:35:51.5		NOTE: Enter Earth Occultation 9365		04-024/12:24:50.7
7313	M1O	04-024/12:35:51.5	55	NOTE: Loss Of X-Band Signal		
7314	M1O	04-024/12:41:53.2		NOTE: Exit Earth Occultation 9365		04-024/12:30:52.4
7315	M1O	04-024/12:41:53.2	55	Acquisition Of X-Band Signal		
7316	M1O	04-024/12:41:53.2	55	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7317	M1O	04-024/12:45:27.1		NOTE: Exit Planetary Atmosphere 9365		04-024/12:34:26.4
7318	M1O	04-024/12:46:53.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/12:35:52.5
7319	M1O	04-024/12:46:53.3	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7320	M1O	04-024/12:46:54.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/12:35:53.5
7321	M1O	04-024/13:01:07.7		NOTE: Descending Node Crossing 9366		04-024/12:50:06.8
7322	M1O	04-024/13:29:42.5		NOTE: Periapsis 9366 ----------		04-024/13:18:41.5
7323	M1O	04-024/13:30:24.6		NOTE: South Pole Crossing 9366		04-024/13:19:23.6
7324	M1O	04-024/13:52:31.0		SPAWN, Engine = 65535, Parameters = 024, 03, FALSE, 00:17:28.755, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-024/13:41:30.0
7325	M1O	04-024/13:52:32.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/13:41:31.1
7326	M1O	04-024/13:52:34.1		CALL, Engine = , Parameters = 56	get_cmd_opt	04-024/13:41:33.1
7327	M1O	04-024/13:53:16.3		CALL, Engine = , Parameters = 56	get_apid	04-024/13:42:15.3
7328	M1O	04-024/13:53:17.4		CALL, Engine = , Parameters = 56	get_rcv_mode	04-024/13:42:16.4
7329	M1O	04-024/13:53:17.6		CALL, Engine = , Parameters = 56	get_dl_rate	04-024/13:42:16.6
7330	M1O	04-024/13:53:18.7		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-024/13:42:17.7
7331	M1O	04-024/13:53:19.9		CALL, Engine = , Parameters = 56	get_coding	04-024/13:42:18.9
7332	M1O	04-024/13:53:21.1		CALL, Engine = , Parameters = 56	get_xmt_mode	04-024/13:42:20.1
7333	M1O	04-024/13:53:22.3		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-024/13:42:21.3
7334	M1O	04-024/13:54:27.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-024/13:43:26.1
7335	M1O	04-024/13:54:28.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-024/13:43:27.1
7336	M1O	04-024/13:54:29.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-024/13:43:28.1
7337	M1O	04-024/13:54:30.1		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-024/13:43:29.1
7338	M1O	04-024/13:54:31.1		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-024/13:43:30.1
7339	M1O	04-024/13:54:32.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-024/13:43:31.1
7340	M1O	04-024/13:54:33.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-024/13:43:32.1
7341	M1O	04-024/13:58:12.5		NOTE: Enter Solar Eclipse 9366		04-024/13:47:11.5
7342	M1O	04-024/13:59:43.3		NOTE: Ascending Node Crossing 9366		04-024/13:48:42.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7343	M1O	04-024/14:11:57.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-024/14:00:56.8
7344	M1O	04-024/14:11:59.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-024/14:00:57.9
7345	M1O	04-024/14:12:09.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-024/14:01:07.9
7346	M1O	04-024/14:12:10.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/14:01:08.9
7347	M1O	04-024/14:15:14.1		NOTE: Exit Solar Eclipse 9366		04-024/14:04:13.1
7348	M1O	04-024/14:28:35.4		NOTE: Apoapsis 9366 -		04-024/14:17:34.3
7349	M1O	04-024/14:29:42.3		NOTE: North Pole Crossing 9366		04-024/14:18:41.1
7350	M1O	04-024/14:30:48.1		NOTE: Enter Planetary Atmosphere 9366		04-024/14:19:47.0
7351	M1O	04-024/14:33:17.0		SPAWN, Engine = 65535, Parameters = 3, 00:12:07.841, 1	dpt	04-024/14:22:15.9
7352	M1O	04-024/14:33:19.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/14:22:18.0
7353	M1O	04-024/14:33:19.1	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7354	M1O	04-024/14:33:20.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/14:22:19.0
7355	M1O	04-024/14:34:19.0		NOTE: Enter Earth Occultation 9366		04-024/14:23:17.9
7356	M1O	04-024/14:34:19.0	55	NOTE: Loss Of X-Band Signal		
7357	M1O	04-024/14:40:26.9		NOTE: Exit Earth Occultation 9366		04-024/14:29:25.8
7358	M1O	04-024/14:40:26.9	55	Acquisition Of X-Band Signal		
7359	M1O	04-024/14:40:26.9	55	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7360	M1O	04-024/14:43:59.3		NOTE: Exit Planetary Atmosphere 9366		04-024/14:32:58.1
7361	M1O	04-024/14:45:27.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/14:34:25.9
7362	M1O	04-024/14:45:27.0	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7363	M1O	04-024/14:45:28.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/14:34:26.9
7364	M1O	04-024/14:59:39.2		NOTE: Descending Node Crossing 9367		04-024/14:48:37.9
7365	M1O	04-024/15:28:02.2		NOTE: Periapsis 9367 ----------		04-024/15:17:00.9
7366	M1O	04-024/15:28:55.2		NOTE: South Pole Crossing 9367		04-024/15:17:53.9
7367	M1O	04-024/15:56:44.2		NOTE: Enter Solar Eclipse 9367		04-024/15:45:42.8
7368	M1O	04-024/15:58:13.7		NOTE: Ascending Node Crossing 9367		04-024/15:47:12.3
7369	M1O	04-024/16:13:39.0		NOTE: Exit Solar Eclipse 9367		04-024/16:02:37.6
7370	M1O	04-024/16:26:55.3		NOTE: Apoapsis 9367 -		04-024/16:15:53.8
7371	M1O	04-024/16:28:13.9		NOTE: North Pole Crossing 9367		04-024/16:17:12.4
7372	M1O	04-024/16:29:30.1		NOTE: Enter Planetary Atmosphere 9367		04-024/16:18:28.6
7373	M1O	04-024/16:32:10.7		SPAWN, Engine = 65535, Parameters = 3, 00:11:26.156, 1	dpt	04-024/16:21:09.2
7374	M1O	04-024/16:32:12.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/16:21:11.3
7375	M1O	04-024/16:32:12.8	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7376	M1O	04-024/16:32:13.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/16:21:12.3
7377	M1O	04-024/16:33:12.8		NOTE: Enter Earth Occultation 9367		04-024/16:22:11.2
7378	M1O	04-024/16:33:12.8	55	NOTE: Loss Of X-Band Signal		
7379	M1O	04-024/16:38:38.9		NOTE: Exit Earth Occultation 9367		04-024/16:27:37.4
7380	M1O	04-024/16:38:38.9	55	Acquisition Of X-Band Signal		
7381	M1O	04-024/16:38:38.9	55	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7382	M1O	04-024/16:42:23.1		NOTE: Exit Planetary Atmosphere 9367		04-024/16:31:21.6
7383	M1O	04-024/16:43:39.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/16:32:37.5
7384	M1O	04-024/16:43:39.0	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7385	M1O	04-024/16:43:40.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/16:32:38.5
7386	M1O	04-024/16:58:11.7		NOTE: Descending Node Crossing 9368		04-024/16:47:10.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7387	M1O	04-024/17:26:21.2		NOTE: Periapsis 9368 ----------		04-024/17:15:19.5
7388	M1O	04-024/17:27:28.6		NOTE: South Pole Crossing 9368		04-024/17:16:26.9
7389	M1O	04-024/17:55:21.6		NOTE: Enter Solar Eclipse 9368		04-024/17:44:19.8
7390	M1O	04-024/17:56:48.2		NOTE: Ascending Node Crossing 9368		04-024/17:45:46.5
7391	M1O	04-024/18:12:07.8		NOTE: Exit Solar Eclipse 9368		04-024/18:01:06.0
7392	M1O	04-024/18:25:22.1		NOTE: Apoapsis 9368 -		04-024/18:14:20.2
7393	M1O	04-024/18:26:48.9		NOTE: North Pole Crossing 9368		04-024/18:15:47.0
7394	M1O	04-024/18:28:14.6		NOTE: Enter Planetary Atmosphere 9368		04-024/18:17:12.7
7395	M1O	04-024/18:31:08.4		SPAWN, Engine = 65535, Parameters = 3, 00:10:42.626, 1	dpt	04-024/18:20:06.5
7396	M1O	04-024/18:31:10.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/18:20:08.6
7397	M1O	04-024/18:31:10.5	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7398	M1O	04-024/18:31:11.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/18:20:09.6
7399	M1O	04-024/18:32:10.4		NOTE: Enter Earth Occultation 9368		04-024/18:21:08.5
7400	M1O	04-024/18:32:10.4	55	NOTE: Loss Of X-Band Signal		
7401	M1O	04-024/18:36:53.0		NOTE: Exit Earth Occultation 9368		04-024/18:25:51.1
7402	M1O	04-024/18:36:53.0	55	Acquisition Of X-Band Signal		
7403	M1O	04-024/18:36:53.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7404	M1O	04-024/18:40:50.4		NOTE: Exit Planetary Atmosphere 9368		04-024/18:29:48.5
7405	M1O	04-024/18:41:53.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/18:30:51.2
7406	M1O	04-024/18:41:53.1	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7407	M1O	04-024/18:41:54.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/18:30:52.2
7408	M1O	04-024/18:50:42.9		SPAWN, Engine = 65535, Parameters = 024, 03, TRUE, 00:18:18, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-024/18:39:41.0
7409	M1O	04-024/18:50:43.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/18:39:41.5
7410	M1O	04-024/18:50:43.4	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7411	M1O	04-024/18:50:44.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/18:39:42.1
7412	M1O	04-024/18:50:46.0		CALL, Engine = , Parameters = 254	get_cmd_opt	04-024/18:39:44.1
7413	M1O	04-024/18:50:46.3		CALL, Engine = , Parameters = 024, 03, 254	bld_autosw	04-024/18:39:44.4
7414	M1O	04-024/18:50:47.4		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-024/18:39:45.5
7415	M1O	04-024/18:50:48.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:39:46.6
7416	M1O	04-024/18:50:49.5		Deletes the designated file.: d:/dat/254_doy024_pass03_file01.dat	FILE_DELETE	04-024/18:39:47.6
7417	M1O	04-024/18:50:50.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:39:48.7
7418	M1O	04-024/18:50:51.6		Deletes the designated file.: d:/dat/254_doy024_pass03_file02.dat	FILE_DELETE	04-024/18:39:49.7
7419	M1O	04-024/18:50:52.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:39:50.8
7420	M1O	04-024/18:50:53.7		Deletes the designated file.: d:/dat/254_doy024_pass03_file03.dat	FILE_DELETE	04-024/18:39:51.8
7421	M1O	04-024/18:50:54.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:39:52.9
7422	M1O	04-024/18:50:55.8		Deletes the designated file.: d:/dat/254_doy024_pass03_file04.dat	FILE_DELETE	04-024/18:39:53.9
7423	M1O	04-024/18:50:56.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:39:55.0
7424	M1O	04-024/18:50:57.9		Deletes the designated file.: d:/dat/254_doy024_pass03_file05.dat	FILE_DELETE	04-024/18:39:56.0
7425	M1O	04-024/18:50:59.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:39:57.1
7426	M1O	04-024/18:51:00.0		Deletes the designated file.: d:/dat/254_doy024_pass03_file06.dat	FILE_DELETE	04-024/18:39:58.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7427	M1O	04-024/18:51:01.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:39:59.2
7428	M1O	04-024/18:51:02.1		Deletes the designated file.: d:/dat/254_doy024_pass03_file07.dat	FILE_DELETE	04-024/18:40:00.2
7429	M1O	04-024/18:51:03.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:01.3
7430	M1O	04-024/18:51:04.2		Deletes the designated file.: d:/dat/254_doy024_pass03_file08.dat	FILE_DELETE	04-024/18:40:02.3
7431	M1O	04-024/18:51:05.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:03.4
7432	M1O	04-024/18:51:06.3		Deletes the designated file.: d:/dat/254_doy024_pass03_file09.dat	FILE_DELETE	04-024/18:40:04.4
7433	M1O	04-024/18:51:07.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:05.5
7434	M1O	04-024/18:51:08.4		Deletes the designated file.: d:/dat/254_doy024_pass03_file10.dat	FILE_DELETE	04-024/18:40:06.5
7435	M1O	04-024/18:51:09.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:07.6
7436	M1O	04-024/18:51:10.5		Deletes the designated file.: d:/dat/254_doy024_pass03_file11.dat	FILE_DELETE	04-024/18:40:08.6
7437	M1O	04-024/18:51:11.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:09.7
7438	M1O	04-024/18:51:12.6		Deletes the designated file.: d:/dat/254_doy024_pass03_file12.dat	FILE_DELETE	04-024/18:40:10.7
7439	M1O	04-024/18:51:13.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:11.8
7440	M1O	04-024/18:51:14.7		Deletes the designated file.: d:/dat/254_doy024_pass03_file13.dat	FILE_DELETE	04-024/18:40:12.8
7441	M1O	04-024/18:51:15.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:13.9
7442	M1O	04-024/18:51:16.8		Deletes the designated file.: d:/dat/254_doy024_pass03_file14.dat	FILE_DELETE	04-024/18:40:14.9
7443	M1O	04-024/18:51:17.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:16.0
7444	M1O	04-024/18:51:18.9		Deletes the designated file.: d:/dat/254_doy024_pass03_file15.dat	FILE_DELETE	04-024/18:40:17.0
7445	M1O	04-024/18:51:20.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:18.1
7446	M1O	04-024/18:51:21.0		Deletes the designated file.: d:/dat/254_doy024_pass03_file16.dat	FILE_DELETE	04-024/18:40:19.1
7447	M1O	04-024/18:51:22.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:20.2
7448	M1O	04-024/18:51:23.1		Deletes the designated file.: d:/dat/254_doy024_pass03_file17.dat	FILE_DELETE	04-024/18:40:21.2
7449	M1O	04-024/18:51:24.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:22.3
7450	M1O	04-024/18:51:25.2		Deletes the designated file.: d:/dat/254_doy024_pass03_file18.dat	FILE_DELETE	04-024/18:40:23.3
7451	M1O	04-024/18:51:26.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy024_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-024/18:40:24.4
7452	M1O	04-024/18:51:27.3		Deletes the designated file.: d:/dat/254_doy024_pass03_file19.dat	FILE_DELETE	04-024/18:40:25.4
7453	M1O	04-024/18:51:28.3		CALL, Engine = , Parameters = 254	get_apid	04-024/18:40:26.4
7454	M1O	04-024/18:51:29.4		CALL, Engine = , Parameters = 254	get_rcv_mode	04-024/18:40:27.5
7455	M1O	04-024/18:51:29.6		CALL, Engine = , Parameters = 254	get_dl_rate	04-024/18:40:27.7
7456	M1O	04-024/18:51:30.7		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-024/18:40:28.8
7457	M1O	04-024/18:51:32.0		CALL, Engine = , Parameters = 254	get_coding	04-024/18:40:30.1
7458	M1O	04-024/18:51:33.2		CALL, Engine = , Parameters = 254	get_xmt_mode	04-024/18:40:31.3
7459	M1O	04-024/18:51:34.4		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-024/18:40:32.5
7460	M1O	04-024/18:52:39.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-024/18:41:37.3
7461	M1O	04-024/18:52:40.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-024/18:41:38.3
7462	M1O	04-024/18:52:41.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-024/18:41:39.3
7463	M1O	04-024/18:52:42.2		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-024/18:41:40.3
7464	M1O	04-024/18:52:43.2		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-024/18:41:41.3
7465	M1O	04-024/18:52:44.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-024/18:41:42.3
7466	M1O	04-024/18:52:45.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK,	UHF_XMIT_MODE	04-024/18:41:43.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				BYPASS_COD, PSK		
7467	M1O	04-024/18:54:35.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/18:43:33.3
7468	M1O	04-024/18:54:45.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-024/18:43:43.3
7469	M1O	04-024/18:56:47.0		NOTE: Descending Node Crossing 9369		04-024/18:45:45.0
7470	M1O	04-024/19:11:01.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-024/18:59:59.3
7471	M1O	04-024/19:11:02.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-024/19:00:00.4
7472	M1O	04-024/19:11:12.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-024/19:00:10.4
7473	M1O	04-024/19:11:13.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/19:00:11.4
7474	M1O	04-024/19:11:14.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-024/19:00:12.4
7475	M1O	04-024/19:11:14.4	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7476	M1O	04-024/19:11:15.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-024/19:00:13.4
7477	M1O	04-024/19:16:14.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/19:05:12.0
7478	M1O	04-024/19:16:14.0	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7479	M1O	04-024/19:20:00.0	63	Begin Pre-Cal		
7480	M1O	04-024/19:20:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
7481	M1O	04-024/19:20:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
7482	M1O	04-024/19:20:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
7483	M1O	04-024/19:20:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
7484	M1O	04-024/19:20:00.0	63	At BOT: S/C Tlm Mode: BR=28440.0, FL=10112, SC=375KHZ, MI=71.7		
7485	M1O	04-024/19:20:00.0	63	Config: RCV: Parms:		
7486	M1O	04-024/19:20:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
7487	M1O	04-024/19:20:00.0	63	Config: TGC: BAND=X, SR=56880.000000		
7488	M1O	04-024/19:20:00.0	63	Config: TXL		
7489	M1O	04-024/19:20:00.0	63	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
7490	M1O	04-024/19:20:00.0	63	Config: CMD		
7491	M1O	04-024/19:25:13.3		NOTE: Periapsis 9369 ----------		04-024/19:14:11.2
7492	M1O	04-024/19:26:05.2		NOTE: South Pole Crossing 9369		04-024/19:15:03.1
7493	M1O	04-024/19:53:58.6		NOTE: Enter Solar Eclipse 9369		04-024/19:42:56.5
7494	M1O	04-024/19:55:25.5		NOTE: Ascending Node Crossing 9369		04-024/19:44:23.4
7495	M1O	04-024/20:04:02.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/19:53:00.0
7496	M1O	04-024/20:04:02.1	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7497	M1O	04-024/20:05:00.0	55	End Tracking		
7498	M1O	04-024/20:05:00.0	55	End Post-Cal		
7499	M1O	04-024/20:05:00.0	63	Begin Tracking		
7500	M1O	04-024/20:05:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7501	M1O	04-024/20:05:02.1		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-024/19:54:00.0
7502	M1O	04-024/20:05:02.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7503	M1O	04-024/20:10:02.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/19:59:00.0
7504	M1O	04-024/20:10:02.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7505	M1O	04-024/20:10:43.8		NOTE: Exit Solar Eclipse 9369		04-024/19:59:41.6
7506	M1O	04-024/20:13:48.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
7507	M1O	04-024/20:24:21.9		NOTE: Apoapsis 9369 -		04-024/20:13:19.7
7508	M1O	04-024/20:25:25.6		NOTE: North Pole Crossing 9369		04-024/20:14:23.3
7509	M1O	04-024/20:26:53.7		NOTE: Enter Planetary Atmosphere 9369		04-024/20:15:51.5
7510	M1O	04-024/20:29:53.3		SPAWN, Engine = 65535, Parameters = 3, 00:10:24.766, 1	dpt	04-024/20:18:51.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7511	M1O	04-024/20:29:55.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/20:18:53.2
7512	M1O	04-024/20:29:55.4	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7513	M1O	04-024/20:29:56.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/20:18:54.2
7514	M1O	04-024/20:30:55.3		NOTE: Enter Earth Occultation 9369		04-024/20:19:53.1
7515	M1O	04-024/20:30:55.3	63	NOTE: Loss Of X-Band Signal		
7516	M1O	04-024/20:35:20.1		NOTE: Exit Earth Occultation 9369		04-024/20:24:17.8
7517	M1O	04-024/20:35:20.1	63	Acquisition Of X-Band Signal		
7518	M1O	04-024/20:35:20.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7519	M1O	04-024/20:35:52.4	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7520	M1O	04-024/20:39:23.1		NOTE: Exit Planetary Atmosphere 9369		04-024/20:28:20.8
7521	M1O	04-024/20:40:20.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/20:29:17.9
7522	M1O	04-024/20:40:20.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7523	M1O	04-024/20:40:21.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/20:29:18.9
7524	M1O	04-024/20:50:21.3		SPAWN, Engine = 65535, Parameters = 024, 04, FALSE, 00:14:20.202, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-024/20:39:19.0
7525	M1O	04-024/20:50:22.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/20:39:20.1
7526	M1O	04-024/20:50:24.4		CALL, Engine = , Parameters = 254	get_cmd_opt	04-024/20:39:22.1
7527	M1O	04-024/20:51:06.6		CALL, Engine = , Parameters = 254	get_apid	04-024/20:40:04.3
7528	M1O	04-024/20:51:07.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-024/20:40:05.4
7529	M1O	04-024/20:51:07.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-024/20:40:05.6
7530	M1O	04-024/20:51:09.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-024/20:40:06.7
7531	M1O	04-024/20:51:10.3		CALL, Engine = , Parameters = 254	get_coding	04-024/20:40:08.0
7532	M1O	04-024/20:51:11.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-024/20:40:09.2
7533	M1O	04-024/20:51:12.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-024/20:40:10.4
7534	M1O	04-024/20:52:17.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-024/20:41:15.2
7535	M1O	04-024/20:52:18.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-024/20:41:16.2
7536	M1O	04-024/20:52:19.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-024/20:41:17.2
7537	M1O	04-024/20:52:20.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-024/20:41:18.2
7538	M1O	04-024/20:52:21.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-024/20:41:19.2
7539	M1O	04-024/20:52:22.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-024/20:41:20.2
7540	M1O	04-024/20:52:23.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-024/20:41:21.2
7541	M1O	04-024/20:55:23.7		NOTE: Descending Node Crossing 9370		04-024/20:44:21.4
7542	M1O	04-024/21:06:39.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-024/20:55:37.4
7543	M1O	04-024/21:06:40.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-024/20:55:38.5
7544	M1O	04-024/21:06:50.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-024/20:55:48.5
7545	M1O	04-024/21:06:51.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-024/20:55:49.5
7546	M1O	04-024/21:24:14.1		NOTE: Periapsis 9370 ----------		04-024/21:13:11.6
7547	M1O	04-024/21:24:42.3		NOTE: South Pole Crossing 9370		04-024/21:13:39.9
7548	M1O	04-024/21:51:56.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
7549	M1O	04-024/21:52:33.2		NOTE: Enter Solar Eclipse 9370		04-024/21:41:30.7
7550	M1O	04-024/21:54:02.3		NOTE: Ascending Node Crossing 9370		04-024/21:42:59.8
7551	M1O	04-024/22:06:56.0	63	X-Band Transmitter Off		
7552	M1O	04-024/22:09:21.5		NOTE: Exit Solar Eclipse 9370		04-024/21:58:18.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7553	M1O	04-024/22:12:23.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
7554	M1O	04-024/22:23:23.4		NOTE: Apoapsis 9370 -		04-024/22:12:20.8
7555	M1O	04-024/22:24:02.1		NOTE: North Pole Crossing 9370		04-024/22:12:59.5
7556	M1O	04-024/22:25:29.5		NOTE: Enter Planetary Atmosphere 9370		04-024/22:14:26.8
7557	M1O	04-024/22:28:29.3		SPAWN, Engine = 65535, Parameters = 3, 00:10:24.149, 1	dpt	04-024/22:17:26.6
7558	M1O	04-024/22:28:31.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/22:17:28.7
7559	M1O	04-024/22:28:31.4	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7560	M1O	04-024/22:28:32.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/22:17:29.7
7561	M1O	04-024/22:29:01.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7562	M1O	04-024/22:29:31.3		NOTE: Enter Earth Occultation 9370		04-024/22:18:28.6
7563	M1O	04-024/22:29:31.3	63	NOTE: Loss Of X-Band Signal		
7564	M1O	04-024/22:32:55.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
7565	M1O	04-024/22:33:55.5		NOTE: Exit Earth Occultation 9370		04-024/22:22:52.8
7566	M1O	04-024/22:33:55.5	63	Acquisition Of X-Band Signal		
7567	M1O	04-024/22:33:55.5	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7568	M1O	04-024/22:34:28.1	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7569	M1O	04-024/22:37:58.7		NOTE: Exit Planetary Atmosphere 9370		04-024/22:26:56.0
7570	M1O	04-024/22:38:55.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-024/22:27:52.9
7571	M1O	04-024/22:38:55.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7572	M1O	04-024/22:38:56.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-024/22:27:53.9
7573	M1O	04-024/22:47:54.5	63	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
7574	M1O	04-024/22:47:55.0	63	X-Band Transmitter Off		
7575	M1O	04-024/22:54:00.5		NOTE: Descending Node Crossing 9371		04-024/22:42:57.8
7576	M1O	04-024/23:01:50.7		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-024/22:50:48.0
7577	M1O	04-024/23:02:06.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-022T22:50:48.100, 2004-024T22:50:48.100	PCKTS_RE_TX_TIME	04-024/22:51:03.8
7578	M1O	04-024/23:02:07.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-022T22:50:48.100, 2004-024T22:50:48.100	PCKTS_RE_TX_TIME	04-024/22:51:04.8
7579	M1O	04-024/23:02:08.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-022T22:50:48.100, 2004-024T22:50:48.100	PCKTS_RE_TX_TIME	04-024/22:51:05.8
7580	M1O	04-024/23:02:09.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-022T22:50:48.100, 2004-024T22:50:48.100	PCKTS_RE_TX_TIME	04-024/22:51:06.8
7581	M1O	04-024/23:02:10.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-022T22:50:48.100, 2004-024T22:50:48.100	PCKTS_RE_TX_TIME	04-024/22:51:07.8
7582	M1O	04-024/23:02:11.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-022T22:50:48.100, 2004-024T22:50:48.100	PCKTS_RE_TX_TIME	04-024/22:51:08.8
7583	M1O	04-024/23:02:11.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-024/22:51:08.8
7584	M1O	04-024/23:02:11.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7585	M1O	04-024/23:04:25.0	63	NOTE: Below Uplink Interlock Limit		
7586	M1O	04-024/23:09:12.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-024/22:58:09.8
7587	M1O	04-024/23:09:12.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7588	M1O	04-024/23:09:13.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-024/22:58:10.8
7589	M1O	04-024/23:09:29.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-024/22:58:26.8
7590	M1O	04-024/23:09:29.5	63	D/L RF Warning: SC antenna change - expect signal level variation		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7591	M1O	04-024/23:09:30.5		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-024/22:58:27.8
7592	M1O	04-024/23:10:00.0	63	End Tracking		
7593	M1O	04-024/23:23:02.0		NOTE: Periapsis 9371 ----------		04-024/23:11:59.2
7594	M1O	04-024/23:23:18.3		NOTE: South Pole Crossing 9371		04-024/23:12:15.5
7595	M1O	04-024/23:25:00.0	63	End Post-Cal		
7596	M1O	04-024/23:51:05.3		NOTE: Enter Solar Eclipse 9371		04-024/23:40:02.4
7597	M1O	04-024/23:52:37.1		NOTE: Ascending Node Crossing 9371		04-024/23:41:34.2
7598	M1O	04-025/00:00:00.0		Light Time: OWLT = 11:02, RTLT = 22:05		
7599	M1O	04-025/00:07:58.7		NOTE: Exit Solar Eclipse 9371		04-024/23:56:55.8
7600	M1O	04-025/00:21:57.9		NOTE: Apoapsis 9371 -		04-025/00:10:54.8
7601	M1O	04-025/00:22:36.7		NOTE: North Pole Crossing 9371		04-025/00:11:33.7
7602	M1O	04-025/00:23:58.8		NOTE: Enter Planetary Atmosphere 9371		04-025/00:12:55.7
7603	M1O	04-025/00:27:53.0		NOTE: Enter Earth Occultation 9371		04-025/00:16:50.0
7604	M1O	04-025/00:32:41.1		NOTE: Exit Earth Occultation 9371		04-025/00:21:38.1
7605	M1O	04-025/00:36:36.9		NOTE: Exit Planetary Atmosphere 9371		04-025/00:25:33.8
7606	M1O	04-025/00:37:45.0		SPAWN, Engine = 65535, Parameters = 025, 01, FALSE, 00:18:21.869, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-025/00:26:42.0
7607	M1O	04-025/00:37:46.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/00:26:43.1
7608	M1O	04-025/00:37:48.1		CALL, Engine = , Parameters = 56	get_cmd_opt	04-025/00:26:45.1
7609	M1O	04-025/00:38:30.3		CALL, Engine = , Parameters = 56	get_apid	04-025/00:27:27.3
7610	M1O	04-025/00:38:31.4		CALL, Engine = , Parameters = 56	get_rcv_mode	04-025/00:27:28.4
7611	M1O	04-025/00:38:31.6		CALL, Engine = , Parameters = 56	get_dl_rate	04-025/00:27:28.6
7612	M1O	04-025/00:38:32.7		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-025/00:27:29.7
7613	M1O	04-025/00:38:33.9		CALL, Engine = , Parameters = 56	get_coding	04-025/00:27:30.9
7614	M1O	04-025/00:38:35.1		CALL, Engine = , Parameters = 56	get_xmt_mode	04-025/00:27:32.1
7615	M1O	04-025/00:38:36.3		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-025/00:27:33.3
7616	M1O	04-025/00:39:41.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/00:28:38.1
7617	M1O	04-025/00:39:42.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/00:28:39.1
7618	M1O	04-025/00:39:43.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/00:28:40.1
7619	M1O	04-025/00:39:44.1		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-025/00:28:41.1
7620	M1O	04-025/00:39:45.1		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-025/00:28:42.1
7621	M1O	04-025/00:39:46.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/00:28:43.1
7622	M1O	04-025/00:39:47.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/00:28:44.1
7623	M1O	04-025/00:52:34.8		NOTE: Descending Node Crossing 9372		04-025/00:41:31.7
7624	M1O	04-025/00:58:05.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/00:47:01.9
7625	M1O	04-025/00:58:06.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/00:47:03.0
7626	M1O	04-025/00:58:16.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/00:47:13.0
7627	M1O	04-025/00:58:17.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/00:47:14.0
7628	M1O	04-025/01:21:21.8		NOTE: Periapsis 9372 ----------		04-025/01:10:18.6
7629	M1O	04-025/01:21:51.5		NOTE: South Pole Crossing 9372		04-025/01:10:48.3
7630	M1O	04-025/01:49:37.2		NOTE: Enter Solar Eclipse 9372		04-025/01:38:33.9
7631	M1O	04-025/01:51:09.5		NOTE: Ascending Node Crossing 9372		04-025/01:40:06.2
7632	M1O	04-025/02:06:32.9		NOTE: Exit Solar Eclipse 9372		04-025/01:55:29.6
7633	M1O	04-025/02:20:07.7		NOTE: Apoapsis 9372 -		04-025/02:09:04.3
7634	M1O	04-025/02:21:08.7		NOTE: North Pole Crossing 9372		04-025/02:10:05.3
7635	M1O	04-025/02:22:24.7		NOTE: Enter Planetary Atmosphere 9372		04-025/02:11:21.3
7636	M1O	04-025/02:26:11.2		NOTE: Enter Earth Occultation 9372		04-025/02:15:07.8
7637	M1O	04-025/02:31:25.1		NOTE: Exit Earth Occultation 9372		04-025/02:20:21.6
7638	M1O	04-025/02:35:13.1		NOTE: Exit Planetary Atmosphere 9372		04-025/02:24:09.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7639	M1O	04-025/02:36:25.4		SPAWN, Engine = 65535, Parameters = 025, 02, FALSE, 00:15:24.635, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-025/02:25:22.0
7640	M1O	04-025/02:36:26.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/02:25:23.1
7641	M1O	04-025/02:36:28.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-025/02:25:25.1
7642	M1O	04-025/02:37:10.7		CALL, Engine = , Parameters = 56	get_apid	04-025/02:26:07.3
7643	M1O	04-025/02:37:11.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-025/02:26:08.4
7644	M1O	04-025/02:37:12.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-025/02:26:08.6
7645	M1O	04-025/02:37:13.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-025/02:26:09.7
7646	M1O	04-025/02:37:14.3		CALL, Engine = , Parameters = 56	get_coding	04-025/02:26:10.9
7647	M1O	04-025/02:37:15.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-025/02:26:12.1
7648	M1O	04-025/02:37:16.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-025/02:26:13.3
7649	M1O	04-025/02:38:21.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/02:27:18.1
7650	M1O	04-025/02:38:22.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/02:27:19.1
7651	M1O	04-025/02:38:23.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/02:27:20.1
7652	M1O	04-025/02:38:24.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-025/02:27:21.1
7653	M1O	04-025/02:38:25.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-025/02:27:22.1
7654	M1O	04-025/02:38:26.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/02:27:23.1
7655	M1O	04-025/02:38:27.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/02:27:24.1
7656	M1O	04-025/02:51:05.9		NOTE: Descending Node Crossing 9373		04-025/02:40:02.4
7657	M1O	04-025/02:53:48.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/02:42:44.7
7658	M1O	04-025/02:53:49.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/02:42:45.8
7659	M1O	04-025/02:53:59.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/02:42:55.8
7660	M1O	04-025/02:54:00.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/02:42:56.8
7661	M1O	04-025/03:04:06.5		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-025/02:53:03.0
7662	M1O	04-025/03:04:06.6		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-025/02:53:03.1
7663	M1O	04-025/03:04:07.6		Forces a desaturation of the reaction wheels.	RW_DESAT	04-025/02:53:04.1
7664	M1O	04-025/03:15:37.6		CALL, Engine = , Parameters = FALSE	park_hga	04-025/03:04:34.1
7665	M1O	04-025/03:15:37.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/03:04:34.1
7666	M1O	04-025/03:15:38.6		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-025/03:04:35.1
7667	M1O	04-025/03:15:39.6		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-025/03:04:36.1
7668	M1O	04-025/03:15:39.6		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-025/03:04:36.1
7669	M1O	04-025/03:15:39.6		NOTE: START HGA PARK		
7670	M1O	04-025/03:15:40.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-025/03:04:37.1
7671	M1O	04-025/03:15:41.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-025/03:04:38.1
7672	M1O	04-025/03:19:34.5		NOTE: Periapsis 9373 ----------		04-025/03:08:31.0
7673	M1O	04-025/03:20:11.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-025/03:09:08.1
7674	M1O	04-025/03:20:22.4		NOTE: South Pole Crossing 9373		04-025/03:09:18.9
7675	M1O	04-025/03:23:41.6		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-025/03:12:38.1
7676	M1O	04-025/03:23:41.6		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-025/03:12:38.1
7677	M1O	04-025/03:48:10.4		NOTE: Enter Solar Eclipse 9373		04-025/03:37:06.7
7678	M1O	04-025/03:49:41.1		NOTE: Ascending Node Crossing 9373		04-025/03:38:37.5
7679	M1O	04-025/03:53:41.6		GV: GV_DESAT_ACTIVE = 1		04-025/03:42:38.0
7680	M1O	04-025/03:53:42.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-025/03:42:39.0
7681	M1O	04-025/03:53:42.6		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-025/03:42:39.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7682	M1O	04-025/04:03:41.7		GV: GV_DESAT_ACTIVE = 0		04-025/03:52:38.0
7683	M1O	04-025/04:03:42.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-025/03:52:39.0
7684	M1O	04-025/04:03:43.7		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-025/03:52:40.0
7685	M1O	04-025/04:03:44.7		CALL, Engine = , Parameters =	unpark_hga	04-025/03:52:41.0
7686	M1O	04-025/04:03:44.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-025/03:52:41.0
7687	M1O	04-025/04:03:45.7		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-025/03:52:42.0
7688	M1O	04-025/04:05:02.5		NOTE: Exit Solar Eclipse 9373		04-025/03:53:58.8
7689	M1O	04-025/04:08:15.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-025/03:57:12.0
7690	M1O	04-025/04:08:16.7		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-025/03:57:13.0
7691	M1O	04-025/04:12:16.7		NOTE: EXIT HGA PARK		
7692	M1O	04-025/04:18:40.4		NOTE: Apoapsis 9373 -		04-025/04:07:36.6
7693	M1O	04-025/04:19:40.1		NOTE: North Pole Crossing 9373		04-025/04:08:36.3
7694	M1O	04-025/04:21:00.1		NOTE: Enter Planetary Atmosphere 9373		04-025/04:09:56.3
7695	M1O	04-025/04:24:53.6		NOTE: Enter Earth Occultation 9373		04-025/04:13:49.8
7696	M1O	04-025/04:29:44.8		NOTE: Exit Earth Occultation 9373		04-025/04:18:41.0
7697	M1O	04-025/04:33:39.8		NOTE: Exit Planetary Atmosphere 9373		04-025/04:22:36.0
7698	M1O	04-025/04:49:37.1		NOTE: Descending Node Crossing 9374		04-025/04:38:33.2
7699	M1O	04-025/05:18:05.6		NOTE: Periapsis 9374 ----------		04-025/05:07:01.6
7700	M1O	04-025/05:18:54.5		NOTE: South Pole Crossing 9374		04-025/05:07:50.5
7701	M1O	04-025/05:46:44.6		NOTE: Enter Solar Eclipse 9374		04-025/05:35:40.5
7702	M1O	04-025/05:48:14.2		NOTE: Ascending Node Crossing 9374		04-025/05:37:10.2
7703	M1O	04-025/06:03:29.4		NOTE: Exit Solar Eclipse 9374		04-025/05:52:25.3
7704	M1O	04-025/06:17:24.4		NOTE: Apoapsis 9374 -		04-025/06:06:20.3
7705	M1O	04-025/06:18:14.5		NOTE: North Pole Crossing 9374		04-025/06:07:10.4
7706	M1O	04-025/06:19:49.0		NOTE: Enter Planetary Atmosphere 9374		04-025/06:08:44.9
7707	M1O	04-025/06:24:08.9		NOTE: Enter Earth Occultation 9374		04-025/06:13:04.7
7708	M1O	04-025/06:27:41.0		NOTE: Exit Earth Occultation 9374		04-025/06:16:36.8
7709	M1O	04-025/06:32:02.3		NOTE: Exit Planetary Atmosphere 9374		04-025/06:20:58.2
7710	M1O	04-025/06:40:15.2		SPAWN, Engine = 65535, Parameters = 025, 01, FALSE, 00:14:34.260, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-025/06:29:11.0
7711	M1O	04-025/06:40:16.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/06:29:12.1
7712	M1O	04-025/06:40:18.3		CALL, Engine = , Parameters = 253	get_cmd_opt	04-025/06:29:14.1
7713	M1O	04-025/06:41:00.5		CALL, Engine = , Parameters = 253	get_apid	04-025/06:29:56.3
7714	M1O	04-025/06:41:01.6		CALL, Engine = , Parameters = 253	get_rcv_mode	04-025/06:29:57.4
7715	M1O	04-025/06:41:01.8		CALL, Engine = , Parameters = 253	get_dl_rate	04-025/06:29:57.6
7716	M1O	04-025/06:41:02.9		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-025/06:29:58.7
7717	M1O	04-025/06:41:04.2		CALL, Engine = , Parameters = 253	get_coding	04-025/06:30:00.0
7718	M1O	04-025/06:41:05.4		CALL, Engine = , Parameters = 253	get_xmt_mode	04-025/06:30:01.2
7719	M1O	04-025/06:41:06.6		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-025/06:30:02.4
7720	M1O	04-025/06:42:11.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/06:31:07.2
7721	M1O	04-025/06:42:12.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/06:31:08.2
7722	M1O	04-025/06:42:13.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/06:31:09.2
7723	M1O	04-025/06:42:14.4		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-025/06:31:10.2
7724	M1O	04-025/06:42:15.4		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-025/06:31:11.2
7725	M1O	04-025/06:42:16.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/06:31:12.2
7726	M1O	04-025/06:42:17.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/06:31:13.2
7727	M1O	04-025/06:45:00.0	34	Begin Pre-Cal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7728	M1O	04-025/06:45:00.0	34	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
7729	M1O	04-025/06:45:00.0	34	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
7730	M1O	04-025/06:45:00.0	34	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
7731	M1O	04-025/06:45:00.0	34	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
7732	M1O	04-025/06:45:00.0	34	At BOT: S/C Tlm Mode: BR=28440.0, FL=10112, SC=375KHZ, MI=71.7		
7733	M1O	04-025/06:45:00.0	34	Config: RCV: Parms:		
7734	M1O	04-025/06:45:00.0	34	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
7735	M1O	04-025/06:45:00.0	34	Config: TGC: BAND=X, SR=56880.000000		
7736	M1O	04-025/06:45:00.0	34	Config: TXL		
7737	M1O	04-025/06:45:00.0	34	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
7738	M1O	04-025/06:45:00.0	34	Config: CMD		
7739	M1O	04-025/06:45:00.0	34	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
7740	M1O	04-025/06:48:12.9		NOTE: Descending Node Crossing 9375		04-025/06:37:08.7
7741	M1O	04-025/06:56:47.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/06:45:43.4
7742	M1O	04-025/06:56:48.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/06:45:44.5
7743	M1O	04-025/06:56:58.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/06:45:54.5
7744	M1O	04-025/06:56:59.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/06:45:55.5
7745	M1O	04-025/07:11:04.3		SPAWN, Engine = 65535, Parameters =	scdiag	04-025/07:00:00.0
7746	M1O	04-025/07:11:04.3		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 28440_BPS	DOWNLINK_RATE	04-025/07:00:00.0
7747	M1O	04-025/07:11:05.4		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-025/07:00:01.1
7748	M1O	04-025/07:11:06.4		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-025/07:00:02.1
7749	M1O	04-025/07:12:07.3		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-025/07:01:03.0
7750	M1O	04-025/07:12:07.5		NOTE: Start Block fsw_diag		04-025/07:01:03.2
7751	M1O	04-025/07:12:08.5		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-025/07:01:04.2
7752	M1O	04-025/07:12:09.5		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-025/07:01:05.2
7753	M1O	04-025/07:12:20.5		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-025/07:01:16.2
7754	M1O	04-025/07:12:50.5		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-025/07:01:46.2
7755	M1O	04-025/07:13:10.5		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-025/07:02:06.2
7756	M1O	04-025/07:13:20.5		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-025/07:02:16.2
7757	M1O	04-025/07:13:40.5		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-025/07:02:36.2
7758	M1O	04-025/07:13:50.5		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-025/07:02:46.2
7759	M1O	04-025/07:13:55.5		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-025/07:02:51.2
7760	M1O	04-025/07:14:00.5		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-025/07:02:56.2
7761	M1O	04-025/07:14:05.5		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-025/07:03:01.2
7762	M1O	04-025/07:14:10.5		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-025/07:03:06.2
7763	M1O	04-025/07:14:15.5		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-025/07:03:11.2
7764	M1O	04-025/07:14:55.5		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-025/07:03:51.2
7765	M1O	04-025/07:15:00.0	34	Begin Tracking		
7766	M1O	04-025/07:15:00.0	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7767	M1O	04-025/07:15:00.5		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-025/07:03:56.2
7768	M1O	04-025/07:15:05.5		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-025/07:04:01.2
7769	M1O	04-025/07:15:10.5		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-025/07:04:06.2
7770	M1O	04-025/07:15:15.5		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-025/07:04:11.2
7771	M1O	04-025/07:15:16.5		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-025/07:04:12.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7772	M1O	04-025/07:15:17.5		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-025/07:04:13.2
7773	M1O	04-025/07:15:18.5		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-025/07:04:14.2
7774	M1O	04-025/07:15:29.5		NOTE: End Block fsw_diag.mod		04-025/07:04:25.2
7775	M1O	04-025/07:16:49.8		NOTE: Periapsis 9375 ----------		04-025/07:05:45.5
7776	M1O	04-025/07:17:30.4		NOTE: South Pole Crossing 9375		04-025/07:06:26.0
7777	M1O	04-025/07:30:49.3		SPAWN, Engine = 65535, Parameters = 025, 01, TRUE, 00:19:02, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-025/07:19:45.0
7778	M1O	04-025/07:30:50.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/07:19:46.1
7779	M1O	04-025/07:30:52.4		CALL, Engine = , Parameters = 254	get_cmd_opt	04-025/07:19:48.1
7780	M1O	04-025/07:30:52.7		CALL, Engine = , Parameters = 025, 01, 254	bld_autosw	04-025/07:19:48.4
7781	M1O	04-025/07:30:53.8		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-025/07:19:49.5
7782	M1O	04-025/07:30:54.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:19:50.6
7783	M1O	04-025/07:30:55.9		Deletes the designated file.: d:/dat/254_doy025_pass01_file01.dat	FILE_DELETE	04-025/07:19:51.6
7784	M1O	04-025/07:30:57.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:19:52.7
7785	M1O	04-025/07:30:58.0		Deletes the designated file.: d:/dat/254_doy025_pass01_file02.dat	FILE_DELETE	04-025/07:19:53.7
7786	M1O	04-025/07:30:59.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:19:54.8
7787	M1O	04-025/07:31:00.1		Deletes the designated file.: d:/dat/254_doy025_pass01_file03.dat	FILE_DELETE	04-025/07:19:55.8
7788	M1O	04-025/07:31:01.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:19:56.9
7789	M1O	04-025/07:31:02.2		Deletes the designated file.: d:/dat/254_doy025_pass01_file04.dat	FILE_DELETE	04-025/07:19:57.9
7790	M1O	04-025/07:31:03.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:19:59.0
7791	M1O	04-025/07:31:04.3		Deletes the designated file.: d:/dat/254_doy025_pass01_file05.dat	FILE_DELETE	04-025/07:20:00.0
7792	M1O	04-025/07:31:05.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:01.1
7793	M1O	04-025/07:31:06.4		Deletes the designated file.: d:/dat/254_doy025_pass01_file06.dat	FILE_DELETE	04-025/07:20:02.1
7794	M1O	04-025/07:31:07.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:03.2
7795	M1O	04-025/07:31:08.5		Deletes the designated file.: d:/dat/254_doy025_pass01_file07.dat	FILE_DELETE	04-025/07:20:04.2
7796	M1O	04-025/07:31:09.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:05.3
7797	M1O	04-025/07:31:10.6		Deletes the designated file.: d:/dat/254_doy025_pass01_file08.dat	FILE_DELETE	04-025/07:20:06.3
7798	M1O	04-025/07:31:11.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:07.4
7799	M1O	04-025/07:31:12.7		Deletes the designated file.: d:/dat/254_doy025_pass01_file09.dat	FILE_DELETE	04-025/07:20:08.4
7800	M1O	04-025/07:31:13.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:09.5
7801	M1O	04-025/07:31:14.8		Deletes the designated file.: d:/dat/254_doy025_pass01_file10.dat	FILE_DELETE	04-025/07:20:10.5
7802	M1O	04-025/07:31:15.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:11.6
7803	M1O	04-025/07:31:16.9		Deletes the designated file.: d:/dat/254_doy025_pass01_file11.dat	FILE_DELETE	04-025/07:20:12.6
7804	M1O	04-025/07:31:18.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:13.7
7805	M1O	04-025/07:31:19.0		Deletes the designated file.: d:/dat/254_doy025_pass01_file12.dat	FILE_DELETE	04-025/07:20:14.7
7806	M1O	04-025/07:31:20.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:15.8
7807	M1O	04-025/07:31:21.1		Deletes the designated file.: d:/dat/254_doy025_pass01_file13.dat	FILE_DELETE	04-025/07:20:16.8
7808	M1O	04-025/07:31:22.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:17.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7809	M1O	04-025/07:31:23.2		Deletes the designated file.: d:/dat/254_doy025_pass01_file14.dat	FILE_DELETE	04-025/07:20:18.9
7810	M1O	04-025/07:31:24.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:20.0
7811	M1O	04-025/07:31:25.3		Deletes the designated file.: d:/dat/254_doy025_pass01_file15.dat	FILE_DELETE	04-025/07:20:21.0
7812	M1O	04-025/07:31:26.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:22.1
7813	M1O	04-025/07:31:27.4		Deletes the designated file.: d:/dat/254_doy025_pass01_file16.dat	FILE_DELETE	04-025/07:20:23.1
7814	M1O	04-025/07:31:28.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:24.2
7815	M1O	04-025/07:31:29.5		Deletes the designated file.: d:/dat/254_doy025_pass01_file17.dat	FILE_DELETE	04-025/07:20:25.2
7816	M1O	04-025/07:31:30.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:26.3
7817	M1O	04-025/07:31:31.6		Deletes the designated file.: d:/dat/254_doy025_pass01_file18.dat	FILE_DELETE	04-025/07:20:27.3
7818	M1O	04-025/07:31:32.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/07:20:28.4
7819	M1O	04-025/07:31:33.7		Deletes the designated file.: d:/dat/254_doy025_pass01_file19.dat	FILE_DELETE	04-025/07:20:29.4
7820	M1O	04-025/07:31:34.7		CALL, Engine = , Parameters = 254	get_apid	04-025/07:20:30.4
7821	M1O	04-025/07:31:35.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-025/07:20:31.5
7822	M1O	04-025/07:31:36.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-025/07:20:31.7
7823	M1O	04-025/07:31:37.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-025/07:20:32.8
7824	M1O	04-025/07:31:38.4		CALL, Engine = , Parameters = 254	get_coding	04-025/07:20:34.1
7825	M1O	04-025/07:31:39.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-025/07:20:35.3
7826	M1O	04-025/07:31:40.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-025/07:20:36.5
7827	M1O	04-025/07:32:45.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/07:21:41.3
7828	M1O	04-025/07:32:46.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/07:21:42.3
7829	M1O	04-025/07:32:47.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/07:21:43.3
7830	M1O	04-025/07:32:48.6		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-025/07:21:44.3
7831	M1O	04-025/07:32:49.6		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-025/07:21:45.3
7832	M1O	04-025/07:32:50.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/07:21:46.3
7833	M1O	04-025/07:32:51.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/07:21:47.3
7834	M1O	04-025/07:34:41.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/07:23:37.3
7835	M1O	04-025/07:34:51.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-025/07:23:47.3
7836	M1O	04-025/07:37:00.0	34	Acquire U/L: X/08, PWR=20.0, BR=125.0		
7837	M1O	04-025/07:42:00.0	34	Range Modulation On: SUP=3.0dB		
7838	M1O	04-025/07:43:00.0	34	Begin Ranging Acquisition		
7839	M1O	04-025/07:45:19.5		NOTE: Enter Solar Eclipse 9375		04-025/07:34:15.1
7840	M1O	04-025/07:45:36.0	34	NOTE: X-Band Transmitter Off in 15 minutes		
7841	M1O	04-025/07:46:49.8		NOTE: Ascending Node Crossing 9375		04-025/07:35:45.4
7842	M1O	04-025/07:51:51.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/07:40:47.3
7843	M1O	04-025/07:51:52.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/07:40:48.4
7844	M1O	04-025/07:52:02.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/07:40:58.4
7845	M1O	04-025/07:52:03.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/07:40:59.4
7846	M1O	04-025/07:52:04.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-025/07:41:00.4
7847	M1O	04-025/07:52:04.8	34	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7848	M1O	04-025/07:52:05.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-025/07:41:01.4
7849	M1O	04-025/07:55:36.0	34	Range Modulation Off		
7850	M1O	04-025/07:59:08.7	34	Acquire D/L: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7851	M1O	04-025/07:59:35.3		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-025/07:48:30.8
7852	M1O	04-025/07:59:35.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/07:48:30.9
7853	M1O	04-025/07:59:36.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/07:48:31.9
7854	M1O	04-025/07:59:37.4		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-025/07:48:32.9
7855	M1O	04-025/07:59:38.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-025/07:48:33.9
7856	M1O	04-025/07:59:38.4	34	D/L RF Warning: SC antenna change - expect signal level variation		
7857	M1O	04-025/07:59:39.4		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-025/07:48:34.9
7858	M1O	04-025/07:59:49.4		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-025/07:48:44.9
7859	M1O	04-025/07:59:59.4		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-025/07:48:54.9
7860	M1O	04-025/08:00:00.3		NOTE: Changing to 70M downlink rate: 110600_BPS		04-025/07:48:55.8
7861	M1O	04-025/08:00:00.3		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-025/07:48:55.8
7862	M1O	04-025/08:00:00.3	34	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7863	M1O	04-025/08:00:00.7		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 28440_BPS	DOWNLINK_RATE	04-025/07:48:56.3
7864	M1O	04-025/08:00:00.7	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7865	M1O	04-025/08:00:36.0	34	X-Band Transmitter Off		
7866	M1O	04-025/08:02:00.8		NOTE: Exit Solar Eclipse 9375		04-025/07:50:56.4
7867	M1O	04-025/08:04:13.0	34	Acquire U/L: X/08, PWR=20.0, BR=125.0		
7868	M1O	04-025/08:04:59.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/07:53:54.9
7869	M1O	04-025/08:05:00.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/07:53:55.9
7870	M1O	04-025/08:05:00.4	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7871	M1O	04-025/08:05:01.4		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-025/07:53:56.9
7872	M1O	04-025/08:09:13.0	34	Range Modulation On: SUP=3.0dB		
7873	M1O	04-025/08:10:13.0	34	Begin Ranging Acquisition		
7874	M1O	04-025/08:15:59.2		NOTE: Apoapsis 9375 -		04-025/08:04:54.7
7875	M1O	04-025/08:16:50.9		NOTE: North Pole Crossing 9375		04-025/08:05:46.4
7876	M1O	04-025/08:18:33.6		NOTE: Enter Planetary Atmosphere 9375		04-025/08:07:29.1
7877	M1O	04-025/08:22:13.1		SPAWN, Engine = 65535, Parameters = 3, 00:09:06.353, 1	dpt	04-025/08:11:08.6
7878	M1O	04-025/08:22:15.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/08:11:10.7
7879	M1O	04-025/08:22:15.2	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7880	M1O	04-025/08:22:16.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/08:11:11.7
7881	M1O	04-025/08:22:44.9	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7882	M1O	04-025/08:23:15.1		NOTE: Enter Earth Occultation 9375		04-025/08:12:10.6
7883	M1O	04-025/08:23:15.1	34	NOTE: Loss Of X-Band Signal		
7884	M1O	04-025/08:25:49.6		NOTE: Exit Earth Occultation 9375		04-025/08:14:45.0
7885	M1O	04-025/08:25:49.6	34	Acquisition Of X-Band Signal		
7886	M1O	04-025/08:25:49.6	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7887	M1O	04-025/08:26:21.9	34	Acquire D/L: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7888	M1O	04-025/08:30:32.6		NOTE: Exit Planetary Atmosphere 9375		04-025/08:19:28.0
7889	M1O	04-025/08:31:21.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/08:20:17.0
7890	M1O	04-025/08:31:21.6	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7891	M1O	04-025/08:31:22.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/08:20:18.0
7892	M1O	04-025/08:35:45.5		SPAWN, Engine = 65535, Parameters = 025, 02, TRUE, 00:18:17, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-025/08:24:41.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7893	M1O	04-025/08:35:46.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/08:24:41.5
7894	M1O	04-025/08:35:46.0	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7895	M1O	04-025/08:35:46.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/08:24:42.1
7896	M1O	04-025/08:35:48.6		CALL, Engine = , Parameters = 253	get_cmd_opt	04-025/08:24:44.1
7897	M1O	04-025/08:35:48.9		CALL, Engine = , Parameters = 025, 02, 253	bld_autosw	04-025/08:24:44.4
7898	M1O	04-025/08:35:50.0		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-025/08:24:45.5
7899	M1O	04-025/08:35:51.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:24:46.6
7900	M1O	04-025/08:35:52.1		Deletes the designated file.: d:/dat/253_doy025_pass02_file01.dat	FILE_DELETE	04-025/08:24:47.6
7901	M1O	04-025/08:35:53.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:24:48.7
7902	M1O	04-025/08:35:54.2		Deletes the designated file.: d:/dat/253_doy025_pass02_file02.dat	FILE_DELETE	04-025/08:24:49.7
7903	M1O	04-025/08:35:55.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:24:50.8
7904	M1O	04-025/08:35:56.3		Deletes the designated file.: d:/dat/253_doy025_pass02_file03.dat	FILE_DELETE	04-025/08:24:51.8
7905	M1O	04-025/08:35:57.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:24:52.9
7906	M1O	04-025/08:35:58.4		Deletes the designated file.: d:/dat/253_doy025_pass02_file04.dat	FILE_DELETE	04-025/08:24:53.9
7907	M1O	04-025/08:35:59.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:24:55.0
7908	M1O	04-025/08:36:00.5		Deletes the designated file.: d:/dat/253_doy025_pass02_file05.dat	FILE_DELETE	04-025/08:24:56.0
7909	M1O	04-025/08:36:01.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:24:57.1
7910	M1O	04-025/08:36:02.6		Deletes the designated file.: d:/dat/253_doy025_pass02_file06.dat	FILE_DELETE	04-025/08:24:58.1
7911	M1O	04-025/08:36:03.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:24:59.2
7912	M1O	04-025/08:36:04.7		Deletes the designated file.: d:/dat/253_doy025_pass02_file07.dat	FILE_DELETE	04-025/08:25:00.2
7913	M1O	04-025/08:36:05.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:01.3
7914	M1O	04-025/08:36:06.8		Deletes the designated file.: d:/dat/253_doy025_pass02_file08.dat	FILE_DELETE	04-025/08:25:02.3
7915	M1O	04-025/08:36:07.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:03.4
7916	M1O	04-025/08:36:08.9		Deletes the designated file.: d:/dat/253_doy025_pass02_file09.dat	FILE_DELETE	04-025/08:25:04.4
7917	M1O	04-025/08:36:10.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:05.5
7918	M1O	04-025/08:36:11.0		Deletes the designated file.: d:/dat/253_doy025_pass02_file10.dat	FILE_DELETE	04-025/08:25:06.5
7919	M1O	04-025/08:36:12.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:07.6
7920	M1O	04-025/08:36:13.1		Deletes the designated file.: d:/dat/253_doy025_pass02_file11.dat	FILE_DELETE	04-025/08:25:08.6
7921	M1O	04-025/08:36:14.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:09.7
7922	M1O	04-025/08:36:15.2		Deletes the designated file.: d:/dat/253_doy025_pass02_file12.dat	FILE_DELETE	04-025/08:25:10.7
7923	M1O	04-025/08:36:16.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:11.8
7924	M1O	04-025/08:36:17.3		Deletes the designated file.: d:/dat/253_doy025_pass02_file13.dat	FILE_DELETE	04-025/08:25:12.8
7925	M1O	04-025/08:36:18.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:13.9
7926	M1O	04-025/08:36:19.4		Deletes the designated file.: d:/dat/253_doy025_pass02_file14.dat	FILE_DELETE	04-025/08:25:14.9
7927	M1O	04-025/08:36:20.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:16.0
7928	M1O	04-025/08:36:21.5		Deletes the designated file.: d:/dat/253_doy025_pass02_file15.dat	FILE_DELETE	04-025/08:25:17.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7929	M1O	04-025/08:36:22.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:18.1
7930	M1O	04-025/08:36:23.6		Deletes the designated file.: d:/dat/253_doy025_pass02_file16.dat	FILE_DELETE	04-025/08:25:19.1
7931	M1O	04-025/08:36:24.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:20.2
7932	M1O	04-025/08:36:25.7		Deletes the designated file.: d:/dat/253_doy025_pass02_file17.dat	FILE_DELETE	04-025/08:25:21.2
7933	M1O	04-025/08:36:26.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:22.3
7934	M1O	04-025/08:36:27.8		Deletes the designated file.: d:/dat/253_doy025_pass02_file18.dat	FILE_DELETE	04-025/08:25:23.3
7935	M1O	04-025/08:36:28.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/08:25:24.4
7936	M1O	04-025/08:36:29.9		Deletes the designated file.: d:/dat/253_doy025_pass02_file19.dat	FILE_DELETE	04-025/08:25:25.4
7937	M1O	04-025/08:36:30.9		CALL, Engine = , Parameters = 253	get_apid	04-025/08:25:26.4
7938	M1O	04-025/08:36:32.0		CALL, Engine = , Parameters = 253	get_rcv_mode	04-025/08:25:27.5
7939	M1O	04-025/08:36:32.2		CALL, Engine = , Parameters = 253	get_dl_rate	04-025/08:25:27.7
7940	M1O	04-025/08:36:33.3		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-025/08:25:28.8
7941	M1O	04-025/08:36:34.6		CALL, Engine = , Parameters = 253	get_coding	04-025/08:25:30.1
7942	M1O	04-025/08:36:35.8		CALL, Engine = , Parameters = 253	get_xmt_mode	04-025/08:25:31.3
7943	M1O	04-025/08:36:37.0		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-025/08:25:32.5
7944	M1O	04-025/08:37:41.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/08:26:37.3
7945	M1O	04-025/08:37:42.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/08:26:38.3
7946	M1O	04-025/08:37:43.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/08:26:39.3
7947	M1O	04-025/08:37:44.8		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-025/08:26:40.3
7948	M1O	04-025/08:37:45.8		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-025/08:26:41.3
7949	M1O	04-025/08:37:46.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/08:26:42.3
7950	M1O	04-025/08:37:47.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/08:26:43.3
7951	M1O	04-025/08:39:37.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/08:28:33.3
7952	M1O	04-025/08:39:47.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-025/08:28:43.3
7953	M1O	04-025/08:46:50.1		NOTE: Descending Node Crossing 9376		04-025/08:35:45.5
7954	M1O	04-025/08:56:02.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/08:44:58.3
7955	M1O	04-025/08:56:04.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/08:44:59.4
7956	M1O	04-025/08:56:14.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/08:45:09.4
7957	M1O	04-025/08:56:15.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/08:45:10.4
7958	M1O	04-025/08:56:16.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-025/08:45:11.4
7959	M1O	04-025/08:56:16.0	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7960	M1O	04-025/08:56:17.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-025/08:45:12.4
7961	M1O	04-025/09:01:15.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/08:50:11.0
7962	M1O	04-025/09:01:15.6	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
7963	M1O	04-025/09:15:25.5		NOTE: Periapsis 9376 ----------		04-025/09:04:20.8
7964	M1O	04-025/09:16:07.4		NOTE: South Pole Crossing 9376		04-025/09:05:02.7
7965	M1O	04-025/09:31:32.7		SPAWN, Engine = 65535, Parameters = 025, 02, FALSE, 00:11:40.982, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-025/09:20:28.0
7966	M1O	04-025/09:31:33.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/09:20:29.1
7967	M1O	04-025/09:31:35.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-025/09:20:31.1
7968	M1O	04-025/09:32:18.0		CALL, Engine = , Parameters = 254	get_apid	04-025/09:21:13.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
7969	M1O	04-025/09:32:19.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-025/09:21:14.4
7970	M1O	04-025/09:32:19.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-025/09:21:14.6
7971	M1O	04-025/09:32:20.4		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-025/09:21:15.7
7972	M1O	04-025/09:32:21.7		CALL, Engine = , Parameters = 254	get_coding	04-025/09:21:17.0
7973	M1O	04-025/09:32:22.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-025/09:21:18.2
7974	M1O	04-025/09:32:24.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-025/09:21:19.4
7975	M1O	04-025/09:33:28.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/09:22:24.2
7976	M1O	04-025/09:33:29.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/09:22:25.2
7977	M1O	04-025/09:33:30.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/09:22:26.2
7978	M1O	04-025/09:33:31.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-025/09:22:27.2
7979	M1O	04-025/09:33:32.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-025/09:22:28.2
7980	M1O	04-025/09:33:33.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/09:22:29.2
7981	M1O	04-025/09:33:34.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/09:22:30.2
7982	M1O	04-025/09:43:56.0		NOTE: Enter Solar Eclipse 9376		04-025/09:32:51.2
7983	M1O	04-025/09:44:02.3	34	NOTE: X-Band Transmitter Off in 15 minutes		
7984	M1O	04-025/09:45:11.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/09:34:07.1
7985	M1O	04-025/09:45:13.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/09:34:08.2
7986	M1O	04-025/09:45:23.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/09:34:18.2
7987	M1O	04-025/09:45:24.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/09:34:19.2
7988	M1O	04-025/09:45:26.6		NOTE: Ascending Node Crossing 9376		04-025/09:34:21.8
7989	M1O	04-025/09:54:02.0	34	Range Modulation Off		
7990	M1O	04-025/09:59:02.3	34	X-Band Transmitter Off		
7991	M1O	04-025/10:00:37.0		NOTE: Exit Solar Eclipse 9376		04-025/09:49:32.2
7992	M1O	04-025/10:02:58.0	34	Acquire U/L: X/08, PWR=20.0, BR=125.0		
7993	M1O	04-025/10:07:58.0	34	Range Modulation On: SUP=3.0dB		
7994	M1O	04-025/10:08:58.0	34	Begin Ranging Acquisition		
7995	M1O	04-025/10:14:18.3		NOTE: Apoapsis 9376 -		04-025/10:03:13.4
7996	M1O	04-025/10:15:27.4		NOTE: North Pole Crossing 9376		04-025/10:04:22.5
7997	M1O	04-025/10:17:07.9		NOTE: Enter Planetary Atmosphere 9376		04-025/10:06:03.0
7998	M1O	04-025/10:20:09.8		SPAWN, Engine = 65535, Parameters = 3, 00:09:55, 1	dpt	04-025/10:09:04.9
7999	M1O	04-025/10:20:11.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/10:09:07.0
8000	M1O	04-025/10:20:11.9	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8001	M1O	04-025/10:20:12.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/10:09:08.0
8002	M1O	04-025/10:21:12.0	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8003	M1O	04-025/10:21:42.0		NOTE: Enter Earth Occultation 9376		04-025/10:10:37.1
8004	M1O	04-025/10:21:42.0	34	NOTE: Loss Of X-Band Signal		
8005	M1O	04-025/10:24:35.6		NOTE: Exit Earth Occultation 9376		04-025/10:13:30.6
8006	M1O	04-025/10:24:35.6	34	Acquisition Of X-Band Signal		
8007	M1O	04-025/10:24:35.6	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8008	M1O	04-025/10:25:07.7	34	Acquire D/L: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8009	M1O	04-025/10:29:11.1		NOTE: Exit Planetary Atmosphere 9376		04-025/10:18:06.2
8010	M1O	04-025/10:30:07.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/10:19:02.0
8011	M1O	04-025/10:30:07.0	34	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8012	M1O	04-025/10:30:08.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/10:19:03.0
8013	M1O	04-025/10:45:26.0		NOTE: Descending Node Crossing 9377		04-025/10:34:21.1
8014	M1O	04-025/10:55:00.0	55	Begin Pre-Cal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8015	M1O	04-025/10:55:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
8016	M1O	04-025/10:55:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
8017	M1O	04-025/10:55:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
8018	M1O	04-025/10:55:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
8019	M1O	04-025/10:55:00.0	55	At BOT: S/C Tlm Mode: BR=28440.0, FL=10112, SC=375KHZ, MI=71.7		
8020	M1O	04-025/10:55:00.0	55	Config: RCV: Parms:		
8021	M1O	04-025/10:55:00.0	55	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
8022	M1O	04-025/10:55:00.0	55	Config: TGC: BAND=X, SR=56880.000000		
8023	M1O	04-025/10:55:00.0	55	Config: TXL		
8024	M1O	04-025/10:55:00.0	55	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
8025	M1O	04-025/10:55:00.0	55	Config: CMD		
8026	M1O	04-025/10:55:00.0	55	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
8027	M1O	04-025/11:13:55.9		NOTE: Periapsis 9377 ----------		04-025/11:02:50.8
8028	M1O	04-025/11:14:43.5		NOTE: South Pole Crossing 9377		04-025/11:03:38.4
8029	M1O	04-025/11:25:00.0	34	NOTE: X-Band Transmitter Off in 15 minutes		
8030	M1O	04-025/11:35:00.0	34	Range Modulation Off		
8031	M1O	04-025/11:40:00.0	34	X-Band Transmitter Off		
8032	M1O	04-025/11:42:32.6		NOTE: Enter Solar Eclipse 9377		04-025/11:31:27.4
8033	M1O	04-025/11:42:49.5	34	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
8034	M1O	04-025/11:44:02.8		NOTE: Ascending Node Crossing 9377		04-025/11:32:57.7
8035	M1O	04-025/11:54:59.0	34	NOTE: Below Uplink Interlock Limit		
8036	M1O	04-025/11:55:00.0	55	Begin Tracking		
8037	M1O	04-025/11:55:00.0	55	Acquire D/L: X/08, 3-Way/34, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8038	M1O	04-025/11:59:16.0		NOTE: Exit Solar Eclipse 9377		04-025/11:48:10.8
8039	M1O	04-025/12:02:01.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8040	M1O	04-025/12:02:10.3	34	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8041	M1O	04-025/12:02:10.3	55	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8042	M1O	04-025/12:03:57.9		SPAWN, Engine = 65535, Parameters = 3, 00:08:08.100, 1	dpt	04-025/11:52:52.7
8043	M1O	04-025/12:04:00.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/11:52:54.8
8044	M1O	04-025/12:04:00.0	34	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8045	M1O	04-025/12:04:00.0	55	D/L Change: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8046	M1O	04-025/12:04:01.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/11:52:55.8
8047	M1O	04-025/12:04:59.9		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-025/11:53:54.7
8048	M1O	04-025/12:04:59.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-025/11:53:54.7
8049	M1O	04-025/12:04:59.9	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8050	M1O	04-025/12:04:59.9	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8051	M1O	04-025/12:05:00.0	34	End Tracking		
8052	M1O	04-025/12:05:07.0		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-025/11:54:01.8
8053	M1O	04-025/12:05:07.0	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8054	M1O	04-025/12:06:10.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/11:55:05.0
8055	M1O	04-025/12:07:01.0	55	Range Modulation On: SUP=3.0dB		
8056	M1O	04-025/12:08:01.0	55	Begin Ranging Acquisition		
8057	M1O	04-025/12:12:08.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/12:01:02.9
8058	M1O	04-025/12:12:08.2	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8059	M1O	04-025/12:12:09.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/12:01:03.9
8060	M1O	04-025/12:12:37.5		NOTE: Apoapsis 9377 -		04-025/12:01:32.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8061	M1O	04-025/12:14:02.5		NOTE: North Pole Crossing 9377		04-025/12:02:57.2
8062	M1O	04-025/12:15:33.2		NOTE: Enter Planetary Atmosphere 9377		04-025/12:04:27.9
8063	M1O	04-025/12:18:43.0		SPAWN, Engine = 65535, Parameters = 3, 00:10:26.327, 1	dpt	04-025/12:07:37.8
8064	M1O	04-025/12:18:45.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/12:07:39.9
8065	M1O	04-025/12:18:45.1	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8066	M1O	04-025/12:18:46.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/12:07:40.9
8067	M1O	04-025/12:19:45.0		NOTE: Enter Earth Occultation 9377		04-025/12:08:39.8
8068	M1O	04-025/12:19:45.0	55	NOTE: Loss Of X-Band Signal		
8069	M1O	04-025/12:20:00.0	34	End Post-Cal		
8070	M1O	04-025/12:23:40.0		NOTE: Exit Earth Occultation 9377		04-025/12:12:34.7
8071	M1O	04-025/12:23:40.0	55	Acquisition Of X-Band Signal		
8072	M1O	04-025/12:23:40.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8073	M1O	04-025/12:24:11.4	55	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8074	M1O	04-025/12:27:53.3		NOTE: Exit Planetary Atmosphere 9377		04-025/12:16:48.0
8075	M1O	04-025/12:29:11.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/12:18:06.2
8076	M1O	04-025/12:29:11.5	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8077	M1O	04-025/12:29:12.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/12:18:07.2
8078	M1O	04-025/12:43:59.7		NOTE: Descending Node Crossing 9378		04-025/12:32:54.4
8079	M1O	04-025/13:12:29.4		NOTE: Periapsis 9378 ----------		04-025/13:01:23.9
8080	M1O	04-025/13:13:17.0		NOTE: South Pole Crossing 9378		04-025/13:02:11.6
8081	M1O	04-025/13:34:47.5		SPAWN, Engine = 65535, Parameters = 025, 03, FALSE, 00:19:38.353, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-025/13:23:42.0
8082	M1O	04-025/13:34:48.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/13:23:43.1
8083	M1O	04-025/13:34:50.6		CALL, Engine = , Parameters = 56	get_cmd_opt	04-025/13:23:45.1
8084	M1O	04-025/13:35:32.8		CALL, Engine = , Parameters = 56	get_apid	04-025/13:24:27.3
8085	M1O	04-025/13:35:33.9		CALL, Engine = , Parameters = 56	get_rcv_mode	04-025/13:24:28.4
8086	M1O	04-025/13:35:34.1		CALL, Engine = , Parameters = 56	get_dl_rate	04-025/13:24:28.6
8087	M1O	04-025/13:35:35.2		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-025/13:24:29.7
8088	M1O	04-025/13:35:36.4		CALL, Engine = , Parameters = 56	get_coding	04-025/13:24:30.9
8089	M1O	04-025/13:35:37.6		CALL, Engine = , Parameters = 56	get_xmt_mode	04-025/13:24:32.1
8090	M1O	04-025/13:35:38.8		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-025/13:24:33.3
8091	M1O	04-025/13:36:43.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/13:25:38.1
8092	M1O	04-025/13:36:44.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/13:25:39.1
8093	M1O	04-025/13:36:45.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/13:25:40.1
8094	M1O	04-025/13:36:46.6		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-025/13:25:41.1
8095	M1O	04-025/13:36:47.6		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-025/13:25:42.1
8096	M1O	04-025/13:36:48.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/13:25:43.1
8097	M1O	04-025/13:36:49.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/13:25:44.1
8098	M1O	04-025/13:40:17.9	55	NOTE: X-Band Transmitter Off in 15 minutes		
8099	M1O	04-025/13:41:05.5		NOTE: Enter Solar Eclipse 9378		04-025/13:30:00.0
8100	M1O	04-025/13:42:36.3		NOTE: Ascending Node Crossing 9378		04-025/13:31:30.7
8101	M1O	04-025/13:50:18.0	55	Range Modulation Off		
8102	M1O	04-025/13:55:17.9	55	X-Band Transmitter Off		
8103	M1O	04-025/13:56:24.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/13:45:18.4
8104	M1O	04-025/13:56:25.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/13:45:19.5
8105	M1O	04-025/13:56:35.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/13:45:29.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8106	M1O	04-025/13:56:36.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/13:45:30.5
8107	M1O	04-025/13:57:52.6		NOTE: Exit Solar Eclipse 9378		04-025/13:46:47.0
8108	M1O	04-025/14:00:48.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8109	M1O	04-025/14:05:48.0	55	Range Modulation On: SUP=3.0dB		
8110	M1O	04-025/14:06:48.0	55	Begin Ranging Acquisition		
8111	M1O	04-025/14:11:19.1		NOTE: Apoapsis 9378 -		04-025/14:00:13.4
8112	M1O	04-025/14:12:35.0		NOTE: North Pole Crossing 9378		04-025/14:01:29.3
8113	M1O	04-025/14:13:58.3		NOTE: Enter Planetary Atmosphere 9378		04-025/14:02:52.6
8114	M1O	04-025/14:16:26.7		SPAWN, Engine = 65535, Parameters = 3, 00:11:30, 1	dpt	04-025/14:05:21.1
8115	M1O	04-025/14:16:28.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/14:05:23.2
8116	M1O	04-025/14:16:28.8	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8117	M1O	04-025/14:16:29.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/14:05:24.2
8118	M1O	04-025/14:17:29.1	55	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8119	M1O	04-025/14:17:59.1		NOTE: Enter Earth Occultation 9378		04-025/14:06:53.5
8120	M1O	04-025/14:17:59.1	55	NOTE: Loss Of X-Band Signal		
8121	M1O	04-025/14:22:27.4		NOTE: Exit Earth Occultation 9378		04-025/14:11:21.8
8122	M1O	04-025/14:22:27.4	55	Acquisition Of X-Band Signal		
8123	M1O	04-025/14:22:27.4	55	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8124	M1O	04-025/14:22:59.2	55	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8125	M1O	04-025/14:26:29.7		NOTE: Exit Planetary Atmosphere 9378		04-025/14:15:24.0
8126	M1O	04-025/14:27:58.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/14:16:53.2
8127	M1O	04-025/14:27:58.9	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8128	M1O	04-025/14:27:59.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/14:16:54.2
8129	M1O	04-025/14:42:31.5		NOTE: Descending Node Crossing 9379		04-025/14:31:25.7
8130	M1O	04-025/15:10:57.7		NOTE: Periapsis 9379 ----------		04-025/14:59:51.9
8131	M1O	04-025/15:11:47.9		NOTE: South Pole Crossing 9379		04-025/15:00:42.0
8132	M1O	04-025/15:39:01.5	55	NOTE: X-Band Transmitter Off in 15 minutes		
8133	M1O	04-025/15:39:35.8		NOTE: Enter Solar Eclipse 9379		04-025/15:28:29.8
8134	M1O	04-025/15:41:06.5		NOTE: Ascending Node Crossing 9379		04-025/15:30:00.6
8135	M1O	04-025/15:49:02.0	55	Range Modulation Off		
8136	M1O	04-025/15:54:01.5	55	X-Band Transmitter Off		
8137	M1O	04-025/15:56:20.6		NOTE: Exit Solar Eclipse 9379		04-025/15:45:14.6
8138	M1O	04-025/15:59:06.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8139	M1O	04-025/16:04:06.0	55	Range Modulation On: SUP=3.0dB		
8140	M1O	04-025/16:05:06.0	55	Begin Ranging Acquisition		
8141	M1O	04-025/16:09:46.1		NOTE: Apoapsis 9379 -		04-025/15:58:40.1
8142	M1O	04-025/16:11:06.0		NOTE: North Pole Crossing 9379		04-025/15:59:59.9
8143	M1O	04-025/16:12:34.0		NOTE: Enter Planetary Atmosphere 9379		04-025/16:01:27.9
8144	M1O	04-025/16:15:11.1		SPAWN, Engine = 65535, Parameters = 3, 00:11:04, 1	dpt	04-025/16:04:05.1
8145	M1O	04-025/16:15:13.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/16:04:07.2
8146	M1O	04-025/16:15:13.2	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8147	M1O	04-025/16:15:14.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/16:04:08.2
8148	M1O	04-025/16:16:13.4	55	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8149	M1O	04-025/16:16:43.4		NOTE: Enter Earth Occultation 9379		04-025/16:05:37.4
8150	M1O	04-025/16:16:43.4	55	NOTE: Loss Of X-Band Signal		
8151	M1O	04-025/16:20:45.7		NOTE: Exit Earth Occultation 9379		04-025/16:09:39.6
8152	M1O	04-025/16:20:45.7	55	Acquisition Of X-Band Signal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8153	M1O	04-025/16:20:45.7	55	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8154	M1O	04-025/16:21:17.9	55	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8155	M1O	04-025/16:24:56.7		NOTE: Exit Planetary Atmosphere 9379		04-025/16:13:50.6
8156	M1O	04-025/16:26:17.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/16:15:11.2
8157	M1O	04-025/16:26:17.3	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8158	M1O	04-025/16:26:18.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/16:15:12.2
8159	M1O	04-025/16:41:03.0		NOTE: Descending Node Crossing 9380		04-025/16:29:56.9
8160	M1O	04-025/17:09:09.3		NOTE: Periapsis 9380 ----------		04-025/16:58:03.1
8161	M1O	04-025/17:10:19.3		NOTE: South Pole Crossing 9380		04-025/16:59:13.1
8162	M1O	04-025/17:38:10.5		NOTE: Enter Solar Eclipse 9380		04-025/17:27:04.2
8163	M1O	04-025/17:38:12.0	55	NOTE: X-Band Transmitter Off in 15 minutes		
8164	M1O	04-025/17:39:38.6		NOTE: Ascending Node Crossing 9380		04-025/17:28:32.3
8165	M1O	04-025/17:48:12.0	55	Range Modulation Off		
8166	M1O	04-025/17:53:12.0	55	X-Band Transmitter Off		
8167	M1O	04-025/17:54:46.4		NOTE: Exit Solar Eclipse 9380		04-025/17:43:40.0
8168	M1O	04-025/17:57:01.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8169	M1O	04-025/18:02:01.0	55	Range Modulation On: SUP=3.0dB		
8170	M1O	04-025/18:03:01.0	55	Begin Ranging Acquisition		
8171	M1O	04-025/18:08:03.5		NOTE: Apoapsis 9380 -		04-025/17:56:57.1
8172	M1O	04-025/18:09:39.1		NOTE: North Pole Crossing 9380		04-025/17:58:32.7
8173	M1O	04-025/18:11:18.7		NOTE: Enter Planetary Atmosphere 9380		04-025/18:00:12.3
8174	M1O	04-025/18:14:20.4		SPAWN, Engine = 65535, Parameters = 3, 00:09:49, 1	dpt	04-025/18:03:13.9
8175	M1O	04-025/18:14:22.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/18:03:16.0
8176	M1O	04-025/18:14:22.5	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8177	M1O	04-025/18:14:23.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/18:03:17.0
8178	M1O	04-025/18:15:24.7	55	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8179	M1O	04-025/18:15:55.3		NOTE: Enter Earth Occultation 9380		04-025/18:04:48.8
8180	M1O	04-025/18:15:55.3	55	NOTE: Loss Of X-Band Signal		
8181	M1O	04-025/18:18:42.6		NOTE: Exit Earth Occultation 9380		04-025/18:07:36.2
8182	M1O	04-025/18:18:42.6	55	Acquisition Of X-Band Signal		
8183	M1O	04-025/18:18:42.6	55	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8184	M1O	04-025/18:19:13.7	55	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8185	M1O	04-025/18:20:00.0	14	Begin Pre-Cal		
8186	M1O	04-025/18:20:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
8187	M1O	04-025/18:20:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
8188	M1O	04-025/18:20:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
8189	M1O	04-025/18:20:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
8190	M1O	04-025/18:20:00.0	14	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
8191	M1O	04-025/18:20:00.0	14	Config: RCV: Parms:		
8192	M1O	04-025/18:20:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
8193	M1O	04-025/18:20:00.0	14	Config: TGC: BAND=X, SR=79632.000000		
8194	M1O	04-025/18:20:00.0	14	Config: TXL		
8195	M1O	04-025/18:20:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
8196	M1O	04-025/18:20:00.0	14	Config: CMD		
8197	M1O	04-025/18:20:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
8198	M1O	04-025/18:23:20.8		NOTE: Exit Planetary Atmosphere 9380		04-025/18:12:14.3
8199	M1O	04-025/18:24:11.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/18:13:05.0
8200	M1O	04-025/18:24:11.5	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8201	M1O	04-025/18:24:12.5		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-025/18:13:06.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_map.cfg		
8202	M1O	04-025/18:37:40.4		SPAWN, Engine = 65535, Parameters = 025, 03, FALSE, 00:11:54.526, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-025/18:26:34.0
8203	M1O	04-025/18:37:41.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/18:26:35.1
8204	M1O	04-025/18:37:43.5		CALL, Engine = , Parameters = 254	get_cmd_opt	04-025/18:26:37.1
8205	M1O	04-025/18:38:25.7		CALL, Engine = , Parameters = 254	get_apid	04-025/18:27:19.3
8206	M1O	04-025/18:38:26.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-025/18:27:20.4
8207	M1O	04-025/18:38:27.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-025/18:27:20.6
8208	M1O	04-025/18:38:28.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-025/18:27:21.7
8209	M1O	04-025/18:38:29.4		CALL, Engine = , Parameters = 254	get_coding	04-025/18:27:23.0
8210	M1O	04-025/18:38:30.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-025/18:27:24.2
8211	M1O	04-025/18:38:31.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-025/18:27:25.4
8212	M1O	04-025/18:39:36.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/18:28:30.2
8213	M1O	04-025/18:39:36.8		NOTE: Descending Node Crossing 9381		04-025/18:28:30.3
8214	M1O	04-025/18:39:37.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/18:28:31.2
8215	M1O	04-025/18:39:38.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/18:28:32.2
8216	M1O	04-025/18:39:39.7		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-025/18:28:33.2
8217	M1O	04-025/18:39:40.7		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-025/18:28:34.2
8218	M1O	04-025/18:39:41.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/18:28:35.2
8219	M1O	04-025/18:39:42.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/18:28:36.2
8220	M1O	04-025/18:51:33.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/18:40:26.7
8221	M1O	04-025/18:51:34.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/18:40:27.8
8222	M1O	04-025/18:51:44.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/18:40:37.8
8223	M1O	04-025/18:51:45.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/18:40:38.8
8224	M1O	04-025/19:07:47.4		NOTE: Periapsis 9381 ----------		04-025/18:56:40.8
8225	M1O	04-025/19:08:54.4		NOTE: South Pole Crossing 9381		04-025/18:57:47.8
8226	M1O	04-025/19:27:20.6		SPAWN, Engine = 65535, Parameters = 025, 03, TRUE, 00:17:48, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-025/19:16:14.0
8227	M1O	04-025/19:27:21.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/19:16:14.5
8228	M1O	04-025/19:27:21.1	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8229	M1O	04-025/19:27:21.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/19:16:15.1
8230	M1O	04-025/19:27:23.7		CALL, Engine = , Parameters = 253	get_cmd_opt	04-025/19:16:17.1
8231	M1O	04-025/19:27:24.0		CALL, Engine = , Parameters = 025, 03, 253	bld_autosw	04-025/19:16:17.4
8232	M1O	04-025/19:27:25.1		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-025/19:16:18.5
8233	M1O	04-025/19:27:26.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:19.6
8234	M1O	04-025/19:27:27.2		Deletes the designated file.: d:/dat/253_doy025_pass03_file01.dat	FILE_DELETE	04-025/19:16:20.6
8235	M1O	04-025/19:27:28.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:21.7
8236	M1O	04-025/19:27:29.3		Deletes the designated file.: d:/dat/253_doy025_pass03_file02.dat	FILE_DELETE	04-025/19:16:22.7
8237	M1O	04-025/19:27:30.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:23.8
8238	M1O	04-025/19:27:31.4		Deletes the designated file.: d:/dat/253_doy025_pass03_file03.dat	FILE_DELETE	04-025/19:16:24.8
8239	M1O	04-025/19:27:32.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:25.9
8240	M1O	04-025/19:27:33.5		Deletes the designated file.: d:/dat/253_doy025_pass03_file04.dat	FILE_DELETE	04-025/19:16:26.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8241	M1O	04-025/19:27:34.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:28.0
8242	M1O	04-025/19:27:35.6		Deletes the designated file.: d:/dat/253_doy025_pass03_file05.dat	FILE_DELETE	04-025/19:16:29.0
8243	M1O	04-025/19:27:36.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:30.1
8244	M1O	04-025/19:27:37.7		Deletes the designated file.: d:/dat/253_doy025_pass03_file06.dat	FILE_DELETE	04-025/19:16:31.1
8245	M1O	04-025/19:27:38.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:32.2
8246	M1O	04-025/19:27:39.8		Deletes the designated file.: d:/dat/253_doy025_pass03_file07.dat	FILE_DELETE	04-025/19:16:33.2
8247	M1O	04-025/19:27:40.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:34.3
8248	M1O	04-025/19:27:41.9		Deletes the designated file.: d:/dat/253_doy025_pass03_file08.dat	FILE_DELETE	04-025/19:16:35.3
8249	M1O	04-025/19:27:43.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:36.4
8250	M1O	04-025/19:27:44.0		Deletes the designated file.: d:/dat/253_doy025_pass03_file09.dat	FILE_DELETE	04-025/19:16:37.4
8251	M1O	04-025/19:27:45.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:38.5
8252	M1O	04-025/19:27:46.1		Deletes the designated file.: d:/dat/253_doy025_pass03_file10.dat	FILE_DELETE	04-025/19:16:39.5
8253	M1O	04-025/19:27:47.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:40.6
8254	M1O	04-025/19:27:48.2		Deletes the designated file.: d:/dat/253_doy025_pass03_file11.dat	FILE_DELETE	04-025/19:16:41.6
8255	M1O	04-025/19:27:49.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:42.7
8256	M1O	04-025/19:27:50.3		Deletes the designated file.: d:/dat/253_doy025_pass03_file12.dat	FILE_DELETE	04-025/19:16:43.7
8257	M1O	04-025/19:27:51.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:44.8
8258	M1O	04-025/19:27:52.4		Deletes the designated file.: d:/dat/253_doy025_pass03_file13.dat	FILE_DELETE	04-025/19:16:45.8
8259	M1O	04-025/19:27:53.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:46.9
8260	M1O	04-025/19:27:54.5		Deletes the designated file.: d:/dat/253_doy025_pass03_file14.dat	FILE_DELETE	04-025/19:16:47.9
8261	M1O	04-025/19:27:55.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:49.0
8262	M1O	04-025/19:27:56.6		Deletes the designated file.: d:/dat/253_doy025_pass03_file15.dat	FILE_DELETE	04-025/19:16:50.0
8263	M1O	04-025/19:27:57.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:51.1
8264	M1O	04-025/19:27:58.7		Deletes the designated file.: d:/dat/253_doy025_pass03_file16.dat	FILE_DELETE	04-025/19:16:52.1
8265	M1O	04-025/19:27:59.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:53.2
8266	M1O	04-025/19:28:00.8		Deletes the designated file.: d:/dat/253_doy025_pass03_file17.dat	FILE_DELETE	04-025/19:16:54.2
8267	M1O	04-025/19:28:01.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:55.3
8268	M1O	04-025/19:28:02.9		Deletes the designated file.: d:/dat/253_doy025_pass03_file18.dat	FILE_DELETE	04-025/19:16:56.3
8269	M1O	04-025/19:28:04.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy025_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/19:16:57.4
8270	M1O	04-025/19:28:05.0		Deletes the designated file.: d:/dat/253_doy025_pass03_file19.dat	FILE_DELETE	04-025/19:16:58.4
8271	M1O	04-025/19:28:06.0		CALL, Engine = , Parameters = 253	get_apid	04-025/19:16:59.4
8272	M1O	04-025/19:28:07.1		CALL, Engine = , Parameters = 253	get_rcv_mode	04-025/19:17:00.5
8273	M1O	04-025/19:28:07.3		CALL, Engine = , Parameters = 253	get_dl_rate	04-025/19:17:00.7
8274	M1O	04-025/19:28:08.4		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-025/19:17:01.8
8275	M1O	04-025/19:28:09.7		CALL, Engine = , Parameters = 253	get_coding	04-025/19:17:03.1
8276	M1O	04-025/19:28:10.9		CALL, Engine = , Parameters = 253	get_xmt_mode	04-025/19:17:04.3
8277	M1O	04-025/19:28:12.1		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-025/19:17:05.5
8278	M1O	04-025/19:29:16.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/19:18:10.3
8279	M1O	04-025/19:29:17.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/19:18:11.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8280	M1O	04-025/19:29:18.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/19:18:12.3
8281	M1O	04-025/19:29:19.9		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-025/19:18:13.3
8282	M1O	04-025/19:29:20.9		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-025/19:18:14.3
8283	M1O	04-025/19:29:21.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/19:18:15.3
8284	M1O	04-025/19:29:22.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/19:18:16.3
8285	M1O	04-025/19:31:12.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/19:20:06.3
8286	M1O	04-025/19:31:22.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-025/19:20:16.3
8287	M1O	04-025/19:36:48.0		NOTE: Enter Solar Eclipse 9381		04-025/19:25:41.3
8288	M1O	04-025/19:37:17.9	55	NOTE: X-Band Transmitter Off in 15 minutes		
8289	M1O	04-025/19:38:14.9		NOTE: Ascending Node Crossing 9381		04-025/19:27:08.2
8290	M1O	04-025/19:47:09.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/19:36:02.3
8291	M1O	04-025/19:47:10.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/19:36:03.4
8292	M1O	04-025/19:47:18.0	55	Range Modulation Off		
8293	M1O	04-025/19:47:20.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/19:36:13.4
8294	M1O	04-025/19:47:21.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/19:36:14.4
8295	M1O	04-025/19:47:22.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-025/19:36:15.4
8296	M1O	04-025/19:47:22.1	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8297	M1O	04-025/19:47:23.1		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-025/19:36:16.4
8298	M1O	04-025/19:52:17.9	55	X-Band Transmitter Off		
8299	M1O	04-025/19:52:21.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/19:41:15.0
8300	M1O	04-025/19:52:21.7	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8301	M1O	04-025/19:53:19.4		NOTE: Exit Solar Eclipse 9381		04-025/19:42:12.7
8302	M1O	04-025/20:03:58.3		SPAWN, Engine = 65535, Parameters = 3, 00:17:47.644, 1	dpt	04-025/19:52:51.5
8303	M1O	04-025/20:04:00.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/19:52:53.6
8304	M1O	04-025/20:04:00.4	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8305	M1O	04-025/20:04:01.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/19:52:54.6
8306	M1O	04-025/20:04:54.3		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-025/19:53:47.5
8307	M1O	04-025/20:04:54.3	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8308	M1O	04-025/20:05:00.0	14	Begin Tracking		
8309	M1O	04-025/20:05:00.0	14	Acquire D/L: X/08, 3-Way/55, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8310	M1O	04-025/20:05:00.3		NOTE: Changing to 70M downlink rate: 110600_BPS		04-025/19:53:53.5
8311	M1O	04-025/20:05:00.3		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-025/19:53:53.5
8312	M1O	04-025/20:05:00.3	14	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8313	M1O	04-025/20:05:00.3	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8314	M1O	04-025/20:06:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8315	M1O	04-025/20:06:50.2		NOTE: Apoapsis 9381 -		04-025/19:55:43.5
8316	M1O	04-025/20:08:15.0		NOTE: North Pole Crossing 9381		04-025/19:57:08.2
8317	M1O	04-025/20:10:00.2		NOTE: Enter Planetary Atmosphere 9381		04-025/19:58:53.4
8318	M1O	04-025/20:11:00.0	14	Range Modulation On: SUP=3.0dB		
8319	M1O	04-025/20:12:00.0	14	Begin Ranging Acquisition		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8320	M1O	04-025/20:14:31.4	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8321	M1O	04-025/20:14:31.4	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8322	M1O	04-025/20:15:01.4		NOTE: Enter Earth Occultation 9381		04-025/20:03:54.6
8323	M1O	04-025/20:15:01.4	14	NOTE: Loss Of X-Band Signal		
8324	M1O	04-025/20:15:01.4	55	NOTE: Loss Of X-Band Signal		
8325	M1O	04-025/20:16:48.0		NOTE: Exit Earth Occultation 9381		04-025/20:05:41.2
8326	M1O	04-025/20:16:48.0	14	Acquisition Of X-Band Signal		
8327	M1O	04-025/20:16:48.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8328	M1O	04-025/20:16:48.0	55	Acquisition Of X-Band Signal		
8329	M1O	04-025/20:16:48.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8330	M1O	04-025/20:21:48.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/20:10:41.3
8331	M1O	04-025/20:21:48.1	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8332	M1O	04-025/20:21:48.1	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8333	M1O	04-025/20:21:49.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/20:10:42.3
8334	M1O	04-025/20:21:50.7		NOTE: Exit Planetary Atmosphere 9381		04-025/20:10:43.9
8335	M1O	04-025/20:27:11.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-025/20:16:04.2
8336	M1O	04-025/20:27:13.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/20:16:06.3
8337	M1O	04-025/20:27:13.2	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8338	M1O	04-025/20:27:13.2	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8339	M1O	04-025/20:27:14.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/20:16:07.3
8340	M1O	04-025/20:28:13.5	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8341	M1O	04-025/20:28:13.5	55	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8342	M1O	04-025/20:31:12.8		SPAWN, Engine = 65535, Parameters = 025, 04, TRUE, 00:18:55, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-025/20:20:06.0
8343	M1O	04-025/20:31:13.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/20:20:07.1
8344	M1O	04-025/20:31:15.9		CALL, Engine = , Parameters = 254	get_cmd_opt	04-025/20:20:09.1
8345	M1O	04-025/20:31:16.2		CALL, Engine = , Parameters = 025, 04, 254	bld_autosw	04-025/20:20:09.4
8346	M1O	04-025/20:31:17.3		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-025/20:20:10.5
8347	M1O	04-025/20:31:18.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:11.6
8348	M1O	04-025/20:31:19.4		Deletes the designated file.: d:/dat/254_doy025_pass04_file01.dat	FILE_DELETE	04-025/20:20:12.6
8349	M1O	04-025/20:31:20.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:13.7
8350	M1O	04-025/20:31:21.5		Deletes the designated file.: d:/dat/254_doy025_pass04_file02.dat	FILE_DELETE	04-025/20:20:14.7
8351	M1O	04-025/20:31:22.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:15.8
8352	M1O	04-025/20:31:23.6		Deletes the designated file.: d:/dat/254_doy025_pass04_file03.dat	FILE_DELETE	04-025/20:20:16.8
8353	M1O	04-025/20:31:24.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:17.9
8354	M1O	04-025/20:31:25.7		Deletes the designated file.: d:/dat/254_doy025_pass04_file04.dat	FILE_DELETE	04-025/20:20:18.9
8355	M1O	04-025/20:31:26.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:20.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8356	M1O	04-025/20:31:27.8		Deletes the designated file.: d:/dat/254_doy025_pass04_file05.dat	FILE_DELETE	04-025/20:20:21.0
8357	M1O	04-025/20:31:28.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:22.1
8358	M1O	04-025/20:31:29.9		Deletes the designated file.: d:/dat/254_doy025_pass04_file06.dat	FILE_DELETE	04-025/20:20:23.1
8359	M1O	04-025/20:31:31.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:24.2
8360	M1O	04-025/20:31:32.0		Deletes the designated file.: d:/dat/254_doy025_pass04_file07.dat	FILE_DELETE	04-025/20:20:25.2
8361	M1O	04-025/20:31:33.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:26.3
8362	M1O	04-025/20:31:34.1		Deletes the designated file.: d:/dat/254_doy025_pass04_file08.dat	FILE_DELETE	04-025/20:20:27.3
8363	M1O	04-025/20:31:35.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:28.4
8364	M1O	04-025/20:31:36.2		Deletes the designated file.: d:/dat/254_doy025_pass04_file09.dat	FILE_DELETE	04-025/20:20:29.4
8365	M1O	04-025/20:31:37.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:30.5
8366	M1O	04-025/20:31:38.3		Deletes the designated file.: d:/dat/254_doy025_pass04_file10.dat	FILE_DELETE	04-025/20:20:31.5
8367	M1O	04-025/20:31:39.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:32.6
8368	M1O	04-025/20:31:40.4		Deletes the designated file.: d:/dat/254_doy025_pass04_file11.dat	FILE_DELETE	04-025/20:20:33.6
8369	M1O	04-025/20:31:41.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:34.7
8370	M1O	04-025/20:31:42.5		Deletes the designated file.: d:/dat/254_doy025_pass04_file12.dat	FILE_DELETE	04-025/20:20:35.7
8371	M1O	04-025/20:31:43.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:36.8
8372	M1O	04-025/20:31:44.6		Deletes the designated file.: d:/dat/254_doy025_pass04_file13.dat	FILE_DELETE	04-025/20:20:37.8
8373	M1O	04-025/20:31:45.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:38.9
8374	M1O	04-025/20:31:46.7		Deletes the designated file.: d:/dat/254_doy025_pass04_file14.dat	FILE_DELETE	04-025/20:20:39.9
8375	M1O	04-025/20:31:47.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:41.0
8376	M1O	04-025/20:31:48.8		Deletes the designated file.: d:/dat/254_doy025_pass04_file15.dat	FILE_DELETE	04-025/20:20:42.0
8377	M1O	04-025/20:31:49.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:43.1
8378	M1O	04-025/20:31:50.9		Deletes the designated file.: d:/dat/254_doy025_pass04_file16.dat	FILE_DELETE	04-025/20:20:44.1
8379	M1O	04-025/20:31:52.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:45.2
8380	M1O	04-025/20:31:53.0		Deletes the designated file.: d:/dat/254_doy025_pass04_file17.dat	FILE_DELETE	04-025/20:20:46.2
8381	M1O	04-025/20:31:54.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:47.3
8382	M1O	04-025/20:31:55.1		Deletes the designated file.: d:/dat/254_doy025_pass04_file18.dat	FILE_DELETE	04-025/20:20:48.3
8383	M1O	04-025/20:31:56.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy025_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-025/20:20:49.4
8384	M1O	04-025/20:31:57.2		Deletes the designated file.: d:/dat/254_doy025_pass04_file19.dat	FILE_DELETE	04-025/20:20:50.4
8385	M1O	04-025/20:31:58.2		CALL, Engine = , Parameters = 254	get_apid	04-025/20:20:51.4
8386	M1O	04-025/20:31:59.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-025/20:20:52.5
8387	M1O	04-025/20:31:59.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-025/20:20:52.7
8388	M1O	04-025/20:32:00.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-025/20:20:53.8
8389	M1O	04-025/20:32:01.9		CALL, Engine = , Parameters = 254	get_coding	04-025/20:20:55.1
8390	M1O	04-025/20:32:03.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-025/20:20:56.3
8391	M1O	04-025/20:32:04.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-025/20:20:57.5
8392	M1O	04-025/20:33:09.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/20:22:02.3
8393	M1O	04-025/20:33:10.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/20:22:03.3
8394	M1O	04-025/20:33:11.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/20:22:04.3
8395	M1O	04-025/20:33:12.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-025/20:22:05.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8396	M1O	04-025/20:33:13.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-025/20:22:06.3
8397	M1O	04-025/20:33:13.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/20:22:06.3
8398	M1O	04-025/20:33:13.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8399	M1O	04-025/20:33:13.2	55	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8400	M1O	04-025/20:33:14.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/20:22:07.3
8401	M1O	04-025/20:33:14.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/20:22:07.3
8402	M1O	04-025/20:33:14.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8403	M1O	04-025/20:33:14.1	55	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8404	M1O	04-025/20:33:14.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/20:22:07.3
8405	M1O	04-025/20:33:15.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/20:22:08.3
8406	M1O	04-025/20:35:05.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/20:23:58.3
8407	M1O	04-025/20:35:15.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-025/20:24:08.3
8408	M1O	04-025/20:38:12.7		NOTE: Descending Node Crossing 9382		04-025/20:27:05.8
8409	M1O	04-025/20:52:08.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/20:41:01.3
8410	M1O	04-025/20:52:09.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/20:41:02.4
8411	M1O	04-025/20:52:19.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/20:41:12.4
8412	M1O	04-025/20:52:20.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/20:41:13.4
8413	M1O	04-025/20:52:21.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-025/20:41:14.4
8414	M1O	04-025/20:52:21.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8415	M1O	04-025/20:52:21.3	55	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8416	M1O	04-025/20:52:22.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-025/20:41:15.4
8417	M1O	04-025/20:57:20.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/20:46:14.0
8418	M1O	04-025/20:57:20.9	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8419	M1O	04-025/20:57:20.9	55	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8420	M1O	04-025/21:06:47.5		NOTE: Periapsis 9382 ----------		04-025/20:55:40.5
8421	M1O	04-025/21:07:31.3		NOTE: South Pole Crossing 9382		04-025/20:56:24.4
8422	M1O	04-025/21:25:42.0		SPAWN, Engine = 65535, Parameters = 025, 04, FALSE, 00:15:51.206, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-025/21:14:35.0
8423	M1O	04-025/21:25:43.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/21:14:36.1
8424	M1O	04-025/21:25:45.1		CALL, Engine = , Parameters = 253	get_cmd_opt	04-025/21:14:38.1
8425	M1O	04-025/21:26:27.3		CALL, Engine = , Parameters = 253	get_apid	04-025/21:15:20.3
8426	M1O	04-025/21:26:28.4		CALL, Engine = , Parameters = 253	get_rcv_mode	04-025/21:15:21.4
8427	M1O	04-025/21:26:28.6		CALL, Engine = , Parameters = 253	get_dl_rate	04-025/21:15:21.6
8428	M1O	04-025/21:26:29.7		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-025/21:15:22.7
8429	M1O	04-025/21:26:31.0		CALL, Engine = , Parameters = 253	get_coding	04-025/21:15:24.0
8430	M1O	04-025/21:26:32.2		CALL, Engine = , Parameters = 253	get_xmt_mode	04-025/21:15:25.2
8431	M1O	04-025/21:26:33.4		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-025/21:15:26.4
8432	M1O	04-025/21:27:38.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-025/21:16:31.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8433	M1O	04-025/21:27:39.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-025/21:16:32.2
8434	M1O	04-025/21:27:40.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-025/21:16:33.2
8435	M1O	04-025/21:27:41.2		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-025/21:16:34.2
8436	M1O	04-025/21:27:42.2		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-025/21:16:35.2
8437	M1O	04-025/21:27:43.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-025/21:16:36.2
8438	M1O	04-025/21:27:44.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-025/21:16:37.2
8439	M1O	04-025/21:35:23.4		NOTE: Enter Solar Eclipse 9382		04-025/21:24:16.4
8440	M1O	04-025/21:36:08.4	14	NOTE: X-Band Transmitter Off in 15 minutes		
8441	M1O	04-025/21:36:51.9		NOTE: Ascending Node Crossing 9382		04-025/21:25:44.8
8442	M1O	04-025/21:43:31.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-025/21:32:24.4
8443	M1O	04-025/21:43:32.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-025/21:32:25.5
8444	M1O	04-025/21:43:42.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-025/21:32:35.5
8445	M1O	04-025/21:43:43.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-025/21:32:36.5
8446	M1O	04-025/21:46:08.0	14	Range Modulation Off		
8447	M1O	04-025/21:51:08.4	14	X-Band Transmitter Off		
8448	M1O	04-025/21:51:56.4		NOTE: Exit Solar Eclipse 9382		04-025/21:40:49.3
8449	M1O	04-025/21:53:26.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8450	M1O	04-025/21:58:26.0	14	Range Modulation On: SUP=3.0dB		
8451	M1O	04-025/21:59:26.0	14	Begin Ranging Acquisition		
8452	M1O	04-025/22:00:00.0	25	Begin Pre-Cal		
8453	M1O	04-025/22:00:00.0	25	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
8454	M1O	04-025/22:00:00.0	25	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
8455	M1O	04-025/22:00:00.0	25	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
8456	M1O	04-025/22:00:00.0	25	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
8457	M1O	04-025/22:00:00.0	25	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
8458	M1O	04-025/22:00:00.0	25	Config: RCV: Parms:		
8459	M1O	04-025/22:00:00.0	25	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
8460	M1O	04-025/22:00:00.0	25	Config: TGC: BAND=X, SR=221200.000000		
8461	M1O	04-025/22:00:00.0	25	Config: TXL		
8462	M1O	04-025/22:00:00.0	25	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
8463	M1O	04-025/22:00:00.0	25	Config: CMD		
8464	M1O	04-025/22:00:00.0	25	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
8465	M1O	04-025/22:05:56.7		NOTE: Apoapsis 9382 -		04-025/21:54:49.5
8466	M1O	04-025/22:06:51.5		NOTE: North Pole Crossing 9382		04-025/21:55:44.3
8467	M1O	04-025/22:08:37.7		NOTE: Enter Planetary Atmosphere 9382		04-025/21:57:30.5
8468	M1O	04-025/22:12:20.4		SPAWN, Engine = 65535, Parameters = 3, 00:08:17, 1	dpt	04-025/22:01:13.2
8469	M1O	04-025/22:12:22.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/22:01:15.3
8470	M1O	04-025/22:12:22.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8471	M1O	04-025/22:12:22.5	55	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8472	M1O	04-025/22:12:23.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/22:01:16.3
8473	M1O	04-025/22:13:22.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8474	M1O	04-025/22:13:22.6	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8475	M1O	04-025/22:13:52.6		NOTE: Enter Earth Occultation 9382		04-025/22:02:45.5
8476	M1O	04-025/22:13:52.6	14	NOTE: Loss Of X-Band Signal		
8477	M1O	04-025/22:13:52.6	55	NOTE: Loss Of X-Band Signal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8478	M1O	04-025/22:15:07.9		NOTE: Exit Earth Occultation 9382		04-025/22:04:00.7
8479	M1O	04-025/22:15:07.9	14	Acquisition Of X-Band Signal		
8480	M1O	04-025/22:15:07.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8481	M1O	04-025/22:15:07.9	55	Acquisition Of X-Band Signal		
8482	M1O	04-025/22:15:07.9	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8483	M1O	04-025/22:15:40.2	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8484	M1O	04-025/22:15:40.2	55	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8485	M1O	04-025/22:20:24.2		NOTE: Exit Planetary Atmosphere 9382		04-025/22:09:17.0
8486	M1O	04-025/22:20:39.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-025/22:09:32.3
8487	M1O	04-025/22:20:39.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8488	M1O	04-025/22:20:39.5	55	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8489	M1O	04-025/22:20:40.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-025/22:09:33.3
8490	M1O	04-025/22:36:49.4		NOTE: Descending Node Crossing 9383		04-025/22:25:42.1
8491	M1O	04-025/22:45:00.0	25	Begin Tracking		
8492	M1O	04-025/22:45:00.0	25	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8493	M1O	04-025/22:50:00.0	14	Range Modulation Off		
8494	M1O	04-025/22:55:00.0	25	U/L Transfer From DSS-14 to DSS-25: PWR=20.0, BR=125.0		
8495	M1O	04-025/23:00:00.0	25	Range Modulation On: SUP=3.0dB		
8496	M1O	04-025/23:01:00.0	25	Begin Ranging Acquisition		
8497	M1O	04-025/23:05:42.8		NOTE: Periapsis 9383 ----------		04-025/22:54:35.4
8498	M1O	04-025/23:06:07.7		NOTE: South Pole Crossing 9383		04-025/22:55:00.4
8499	M1O	04-025/23:09:57.0	55	NOTE: Below Uplink Interlock Limit		
8500	M1O	04-025/23:10:00.0	55	End Tracking		
8501	M1O	04-025/23:17:14.6	14	Acquire D/L: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8502	M1O	04-025/23:17:14.6	25	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8503	M1O	04-025/23:25:00.0	55	End Post-Cal		
8504	M1O	04-025/23:33:56.5		NOTE: Enter Solar Eclipse 9383		04-025/23:22:49.0
8505	M1O	04-025/23:34:26.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
8506	M1O	04-025/23:35:27.4		NOTE: Ascending Node Crossing 9383		04-025/23:24:19.9
8507	M1O	04-025/23:44:26.0	25	Range Modulation Off		
8508	M1O	04-025/23:49:26.0	25	X-Band Transmitter Off		
8509	M1O	04-025/23:50:33.5		NOTE: Exit Solar Eclipse 9383		04-025/23:39:26.0
8510	M1O	04-025/23:52:16.0	25	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8511	M1O	04-025/23:57:16.0	25	Range Modulation On: SUP=3.0dB		
8512	M1O	04-025/23:58:16.0	25	Begin Ranging Acquisition		
8513	M1O	04-026/00:00:00.0		Light Time: OWLT = 11:07, RTLT = 22:15		
8514	M1O	04-026/00:04:43.9		NOTE: Apoapsis 9383 -		04-025/23:53:36.4
8515	M1O	04-026/00:05:27.0		NOTE: North Pole Crossing 9383		04-025/23:54:19.5
8516	M1O	04-026/00:07:10.4		NOTE: Enter Planetary Atmosphere 9383		04-025/23:56:02.8
8517	M1O	04-026/00:10:36.6		SPAWN, Engine = 65535, Parameters = 3, 00:08:50, 1	dpt	04-025/23:59:29.1
8518	M1O	04-026/00:10:38.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-025/23:59:31.2
8519	M1O	04-026/00:10:38.7	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8520	M1O	04-026/00:10:38.7	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8521	M1O	04-026/00:10:39.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-025/23:59:32.2
8522	M1O	04-026/00:11:40.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8523	M1O	04-026/00:11:40.9	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8524	M1O	04-026/00:12:11.2		NOTE: Enter Earth Occultation 9383		04-026/00:01:03.7
8525	M1O	04-026/00:12:11.2	14	NOTE: Loss Of X-Band Signal		
8526	M1O	04-026/00:12:11.2	25	NOTE: Loss Of X-Band Signal		
8527	M1O	04-026/00:13:58.9		NOTE: Exit Earth Occultation 9383		04-026/00:02:51.4
8528	M1O	04-026/00:13:58.9	14	Acquisition Of X-Band Signal		
8529	M1O	04-026/00:13:58.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8530	M1O	04-026/00:13:58.9	25	Acquisition Of X-Band Signal		
8531	M1O	04-026/00:13:58.9	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8532	M1O	04-026/00:14:31.0	14	Acquire D/L: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8533	M1O	04-026/00:14:31.0	25	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8534	M1O	04-026/00:19:01.3		NOTE: Exit Planetary Atmosphere 9383		04-026/00:07:53.7
8535	M1O	04-026/00:19:28.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/00:08:21.2
8536	M1O	04-026/00:19:28.8	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8537	M1O	04-026/00:19:28.8	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8538	M1O	04-026/00:19:29.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-026/00:08:22.2
8539	M1O	04-026/00:24:55.6		SPAWN, Engine = 65535, Parameters = 026, 01, FALSE, 00:10:26.132, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-026/00:13:48.0
8540	M1O	04-026/00:24:56.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/00:13:49.1
8541	M1O	04-026/00:24:58.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-026/00:13:51.1
8542	M1O	04-026/00:25:40.9		CALL, Engine = , Parameters = 56	get_apid	04-026/00:14:33.3
8543	M1O	04-026/00:25:42.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-026/00:14:34.4
8544	M1O	04-026/00:25:42.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-026/00:14:34.6
8545	M1O	04-026/00:25:43.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-026/00:14:35.7
8546	M1O	04-026/00:25:44.5		CALL, Engine = , Parameters = 56	get_coding	04-026/00:14:36.9
8547	M1O	04-026/00:25:45.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-026/00:14:38.1
8548	M1O	04-026/00:25:46.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-026/00:14:39.3
8549	M1O	04-026/00:26:51.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/00:15:44.1
8550	M1O	04-026/00:26:52.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/00:15:45.1
8551	M1O	04-026/00:26:53.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/00:15:46.1
8552	M1O	04-026/00:26:54.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-026/00:15:47.1
8553	M1O	04-026/00:26:55.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-026/00:15:48.1
8554	M1O	04-026/00:26:56.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/00:15:49.1
8555	M1O	04-026/00:26:57.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/00:15:50.1
8556	M1O	04-026/00:35:25.0		NOTE: Descending Node Crossing 9384		04-026/00:24:17.3
8557	M1O	04-026/00:37:19.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/00:26:12.2
8558	M1O	04-026/00:37:20.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/00:26:13.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8559	M1O	04-026/00:37:30.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/00:26:23.3
8560	M1O	04-026/00:37:31.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/00:26:24.3
8561	M1O	04-026/01:04:15.1		NOTE: Periapsis 9384 ----------		04-026/00:53:07.4
8562	M1O	04-026/01:04:42.0		NOTE: South Pole Crossing 9384		04-026/00:53:34.3
8563	M1O	04-026/01:32:27.7		NOTE: Enter Solar Eclipse 9384		04-026/01:21:19.9
8564	M1O	04-026/01:32:28.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
8565	M1O	04-026/01:34:00.5		NOTE: Ascending Node Crossing 9384		04-026/01:22:52.6
8566	M1O	04-026/01:42:28.0	25	Range Modulation Off		
8567	M1O	04-026/01:47:28.0	25	X-Band Transmitter Off		
8568	M1O	04-026/01:49:08.8		NOTE: Exit Solar Eclipse 9384		04-026/01:38:00.9
8569	M1O	04-026/01:51:17.0	25	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8570	M1O	04-026/01:56:17.0	25	Range Modulation On: SUP=3.0dB		
8571	M1O	04-026/01:57:17.0	25	Begin Ranging Acquisition		
8572	M1O	04-026/02:03:00.9		NOTE: Apoapsis 9384 -		04-026/01:51:53.0
8573	M1O	04-026/02:03:59.9		NOTE: North Pole Crossing 9384		04-026/01:52:52.0
8574	M1O	04-026/02:05:36.8		NOTE: Enter Planetary Atmosphere 9384		04-026/01:54:28.8
8575	M1O	04-026/02:08:41.3		SPAWN, Engine = 65535, Parameters = 3, 00:09:49, 1	dpt	04-026/01:57:33.4
8576	M1O	04-026/02:08:43.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/01:57:35.5
8577	M1O	04-026/02:08:43.4	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8578	M1O	04-026/02:08:43.4	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8579	M1O	04-026/02:08:44.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-026/01:57:36.5
8580	M1O	04-026/02:09:43.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8581	M1O	04-026/02:09:43.7	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8582	M1O	04-026/02:10:13.7		NOTE: Enter Earth Occultation 9384		04-026/01:59:05.8
8583	M1O	04-026/02:10:13.7	14	NOTE: Loss Of X-Band Signal		
8584	M1O	04-026/02:10:13.7	25	NOTE: Loss Of X-Band Signal		
8585	M1O	04-026/02:13:00.6		NOTE: Exit Earth Occultation 9384		04-026/02:01:52.7
8586	M1O	04-026/02:13:00.6	14	Acquisition Of X-Band Signal		
8587	M1O	04-026/02:13:00.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8588	M1O	04-026/02:13:00.6	25	Acquisition Of X-Band Signal		
8589	M1O	04-026/02:13:00.6	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8590	M1O	04-026/02:13:32.7	14	Acquire D/L: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8591	M1O	04-026/02:13:32.7	25	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8592	M1O	04-026/02:17:39.1		NOTE: Exit Planetary Atmosphere 9384		04-026/02:06:31.2
8593	M1O	04-026/02:18:04.9		SPAWN, Engine = 65535, Parameters = 026, 02, FALSE, 00:19:20.323, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-026/02:06:57.0
8594	M1O	04-026/02:18:06.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/02:06:58.1
8595	M1O	04-026/02:18:08.0		CALL, Engine = , Parameters = 56	get_cmd_opt	04-026/02:07:00.1
8596	M1O	04-026/02:18:32.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/02:07:24.5
8597	M1O	04-026/02:18:32.4	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8598	M1O	04-026/02:18:32.4	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8599	M1O	04-026/02:18:33.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-026/02:07:25.5
8600	M1O	04-026/02:18:50.2		CALL, Engine = , Parameters = 56	get_apid	04-026/02:07:42.3
8601	M1O	04-026/02:18:51.3		CALL, Engine = , Parameters = 56	get_rcv_mode	04-026/02:07:43.4
8602	M1O	04-026/02:18:51.5		CALL, Engine = , Parameters = 56	get_dl_rate	04-026/02:07:43.6
8603	M1O	04-026/02:18:52.6		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-026/02:07:44.7
8604	M1O	04-026/02:18:53.8		CALL, Engine = , Parameters = 56	get_coding	04-026/02:07:45.9
8605	M1O	04-026/02:18:55.0		CALL, Engine = , Parameters = 56	get_xmt_mode	04-026/02:07:47.1
8606	M1O	04-026/02:18:56.2		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-026/02:07:48.3
8607	M1O	04-026/02:19:51.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
8608	M1O	04-026/02:20:01.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/02:08:53.1
8609	M1O	04-026/02:20:02.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/02:08:54.1
8610	M1O	04-026/02:20:03.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/02:08:55.1
8611	M1O	04-026/02:20:04.0		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-026/02:08:56.1
8612	M1O	04-026/02:20:05.0		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-026/02:08:57.1
8613	M1O	04-026/02:20:06.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/02:08:58.1
8614	M1O	04-026/02:20:07.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/02:08:59.1
8615	M1O	04-026/02:29:51.0	25	Range Modulation Off		
8616	M1O	04-026/02:33:57.2		NOTE: Descending Node Crossing 9385		04-026/02:22:49.2
8617	M1O	04-026/02:34:51.0	25	X-Band Transmitter Off		
8618	M1O	04-026/02:39:23.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/02:28:15.4
8619	M1O	04-026/02:39:24.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/02:28:16.5
8620	M1O	04-026/02:39:34.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/02:28:26.5
8621	M1O	04-026/02:39:35.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/02:28:27.5
8622	M1O	04-026/02:46:58.0		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-026/02:35:50.0
8623	M1O	04-026/02:46:58.1		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-026/02:35:50.1
8624	M1O	04-026/02:46:59.1		Forces a desaturation of the reaction wheels.	RW_DESAT	04-026/02:35:51.1
8625	M1O	04-026/02:48:56.0		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-026/02:37:48.0
8626	M1O	04-026/02:49:11.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-024T02:37:48.100, 2004-026T02:37:48.100	PCKTS_RE_TX_TIME	04-026/02:38:03.8
8627	M1O	04-026/02:49:12.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-024T02:37:48.100, 2004-026T02:37:48.100	PCKTS_RE_TX_TIME	04-026/02:38:04.8
8628	M1O	04-026/02:49:13.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-024T02:37:48.100, 2004-026T02:37:48.100	PCKTS_RE_TX_TIME	04-026/02:38:05.8
8629	M1O	04-026/02:49:14.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-024T02:37:48.100, 2004-026T02:37:48.100	PCKTS_RE_TX_TIME	04-026/02:38:06.8
8630	M1O	04-026/02:49:15.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-024T02:37:48.100, 2004-026T02:37:48.100	PCKTS_RE_TX_TIME	04-026/02:38:07.8
8631	M1O	04-026/02:49:16.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-024T02:37:48.100, 2004-026T02:37:48.100	PCKTS_RE_TX_TIME	04-026/02:38:08.8
8632	M1O	04-026/02:49:16.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-026/02:38:08.8
8633	M1O	04-026/02:49:16.8	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8634	M1O	04-026/02:49:16.8	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8635	M1O	04-026/02:56:17.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/02:45:09.8
8636	M1O	04-026/02:56:17.8	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8637	M1O	04-026/02:56:17.8	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8638	M1O	04-026/02:56:18.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-026/02:45:10.8
8639	M1O	04-026/02:56:34.8		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-026/02:45:26.8
8640	M1O	04-026/02:56:34.8	14	D/L RF Warning: SC antenna change - expect signal level variation		
8641	M1O	04-026/02:56:34.8	25	D/L RF Warning: SC antenna change - expect signal level variation		
8642	M1O	04-026/02:56:35.8		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-026/02:45:27.8
8643	M1O	04-026/02:57:07.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8644	M1O	04-026/02:57:07.0	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8645	M1O	04-026/02:58:29.1		CALL, Engine = , Parameters = FALSE	park_hga	04-026/02:47:21.1
8646	M1O	04-026/02:58:29.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/02:47:21.1
8647	M1O	04-026/02:58:30.1		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-026/02:47:22.1
8648	M1O	04-026/02:58:31.1		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-026/02:47:23.1
8649	M1O	04-026/02:58:31.1		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-026/02:47:23.1
8650	M1O	04-026/02:58:31.1		NOTE: START HGA PARK		
8651	M1O	04-026/02:58:31.1	14	NOTE: Loss Of X-Band Signal		
8652	M1O	04-026/02:58:31.1	25	NOTE: Loss Of X-Band Signal		
8653	M1O	04-026/02:58:32.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-026/02:47:24.1
8654	M1O	04-026/02:58:33.1		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-026/02:47:25.1
8655	M1O	04-026/03:02:26.5		NOTE: Periapsis 9385 ----------		04-026/02:51:18.4
8656	M1O	04-026/03:03:03.2		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-026/02:51:55.1
8657	M1O	04-026/03:03:13.5		NOTE: South Pole Crossing 9385		04-026/02:52:05.4
8658	M1O	04-026/03:06:33.2		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-026/02:55:25.1
8659	M1O	04-026/03:06:33.2		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-026/02:55:25.1
8660	M1O	04-026/03:31:00.1		NOTE: Enter Solar Eclipse 9385		04-026/03:19:51.9
8661	M1O	04-026/03:32:31.9		NOTE: Ascending Node Crossing 9385		04-026/03:21:23.7
8662	M1O	04-026/03:36:33.2		GV: GV_DESAT_ACTIVE = 1		04-026/03:25:25.0
8663	M1O	04-026/03:36:34.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-026/03:25:26.0
8664	M1O	04-026/03:36:34.2		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-026/03:25:26.0
8665	M1O	04-026/03:46:33.2		GV: GV_DESAT_ACTIVE = 0		04-026/03:35:25.0
8666	M1O	04-026/03:46:34.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-026/03:35:26.0
8667	M1O	04-026/03:46:35.2		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-026/03:35:27.0
8668	M1O	04-026/03:46:36.2		CALL, Engine = , Parameters =	unpark_hga	04-026/03:35:28.0
8669	M1O	04-026/03:46:36.2		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-026/03:35:28.0
8670	M1O	04-026/03:46:37.2		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-026/03:35:29.0
8671	M1O	04-026/03:47:40.1		NOTE: Exit Solar Eclipse 9385		04-026/03:36:31.8
8672	M1O	04-026/03:49:50.0	25	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8673	M1O	04-026/03:51:07.2		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-026/03:39:59.0
8674	M1O	04-026/03:51:08.2		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-026/03:40:00.0
8675	M1O	04-026/03:54:33.2		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-026/03:43:25.0
8676	M1O	04-026/03:54:33.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/03:43:25.1
8677	M1O	04-026/03:54:34.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-026/03:43:26.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8678	M1O	04-026/03:54:35.3		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-026/03:43:27.1
8679	M1O	04-026/03:54:36.3		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-026/03:43:28.1
8680	M1O	04-026/03:54:37.3		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-026/03:43:29.1
8681	M1O	04-026/03:54:47.3		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-026/03:43:39.1
8682	M1O	04-026/03:54:50.0	25	Range Modulation On: SUP=3.0dB		
8683	M1O	04-026/03:54:57.3		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-026/03:43:49.1
8684	M1O	04-026/03:55:08.2		NOTE: EXIT HGA PARK		
8685	M1O	04-026/03:55:08.2	14	Acquisition Of X-Band Signal		
8686	M1O	04-026/03:55:08.2	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8687	M1O	04-026/03:55:08.2	25	Acquisition Of X-Band Signal		
8688	M1O	04-026/03:55:08.2	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8689	M1O	04-026/03:55:50.0	25	Begin Ranging Acquisition		
8690	M1O	04-026/03:59:57.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-026/03:48:49.1
8691	M1O	04-026/03:59:58.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/03:48:50.1
8692	M1O	04-026/03:59:58.3	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8693	M1O	04-026/03:59:58.3	25	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8694	M1O	04-026/03:59:59.3		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-026/03:48:51.1
8695	M1O	04-026/04:00:00.0	43	Begin Pre-Cal		
8696	M1O	04-026/04:00:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
8697	M1O	04-026/04:00:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
8698	M1O	04-026/04:00:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
8699	M1O	04-026/04:00:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
8700	M1O	04-026/04:00:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
8701	M1O	04-026/04:00:00.0	43	Config: RCV: Parms:		
8702	M1O	04-026/04:00:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
8703	M1O	04-026/04:00:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
8704	M1O	04-026/04:00:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
8705	M1O	04-026/04:01:15.5		NOTE: Apoapsis 9385 -		04-026/03:50:07.2
8706	M1O	04-026/04:02:30.8		NOTE: North Pole Crossing 9385		04-026/03:51:22.5
8707	M1O	04-026/04:04:06.0		NOTE: Enter Planetary Atmosphere 9385		04-026/03:52:57.7
8708	M1O	04-026/04:07:38.1		SPAWN, Engine = 65535, Parameters = 3, 00:09:25.567, 1	dpt	04-026/03:56:29.8
8709	M1O	04-026/04:07:40.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/03:56:31.9
8710	M1O	04-026/04:07:40.2	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8711	M1O	04-026/04:07:40.2	25	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8712	M1O	04-026/04:07:41.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-026/03:56:32.9
8713	M1O	04-026/04:08:40.1		NOTE: Enter Earth Occultation 9385		04-026/03:57:31.8
8714	M1O	04-026/04:08:40.1	14	NOTE: Loss Of X-Band Signal		
8715	M1O	04-026/04:08:40.1	25	NOTE: Loss Of X-Band Signal		
8716	M1O	04-026/04:11:34.7		NOTE: Exit Earth Occultation 9385		04-026/04:00:26.4
8717	M1O	04-026/04:11:34.7	14	Acquisition Of X-Band Signal		
8718	M1O	04-026/04:11:34.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8719	M1O	04-026/04:11:34.7	25	Acquisition Of X-Band Signal		
8720	M1O	04-026/04:11:34.7	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8721	M1O	04-026/04:12:06.5	14	Acquire D/L: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8722	M1O	04-026/04:12:06.5	25	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8723	M1O	04-026/04:16:10.3		NOTE: Exit Planetary Atmosphere 9385		04-026/04:05:02.0
8724	M1O	04-026/04:17:05.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/04:05:57.5
8725	M1O	04-026/04:17:05.8	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8726	M1O	04-026/04:17:05.8	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8727	M1O	04-026/04:17:06.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-026/04:05:58.5
8728	M1O	04-026/04:32:27.3		NOTE: Descending Node Crossing 9386		04-026/04:21:19.0
8729	M1O	04-026/05:00:45.6		NOTE: Periapsis 9386 ----------		04-026/04:49:37.1
8730	M1O	04-026/05:01:44.3		NOTE: South Pole Crossing 9386		04-026/04:50:35.8
8731	M1O	04-026/05:29:33.9		NOTE: Enter Solar Eclipse 9386		04-026/05:18:25.3
8732	M1O	04-026/05:31:03.8		NOTE: Ascending Node Crossing 9386		04-026/05:19:55.3
8733	M1O	04-026/05:46:06.8		NOTE: Exit Solar Eclipse 9386		04-026/05:34:58.2
8734	M1O	04-026/05:59:57.7		NOTE: Apoapsis 9386 -		04-026/05:48:49.1
8735	M1O	04-026/06:00:00.0	43	Begin Tracking		
8736	M1O	04-026/06:00:00.0	43	Acquire D/L: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8737	M1O	04-026/06:01:03.5		NOTE: North Pole Crossing 9386		04-026/05:49:54.9
8738	M1O	04-026/06:02:51.8		NOTE: Enter Planetary Atmosphere 9386		04-026/05:51:43.2
8739	M1O	04-026/06:10:00.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
8740	M1O	04-026/06:14:31.3		NOTE: Exit Planetary Atmosphere 9386		04-026/06:03:22.6
8741	M1O	04-026/06:20:00.0	25	Range Modulation Off		
8742	M1O	04-026/06:22:42.4	25	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
8743	M1O	04-026/06:25:00.0	25	X-Band Transmitter Off		
8744	M1O	04-026/06:31:00.9		NOTE: Descending Node Crossing 9387		04-026/06:19:52.2
8745	M1O	04-026/06:36:27.0	25	NOTE: Below Uplink Interlock Limit		
8746	M1O	04-026/06:38:02.0	14	NOTE: Below Uplink Interlock Limit		
8747	M1O	04-026/06:45:00.0	14	End Tracking		
8748	M1O	04-026/06:45:00.0	25	End Tracking		
8749	M1O	04-026/06:46:15.3		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-026/06:35:06.5
8750	M1O	04-026/06:46:17.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/06:35:08.6
8751	M1O	04-026/06:46:17.4	43	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8752	M1O	04-026/06:46:18.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-026/06:35:09.6
8753	M1O	04-026/06:47:17.5	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8754	M1O	04-026/06:52:17.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/06:41:08.6
8755	M1O	04-026/06:52:17.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8756	M1O	04-026/06:52:18.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-026/06:41:09.6
8757	M1O	04-026/06:59:26.5		NOTE: Periapsis 9387 ----------		04-026/06:48:17.7
8758	M1O	04-026/07:00:00.0	14	End Post-Cal		
8759	M1O	04-026/07:00:00.0	25	End Post-Cal		
8760	M1O	04-026/07:00:18.4		NOTE: South Pole Crossing 9387		04-026/06:49:09.5
8761	M1O	04-026/07:11:08.8		SPAWN, Engine = 65535, Parameters =	scdiag	04-026/07:00:00.0
8762	M1O	04-026/07:11:09.9		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-026/07:00:01.1
8763	M1O	04-026/07:11:10.9		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-026/07:00:02.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8764	M1O	04-026/07:12:11.8		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-026/07:01:03.0
8765	M1O	04-026/07:12:12.0		NOTE: Start Block fsw_diag		04-026/07:01:03.2
8766	M1O	04-026/07:12:13.0		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-026/07:01:04.2
8767	M1O	04-026/07:12:14.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-026/07:01:05.2
8768	M1O	04-026/07:12:25.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-026/07:01:16.2
8769	M1O	04-026/07:12:55.0		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-026/07:01:46.2
8770	M1O	04-026/07:13:15.1		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-026/07:02:06.2
8771	M1O	04-026/07:13:25.1		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-026/07:02:16.2
8772	M1O	04-026/07:13:45.1		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-026/07:02:36.2
8773	M1O	04-026/07:13:55.1		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-026/07:02:46.2
8774	M1O	04-026/07:14:00.1		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-026/07:02:51.2
8775	M1O	04-026/07:14:05.1		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-026/07:02:56.2
8776	M1O	04-026/07:14:10.1		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-026/07:03:01.2
8777	M1O	04-026/07:14:15.1		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-026/07:03:06.2
8778	M1O	04-026/07:14:20.1		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-026/07:03:11.2
8779	M1O	04-026/07:15:00.1		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-026/07:03:51.2
8780	M1O	04-026/07:15:05.1		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-026/07:03:56.2
8781	M1O	04-026/07:15:10.1		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-026/07:04:01.2
8782	M1O	04-026/07:15:15.1		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-026/07:04:06.2
8783	M1O	04-026/07:15:20.1		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-026/07:04:11.2
8784	M1O	04-026/07:15:21.1		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-026/07:04:12.2
8785	M1O	04-026/07:15:22.1		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-026/07:04:13.2
8786	M1O	04-026/07:15:23.1		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-026/07:04:14.2
8787	M1O	04-026/07:15:34.1		NOTE: End Block fsw_diag.mod		04-026/07:04:25.2
8788	M1O	04-026/07:16:09.9		SPAWN, Engine = 65535, Parameters = 026, 01, FALSE, 00:14:39.734, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-026/07:05:01.0
8789	M1O	04-026/07:16:11.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/07:05:02.1
8790	M1O	04-026/07:16:13.0		CALL, Engine = , Parameters = 254	get_cmd_opt	04-026/07:05:04.1
8791	M1O	04-026/07:16:55.2		CALL, Engine = , Parameters = 254	get_apid	04-026/07:05:46.3
8792	M1O	04-026/07:16:56.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-026/07:05:47.4
8793	M1O	04-026/07:16:56.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-026/07:05:47.6
8794	M1O	04-026/07:16:57.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-026/07:05:48.7
8795	M1O	04-026/07:16:58.9		CALL, Engine = , Parameters = 254	get_coding	04-026/07:05:50.0
8796	M1O	04-026/07:17:00.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-026/07:05:51.2
8797	M1O	04-026/07:17:01.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-026/07:05:52.4
8798	M1O	04-026/07:18:06.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/07:06:57.2
8799	M1O	04-026/07:18:07.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/07:06:58.2
8800	M1O	04-026/07:18:08.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/07:06:59.2
8801	M1O	04-026/07:18:09.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-026/07:07:00.2
8802	M1O	04-026/07:18:10.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-026/07:07:01.2
8803	M1O	04-026/07:18:11.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/07:07:02.2
8804	M1O	04-026/07:18:12.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/07:07:03.2
8805	M1O	04-026/07:28:08.3		NOTE: Enter Solar Eclipse 9387		04-026/07:16:59.4
8806	M1O	04-026/07:29:38.3		NOTE: Ascending Node Crossing 9387		04-026/07:18:29.3
8807	M1O	04-026/07:32:47.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-026/07:21:38.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
8808	M1O	04-026/07:32:48.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/07:21:40.0
8809	M1O	04-026/07:32:58.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/07:21:50.0
8810	M1O	04-026/07:32:59.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/07:21:51.0
8811	M1O	04-026/07:44:35.7		NOTE: Exit Solar Eclipse 9387		04-026/07:33:26.7
8812	M1O	04-026/07:58:38.9		NOTE: Apoapsis 9387 -		04-026/07:47:29.8
8813	M1O	04-026/07:59:39.2		NOTE: North Pole Crossing 9387		04-026/07:48:30.2
8814	M1O	04-026/08:01:40.8		NOTE: Enter Planetary Atmosphere 9387		04-026/07:50:31.8
8815	M1O	04-026/08:12:56.5		NOTE: Exit Planetary Atmosphere 9387		04-026/08:01:47.4
8816	M1O	04-026/08:18:38.1		SPAWN, Engine = 65535, Parameters = 026, 01, TRUE, 00:19:14, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-026/08:07:29.0
8817	M1O	04-026/08:18:38.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/08:07:29.5
8818	M1O	04-026/08:18:38.6	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8819	M1O	04-026/08:18:39.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/08:07:30.1
8820	M1O	04-026/08:18:41.2		CALL, Engine = , Parameters = 253	get_cmd_opt	04-026/08:07:32.1
8821	M1O	04-026/08:18:41.5		CALL, Engine = , Parameters = 026, 01, 253	bld_autosw	04-026/08:07:32.4
8822	M1O	04-026/08:18:42.6		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-026/08:07:33.5
8823	M1O	04-026/08:18:43.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:34.6
8824	M1O	04-026/08:18:44.7		Deletes the designated file.: d:/dat/253_doy026_pass01_file01.dat	FILE_DELETE	04-026/08:07:35.6
8825	M1O	04-026/08:18:45.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:36.7
8826	M1O	04-026/08:18:46.8		Deletes the designated file.: d:/dat/253_doy026_pass01_file02.dat	FILE_DELETE	04-026/08:07:37.7
8827	M1O	04-026/08:18:47.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:38.8
8828	M1O	04-026/08:18:48.9		Deletes the designated file.: d:/dat/253_doy026_pass01_file03.dat	FILE_DELETE	04-026/08:07:39.8
8829	M1O	04-026/08:18:50.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:40.9
8830	M1O	04-026/08:18:51.0		Deletes the designated file.: d:/dat/253_doy026_pass01_file04.dat	FILE_DELETE	04-026/08:07:41.9
8831	M1O	04-026/08:18:52.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:43.0
8832	M1O	04-026/08:18:53.1		Deletes the designated file.: d:/dat/253_doy026_pass01_file05.dat	FILE_DELETE	04-026/08:07:44.0
8833	M1O	04-026/08:18:54.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:45.1
8834	M1O	04-026/08:18:55.2		Deletes the designated file.: d:/dat/253_doy026_pass01_file06.dat	FILE_DELETE	04-026/08:07:46.1
8835	M1O	04-026/08:18:56.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:47.2
8836	M1O	04-026/08:18:57.3		Deletes the designated file.: d:/dat/253_doy026_pass01_file07.dat	FILE_DELETE	04-026/08:07:48.2
8837	M1O	04-026/08:18:58.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:49.3
8838	M1O	04-026/08:18:59.4		Deletes the designated file.: d:/dat/253_doy026_pass01_file08.dat	FILE_DELETE	04-026/08:07:50.3
8839	M1O	04-026/08:19:00.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:51.4
8840	M1O	04-026/08:19:01.5		Deletes the designated file.: d:/dat/253_doy026_pass01_file09.dat	FILE_DELETE	04-026/08:07:52.4
8841	M1O	04-026/08:19:02.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:53.5
8842	M1O	04-026/08:19:03.6		Deletes the designated file.: d:/dat/253_doy026_pass01_file10.dat	FILE_DELETE	04-026/08:07:54.5
8843	M1O	04-026/08:19:04.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:55.6
8844	M1O	04-026/08:19:05.7		Deletes the designated file.: d:/dat/253_doy026_pass01_file11.dat	FILE_DELETE	04-026/08:07:56.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8845	M1O	04-026/08:19:06.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:57.7
8846	M1O	04-026/08:19:07.8		Deletes the designated file.: d:/dat/253_doy026_pass01_file12.dat	FILE_DELETE	04-026/08:07:58.7
8847	M1O	04-026/08:19:08.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:07:59.8
8848	M1O	04-026/08:19:09.9		Deletes the designated file.: d:/dat/253_doy026_pass01_file13.dat	FILE_DELETE	04-026/08:08:00.8
8849	M1O	04-026/08:19:11.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:08:01.9
8850	M1O	04-026/08:19:12.0		Deletes the designated file.: d:/dat/253_doy026_pass01_file14.dat	FILE_DELETE	04-026/08:08:02.9
8851	M1O	04-026/08:19:13.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:08:04.0
8852	M1O	04-026/08:19:14.1		Deletes the designated file.: d:/dat/253_doy026_pass01_file15.dat	FILE_DELETE	04-026/08:08:05.0
8853	M1O	04-026/08:19:15.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:08:06.1
8854	M1O	04-026/08:19:16.2		Deletes the designated file.: d:/dat/253_doy026_pass01_file16.dat	FILE_DELETE	04-026/08:08:07.1
8855	M1O	04-026/08:19:17.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:08:08.2
8856	M1O	04-026/08:19:18.3		Deletes the designated file.: d:/dat/253_doy026_pass01_file17.dat	FILE_DELETE	04-026/08:08:09.2
8857	M1O	04-026/08:19:19.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:08:10.3
8858	M1O	04-026/08:19:20.4		Deletes the designated file.: d:/dat/253_doy026_pass01_file18.dat	FILE_DELETE	04-026/08:08:11.3
8859	M1O	04-026/08:19:21.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/08:08:12.4
8860	M1O	04-026/08:19:22.5		Deletes the designated file.: d:/dat/253_doy026_pass01_file19.dat	FILE_DELETE	04-026/08:08:13.4
8861	M1O	04-026/08:19:23.5		CALL, Engine = , Parameters = 253	get_apid	04-026/08:08:14.4
8862	M1O	04-026/08:19:24.6		CALL, Engine = , Parameters = 253	get_rcv_mode	04-026/08:08:15.5
8863	M1O	04-026/08:19:24.8		CALL, Engine = , Parameters = 253	get_dl_rate	04-026/08:08:15.7
8864	M1O	04-026/08:19:25.9		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-026/08:08:16.8
8865	M1O	04-026/08:19:27.2		CALL, Engine = , Parameters = 253	get_coding	04-026/08:08:18.1
8866	M1O	04-026/08:19:28.4		CALL, Engine = , Parameters = 253	get_xmt_mode	04-026/08:08:19.3
8867	M1O	04-026/08:19:29.6		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-026/08:08:20.5
8868	M1O	04-026/08:20:00.0	43	Acquire U/L: X/08, PWR=20.0, BR=125.0		
8869	M1O	04-026/08:20:34.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/08:09:25.3
8870	M1O	04-026/08:20:35.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/08:09:26.3
8871	M1O	04-026/08:20:36.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/08:09:27.3
8872	M1O	04-026/08:20:37.4		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-026/08:09:28.3
8873	M1O	04-026/08:20:38.4		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-026/08:09:29.3
8874	M1O	04-026/08:20:39.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/08:09:30.3
8875	M1O	04-026/08:20:40.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/08:09:31.3
8876	M1O	04-026/08:22:30.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/08:11:21.3
8877	M1O	04-026/08:22:40.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-026/08:11:31.3
8878	M1O	04-026/08:25:00.0	43	Range Modulation On: SUP=3.0dB		
8879	M1O	04-026/08:26:00.0	43	Begin Ranging Acquisition		
8880	M1O	04-026/08:29:37.9		NOTE: Descending Node Crossing 9388		04-026/08:18:28.8
8881	M1O	04-026/08:39:52.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/08:28:43.3
8882	M1O	04-026/08:39:53.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/08:28:44.4
8883	M1O	04-026/08:40:03.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/08:28:54.4
8884	M1O	04-026/08:40:04.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/08:28:55.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8885	M1O	04-026/08:40:05.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-026/08:28:56.4
8886	M1O	04-026/08:40:05.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8887	M1O	04-026/08:40:06.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-026/08:28:57.4
8888	M1O	04-026/08:41:15.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-026/08:30:06.5
8889	M1O	04-026/08:41:17.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/08:30:08.6
8890	M1O	04-026/08:41:18.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-026/08:30:09.6
8891	M1O	04-026/08:42:18.2	43	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8892	M1O	04-026/08:47:17.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/08:36:08.6
8893	M1O	04-026/08:47:17.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8894	M1O	04-026/08:47:18.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-026/08:36:09.6
8895	M1O	04-026/08:58:08.1		NOTE: Periapsis 9388 ----------		04-026/08:46:58.9
8896	M1O	04-026/08:58:55.2		NOTE: South Pole Crossing 9388		04-026/08:47:46.0
8897	M1O	04-026/09:11:58.2		SPAWN, Engine = 65535, Parameters = 026, 02, TRUE, 00:18:18, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-026/09:00:49.0
8898	M1O	04-026/09:11:58.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/09:00:49.5
8899	M1O	04-026/09:11:58.7	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8900	M1O	04-026/09:11:59.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/09:00:50.1
8901	M1O	04-026/09:12:01.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-026/09:00:52.1
8902	M1O	04-026/09:12:01.6		CALL, Engine = , Parameters = 026, 02, 254	bld_autosw	04-026/09:00:52.4
8903	M1O	04-026/09:12:02.7		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-026/09:00:53.5
8904	M1O	04-026/09:12:03.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:00:54.6
8905	M1O	04-026/09:12:04.8		Deletes the designated file.: d:/dat/254_doy026_pass02_file01.dat	FILE_DELETE	04-026/09:00:55.6
8906	M1O	04-026/09:12:05.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:00:56.7
8907	M1O	04-026/09:12:06.9		Deletes the designated file.: d:/dat/254_doy026_pass02_file02.dat	FILE_DELETE	04-026/09:00:57.7
8908	M1O	04-026/09:12:08.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:00:58.8
8909	M1O	04-026/09:12:09.0		Deletes the designated file.: d:/dat/254_doy026_pass02_file03.dat	FILE_DELETE	04-026/09:00:59.8
8910	M1O	04-026/09:12:10.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:00.9
8911	M1O	04-026/09:12:11.1		Deletes the designated file.: d:/dat/254_doy026_pass02_file04.dat	FILE_DELETE	04-026/09:01:01.9
8912	M1O	04-026/09:12:12.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:03.0
8913	M1O	04-026/09:12:13.2		Deletes the designated file.: d:/dat/254_doy026_pass02_file05.dat	FILE_DELETE	04-026/09:01:04.0
8914	M1O	04-026/09:12:14.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:05.1
8915	M1O	04-026/09:12:15.3		Deletes the designated file.: d:/dat/254_doy026_pass02_file06.dat	FILE_DELETE	04-026/09:01:06.1
8916	M1O	04-026/09:12:16.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:07.2
8917	M1O	04-026/09:12:17.4		Deletes the designated file.: d:/dat/254_doy026_pass02_file07.dat	FILE_DELETE	04-026/09:01:08.2
8918	M1O	04-026/09:12:18.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:09.3
8919	M1O	04-026/09:12:19.5		Deletes the designated file.: d:/dat/254_doy026_pass02_file08.dat	FILE_DELETE	04-026/09:01:10.3
8920	M1O	04-026/09:12:20.6		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-026/09:01:11.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy026_pass02_file09.dat, d:/dat/autoswitch.dat		
8921	M1O	04-026/09:12:21.6		Deletes the designated file.: d:/dat/254_doy026_pass02_file09.dat	FILE_DELETE	04-026/09:01:12.4
8922	M1O	04-026/09:12:22.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:13.5
8923	M1O	04-026/09:12:23.7		Deletes the designated file.: d:/dat/254_doy026_pass02_file10.dat	FILE_DELETE	04-026/09:01:14.5
8924	M1O	04-026/09:12:24.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:15.6
8925	M1O	04-026/09:12:25.8		Deletes the designated file.: d:/dat/254_doy026_pass02_file11.dat	FILE_DELETE	04-026/09:01:16.6
8926	M1O	04-026/09:12:26.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:17.7
8927	M1O	04-026/09:12:27.9		Deletes the designated file.: d:/dat/254_doy026_pass02_file12.dat	FILE_DELETE	04-026/09:01:18.7
8928	M1O	04-026/09:12:29.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:19.8
8929	M1O	04-026/09:12:30.0		Deletes the designated file.: d:/dat/254_doy026_pass02_file13.dat	FILE_DELETE	04-026/09:01:20.8
8930	M1O	04-026/09:12:31.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:21.9
8931	M1O	04-026/09:12:32.1		Deletes the designated file.: d:/dat/254_doy026_pass02_file14.dat	FILE_DELETE	04-026/09:01:22.9
8932	M1O	04-026/09:12:33.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:24.0
8933	M1O	04-026/09:12:34.2		Deletes the designated file.: d:/dat/254_doy026_pass02_file15.dat	FILE_DELETE	04-026/09:01:25.0
8934	M1O	04-026/09:12:35.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:26.1
8935	M1O	04-026/09:12:36.3		Deletes the designated file.: d:/dat/254_doy026_pass02_file16.dat	FILE_DELETE	04-026/09:01:27.1
8936	M1O	04-026/09:12:37.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:28.2
8937	M1O	04-026/09:12:38.4		Deletes the designated file.: d:/dat/254_doy026_pass02_file17.dat	FILE_DELETE	04-026/09:01:29.2
8938	M1O	04-026/09:12:39.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:30.3
8939	M1O	04-026/09:12:40.5		Deletes the designated file.: d:/dat/254_doy026_pass02_file18.dat	FILE_DELETE	04-026/09:01:31.3
8940	M1O	04-026/09:12:41.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/09:01:32.4
8941	M1O	04-026/09:12:42.6		Deletes the designated file.: d:/dat/254_doy026_pass02_file19.dat	FILE_DELETE	04-026/09:01:33.4
8942	M1O	04-026/09:12:43.6		CALL, Engine = , Parameters = 254	get_apid	04-026/09:01:34.4
8943	M1O	04-026/09:12:44.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-026/09:01:35.5
8944	M1O	04-026/09:12:44.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-026/09:01:35.7
8945	M1O	04-026/09:12:46.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-026/09:01:36.8
8946	M1O	04-026/09:12:47.3		CALL, Engine = , Parameters = 254	get_coding	04-026/09:01:38.1
8947	M1O	04-026/09:12:48.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-026/09:01:39.3
8948	M1O	04-026/09:12:49.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-026/09:01:40.5
8949	M1O	04-026/09:13:54.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/09:02:45.3
8950	M1O	04-026/09:13:55.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/09:02:46.3
8951	M1O	04-026/09:13:56.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/09:02:47.3
8952	M1O	04-026/09:13:57.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-026/09:02:48.3
8953	M1O	04-026/09:13:58.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-026/09:02:49.3
8954	M1O	04-026/09:13:59.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/09:02:50.3
8955	M1O	04-026/09:14:00.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/09:02:51.3
8956	M1O	04-026/09:15:50.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/09:04:41.3
8957	M1O	04-026/09:16:00.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-026/09:04:51.3
8958	M1O	04-026/09:26:44.1		NOTE: Enter Solar Eclipse 9388		04-026/09:15:34.8
8959	M1O	04-026/09:28:14.7		NOTE: Ascending Node Crossing 9388		04-026/09:17:05.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
8960	M1O	04-026/09:32:16.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/09:21:07.3
8961	M1O	04-026/09:32:17.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/09:21:08.4
8962	M1O	04-026/09:32:27.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/09:21:18.4
8963	M1O	04-026/09:32:28.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/09:21:19.4
8964	M1O	04-026/09:32:29.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-026/09:21:20.4
8965	M1O	04-026/09:32:29.7	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8966	M1O	04-026/09:32:30.7		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-026/09:21:21.4
8967	M1O	04-026/09:37:29.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/09:26:20.0
8968	M1O	04-026/09:37:29.3	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
8969	M1O	04-026/09:43:09.8		NOTE: Exit Solar Eclipse 9388		04-026/09:32:00.4
8970	M1O	04-026/09:57:06.8		NOTE: Apoapsis 9388 -		04-026/09:45:57.3
8971	M1O	04-026/09:58:15.9		NOTE: North Pole Crossing 9388		04-026/09:47:06.4
8972	M1O	04-026/10:00:20.6		NOTE: Enter Planetary Atmosphere 9388		04-026/09:49:11.1
8973	M1O	04-026/10:11:31.1		NOTE: Exit Planetary Atmosphere 9388		04-026/10:00:21.6
8974	M1O	04-026/10:20:00.0	63	Begin Pre-Cal		
8975	M1O	04-026/10:20:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
8976	M1O	04-026/10:20:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
8977	M1O	04-026/10:20:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
8978	M1O	04-026/10:20:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
8979	M1O	04-026/10:20:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
8980	M1O	04-026/10:20:00.0	63	Config: RCV: Parms:		
8981	M1O	04-026/10:20:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
8982	M1O	04-026/10:20:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
8983	M1O	04-026/10:20:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
8984	M1O	04-026/10:21:16.4		SPAWN, Engine = 65535, Parameters = 026, 02, FALSE, 00:08:45.382, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-026/10:10:07.0
8985	M1O	04-026/10:21:17.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/10:10:08.1
8986	M1O	04-026/10:21:19.5		CALL, Engine = , Parameters = 253	get_cmd_opt	04-026/10:10:10.1
8987	M1O	04-026/10:22:01.8		CALL, Engine = , Parameters = 253	get_apid	04-026/10:10:52.3
8988	M1O	04-026/10:22:02.9		CALL, Engine = , Parameters = 253	get_rcv_mode	04-026/10:10:53.4
8989	M1O	04-026/10:22:03.1		CALL, Engine = , Parameters = 253	get_dl_rate	04-026/10:10:53.6
8990	M1O	04-026/10:22:04.2		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-026/10:10:54.7
8991	M1O	04-026/10:22:05.5		CALL, Engine = , Parameters = 253	get_coding	04-026/10:10:56.0
8992	M1O	04-026/10:22:06.7		CALL, Engine = , Parameters = 253	get_xmt_mode	04-026/10:10:57.2
8993	M1O	04-026/10:22:07.9		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-026/10:10:58.4
8994	M1O	04-026/10:23:12.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/10:12:03.2
8995	M1O	04-026/10:23:13.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/10:12:04.2
8996	M1O	04-026/10:23:14.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/10:12:05.2
8997	M1O	04-026/10:23:15.7		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-026/10:12:06.2
8998	M1O	04-026/10:23:16.7		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-026/10:12:07.2
8999	M1O	04-026/10:23:17.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/10:12:08.2
9000	M1O	04-026/10:23:18.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/10:12:09.2
9001	M1O	04-026/10:28:14.7		NOTE: Descending Node Crossing 9389		04-026/10:17:05.2
9002	M1O	04-026/10:32:00.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/10:20:50.5
9003	M1O	04-026/10:32:01.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/10:20:51.6
9004	M1O	04-026/10:32:11.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/10:21:01.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9005	M1O	04-026/10:32:12.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/10:21:02.6
9006	M1O	04-026/10:56:39.2		NOTE: Periapsis 9389 ----------		04-026/10:45:29.6
9007	M1O	04-026/10:57:32.1		NOTE: South Pole Crossing 9389		04-026/10:46:22.4
9008	M1O	04-026/11:25:00.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
9009	M1O	04-026/11:25:21.2		NOTE: Enter Solar Eclipse 9389		04-026/11:14:11.5
9010	M1O	04-026/11:26:51.5		NOTE: Ascending Node Crossing 9389		04-026/11:15:41.8
9011	M1O	04-026/11:35:00.0	63	Begin Tracking		
9012	M1O	04-026/11:35:00.0	63	Acquire D/L: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9013	M1O	04-026/11:35:00.0	43	Range Modulation Off		
9014	M1O	04-026/11:37:40.4	43	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
9015	M1O	04-026/11:40:00.0	43	X-Band Transmitter Off		
9016	M1O	04-026/11:41:47.7		NOTE: Exit Solar Eclipse 9389		04-026/11:30:37.9
9017	M1O	04-026/11:47:01.0	63	NOTE: Above Uplink Interlock Limit		
9018	M1O	04-026/11:54:10.0	43	NOTE: Below Uplink Interlock Limit		
9019	M1O	04-026/11:55:23.3		NOTE: Apoapsis 9389 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9045	M1O	04-026/13:20:11.4		CALL, Engine = , Parameters = 56	get_rcv_mode	04-026/13:09:01.4
9046	M1O	04-026/13:20:11.6		CALL, Engine = , Parameters = 56	get_dl_rate	04-026/13:09:01.6
9047	M1O	04-026/13:20:12.7		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-026/13:09:02.7
9048	M1O	04-026/13:20:13.9		CALL, Engine = , Parameters = 56	get_coding	04-026/13:09:03.9
9049	M1O	04-026/13:20:15.1		CALL, Engine = , Parameters = 56	get_xmt_mode	04-026/13:09:05.1
9050	M1O	04-026/13:20:16.3		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-026/13:09:06.3
9051	M1O	04-026/13:21:21.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/13:10:11.1
9052	M1O	04-026/13:21:22.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/13:10:12.1
9053	M1O	04-026/13:21:23.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/13:10:13.1
9054	M1O	04-026/13:21:24.1		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-026/13:10:14.1
9055	M1O	04-026/13:21:25.1		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-026/13:10:15.1
9056	M1O	04-026/13:21:26.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/13:10:16.1
9057	M1O	04-026/13:21:27.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/13:10:17.1
9058	M1O	04-026/13:23:55.8		NOTE: Enter Solar Eclipse 9390		04-026/13:12:45.7
9059	M1O	04-026/13:25:26.4		NOTE: Ascending Node Crossing 9390		04-026/13:14:16.3
9060	M1O	04-026/13:38:47.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/13:27:36.8
9061	M1O	04-026/13:38:48.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/13:27:37.9
9062	M1O	04-026/13:38:58.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/13:27:47.9
9063	M1O	04-026/13:38:59.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/13:27:48.9
9064	M1O	04-026/13:40:26.0		NOTE: Exit Solar Eclipse 9390		04-026/13:29:15.9
9065	M1O	04-026/13:53:56.7		NOTE: Apoapsis 9390 -		04-026/13:42:46.5
9066	M1O	04-026/13:55:25.6		NOTE: North Pole Crossing 9390		04-026/13:44:15.4
9067	M1O	04-026/13:57:13.2		NOTE: Enter Planetary Atmosphere 9390		04-026/13:46:03.0
9068	M1O	04-026/14:08:52.9		NOTE: Exit Planetary Atmosphere 9390		04-026/13:57:42.7
9069	M1O	04-026/14:25:22.2		NOTE: Descending Node Crossing 9391		04-026/14:14:11.9
9070	M1O	04-026/14:53:46.9		NOTE: Periapsis 9391 ----------		04-026/14:42:36.5
9071	M1O	04-026/14:54:39.0		NOTE: South Pole Crossing 9391		04-026/14:43:28.6
9072	M1O	04-026/15:16:56.4		SPAWN, Engine = 65535, Parameters = 026, 04, FALSE, 00:17:02.758, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-026/15:05:46.0
9073	M1O	04-026/15:16:57.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/15:05:47.1
9074	M1O	04-026/15:16:59.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-026/15:05:49.1
9075	M1O	04-026/15:17:41.7		CALL, Engine = , Parameters = 56	get_apid	04-026/15:06:31.3
9076	M1O	04-026/15:17:42.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-026/15:06:32.4
9077	M1O	04-026/15:17:43.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-026/15:06:32.6
9078	M1O	04-026/15:17:44.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-026/15:06:33.7
9079	M1O	04-026/15:17:45.3		CALL, Engine = , Parameters = 56	get_coding	04-026/15:06:34.9
9080	M1O	04-026/15:17:46.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-026/15:06:36.1
9081	M1O	04-026/15:17:47.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-026/15:06:37.3
9082	M1O	04-026/15:18:52.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/15:07:42.1
9083	M1O	04-026/15:18:53.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/15:07:43.1
9084	M1O	04-026/15:18:54.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/15:07:44.1
9085	M1O	04-026/15:18:55.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-026/15:07:45.1
9086	M1O	04-026/15:18:56.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-026/15:07:46.1
9087	M1O	04-026/15:18:57.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/15:07:47.1
9088	M1O	04-026/15:18:58.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/15:07:48.1
9089	M1O	04-026/15:22:26.8		NOTE: Enter Solar Eclipse 9391		04-026/15:11:16.3
9090	M1O	04-026/15:23:58.0		NOTE: Ascending Node Crossing 9391		04-026/15:12:47.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9091	M1O	04-026/15:35:57.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/15:24:46.8
9092	M1O	04-026/15:35:58.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/15:24:47.9
9093	M1O	04-026/15:36:08.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/15:24:57.9
9094	M1O	04-026/15:36:09.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/15:24:58.9
9095	M1O	04-026/15:38:58.6		NOTE: Exit Solar Eclipse 9391		04-026/15:27:48.1
9096	M1O	04-026/15:52:35.1		NOTE: Apoapsis 9391 -		04-026/15:41:24.6
9097	M1O	04-026/15:53:57.1		NOTE: North Pole Crossing 9391		04-026/15:42:46.5
9098	M1O	04-026/15:55:42.5		NOTE: Enter Planetary Atmosphere 9391		04-026/15:44:31.9
9099	M1O	04-026/16:07:24.8		NOTE: Exit Planetary Atmosphere 9391		04-026/15:56:14.2
9100	M1O	04-026/16:23:53.6		NOTE: Descending Node Crossing 9392		04-026/16:12:43.0
9101	M1O	04-026/16:52:05.9		NOTE: Periapsis 9392 ----------		04-026/16:40:55.1
9102	M1O	04-026/16:53:09.6		NOTE: South Pole Crossing 9392		04-026/16:41:58.8
9103	M1O	04-026/17:00:00.0	55	Begin Pre-Cal		
9104	M1O	04-026/17:00:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
9105	M1O	04-026/17:00:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
9106	M1O	04-026/17:00:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
9107	M1O	04-026/17:00:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
9108	M1O	04-026/17:00:00.0	55	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
9109	M1O	04-026/17:00:00.0	55	Config: RCV: Parms:		
9110	M1O	04-026/17:00:00.0	55	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
9111	M1O	04-026/17:00:00.0	55	Config: TGC: BAND=X, SR=221200.000000		
9112	M1O	04-026/17:00:00.0	55	Config: TXL		
9113	M1O	04-026/17:00:00.0	55	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
9114	M1O	04-026/17:00:00.0	55	Config: CMD		
9115	M1O	04-026/17:00:00.0	55	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
9116	M1O	04-026/17:20:58.7		NOTE: Enter Solar Eclipse 9392		04-026/17:09:47.9
9117	M1O	04-026/17:22:28.4		NOTE: Ascending Node Crossing 9392		04-026/17:11:17.5
9118	M1O	04-026/17:30:00.0	55	Begin Tracking		
9119	M1O	04-026/17:30:00.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9120	M1O	04-026/17:31:00.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
9121	M1O	04-026/17:36:00.0	55	Range Modulation On: SUP=3.0dB		
9122	M1O	04-026/17:37:00.0	55	Begin Ranging Acquisition		
9123	M1O	04-026/17:37:23.1		NOTE: Exit Solar Eclipse 9392		04-026/17:26:12.2
9124	M1O	04-026/17:50:55.1		NOTE: Apoapsis 9392 -		04-026/17:39:44.2
9125	M1O	04-026/17:52:18.6		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-026/17:41:07.7
9126	M1O	04-026/17:52:20.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/17:41:09.8
9127	M1O	04-026/17:52:20.7	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9128	M1O	04-026/17:52:20.7	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9129	M1O	04-026/17:52:21.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-026/17:41:10.8
9130	M1O	04-026/17:52:28.7		NOTE: North Pole Crossing 9392		04-026/17:41:17.8
9131	M1O	04-026/17:53:21.7	63	Acquire D/L: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9132	M1O	04-026/17:53:21.7	55	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9133	M1O	04-026/17:54:26.6		NOTE: Enter Planetary Atmosphere 9392		04-026/17:43:15.7
9134	M1O	04-026/17:58:20.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/17:47:09.8
9135	M1O	04-026/17:58:20.7	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9136	M1O	04-026/17:58:20.7	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9137	M1O	04-026/17:58:21.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-026/17:47:10.8
9138	M1O	04-026/18:05:46.8		NOTE: Exit Planetary Atmosphere 9392		04-026/17:54:35.8
9139	M1O	04-026/18:22:26.3		NOTE: Descending Node Crossing 9393		04-026/18:11:15.2
9140	M1O	04-026/18:50:26.3		NOTE: Periapsis 9393 ----------		04-026/18:39:15.2
9141	M1O	04-026/18:51:43.1		NOTE: South Pole Crossing 9393		04-026/18:40:31.9
9142	M1O	04-026/19:16:01.2		SPAWN, Engine = 65535, Parameters = 026, 03, FALSE, 00:07:17.044, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-026/19:04:50.0
9143	M1O	04-026/19:16:02.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/19:04:51.1
9144	M1O	04-026/19:16:04.3		CALL, Engine = , Parameters = 253	get_cmd_opt	04-026/19:04:53.1
9145	M1O	04-026/19:16:46.5		CALL, Engine = , Parameters = 253	get_apid	04-026/19:05:35.3
9146	M1O	04-026/19:16:47.6		CALL, Engine = , Parameters = 253	get_rcv_mode	04-026/19:05:36.4
9147	M1O	04-026/19:16:47.8		CALL, Engine = , Parameters = 253	get_dl_rate	04-026/19:05:36.6
9148	M1O	04-026/19:16:48.9		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-026/19:05:37.7
9149	M1O	04-026/19:16:50.2		CALL, Engine = , Parameters = 253	get_coding	04-026/19:05:39.0
9150	M1O	04-026/19:16:51.4		CALL, Engine = , Parameters = 253	get_xmt_mode	04-026/19:05:40.2
9151	M1O	04-026/19:16:52.6		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-026/19:05:41.4
9152	M1O	04-026/19:17:57.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/19:06:46.2
9153	M1O	04-026/19:17:58.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/19:06:47.2
9154	M1O	04-026/19:17:59.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/19:06:48.2
9155	M1O	04-026/19:18:00.4		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-026/19:06:49.2
9156	M1O	04-026/19:18:01.4		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-026/19:06:50.2
9157	M1O	04-026/19:18:02.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/19:06:51.2
9158	M1O	04-026/19:18:03.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/19:06:52.2
9159	M1O	04-026/19:19:36.3		NOTE: Enter Solar Eclipse 9393		04-026/19:08:25.1
9160	M1O	04-026/19:21:03.1		NOTE: Ascending Node Crossing 9393		04-026/19:09:51.9
9161	M1O	04-026/19:25:16.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/19:14:05.2
9162	M1O	04-026/19:25:17.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/19:14:06.3
9163	M1O	04-026/19:25:27.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/19:14:16.3
9164	M1O	04-026/19:25:28.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/19:14:17.3
9165	M1O	04-026/19:35:52.1		NOTE: Exit Solar Eclipse 9393		04-026/19:24:40.9
9166	M1O	04-026/19:49:23.5		NOTE: Apoapsis 9393 -		04-026/19:38:12.2
9167	M1O	04-026/19:51:03.8		NOTE: North Pole Crossing 9393		04-026/19:39:52.5
9168	M1O	04-026/19:53:12.1		NOTE: Enter Planetary Atmosphere 9393		04-026/19:42:00.8
9169	M1O	04-026/20:04:13.0		NOTE: Exit Planetary Atmosphere 9393		04-026/19:53:01.6
9170	M1O	04-026/20:14:47.3		SPAWN, Engine = 65535, Parameters = 026, 03, TRUE, 00:18:31, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-026/20:03:36.0
9171	M1O	04-026/20:14:47.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/20:03:36.5
9172	M1O	04-026/20:14:47.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9173	M1O	04-026/20:14:47.8	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9174	M1O	04-026/20:14:48.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/20:03:37.1
9175	M1O	04-026/20:14:50.4		CALL, Engine = , Parameters = 254	get_cmd_opt	04-026/20:03:39.1
9176	M1O	04-026/20:14:50.7		CALL, Engine = , Parameters = 026, 03, 254	bld_autosw	04-026/20:03:39.4
9177	M1O	04-026/20:14:51.8		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-026/20:03:40.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9178	M1O	04-026/20:14:52.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:03:41.6
9179	M1O	04-026/20:14:53.9		Deletes the designated file.: d:/dat/254_doy026_pass03_file01.dat	FILE_DELETE	04-026/20:03:42.6
9180	M1O	04-026/20:14:55.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:03:43.7
9181	M1O	04-026/20:14:56.0		Deletes the designated file.: d:/dat/254_doy026_pass03_file02.dat	FILE_DELETE	04-026/20:03:44.7
9182	M1O	04-026/20:14:57.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:03:45.8
9183	M1O	04-026/20:14:58.1		Deletes the designated file.: d:/dat/254_doy026_pass03_file03.dat	FILE_DELETE	04-026/20:03:46.8
9184	M1O	04-026/20:14:59.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:03:47.9
9185	M1O	04-026/20:15:00.2		Deletes the designated file.: d:/dat/254_doy026_pass03_file04.dat	FILE_DELETE	04-026/20:03:48.9
9186	M1O	04-026/20:15:01.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:03:50.0
9187	M1O	04-026/20:15:02.3		Deletes the designated file.: d:/dat/254_doy026_pass03_file05.dat	FILE_DELETE	04-026/20:03:51.0
9188	M1O	04-026/20:15:03.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:03:52.1
9189	M1O	04-026/20:15:04.4		Deletes the designated file.: d:/dat/254_doy026_pass03_file06.dat	FILE_DELETE	04-026/20:03:53.1
9190	M1O	04-026/20:15:05.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:03:54.2
9191	M1O	04-026/20:15:06.5		Deletes the designated file.: d:/dat/254_doy026_pass03_file07.dat	FILE_DELETE	04-026/20:03:55.2
9192	M1O	04-026/20:15:07.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:03:56.3
9193	M1O	04-026/20:15:08.6		Deletes the designated file.: d:/dat/254_doy026_pass03_file08.dat	FILE_DELETE	04-026/20:03:57.3
9194	M1O	04-026/20:15:09.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:03:58.4
9195	M1O	04-026/20:15:10.7		Deletes the designated file.: d:/dat/254_doy026_pass03_file09.dat	FILE_DELETE	04-026/20:03:59.4
9196	M1O	04-026/20:15:11.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:00.5
9197	M1O	04-026/20:15:12.8		Deletes the designated file.: d:/dat/254_doy026_pass03_file10.dat	FILE_DELETE	04-026/20:04:01.5
9198	M1O	04-026/20:15:13.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:02.6
9199	M1O	04-026/20:15:14.9		Deletes the designated file.: d:/dat/254_doy026_pass03_file11.dat	FILE_DELETE	04-026/20:04:03.6
9200	M1O	04-026/20:15:16.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:04.7
9201	M1O	04-026/20:15:17.0		Deletes the designated file.: d:/dat/254_doy026_pass03_file12.dat	FILE_DELETE	04-026/20:04:05.7
9202	M1O	04-026/20:15:18.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:06.8
9203	M1O	04-026/20:15:19.1		Deletes the designated file.: d:/dat/254_doy026_pass03_file13.dat	FILE_DELETE	04-026/20:04:07.8
9204	M1O	04-026/20:15:20.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:08.9
9205	M1O	04-026/20:15:21.2		Deletes the designated file.: d:/dat/254_doy026_pass03_file14.dat	FILE_DELETE	04-026/20:04:09.9
9206	M1O	04-026/20:15:22.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:11.0
9207	M1O	04-026/20:15:23.3		Deletes the designated file.: d:/dat/254_doy026_pass03_file15.dat	FILE_DELETE	04-026/20:04:12.0
9208	M1O	04-026/20:15:24.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:13.1
9209	M1O	04-026/20:15:25.4		Deletes the designated file.: d:/dat/254_doy026_pass03_file16.dat	FILE_DELETE	04-026/20:04:14.1
9210	M1O	04-026/20:15:26.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:15.2
9211	M1O	04-026/20:15:27.5		Deletes the designated file.: d:/dat/254_doy026_pass03_file17.dat	FILE_DELETE	04-026/20:04:16.2
9212	M1O	04-026/20:15:28.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:17.3
9213	M1O	04-026/20:15:29.6		Deletes the designated file.: d:/dat/254_doy026_pass03_file18.dat	FILE_DELETE	04-026/20:04:18.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9214	M1O	04-026/20:15:30.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy026_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:04:19.4
9215	M1O	04-026/20:15:31.7		Deletes the designated file.: d:/dat/254_doy026_pass03_file19.dat	FILE_DELETE	04-026/20:04:20.4
9216	M1O	04-026/20:15:32.7		CALL, Engine = , Parameters = 254	get_apid	04-026/20:04:21.4
9217	M1O	04-026/20:15:33.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-026/20:04:22.5
9218	M1O	04-026/20:15:34.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-026/20:04:22.7
9219	M1O	04-026/20:15:35.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-026/20:04:23.8
9220	M1O	04-026/20:15:36.4		CALL, Engine = , Parameters = 254	get_coding	04-026/20:04:25.1
9221	M1O	04-026/20:15:37.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-026/20:04:26.3
9222	M1O	04-026/20:15:38.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-026/20:04:27.5
9223	M1O	04-026/20:16:43.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/20:05:32.3
9224	M1O	04-026/20:16:44.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/20:05:33.3
9225	M1O	04-026/20:16:45.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/20:05:34.3
9226	M1O	04-026/20:16:46.6		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-026/20:05:35.3
9227	M1O	04-026/20:16:47.6		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-026/20:05:36.3
9228	M1O	04-026/20:16:48.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/20:05:37.3
9229	M1O	04-026/20:16:49.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/20:05:38.3
9230	M1O	04-026/20:18:39.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/20:07:28.3
9231	M1O	04-026/20:18:49.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-026/20:07:38.3
9232	M1O	04-026/20:21:01.5		NOTE: Descending Node Crossing 9394		04-026/20:09:50.1
9233	M1O	04-026/20:35:00.0	14	Begin Pre-Cal		
9234	M1O	04-026/20:35:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
9235	M1O	04-026/20:35:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
9236	M1O	04-026/20:35:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
9237	M1O	04-026/20:35:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
9238	M1O	04-026/20:35:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
9239	M1O	04-026/20:35:00.0	14	Config: RCV: Parms:		
9240	M1O	04-026/20:35:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
9241	M1O	04-026/20:35:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
9242	M1O	04-026/20:35:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
9243	M1O	04-026/20:35:18.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/20:24:07.3
9244	M1O	04-026/20:35:19.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/20:24:08.4
9245	M1O	04-026/20:35:29.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/20:24:18.4
9246	M1O	04-026/20:35:30.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/20:24:19.4
9247	M1O	04-026/20:35:31.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-026/20:24:20.4
9248	M1O	04-026/20:35:31.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9249	M1O	04-026/20:35:31.8	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9250	M1O	04-026/20:35:32.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-026/20:24:21.4
9251	M1O	04-026/20:40:31.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/20:29:20.0
9252	M1O	04-026/20:40:31.4	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9253	M1O	04-026/20:40:31.4	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9254	M1O	04-026/20:49:19.1		NOTE: Periapsis 9394 ----------		04-026/20:38:07.6
9255	M1O	04-026/20:50:19.7		NOTE: South Pole Crossing 9394		04-026/20:39:08.2
9256	M1O	04-026/21:07:21.5		SPAWN, Engine = 65535, Parameters = 026, 04, TRUE, 00:19:24, 253, TRUE, 32_KPS,	uhf	04-026/20:56:10.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				00:02:00, 00:00:00		
9257	M1O	04-026/21:07:22.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/20:56:10.5
9258	M1O	04-026/21:07:22.0	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9259	M1O	04-026/21:07:22.0	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9260	M1O	04-026/21:07:22.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/20:56:11.1
9261	M1O	04-026/21:07:24.6		CALL, Engine = , Parameters = 253	get_cmd_opt	04-026/20:56:13.1
9262	M1O	04-026/21:07:24.9		CALL, Engine = , Parameters = 026, 04, 253	bld_autosw	04-026/20:56:13.4
9263	M1O	04-026/21:07:26.0		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-026/20:56:14.5
9264	M1O	04-026/21:07:27.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:15.6
9265	M1O	04-026/21:07:28.1		Deletes the designated file.: d:/dat/253_doy026_pass04_file01.dat	FILE_DELETE	04-026/20:56:16.6
9266	M1O	04-026/21:07:29.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:17.7
9267	M1O	04-026/21:07:30.2		Deletes the designated file.: d:/dat/253_doy026_pass04_file02.dat	FILE_DELETE	04-026/20:56:18.7
9268	M1O	04-026/21:07:31.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:19.8
9269	M1O	04-026/21:07:32.3		Deletes the designated file.: d:/dat/253_doy026_pass04_file03.dat	FILE_DELETE	04-026/20:56:20.8
9270	M1O	04-026/21:07:33.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:21.9
9271	M1O	04-026/21:07:34.4		Deletes the designated file.: d:/dat/253_doy026_pass04_file04.dat	FILE_DELETE	04-026/20:56:22.9
9272	M1O	04-026/21:07:35.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:24.0
9273	M1O	04-026/21:07:36.5		Deletes the designated file.: d:/dat/253_doy026_pass04_file05.dat	FILE_DELETE	04-026/20:56:25.0
9274	M1O	04-026/21:07:37.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:26.1
9275	M1O	04-026/21:07:38.6		Deletes the designated file.: d:/dat/253_doy026_pass04_file06.dat	FILE_DELETE	04-026/20:56:27.1
9276	M1O	04-026/21:07:39.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:28.2
9277	M1O	04-026/21:07:40.7		Deletes the designated file.: d:/dat/253_doy026_pass04_file07.dat	FILE_DELETE	04-026/20:56:29.2
9278	M1O	04-026/21:07:41.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:30.3
9279	M1O	04-026/21:07:42.8		Deletes the designated file.: d:/dat/253_doy026_pass04_file08.dat	FILE_DELETE	04-026/20:56:31.3
9280	M1O	04-026/21:07:43.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:32.4
9281	M1O	04-026/21:07:44.9		Deletes the designated file.: d:/dat/253_doy026_pass04_file09.dat	FILE_DELETE	04-026/20:56:33.4
9282	M1O	04-026/21:07:46.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:34.5
9283	M1O	04-026/21:07:47.0		Deletes the designated file.: d:/dat/253_doy026_pass04_file10.dat	FILE_DELETE	04-026/20:56:35.5
9284	M1O	04-026/21:07:48.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:36.6
9285	M1O	04-026/21:07:49.1		Deletes the designated file.: d:/dat/253_doy026_pass04_file11.dat	FILE_DELETE	04-026/20:56:37.6
9286	M1O	04-026/21:07:50.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:38.7
9287	M1O	04-026/21:07:51.2		Deletes the designated file.: d:/dat/253_doy026_pass04_file12.dat	FILE_DELETE	04-026/20:56:39.7
9288	M1O	04-026/21:07:52.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:40.8
9289	M1O	04-026/21:07:53.3		Deletes the designated file.: d:/dat/253_doy026_pass04_file13.dat	FILE_DELETE	04-026/20:56:41.8
9290	M1O	04-026/21:07:54.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:42.9
9291	M1O	04-026/21:07:55.4		Deletes the designated file.: d:/dat/253_doy026_pass04_file14.dat	FILE_DELETE	04-026/20:56:43.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9292	M1O	04-026/21:07:56.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:45.0
9293	M1O	04-026/21:07:57.5		Deletes the designated file.: d:/dat/253_doy026_pass04_file15.dat	FILE_DELETE	04-026/20:56:46.0
9294	M1O	04-026/21:07:58.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:47.1
9295	M1O	04-026/21:07:59.6		Deletes the designated file.: d:/dat/253_doy026_pass04_file16.dat	FILE_DELETE	04-026/20:56:48.1
9296	M1O	04-026/21:08:00.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:49.2
9297	M1O	04-026/21:08:01.7		Deletes the designated file.: d:/dat/253_doy026_pass04_file17.dat	FILE_DELETE	04-026/20:56:50.2
9298	M1O	04-026/21:08:02.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:51.3
9299	M1O	04-026/21:08:03.8		Deletes the designated file.: d:/dat/253_doy026_pass04_file18.dat	FILE_DELETE	04-026/20:56:52.3
9300	M1O	04-026/21:08:04.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy026_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-026/20:56:53.4
9301	M1O	04-026/21:08:05.9		Deletes the designated file.: d:/dat/253_doy026_pass04_file19.dat	FILE_DELETE	04-026/20:56:54.4
9302	M1O	04-026/21:08:06.9		CALL, Engine = , Parameters = 253	get_apid	04-026/20:56:55.4
9303	M1O	04-026/21:08:08.0		CALL, Engine = , Parameters = 253	get_rcv_mode	04-026/20:56:56.5
9304	M1O	04-026/21:08:08.2		CALL, Engine = , Parameters = 253	get_dl_rate	04-026/20:56:56.7
9305	M1O	04-026/21:08:09.3		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-026/20:56:57.8
9306	M1O	04-026/21:08:10.6		CALL, Engine = , Parameters = 253	get_coding	04-026/20:56:59.1
9307	M1O	04-026/21:08:11.8		CALL, Engine = , Parameters = 253	get_xmt_mode	04-026/20:57:00.3
9308	M1O	04-026/21:08:13.0		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-026/20:57:01.5
9309	M1O	04-026/21:09:17.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/20:58:06.3
9310	M1O	04-026/21:09:18.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/20:58:07.3
9311	M1O	04-026/21:09:19.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/20:58:08.3
9312	M1O	04-026/21:09:20.8		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-026/20:58:09.3
9313	M1O	04-026/21:09:21.8		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-026/20:58:10.3
9314	M1O	04-026/21:09:22.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-026/20:58:11.3
9315	M1O	04-026/21:09:23.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/20:58:12.3
9316	M1O	04-026/21:09:24.8		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-026/20:58:13.3
9317	M1O	04-026/21:09:25.8		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-026/20:58:14.3
9318	M1O	04-026/21:11:13.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-026/21:00:02.3
9319	M1O	04-026/21:11:23.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-026/21:00:12.3
9320	M1O	04-026/21:18:13.1		NOTE: Enter Solar Eclipse 9394		04-026/21:07:01.5
9321	M1O	04-026/21:19:40.4		NOTE: Ascending Node Crossing 9394		04-026/21:08:28.8
9322	M1O	04-026/21:28:42.9		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-026/21:17:31.3
9323	M1O	04-026/21:28:43.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-026/21:17:32.3
9324	M1O	04-026/21:28:45.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/21:17:34.3
9325	M1O	04-026/21:28:47.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/21:17:35.4
9326	M1O	04-026/21:28:57.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/21:17:45.4
9327	M1O	04-026/21:28:58.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/21:17:46.4
9328	M1O	04-026/21:28:59.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-026/21:17:47.4
9329	M1O	04-026/21:28:59.0	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9330	M1O	04-026/21:28:59.0	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9331	M1O	04-026/21:29:00.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-026/21:17:48.4
9332	M1O	04-026/21:33:58.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/21:22:47.0
9333	M1O	04-026/21:33:58.6	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9334	M1O	04-026/21:33:58.6	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9335	M1O	04-026/21:34:28.2		NOTE: Exit Solar Eclipse 9394		04-026/21:23:16.6
9336	M1O	04-026/21:48:24.0		NOTE: Apoapsis 9394 -		04-026/21:37:12.3
9337	M1O	04-026/21:49:40.4		NOTE: North Pole Crossing 9394		04-026/21:38:28.7
9338	M1O	04-026/21:51:51.6		NOTE: Enter Planetary Atmosphere 9394		04-026/21:40:39.9
9339	M1O	04-026/22:02:45.2		NOTE: Exit Planetary Atmosphere 9394		04-026/21:51:33.5
9340	M1O	04-026/22:14:59.7		SPAWN, Engine = 65535, Parameters = 026, 04, FALSE, 00:13:30.529, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-026/22:03:48.0
9341	M1O	04-026/22:15:00.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/22:03:49.1
9342	M1O	04-026/22:15:02.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-026/22:03:51.1
9343	M1O	04-026/22:15:45.0		CALL, Engine = , Parameters = 254	get_apid	04-026/22:04:33.3
9344	M1O	04-026/22:15:46.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-026/22:04:34.4
9345	M1O	04-026/22:15:46.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-026/22:04:34.6
9346	M1O	04-026/22:15:47.4		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-026/22:04:35.7
9347	M1O	04-026/22:15:48.7		CALL, Engine = , Parameters = 254	get_coding	04-026/22:04:37.0
9348	M1O	04-026/22:15:49.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-026/22:04:38.2
9349	M1O	04-026/22:15:51.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-026/22:04:39.4
9350	M1O	04-026/22:16:55.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-026/22:05:44.2
9351	M1O	04-026/22:16:56.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-026/22:05:45.2
9352	M1O	04-026/22:16:57.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-026/22:05:46.2
9353	M1O	04-026/22:16:58.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-026/22:05:47.2
9354	M1O	04-026/22:16:59.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-026/22:05:48.2
9355	M1O	04-026/22:17:00.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-026/22:05:49.2
9356	M1O	04-026/22:17:01.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-026/22:05:50.2
9357	M1O	04-026/22:19:38.2		NOTE: Descending Node Crossing 9395		04-026/22:08:26.4
9358	M1O	04-026/22:30:28.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-026/22:19:16.7
9359	M1O	04-026/22:30:29.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-026/22:19:17.8
9360	M1O	04-026/22:30:39.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-026/22:19:27.8
9361	M1O	04-026/22:30:40.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-026/22:19:28.8
9362	M1O	04-026/22:35:00.0	14	Begin Tracking		
9363	M1O	04-026/22:35:00.0	14	Acquire D/L: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9364	M1O	04-026/22:40:00.0	55	NOTE: X-Band Transmitter Off in 15 minutes		
9365	M1O	04-026/22:47:36.1	55	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
9366	M1O	04-026/22:48:19.8		NOTE: Periapsis 9395 ----------		04-026/22:37:07.9
9367	M1O	04-026/22:48:56.8		NOTE: South Pole Crossing 9395		04-026/22:37:44.9
9368	M1O	04-026/22:50:00.0	63	End Tracking		
9369	M1O	04-026/22:50:00.0	55	Range Modulation Off		
9370	M1O	04-026/22:55:00.0	55	X-Band Transmitter Off		
9371	M1O	04-026/23:05:00.0	63	End Post-Cal		
9372	M1O	04-026/23:09:11.0	55	NOTE: Below Uplink Interlock Limit		
9373	M1O	04-026/23:10:00.0	55	End Tracking		
9374	M1O	04-026/23:16:20.8		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-026/23:05:08.8
9375	M1O	04-026/23:16:22.9		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-026/23:05:10.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_nom_rt_only.cfg,		
9376	M1O	04-026/23:16:22.9	14	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9377	M1O	04-026/23:16:23.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-026/23:05:11.9
9378	M1O	04-026/23:16:47.5		NOTE: Enter Solar Eclipse 9395		04-026/23:05:35.5
9379	M1O	04-026/23:17:23.8	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9380	M1O	04-026/23:18:17.0		NOTE: Ascending Node Crossing 9395		04-026/23:07:05.1
9381	M1O	04-026/23:22:22.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-026/23:11:10.9
9382	M1O	04-026/23:22:22.9	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9383	M1O	04-026/23:22:23.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-026/23:11:11.9
9384	M1O	04-026/23:25:00.0	55	End Post-Cal		
9385	M1O	04-026/23:33:06.0		NOTE: Exit Solar Eclipse 9395		04-026/23:21:54.0
9386	M1O	04-026/23:47:25.0		NOTE: Apoapsis 9395 -		04-026/23:36:13.0
9387	M1O	04-026/23:48:16.9		NOTE: North Pole Crossing 9395		04-026/23:37:04.8
9388	M1O	04-026/23:50:27.1		NOTE: Enter Planetary Atmosphere 9395		04-026/23:39:15.0
9389	M1O	04-027/00:00:00.0		Light Time: OWLT = 11:12, RTLT = 22:24		
9390	M1O	04-027/00:01:20.8		NOTE: Exit Planetary Atmosphere 9395		04-026/23:50:08.7
9391	M1O	04-027/00:18:14.9		NOTE: Descending Node Crossing 9396		04-027/00:07:02.8
9392	M1O	04-027/00:47:06.9		NOTE: Periapsis 9396 ----------		04-027/00:35:54.6
9393	M1O	04-027/00:47:32.6		NOTE: South Pole Crossing 9396		04-027/00:36:20.3
9394	M1O	04-027/01:15:19.3		NOTE: Enter Solar Eclipse 9396		04-027/01:04:07.0
9395	M1O	04-027/01:16:51.7		NOTE: Ascending Node Crossing 9396		04-027/01:05:39.3
9396	M1O	04-027/01:31:43.1		NOTE: Exit Solar Eclipse 9396		04-027/01:20:30.7
9397	M1O	04-027/01:45:58.4		NOTE: Apoapsis 9396 -		04-027/01:34:46.0
9398	M1O	04-027/01:46:51.3		NOTE: North Pole Crossing 9396		04-027/01:35:38.9
9399	M1O	04-027/01:48:55.4		NOTE: Enter Planetary Atmosphere 9396		04-027/01:37:43.0
9400	M1O	04-027/01:59:59.6		NOTE: Exit Planetary Atmosphere 9396		04-027/01:48:47.1
9401	M1O	04-027/02:01:49.4		SPAWN, Engine = 65535, Parameters = 027, 01, FALSE, 00:18:37.666, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-027/01:50:37.0
9402	M1O	04-027/02:01:50.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/01:50:38.1
9403	M1O	04-027/02:01:52.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-027/01:50:40.1
9404	M1O	04-027/02:02:34.7		CALL, Engine = , Parameters = 56	get_apid	04-027/01:51:22.3
9405	M1O	04-027/02:02:35.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-027/01:51:23.4
9406	M1O	04-027/02:02:36.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-027/01:51:23.6
9407	M1O	04-027/02:02:37.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-027/01:51:24.7
9408	M1O	04-027/02:02:38.3		CALL, Engine = , Parameters = 56	get_coding	04-027/01:51:25.9
9409	M1O	04-027/02:02:39.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-027/01:51:27.1
9410	M1O	04-027/02:02:40.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-027/01:51:28.3
9411	M1O	04-027/02:03:45.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/01:52:33.1
9412	M1O	04-027/02:03:46.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/01:52:34.1
9413	M1O	04-027/02:03:47.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/01:52:35.1
9414	M1O	04-027/02:03:48.6		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-027/01:52:36.1
9415	M1O	04-027/02:03:49.6		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-027/01:52:37.1
9416	M1O	04-027/02:03:50.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/01:52:38.1
9417	M1O	04-027/02:03:51.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/01:52:39.1
9418	M1O	04-027/02:16:49.0		NOTE: Descending Node Crossing 9397		04-027/02:05:36.5
9419	M1O	04-027/02:22:25.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-027/02:11:12.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
9420	M1O	04-027/02:22:26.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/02:11:13.8
9421	M1O	04-027/02:22:36.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/02:11:23.8
9422	M1O	04-027/02:22:37.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/02:11:24.8
9423	M1O	04-027/02:29:49.5		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-027/02:18:37.0
9424	M1O	04-027/02:29:49.6		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-027/02:18:37.1
9425	M1O	04-027/02:29:50.6		Forces a desaturation of the reaction wheels.	RW_DESAT	04-027/02:18:38.1
9426	M1O	04-027/02:33:12.5		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-027/02:22:00.0
9427	M1O	04-027/02:33:28.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-025T02:22:00.100, 2004-027T02:22:00.100	PCKTS_RE_TX_TIME	04-027/02:22:15.8
9428	M1O	04-027/02:33:29.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-025T02:22:00.100, 2004-027T02:22:00.100	PCKTS_RE_TX_TIME	04-027/02:22:16.8
9429	M1O	04-027/02:33:30.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-025T02:22:00.100, 2004-027T02:22:00.100	PCKTS_RE_TX_TIME	04-027/02:22:17.8
9430	M1O	04-027/02:33:31.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-025T02:22:00.100, 2004-027T02:22:00.100	PCKTS_RE_TX_TIME	04-027/02:22:18.8
9431	M1O	04-027/02:33:32.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-025T02:22:00.100, 2004-027T02:22:00.100	PCKTS_RE_TX_TIME	04-027/02:22:19.8
9432	M1O	04-027/02:33:33.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-025T02:22:00.100, 2004-027T02:22:00.100	PCKTS_RE_TX_TIME	04-027/02:22:20.8
9433	M1O	04-027/02:33:33.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-027/02:22:20.8
9434	M1O	04-027/02:33:33.3	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9435	M1O	04-027/02:40:34.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/02:29:21.8
9436	M1O	04-027/02:40:34.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9437	M1O	04-027/02:40:35.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-027/02:29:22.8
9438	M1O	04-027/02:40:51.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-027/02:29:38.8
9439	M1O	04-027/02:40:51.4	14	D/L RF Warning: SC antenna change - expect signal level variation		
9440	M1O	04-027/02:40:52.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-027/02:29:39.8
9441	M1O	04-027/02:41:20.7		CALL, Engine = , Parameters = FALSE	park_hga	04-027/02:30:08.1
9442	M1O	04-027/02:41:20.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/02:30:08.1
9443	M1O	04-027/02:41:21.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-027/02:30:09.1
9444	M1O	04-027/02:41:22.7		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-027/02:30:10.1
9445	M1O	04-027/02:41:22.7		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-027/02:30:10.1
9446	M1O	04-027/02:41:22.7		NOTE: START HGA PARK		
9447	M1O	04-027/02:41:22.7	14	NOTE: Loss Of X-Band Signal		
9448	M1O	04-027/02:41:23.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-027/02:30:11.1
9449	M1O	04-027/02:41:24.7		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-027/02:30:12.1
9450	M1O	04-027/02:45:25.9		NOTE: Periapsis 9397 ----------		04-027/02:34:13.3
9451	M1O	04-027/02:45:54.7		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-027/02:34:42.1
9452	M1O	04-027/02:46:05.5		NOTE: South Pole Crossing 9397		04-027/02:34:52.9
9453	M1O	04-027/02:49:24.7		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-027/02:38:12.1
9454	M1O	04-027/02:49:24.7		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-027/02:38:12.1
9455	M1O	04-027/03:13:51.2		NOTE: Enter Solar Eclipse 9397		04-027/03:02:38.5
9456	M1O	04-027/03:15:23.9		NOTE: Ascending Node Crossing 9397		04-027/03:04:11.2
9457	M1O	04-027/03:19:24.7		GV: GV_DESAT_ACTIVE = 1		04-027/03:08:12.0
9458	M1O	04-027/03:19:25.7		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-027/03:08:13.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_desat_start.cfg		
9459	M1O	04-027/03:19:25.7		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-027/03:08:13.0
9460	M1O	04-027/03:29:24.7		GV: GV_DESAT_ACTIVE = 0		04-027/03:18:12.0
9461	M1O	04-027/03:29:25.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-027/03:18:13.0
9462	M1O	04-027/03:29:26.7		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-027/03:18:14.0
9463	M1O	04-027/03:29:27.7		CALL, Engine = , Parameters =	unpark_hga	04-027/03:18:15.0
9464	M1O	04-027/03:29:27.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-027/03:18:15.0
9465	M1O	04-027/03:29:28.7		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-027/03:18:16.0
9466	M1O	04-027/03:30:17.1		NOTE: Exit Solar Eclipse 9397		04-027/03:19:04.4
9467	M1O	04-027/03:33:58.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-027/03:22:46.0
9468	M1O	04-027/03:33:59.7		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-027/03:22:47.0
9469	M1O	04-027/03:37:24.8		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-027/03:26:12.0
9470	M1O	04-027/03:37:24.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/03:26:12.1
9471	M1O	04-027/03:37:25.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-027/03:26:13.1
9472	M1O	04-027/03:37:26.9		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-027/03:26:14.1
9473	M1O	04-027/03:37:27.9		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-027/03:26:15.1
9474	M1O	04-027/03:37:28.9		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-027/03:26:16.1
9475	M1O	04-027/03:37:38.9		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-027/03:26:26.1
9476	M1O	04-027/03:37:48.9		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-027/03:26:36.1
9477	M1O	04-027/03:37:59.7		NOTE: EXIT HGA PARK		
9478	M1O	04-027/03:37:59.7	14	Acquisition Of X-Band Signal		
9479	M1O	04-027/03:37:59.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9480	M1O	04-027/03:42:48.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-027/03:31:36.1
9481	M1O	04-027/03:42:49.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/03:31:37.1
9482	M1O	04-027/03:42:49.9	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9483	M1O	04-027/03:42:50.9		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-027/03:31:38.1
9484	M1O	04-027/03:44:07.5		NOTE: Apoapsis 9397 -		04-027/03:32:54.7
9485	M1O	04-027/03:45:23.1		NOTE: North Pole Crossing 9397		04-027/03:34:10.3
9486	M1O	04-027/03:47:20.3		NOTE: Enter Planetary Atmosphere 9397		04-027/03:36:07.5
9487	M1O	04-027/03:58:36.4		NOTE: Exit Planetary Atmosphere 9397		04-027/03:47:23.5
9488	M1O	04-027/04:00:54.8		SPAWN, Engine = 65535, Parameters = 027, 02, FALSE, 00:14:43.433, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-027/03:49:42.0
9489	M1O	04-027/04:00:55.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/03:49:43.1
9490	M1O	04-027/04:00:57.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-027/03:49:45.1
9491	M1O	04-027/04:01:40.1		CALL, Engine = , Parameters = 56	get_apid	04-027/03:50:27.3
9492	M1O	04-027/04:01:41.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-027/03:50:28.4
9493	M1O	04-027/04:01:41.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-027/03:50:28.6
9494	M1O	04-027/04:01:42.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-027/03:50:29.7
9495	M1O	04-027/04:01:43.7		CALL, Engine = , Parameters = 56	get_coding	04-027/03:50:30.9
9496	M1O	04-027/04:01:44.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-027/03:50:32.1
9497	M1O	04-027/04:01:46.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-027/03:50:33.3
9498	M1O	04-027/04:02:50.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/03:51:38.1
9499	M1O	04-027/04:02:51.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/03:51:39.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9500	M1O	04-027/04:02:52.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/03:51:40.1
9501	M1O	04-027/04:02:53.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-027/03:51:41.1
9502	M1O	04-027/04:02:54.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-027/03:51:42.1
9503	M1O	04-027/04:02:55.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/03:51:43.1
9504	M1O	04-027/04:02:56.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/03:51:44.1
9505	M1O	04-027/04:15:19.8		NOTE: Descending Node Crossing 9398		04-027/04:04:06.9
9506	M1O	04-027/04:17:36.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/04:06:23.5
9507	M1O	04-027/04:17:37.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/04:06:24.6
9508	M1O	04-027/04:17:47.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/04:06:34.6
9509	M1O	04-027/04:17:48.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/04:06:35.6
9510	M1O	04-027/04:43:38.5		NOTE: Periapsis 9398 ----------		04-027/04:32:25.5
9511	M1O	04-027/04:44:36.4		NOTE: South Pole Crossing 9398		04-027/04:33:23.3
9512	M1O	04-027/04:50:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
9513	M1O	04-027/04:50:00.0	14	U/L Transfer From DSS-14 to DSS-14: PWR=20.0, BR=125.0		
9514	M1O	04-027/04:55:00.0	14	Range Modulation On: SUP=3.0dB		
9515	M1O	04-027/04:56:00.0	14	Begin Ranging Acquisition		
9516	M1O	04-027/05:11:23.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-027/05:00:10.0
9517	M1O	04-027/05:11:25.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/05:00:12.1
9518	M1O	04-027/05:11:25.2	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9519	M1O	04-027/05:11:26.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-027/05:00:13.1
9520	M1O	04-027/05:12:24.4		NOTE: Enter Solar Eclipse 9398		04-027/05:01:11.3
9521	M1O	04-027/05:12:26.0	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9522	M1O	04-027/05:13:55.4		NOTE: Ascending Node Crossing 9398		04-027/05:02:42.3
9523	M1O	04-027/05:17:25.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/05:06:12.1
9524	M1O	04-027/05:17:25.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9525	M1O	04-027/05:17:26.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-027/05:06:13.1
9526	M1O	04-027/05:28:46.3		NOTE: Exit Solar Eclipse 9398		04-027/05:17:33.1
9527	M1O	04-027/05:30:00.0	43	Begin Pre-Cal		
9528	M1O	04-027/05:30:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
9529	M1O	04-027/05:30:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
9530	M1O	04-027/05:30:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
9531	M1O	04-027/05:30:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
9532	M1O	04-027/05:30:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
9533	M1O	04-027/05:30:00.0	43	Config: RCV: Parms:		
9534	M1O	04-027/05:30:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
9535	M1O	04-027/05:30:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
9536	M1O	04-027/05:30:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
9537	M1O	04-027/05:42:39.9		NOTE: Apoapsis 9398 -		04-027/05:31:26.7
9538	M1O	04-027/05:43:54.5		NOTE: North Pole Crossing 9398		04-027/05:32:41.3
9539	M1O	04-027/05:45:57.2		NOTE: Enter Planetary Atmosphere 9398		04-027/05:34:44.0
9540	M1O	04-027/05:57:01.8		NOTE: Exit Planetary Atmosphere 9398		04-027/05:45:48.6
9541	M1O	04-027/06:00:00.0	43	Begin Tracking		
9542	M1O	04-027/06:00:00.0	43	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9543	M1O	04-027/06:07:33.3	14	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9544	M1O	04-027/06:10:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
9545	M1O	04-027/06:13:51.1		NOTE: Descending Node Crossing 9399		04-027/06:02:37.8
9546	M1O	04-027/06:20:00.0	14	Range Modulation Off		
9547	M1O	04-027/06:21:24.6		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-027/06:10:11.2
9548	M1O	04-027/06:21:26.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/06:10:13.3
9549	M1O	04-027/06:21:26.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9550	M1O	04-027/06:21:26.7	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9551	M1O	04-027/06:21:27.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-027/06:10:14.3
9552	M1O	04-027/06:25:00.0	14	X-Band Transmitter Off		
9553	M1O	04-027/06:27:26.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/06:16:13.3
9554	M1O	04-027/06:27:26.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9555	M1O	04-027/06:27:26.7	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9556	M1O	04-027/06:27:27.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-027/06:16:14.3
9557	M1O	04-027/06:30:00.0	14	End Tracking		
9558	M1O	04-027/06:42:09.6		NOTE: Periapsis 9399 ----------		04-027/06:30:56.2
9559	M1O	04-027/06:43:08.5		NOTE: South Pole Crossing 9399		04-027/06:31:55.1
9560	M1O	04-027/06:45:00.0	14	End Post-Cal		
9561	M1O	04-027/06:46:23.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/06:35:10.0
9562	M1O	04-027/06:46:23.4	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9563	M1O	04-027/06:47:26.6	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9564	M1O	04-027/06:52:28.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/06:41:15.0
9565	M1O	04-027/06:52:28.4	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9566	M1O	04-027/07:10:58.7		NOTE: Enter Solar Eclipse 9399		04-027/06:59:45.2
9567	M1O	04-027/07:11:13.4		SPAWN, Engine = 65535, Parameters =	scdiag	04-027/07:00:00.0
9568	M1O	04-027/07:11:14.5		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-027/07:00:01.1
9569	M1O	04-027/07:11:15.5		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-027/07:00:02.1
9570	M1O	04-027/07:12:16.4		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-027/07:01:03.0
9571	M1O	04-027/07:12:16.6		NOTE: Start Block fsw_diag		04-027/07:01:03.2
9572	M1O	04-027/07:12:17.6		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-027/07:01:04.2
9573	M1O	04-027/07:12:18.6		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-027/07:01:05.2
9574	M1O	04-027/07:12:28.5		NOTE: Ascending Node Crossing 9399		04-027/07:01:15.0
9575	M1O	04-027/07:12:29.6		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-027/07:01:16.2
9576	M1O	04-027/07:12:59.6		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-027/07:01:46.2
9577	M1O	04-027/07:13:19.6		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-027/07:02:06.2
9578	M1O	04-027/07:13:29.6		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-027/07:02:16.2
9579	M1O	04-027/07:13:49.6		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-027/07:02:36.2
9580	M1O	04-027/07:13:59.6		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-027/07:02:46.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9581	M1O	04-027/07:14:04.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-027/07:02:51.2
9582	M1O	04-027/07:14:09.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-027/07:02:56.2
9583	M1O	04-027/07:14:14.6		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-027/07:03:01.2
9584	M1O	04-027/07:14:19.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-027/07:03:06.2
9585	M1O	04-027/07:14:24.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-027/07:03:11.2
9586	M1O	04-027/07:15:04.6		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-027/07:03:51.2
9587	M1O	04-027/07:15:09.6		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-027/07:03:56.2
9588	M1O	04-027/07:15:14.6		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-027/07:04:01.2
9589	M1O	04-027/07:15:19.6		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-027/07:04:06.2
9590	M1O	04-027/07:15:24.6		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-027/07:04:11.2
9591	M1O	04-027/07:15:25.6		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-027/07:04:12.2
9592	M1O	04-027/07:15:26.6		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-027/07:04:13.2
9593	M1O	04-027/07:15:27.6		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-027/07:04:14.2
9594	M1O	04-027/07:15:38.6		NOTE: End Block fsw_diag.mod		04-027/07:04:25.2
9595	M1O	04-027/07:27:13.1		NOTE: Exit Solar Eclipse 9399		04-027/07:15:59.6
9596	M1O	04-027/07:41:24.5		NOTE: Apoapsis 9399 -		04-027/07:30:10.9
9597	M1O	04-027/07:42:28.9		NOTE: North Pole Crossing 9399		04-027/07:31:15.3
9598	M1O	04-027/07:44:48.5		NOTE: Enter Planetary Atmosphere 9399		04-027/07:33:34.9
9599	M1O	04-027/07:55:22.1		NOTE: Exit Planetary Atmosphere 9399		04-027/07:44:08.5
9600	M1O	04-027/08:04:04.6		SPAWN, Engine = 65535, Parameters = 027, 01, FALSE, 00:15:15.719, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-027/07:52:51.0
9601	M1O	04-027/08:04:05.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/07:52:52.1
9602	M1O	04-027/08:04:07.7		CALL, Engine = , Parameters = 253	get_cmd_opt	04-027/07:52:54.1
9603	M1O	04-027/08:04:49.9		CALL, Engine = , Parameters = 253	get_apid	04-027/07:53:36.3
9604	M1O	04-027/08:04:51.0		CALL, Engine = , Parameters = 253	get_rcv_mode	04-027/07:53:37.4
9605	M1O	04-027/08:04:51.2		CALL, Engine = , Parameters = 253	get_dl_rate	04-027/07:53:37.6
9606	M1O	04-027/08:04:52.3		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-027/07:53:38.7
9607	M1O	04-027/08:04:53.6		CALL, Engine = , Parameters = 253	get_coding	04-027/07:53:40.0
9608	M1O	04-027/08:04:54.8		CALL, Engine = , Parameters = 253	get_xmt_mode	04-027/07:53:41.2
9609	M1O	04-027/08:04:56.0		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-027/07:53:42.4
9610	M1O	04-027/08:06:00.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/07:54:47.2
9611	M1O	04-027/08:06:01.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/07:54:48.2
9612	M1O	04-027/08:06:02.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/07:54:49.2
9613	M1O	04-027/08:06:03.8		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-027/07:54:50.2
9614	M1O	04-027/08:06:04.8		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-027/07:54:51.2
9615	M1O	04-027/08:06:05.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/07:54:52.2
9616	M1O	04-027/08:06:06.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/07:54:53.2
9617	M1O	04-027/08:12:27.0		NOTE: Descending Node Crossing 9400		04-027/08:01:13.3
9618	M1O	04-027/08:21:18.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/08:10:04.9
9619	M1O	04-027/08:21:19.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/08:10:06.0
9620	M1O	04-027/08:21:29.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/08:10:16.0
9621	M1O	04-027/08:21:30.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/08:10:17.0
9622	M1O	04-027/08:40:54.0		NOTE: Periapsis 9400 ----------		04-027/08:29:40.2
9623	M1O	04-027/08:41:44.4		NOTE: South Pole Crossing 9400		04-027/08:30:30.6
9624	M1O	04-027/08:54:57.8		SPAWN, Engine = 65535, Parameters = 027, 01, TRUE, 00:19:10, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-027/08:43:44.0
9625	M1O	04-027/08:54:58.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/08:43:44.5
9626	M1O	04-027/08:54:58.3	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9627	M1O	04-027/08:54:58.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/08:43:45.1
9628	M1O	04-027/08:55:00.9		CALL, Engine = , Parameters = 254	get_cmd_opt	04-027/08:43:47.1
9629	M1O	04-027/08:55:01.2		CALL, Engine = , Parameters = 027, 01, 254	bld_autosw	04-027/08:43:47.4
9630	M1O	04-027/08:55:02.3		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-027/08:43:48.5
9631	M1O	04-027/08:55:03.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:43:49.6
9632	M1O	04-027/08:55:04.4		Deletes the designated file.: d:/dat/254_doy027_pass01_file01.dat	FILE_DELETE	04-027/08:43:50.6
9633	M1O	04-027/08:55:05.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:43:51.7
9634	M1O	04-027/08:55:06.5		Deletes the designated file.: d:/dat/254_doy027_pass01_file02.dat	FILE_DELETE	04-027/08:43:52.7
9635	M1O	04-027/08:55:07.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:43:53.8
9636	M1O	04-027/08:55:08.6		Deletes the designated file.: d:/dat/254_doy027_pass01_file03.dat	FILE_DELETE	04-027/08:43:54.8
9637	M1O	04-027/08:55:09.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:43:55.9
9638	M1O	04-027/08:55:10.7		Deletes the designated file.: d:/dat/254_doy027_pass01_file04.dat	FILE_DELETE	04-027/08:43:56.9
9639	M1O	04-027/08:55:11.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:43:58.0
9640	M1O	04-027/08:55:12.8		Deletes the designated file.: d:/dat/254_doy027_pass01_file05.dat	FILE_DELETE	04-027/08:43:59.0
9641	M1O	04-027/08:55:13.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:00.1
9642	M1O	04-027/08:55:14.9		Deletes the designated file.: d:/dat/254_doy027_pass01_file06.dat	FILE_DELETE	04-027/08:44:01.1
9643	M1O	04-027/08:55:16.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:02.2
9644	M1O	04-027/08:55:17.0		Deletes the designated file.: d:/dat/254_doy027_pass01_file07.dat	FILE_DELETE	04-027/08:44:03.2
9645	M1O	04-027/08:55:18.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:04.3
9646	M1O	04-027/08:55:19.1		Deletes the designated file.: d:/dat/254_doy027_pass01_file08.dat	FILE_DELETE	04-027/08:44:05.3
9647	M1O	04-027/08:55:20.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:06.4
9648	M1O	04-027/08:55:21.2		Deletes the designated file.: d:/dat/254_doy027_pass01_file09.dat	FILE_DELETE	04-027/08:44:07.4
9649	M1O	04-027/08:55:22.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:08.5
9650	M1O	04-027/08:55:23.3		Deletes the designated file.: d:/dat/254_doy027_pass01_file10.dat	FILE_DELETE	04-027/08:44:09.5
9651	M1O	04-027/08:55:24.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:10.6
9652	M1O	04-027/08:55:25.4		Deletes the designated file.: d:/dat/254_doy027_pass01_file11.dat	FILE_DELETE	04-027/08:44:11.6
9653	M1O	04-027/08:55:26.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:12.7
9654	M1O	04-027/08:55:27.5		Deletes the designated file.: d:/dat/254_doy027_pass01_file12.dat	FILE_DELETE	04-027/08:44:13.7
9655	M1O	04-027/08:55:28.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:14.8
9656	M1O	04-027/08:55:29.6		Deletes the designated file.: d:/dat/254_doy027_pass01_file13.dat	FILE_DELETE	04-027/08:44:15.8
9657	M1O	04-027/08:55:30.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:16.9
9658	M1O	04-027/08:55:31.7		Deletes the designated file.: d:/dat/254_doy027_pass01_file14.dat	FILE_DELETE	04-027/08:44:17.9
9659	M1O	04-027/08:55:32.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:19.0
9660	M1O	04-027/08:55:33.8		Deletes the designated file.: d:/dat/254_doy027_pass01_file15.dat	FILE_DELETE	04-027/08:44:20.0
9661	M1O	04-027/08:55:34.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:21.1
9662	M1O	04-027/08:55:35.9		Deletes the designated file.: d:/dat/254_doy027_pass01_file16.dat	FILE_DELETE	04-027/08:44:22.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9663	M1O	04-027/08:55:37.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:23.2
9664	M1O	04-027/08:55:38.0		Deletes the designated file.: d:/dat/254_doy027_pass01_file17.dat	FILE_DELETE	04-027/08:44:24.2
9665	M1O	04-027/08:55:39.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:25.3
9666	M1O	04-027/08:55:40.1		Deletes the designated file.: d:/dat/254_doy027_pass01_file18.dat	FILE_DELETE	04-027/08:44:26.3
9667	M1O	04-027/08:55:41.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/08:44:27.4
9668	M1O	04-027/08:55:42.2		Deletes the designated file.: d:/dat/254_doy027_pass01_file19.dat	FILE_DELETE	04-027/08:44:28.4
9669	M1O	04-027/08:55:43.2		CALL, Engine = , Parameters = 254	get_apid	04-027/08:44:29.4
9670	M1O	04-027/08:55:44.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-027/08:44:30.5
9671	M1O	04-027/08:55:44.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-027/08:44:30.7
9672	M1O	04-027/08:55:45.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-027/08:44:31.8
9673	M1O	04-027/08:55:46.9		CALL, Engine = , Parameters = 254	get_coding	04-027/08:44:33.1
9674	M1O	04-027/08:55:48.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-027/08:44:34.3
9675	M1O	04-027/08:55:49.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-027/08:44:35.5
9676	M1O	04-027/08:56:54.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/08:45:40.3
9677	M1O	04-027/08:56:55.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/08:45:41.3
9678	M1O	04-027/08:56:56.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/08:45:42.3
9679	M1O	04-027/08:56:57.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-027/08:45:43.3
9680	M1O	04-027/08:56:58.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-027/08:45:44.3
9681	M1O	04-027/08:56:59.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/08:45:45.3
9682	M1O	04-027/08:57:00.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/08:45:46.3
9683	M1O	04-027/08:58:50.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/08:47:36.3
9684	M1O	04-027/08:59:00.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-027/08:47:46.3
9685	M1O	04-027/09:00:00.0	43	Acquire U/L: X/08, PWR=20.0, BR=125.0		
9686	M1O	04-027/09:05:00.0	43	Range Modulation On: SUP=3.0dB		
9687	M1O	04-027/09:06:00.0	43	Begin Ranging Acquisition		
9688	M1O	04-027/09:09:33.7		NOTE: Enter Solar Eclipse 9400		04-027/08:58:19.8
9689	M1O	04-027/09:11:04.1		NOTE: Ascending Node Crossing 9400		04-027/08:59:50.2
9690	M1O	04-027/09:16:08.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/09:04:54.3
9691	M1O	04-027/09:16:09.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/09:04:55.4
9692	M1O	04-027/09:16:19.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/09:05:05.4
9693	M1O	04-027/09:16:20.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/09:05:06.4
9694	M1O	04-027/09:16:21.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-027/09:05:07.4
9695	M1O	04-027/09:16:21.2	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9696	M1O	04-027/09:16:22.2		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-027/09:05:08.4
9697	M1O	04-027/09:21:20.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/09:10:07.0
9698	M1O	04-027/09:21:20.8	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9699	M1O	04-027/09:21:25.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-027/09:10:11.1
9700	M1O	04-027/09:21:27.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/09:10:13.2
9701	M1O	04-027/09:21:27.1	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9702	M1O	04-027/09:21:28.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-027/09:10:14.2
9703	M1O	04-027/09:22:27.6	43	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
9704	M1O	04-027/09:25:44.6		NOTE: Exit Solar Eclipse 9400		04-027/09:14:30.7
9705	M1O	04-027/09:27:27.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/09:16:13.2
9706	M1O	04-027/09:27:27.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9707	M1O	04-027/09:27:28.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-027/09:16:14.2
9708	M1O	04-027/09:39:59.3		NOTE: Apoapsis 9400 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy027_pass02_file07.dat, d:/dat/autoswitch.dat		
9745	M1O	04-027/10:00:25.2		Deletes the designated file.: d:/dat/253_doy027_pass02_file07.dat	FILE_DELETE	04-027/09:49:11.2
9746	M1O	04-027/10:00:26.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:12.3
9747	M1O	04-027/10:00:27.3		Deletes the designated file.: d:/dat/253_doy027_pass02_file08.dat	FILE_DELETE	04-027/09:49:13.3
9748	M1O	04-027/10:00:28.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:14.4
9749	M1O	04-027/10:00:29.4		Deletes the designated file.: d:/dat/253_doy027_pass02_file09.dat	FILE_DELETE	04-027/09:49:15.4
9750	M1O	04-027/10:00:30.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:16.5
9751	M1O	04-027/10:00:31.5		Deletes the designated file.: d:/dat/253_doy027_pass02_file10.dat	FILE_DELETE	04-027/09:49:17.5
9752	M1O	04-027/10:00:32.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:18.6
9753	M1O	04-027/10:00:33.6		Deletes the designated file.: d:/dat/253_doy027_pass02_file11.dat	FILE_DELETE	04-027/09:49:19.6
9754	M1O	04-027/10:00:34.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:20.7
9755	M1O	04-027/10:00:35.7		Deletes the designated file.: d:/dat/253_doy027_pass02_file12.dat	FILE_DELETE	04-027/09:49:21.7
9756	M1O	04-027/10:00:36.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:22.8
9757	M1O	04-027/10:00:37.8		Deletes the designated file.: d:/dat/253_doy027_pass02_file13.dat	FILE_DELETE	04-027/09:49:23.8
9758	M1O	04-027/10:00:38.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:24.9
9759	M1O	04-027/10:00:39.9		Deletes the designated file.: d:/dat/253_doy027_pass02_file14.dat	FILE_DELETE	04-027/09:49:25.9
9760	M1O	04-027/10:00:41.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:27.0
9761	M1O	04-027/10:00:42.0		Deletes the designated file.: d:/dat/253_doy027_pass02_file15.dat	FILE_DELETE	04-027/09:49:28.0
9762	M1O	04-027/10:00:43.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:29.1
9763	M1O	04-027/10:00:44.1		Deletes the designated file.: d:/dat/253_doy027_pass02_file16.dat	FILE_DELETE	04-027/09:49:30.1
9764	M1O	04-027/10:00:45.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:31.2
9765	M1O	04-027/10:00:46.2		Deletes the designated file.: d:/dat/253_doy027_pass02_file17.dat	FILE_DELETE	04-027/09:49:32.2
9766	M1O	04-027/10:00:47.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:33.3
9767	M1O	04-027/10:00:48.3		Deletes the designated file.: d:/dat/253_doy027_pass02_file18.dat	FILE_DELETE	04-027/09:49:34.3
9768	M1O	04-027/10:00:49.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/09:49:35.4
9769	M1O	04-027/10:00:50.4		Deletes the designated file.: d:/dat/253_doy027_pass02_file19.dat	FILE_DELETE	04-027/09:49:36.4
9770	M1O	04-027/10:00:51.4		CALL, Engine = , Parameters = 253	get_apid	04-027/09:49:37.4
9771	M1O	04-027/10:00:52.5		CALL, Engine = , Parameters = 253	get_rcv_mode	04-027/09:49:38.5
9772	M1O	04-027/10:00:52.7		CALL, Engine = , Parameters = 253	get_dl_rate	04-027/09:49:38.7
9773	M1O	04-027/10:00:53.8		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-027/09:49:39.8
9774	M1O	04-027/10:00:55.1		CALL, Engine = , Parameters = 253	get_coding	04-027/09:49:41.1
9775	M1O	04-027/10:00:56.3		CALL, Engine = , Parameters = 253	get_xmt_mode	04-027/09:49:42.3
9776	M1O	04-027/10:00:57.5		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-027/09:49:43.5
9777	M1O	04-027/10:02:02.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/09:50:48.3
9778	M1O	04-027/10:02:03.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/09:50:49.3
9779	M1O	04-027/10:02:04.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/09:50:50.3
9780	M1O	04-027/10:02:05.3		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-027/09:50:51.3
9781	M1O	04-027/10:02:06.3		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-027/09:50:52.3
9782	M1O	04-027/10:02:07.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/09:50:53.3
9783	M1O	04-027/10:02:08.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/09:50:54.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9784	M1O	04-027/10:03:58.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/09:52:44.3
9785	M1O	04-027/10:04:08.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-027/09:52:54.3
9786	M1O	04-027/10:11:04.1		NOTE: Descending Node Crossing 9401		04-027/09:59:50.0
9787	M1O	04-027/10:20:04.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/10:08:50.3
9788	M1O	04-027/10:20:05.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/10:08:51.4
9789	M1O	04-027/10:20:15.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/10:09:01.4
9790	M1O	04-027/10:20:16.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/10:09:02.4
9791	M1O	04-027/10:20:17.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-027/10:09:03.4
9792	M1O	04-027/10:20:17.4	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9793	M1O	04-027/10:20:18.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-027/10:09:04.4
9794	M1O	04-027/10:25:17.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/10:14:03.0
9795	M1O	04-027/10:25:17.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9796	M1O	04-027/10:39:29.3		NOTE: Periapsis 9401 ----------		04-027/10:28:15.2
9797	M1O	04-027/10:40:21.3		NOTE: South Pole Crossing 9401		04-027/10:29:07.2
9798	M1O	04-027/10:56:17.1		SPAWN, Engine = 65535, Parameters = 027, 02, FALSE, 00:10:29.328, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-027/10:45:03.0
9799	M1O	04-027/10:56:18.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/10:45:04.1
9800	M1O	04-027/10:56:20.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-027/10:45:06.1
9801	M1O	04-027/10:57:02.5		CALL, Engine = , Parameters = 254	get_apid	04-027/10:45:48.3
9802	M1O	04-027/10:57:03.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-027/10:45:49.4
9803	M1O	04-027/10:57:03.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-027/10:45:49.6
9804	M1O	04-027/10:57:04.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-027/10:45:50.7
9805	M1O	04-027/10:57:06.2		CALL, Engine = , Parameters = 254	get_coding	04-027/10:45:52.0
9806	M1O	04-027/10:57:07.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-027/10:45:53.2
9807	M1O	04-027/10:57:08.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-027/10:45:54.4
9808	M1O	04-027/10:58:13.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/10:46:59.2
9809	M1O	04-027/10:58:14.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/10:47:00.2
9810	M1O	04-027/10:58:15.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/10:47:01.2
9811	M1O	04-027/10:58:16.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-027/10:47:02.2
9812	M1O	04-027/10:58:17.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-027/10:47:03.2
9813	M1O	04-027/10:58:18.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/10:47:04.2
9814	M1O	04-027/10:58:19.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/10:47:05.2
9815	M1O	04-027/11:08:10.2		NOTE: Enter Solar Eclipse 9401		04-027/10:56:55.9
9816	M1O	04-027/11:08:44.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/10:57:30.5
9817	M1O	04-027/11:08:45.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/10:57:31.6
9818	M1O	04-027/11:08:55.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/10:57:41.6
9819	M1O	04-027/11:08:56.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/10:57:42.6
9820	M1O	04-027/11:09:40.8		NOTE: Ascending Node Crossing 9401		04-027/10:58:26.6
9821	M1O	04-027/11:24:20.8		NOTE: Exit Solar Eclipse 9401		04-027/11:13:06.5
9822	M1O	04-027/11:25:00.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
9823	M1O	04-027/11:30:00.0	63	Begin Tracking		
9824	M1O	04-027/11:30:00.0	63	Acquire D/L: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9825	M1O	04-027/11:35:00.0	43	Range Modulation Off		
9826	M1O	04-027/11:37:31.2	43	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
9827	M1O	04-027/11:38:17.6		NOTE: Apoapsis 9401 -		04-027/11:27:03.3
9828	M1O	04-027/11:39:41.6		NOTE: North Pole Crossing 9401		04-027/11:28:27.3
9829	M1O	04-027/11:40:00.0	43	X-Band Transmitter Off		
9830	M1O	04-027/11:42:07.5		NOTE: Enter Planetary Atmosphere 9401		04-027/11:30:53.2
9831	M1O	04-027/11:44:38.0	63	NOTE: Above Uplink Interlock Limit		
9832	M1O	04-027/11:45:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
9833	M1O	04-027/11:50:00.0	63	Range Modulation On: SUP=3.0dB		
9834	M1O	04-027/11:51:00.0	63	Begin Ranging Acquisition		
9835	M1O	04-027/11:51:25.6		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-027/11:40:11.2
9836	M1O	04-027/11:51:27.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/11:40:13.3
9837	M1O	04-027/11:51:27.7	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9838	M1O	04-027/11:51:27.7	63	D/L Change: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9839	M1O	04-027/11:51:28.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-027/11:40:14.3
9840	M1O	04-027/11:51:48.0	43	NOTE: Below Uplink Interlock Limit		
9841	M1O	04-027/11:52:30.4		NOTE: Exit Planetary Atmosphere 9401		04-027/11:41:16.0
9842	M1O	04-027/11:57:27.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/11:46:13.3
9843	M1O	04-027/11:57:27.7	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9844	M1O	04-027/11:57:27.7	63	D/L Change: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9845	M1O	04-027/11:57:28.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/11:46:13.8
9846	M1O	04-027/11:57:28.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9847	M1O	04-027/11:57:28.1	63	D/L Change: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9848	M1O	04-027/11:57:28.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-027/11:46:14.3
9849	M1O	04-027/12:00:00.0	43	End Tracking		
9850	M1O	04-027/12:02:28.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9851	M1O	04-027/12:06:24.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-027/11:55:10.0
9852	M1O	04-027/12:06:26.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/11:55:12.1
9853	M1O	04-027/12:06:27.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-027/11:55:13.1
9854	M1O	04-027/12:07:28.7	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9855	M1O	04-027/12:09:39.9		NOTE: Descending Node Crossing 9402		04-027/11:58:25.4
9856	M1O	04-027/12:12:26.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/12:01:12.1
9857	M1O	04-027/12:12:26.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9858	M1O	04-027/12:12:27.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-027/12:01:13.1
9859	M1O	04-027/12:15:00.0	43	End Post-Cal		
9860	M1O	04-027/12:24:59.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
9861	M1O	04-027/12:34:59.0	63	Range Modulation Off		
9862	M1O	04-027/12:37:59.7		NOTE: Periapsis 9402 ----------		04-027/12:26:45.2
9863	M1O	04-027/12:38:57.3		NOTE: South Pole Crossing 9402		04-027/12:27:42.7
9864	M1O	04-027/12:39:59.0	63	X-Band Transmitter Off		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9865	M1O	04-027/13:01:25.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-027/12:50:11.3
9866	M1O	04-027/13:01:28.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/12:50:13.4
9867	M1O	04-027/13:01:28.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9868	M1O	04-027/13:01:29.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-027/12:50:14.4
9869	M1O	04-027/13:02:28.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9870	M1O	04-027/13:06:46.6		NOTE: Enter Solar Eclipse 9402		04-027/12:55:32.0
9871	M1O	04-027/13:07:28.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/12:56:13.4
9872	M1O	04-027/13:07:28.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9873	M1O	04-027/13:07:29.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-027/12:56:14.4
9874	M1O	04-027/13:08:16.9		NOTE: Ascending Node Crossing 9402		04-027/12:57:02.3
9875	M1O	04-027/13:09:32.6		SPAWN, Engine = 65535, Parameters = 027, 03, FALSE, 00:04:49.793, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-027/12:58:18.0
9876	M1O	04-027/13:09:33.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/12:58:19.1
9877	M1O	04-027/13:09:35.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-027/12:58:21.1
9878	M1O	04-027/13:10:17.9		CALL, Engine = , Parameters = 56	get_apid	04-027/12:59:03.3
9879	M1O	04-027/13:10:19.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-027/12:59:04.4
9880	M1O	04-027/13:10:19.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-027/12:59:04.6
9881	M1O	04-027/13:10:20.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-027/12:59:05.7
9882	M1O	04-027/13:10:21.5		CALL, Engine = , Parameters = 56	get_coding	04-027/12:59:06.9
9883	M1O	04-027/13:10:22.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-027/12:59:08.1
9884	M1O	04-027/13:10:23.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-027/12:59:09.3
9885	M1O	04-027/13:11:28.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/13:00:14.1
9886	M1O	04-027/13:11:29.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/13:00:15.1
9887	M1O	04-027/13:11:30.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/13:00:16.1
9888	M1O	04-027/13:11:31.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-027/13:00:17.1
9889	M1O	04-027/13:11:32.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-027/13:00:18.1
9890	M1O	04-027/13:11:33.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/13:00:19.1
9891	M1O	04-027/13:11:34.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/13:00:20.1
9892	M1O	04-027/13:16:20.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/13:05:05.8
9893	M1O	04-027/13:16:21.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/13:05:06.9
9894	M1O	04-027/13:16:31.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/13:05:16.9
9895	M1O	04-027/13:16:32.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/13:05:17.9
9896	M1O	04-027/13:22:59.8		NOTE: Exit Solar Eclipse 9402		04-027/13:11:45.1
9897	M1O	04-027/13:36:36.8		NOTE: Apoapsis 9402 -		04-027/13:25:22.1
9898	M1O	04-027/13:38:16.6		NOTE: North Pole Crossing 9402		04-027/13:27:01.8
9899	M1O	04-027/13:40:30.9		NOTE: Enter Planetary Atmosphere 9402		04-027/13:29:16.2
9900	M1O	04-027/13:51:14.1		NOTE: Exit Planetary Atmosphere 9402		04-027/13:39:59.3
9901	M1O	04-027/14:08:13.4		NOTE: Descending Node Crossing 9403		04-027/13:56:58.6
9902	M1O	04-027/14:36:33.1		NOTE: Periapsis 9403 ----------		04-027/14:25:18.2
9903	M1O	04-027/14:37:30.6		NOTE: South Pole Crossing 9403		04-027/14:26:15.7
9904	M1O	04-027/14:58:57.9		SPAWN, Engine = 65535, Parameters = 027, 04, FALSE, 00:19:38.154, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-027/14:47:43.0
9905	M1O	04-027/14:58:59.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/14:47:44.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9906	M1O	04-027/14:59:01.0		CALL, Engine = , Parameters = 56	get_cmd_opt	04-027/14:47:46.1
9907	M1O	04-027/14:59:43.2		CALL, Engine = , Parameters = 56	get_apid	04-027/14:48:28.3
9908	M1O	04-027/14:59:44.3		CALL, Engine = , Parameters = 56	get_rcv_mode	04-027/14:48:29.4
9909	M1O	04-027/14:59:44.5		CALL, Engine = , Parameters = 56	get_dl_rate	04-027/14:48:29.6
9910	M1O	04-027/14:59:45.6		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-027/14:48:30.7
9911	M1O	04-027/14:59:46.8		CALL, Engine = , Parameters = 56	get_coding	04-027/14:48:31.9
9912	M1O	04-027/14:59:48.0		CALL, Engine = , Parameters = 56	get_xmt_mode	04-027/14:48:33.1
9913	M1O	04-027/14:59:49.2		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-027/14:48:34.3
9914	M1O	04-027/15:00:54.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/14:49:39.1
9915	M1O	04-027/15:00:55.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/14:49:40.1
9916	M1O	04-027/15:00:56.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/14:49:41.1
9917	M1O	04-027/15:00:57.0		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-027/14:49:42.1
9918	M1O	04-027/15:00:58.0		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-027/14:49:43.1
9919	M1O	04-027/15:00:59.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/14:49:44.1
9920	M1O	04-027/15:01:00.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/14:49:45.1
9921	M1O	04-027/15:05:19.2		NOTE: Enter Solar Eclipse 9403		04-027/14:54:04.2
9922	M1O	04-027/15:06:50.1		NOTE: Ascending Node Crossing 9403		04-027/14:55:35.1
9923	M1O	04-027/15:20:34.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/15:09:19.2
9924	M1O	04-027/15:20:35.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/15:09:20.3
9925	M1O	04-027/15:20:45.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/15:09:30.3
9926	M1O	04-027/15:20:46.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/15:09:31.3
9927	M1O	04-027/15:21:36.1		NOTE: Exit Solar Eclipse 9403		04-027/15:10:21.1
9928	M1O	04-027/15:35:18.5		NOTE: Apoapsis 9403 -		04-027/15:24:03.4
9929	M1O	04-027/15:36:48.9		NOTE: North Pole Crossing 9403		04-027/15:25:33.8
9930	M1O	04-027/15:38:55.1		NOTE: Enter Planetary Atmosphere 9403		04-027/15:27:40.0
9931	M1O	04-027/15:49:51.0		NOTE: Exit Planetary Atmosphere 9403		04-027/15:38:35.8
9932	M1O	04-027/16:06:45.0		NOTE: Descending Node Crossing 9404		04-027/15:55:29.8
9933	M1O	04-027/16:35:00.8		NOTE: Periapsis 9404 ----------		04-027/16:23:45.5
9934	M1O	04-027/16:36:01.3		NOTE: South Pole Crossing 9404		04-027/16:24:46.0
9935	M1O	04-027/17:03:49.5		NOTE: Enter Solar Eclipse 9404		04-027/16:52:34.1
9936	M1O	04-027/17:05:00.0	14	Begin Pre-Cal		
9937	M1O	04-027/17:05:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
9938	M1O	04-027/17:05:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
9939	M1O	04-027/17:05:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
9940	M1O	04-027/17:05:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
9941	M1O	04-027/17:05:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
9942	M1O	04-027/17:05:00.0	14	Config: RCV: Parms:		
9943	M1O	04-027/17:05:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
9944	M1O	04-027/17:05:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
9945	M1O	04-027/17:05:00.0	14	Config: TXL		
9946	M1O	04-027/17:05:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
9947	M1O	04-027/17:05:00.0	14	Config: CMD		
9948	M1O	04-027/17:05:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
9949	M1O	04-027/17:05:20.2		NOTE: Ascending Node Crossing 9404		04-027/16:54:04.9
9950	M1O	04-027/17:20:03.5		NOTE: Exit Solar Eclipse 9404		04-027/17:08:48.1
9951	M1O	04-027/17:33:44.8		NOTE: Apoapsis 9404 -		04-027/17:22:29.3
9952	M1O	04-027/17:35:19.8		NOTE: North Pole Crossing 9404		04-027/17:24:04.3
9953	M1O	04-027/17:37:32.4		NOTE: Enter Planetary Atmosphere 9404		04-027/17:26:16.9
9954	M1O	04-027/17:48:16.5		NOTE: Exit Planetary Atmosphere 9404		04-027/17:37:01.0
9955	M1O	04-027/18:05:16.5		NOTE: Descending Node Crossing 9405		04-027/17:54:00.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
9956	M1O	04-027/18:33:12.0		NOTE: Periapsis 9405 ----------		04-027/18:21:56.3
9957	M1O	04-027/18:34:32.7		NOTE: South Pole Crossing 9405		04-027/18:23:17.0
9958	M1O	04-027/19:02:24.5		NOTE: Enter Solar Eclipse 9405		04-027/18:51:08.7
9959	M1O	04-027/19:03:52.4		NOTE: Ascending Node Crossing 9405		04-027/18:52:36.6
9960	M1O	04-027/19:05:00.0	14	Begin Tracking		
9961	M1O	04-027/19:05:00.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9962	M1O	04-027/19:16:53.0	14	NOTE: Above Uplink Interlock Limit		
9963	M1O	04-027/19:18:29.0		NOTE: Exit Solar Eclipse 9405		04-027/19:07:13.2
9964	M1O	04-027/19:20:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
9965	M1O	04-027/19:25:00.0	14	Range Modulation On: SUP=3.0dB		
9966	M1O	04-027/19:26:00.0	14	Begin Ranging Acquisition		
9967	M1O	04-027/19:30:00.0	63	End Tracking		
9968	M1O	04-027/19:30:00.0	63	End Post-Cal		
9969	M1O	04-027/19:32:02.1		NOTE: Apoapsis 9405 -		04-027/19:20:46.3
9970	M1O	04-027/19:33:53.0		NOTE: North Pole Crossing 9405		04-027/19:22:37.1
9971	M1O	04-027/19:36:19.4		NOTE: Enter Planetary Atmosphere 9405		04-027/19:25:03.5
9972	M1O	04-027/19:41:29.3		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-027/19:30:13.4
9973	M1O	04-027/19:41:31.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/19:30:15.5
9974	M1O	04-027/19:41:31.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9975	M1O	04-027/19:41:32.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-027/19:30:16.5
9976	M1O	04-027/19:42:31.6	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9977	M1O	04-027/19:46:38.5		NOTE: Exit Planetary Atmosphere 9405		04-027/19:35:22.6
9978	M1O	04-027/19:47:31.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/19:36:15.5
9979	M1O	04-027/19:47:31.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
9980	M1O	04-027/19:47:32.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-027/19:36:16.5
9981	M1O	04-027/20:01:18.9		SPAWN, Engine = 65535, Parameters = 027, 03, FALSE, 00:12:52.608, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-027/19:50:03.0
9982	M1O	04-027/20:01:20.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/19:50:04.1
9983	M1O	04-027/20:01:22.0		CALL, Engine = , Parameters = 254	get_cmd_opt	04-027/19:50:06.1
9984	M1O	04-027/20:02:04.2		CALL, Engine = , Parameters = 254	get_apid	04-027/19:50:48.3
9985	M1O	04-027/20:02:05.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-027/19:50:49.4
9986	M1O	04-027/20:02:05.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-027/19:50:49.6
9987	M1O	04-027/20:02:06.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-027/19:50:50.7
9988	M1O	04-027/20:02:07.9		CALL, Engine = , Parameters = 254	get_coding	04-027/19:50:52.0
9989	M1O	04-027/20:02:09.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-027/19:50:53.2
9990	M1O	04-027/20:02:10.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-027/19:50:54.4
9991	M1O	04-027/20:03:15.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/19:51:59.2
9992	M1O	04-027/20:03:16.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/19:52:00.2
9993	M1O	04-027/20:03:17.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/19:52:01.2
9994	M1O	04-027/20:03:18.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-027/19:52:02.2
9995	M1O	04-027/20:03:19.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-027/19:52:03.2
9996	M1O	04-027/20:03:20.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/19:52:04.2
9997	M1O	04-027/20:03:21.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/19:52:05.2
9998	M1O	04-027/20:03:50.3		NOTE: Descending Node Crossing 9406		04-027/19:52:34.3
9999	M1O	04-027/20:16:09.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-027/20:04:53.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
10000	M1O	04-027/20:16:10.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/20:04:54.9
10001	M1O	04-027/20:16:20.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/20:05:04.9
10002	M1O	04-027/20:16:21.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/20:05:05.9
10003	M1O	04-027/20:31:50.8		NOTE: Periapsis 9406 ----------		04-027/20:20:34.8
10004	M1O	04-027/20:33:07.9		NOTE: South Pole Crossing 9406		04-027/20:21:51.8
10005	M1O	04-027/20:51:21.0		SPAWN, Engine = 65535, Parameters = 027, 03, TRUE, 00:18:09, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-027/20:40:05.0
10006	M1O	04-027/20:51:21.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/20:40:05.5
10007	M1O	04-027/20:51:21.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10008	M1O	04-027/20:51:22.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/20:40:06.1
10009	M1O	04-027/20:51:24.1		CALL, Engine = , Parameters = 253	get_cmd_opt	04-027/20:40:08.1
10010	M1O	04-027/20:51:24.4		CALL, Engine = , Parameters = 027, 03, 253	bld_autosw	04-027/20:40:08.4
10011	M1O	04-027/20:51:25.5		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-027/20:40:09.5
10012	M1O	04-027/20:51:26.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:10.6
10013	M1O	04-027/20:51:27.6		Deletes the designated file.: d:/dat/253_doy027_pass03_file01.dat	FILE_DELETE	04-027/20:40:11.6
10014	M1O	04-027/20:51:28.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:12.7
10015	M1O	04-027/20:51:29.7		Deletes the designated file.: d:/dat/253_doy027_pass03_file02.dat	FILE_DELETE	04-027/20:40:13.7
10016	M1O	04-027/20:51:30.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:14.8
10017	M1O	04-027/20:51:31.8		Deletes the designated file.: d:/dat/253_doy027_pass03_file03.dat	FILE_DELETE	04-027/20:40:15.8
10018	M1O	04-027/20:51:32.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:16.9
10019	M1O	04-027/20:51:33.9		Deletes the designated file.: d:/dat/253_doy027_pass03_file04.dat	FILE_DELETE	04-027/20:40:17.9
10020	M1O	04-027/20:51:35.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:19.0
10021	M1O	04-027/20:51:36.0		Deletes the designated file.: d:/dat/253_doy027_pass03_file05.dat	FILE_DELETE	04-027/20:40:20.0
10022	M1O	04-027/20:51:37.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:21.1
10023	M1O	04-027/20:51:38.1		Deletes the designated file.: d:/dat/253_doy027_pass03_file06.dat	FILE_DELETE	04-027/20:40:22.1
10024	M1O	04-027/20:51:39.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:23.2
10025	M1O	04-027/20:51:40.2		Deletes the designated file.: d:/dat/253_doy027_pass03_file07.dat	FILE_DELETE	04-027/20:40:24.2
10026	M1O	04-027/20:51:41.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:25.3
10027	M1O	04-027/20:51:42.3		Deletes the designated file.: d:/dat/253_doy027_pass03_file08.dat	FILE_DELETE	04-027/20:40:26.3
10028	M1O	04-027/20:51:43.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:27.4
10029	M1O	04-027/20:51:44.4		Deletes the designated file.: d:/dat/253_doy027_pass03_file09.dat	FILE_DELETE	04-027/20:40:28.4
10030	M1O	04-027/20:51:45.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:29.5
10031	M1O	04-027/20:51:46.5		Deletes the designated file.: d:/dat/253_doy027_pass03_file10.dat	FILE_DELETE	04-027/20:40:30.5
10032	M1O	04-027/20:51:47.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:31.6
10033	M1O	04-027/20:51:48.6		Deletes the designated file.: d:/dat/253_doy027_pass03_file11.dat	FILE_DELETE	04-027/20:40:32.6
10034	M1O	04-027/20:51:49.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:33.7
10035	M1O	04-027/20:51:50.7		Deletes the designated file.: d:/dat/253_doy027_pass03_file12.dat	FILE_DELETE	04-027/20:40:34.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10036	M1O	04-027/20:51:51.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:35.8
10037	M1O	04-027/20:51:52.8		Deletes the designated file.: d:/dat/253_doy027_pass03_file13.dat	FILE_DELETE	04-027/20:40:36.8
10038	M1O	04-027/20:51:53.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:37.9
10039	M1O	04-027/20:51:54.9		Deletes the designated file.: d:/dat/253_doy027_pass03_file14.dat	FILE_DELETE	04-027/20:40:38.9
10040	M1O	04-027/20:51:56.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:40.0
10041	M1O	04-027/20:51:57.0		Deletes the designated file.: d:/dat/253_doy027_pass03_file15.dat	FILE_DELETE	04-027/20:40:41.0
10042	M1O	04-027/20:51:58.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:42.1
10043	M1O	04-027/20:51:59.1		Deletes the designated file.: d:/dat/253_doy027_pass03_file16.dat	FILE_DELETE	04-027/20:40:43.1
10044	M1O	04-027/20:52:00.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:44.2
10045	M1O	04-027/20:52:01.2		Deletes the designated file.: d:/dat/253_doy027_pass03_file17.dat	FILE_DELETE	04-027/20:40:45.2
10046	M1O	04-027/20:52:02.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:46.3
10047	M1O	04-027/20:52:03.3		Deletes the designated file.: d:/dat/253_doy027_pass03_file18.dat	FILE_DELETE	04-027/20:40:47.3
10048	M1O	04-027/20:52:04.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy027_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/20:40:48.4
10049	M1O	04-027/20:52:05.4		Deletes the designated file.: d:/dat/253_doy027_pass03_file19.dat	FILE_DELETE	04-027/20:40:49.4
10050	M1O	04-027/20:52:06.4		CALL, Engine = , Parameters = 253	get_apid	04-027/20:40:50.4
10051	M1O	04-027/20:52:07.5		CALL, Engine = , Parameters = 253	get_rcv_mode	04-027/20:40:51.5
10052	M1O	04-027/20:52:07.7		CALL, Engine = , Parameters = 253	get_dl_rate	04-027/20:40:51.7
10053	M1O	04-027/20:52:08.8		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-027/20:40:52.8
10054	M1O	04-027/20:52:10.1		CALL, Engine = , Parameters = 253	get_coding	04-027/20:40:54.1
10055	M1O	04-027/20:52:11.3		CALL, Engine = , Parameters = 253	get_xmt_mode	04-027/20:40:55.3
10056	M1O	04-027/20:52:12.5		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-027/20:40:56.5
10057	M1O	04-027/20:53:17.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/20:42:01.3
10058	M1O	04-027/20:53:18.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/20:42:02.3
10059	M1O	04-027/20:53:19.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/20:42:03.3
10060	M1O	04-027/20:53:20.4		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-027/20:42:04.3
10061	M1O	04-027/20:53:21.4		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-027/20:42:05.3
10062	M1O	04-027/20:53:22.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/20:42:06.3
10063	M1O	04-027/20:53:23.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/20:42:07.3
10064	M1O	04-027/20:55:13.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/20:43:57.3
10065	M1O	04-027/20:55:23.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-027/20:44:07.3
10066	M1O	04-027/21:01:01.9		NOTE: Enter Solar Eclipse 9406		04-027/20:49:45.8
10067	M1O	04-027/21:02:28.6		NOTE: Ascending Node Crossing 9406		04-027/20:51:12.5
10068	M1O	04-027/21:11:30.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/21:00:14.3
10069	M1O	04-027/21:11:31.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/21:00:15.4
10070	M1O	04-027/21:11:41.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/21:00:25.4
10071	M1O	04-027/21:11:42.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/21:00:26.4
10072	M1O	04-027/21:11:43.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-027/21:00:27.4
10073	M1O	04-027/21:11:43.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10074	M1O	04-027/21:11:44.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-027/21:00:28.4
10075	M1O	04-027/21:16:43.1		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-027/21:05:27.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_sci.cfg,		
10076	M1O	04-027/21:16:43.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10077	M1O	04-027/21:17:02.2		NOTE: Exit Solar Eclipse 9406		04-027/21:05:46.0
10078	M1O	04-027/21:30:49.5		NOTE: Apoapsis 9406 -		04-027/21:19:33.3
10079	M1O	04-027/21:32:28.8		NOTE: North Pole Crossing 9406		04-027/21:21:12.6
10080	M1O	04-027/21:35:01.6		NOTE: Enter Planetary Atmosphere 9406		04-027/21:23:45.4
10081	M1O	04-027/21:45:07.5		NOTE: Exit Planetary Atmosphere 9406		04-027/21:33:51.3
10082	M1O	04-027/21:55:29.3		SPAWN, Engine = 65535, Parameters = 027, 04, TRUE, 00:18:45, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-027/21:44:13.0
10083	M1O	04-027/21:55:29.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/21:44:13.5
10084	M1O	04-027/21:55:29.8	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10085	M1O	04-027/21:55:30.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/21:44:14.1
10086	M1O	04-027/21:55:32.4		CALL, Engine = , Parameters = 254	get_cmd_opt	04-027/21:44:16.1
10087	M1O	04-027/21:55:32.7		CALL, Engine = , Parameters = 027, 04, 254	bld_autosw	04-027/21:44:16.4
10088	M1O	04-027/21:55:33.8		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-027/21:44:17.5
10089	M1O	04-027/21:55:34.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:18.6
10090	M1O	04-027/21:55:35.9		Deletes the designated file.: d:/dat/254_doy027_pass04_file01.dat	FILE_DELETE	04-027/21:44:19.6
10091	M1O	04-027/21:55:37.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:20.7
10092	M1O	04-027/21:55:38.0		Deletes the designated file.: d:/dat/254_doy027_pass04_file02.dat	FILE_DELETE	04-027/21:44:21.7
10093	M1O	04-027/21:55:39.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:22.8
10094	M1O	04-027/21:55:40.1		Deletes the designated file.: d:/dat/254_doy027_pass04_file03.dat	FILE_DELETE	04-027/21:44:23.8
10095	M1O	04-027/21:55:41.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:24.9
10096	M1O	04-027/21:55:42.2		Deletes the designated file.: d:/dat/254_doy027_pass04_file04.dat	FILE_DELETE	04-027/21:44:25.9
10097	M1O	04-027/21:55:43.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:27.0
10098	M1O	04-027/21:55:44.3		Deletes the designated file.: d:/dat/254_doy027_pass04_file05.dat	FILE_DELETE	04-027/21:44:28.0
10099	M1O	04-027/21:55:45.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:29.1
10100	M1O	04-027/21:55:46.4		Deletes the designated file.: d:/dat/254_doy027_pass04_file06.dat	FILE_DELETE	04-027/21:44:30.1
10101	M1O	04-027/21:55:47.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:31.2
10102	M1O	04-027/21:55:48.5		Deletes the designated file.: d:/dat/254_doy027_pass04_file07.dat	FILE_DELETE	04-027/21:44:32.2
10103	M1O	04-027/21:55:49.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:33.3
10104	M1O	04-027/21:55:50.6		Deletes the designated file.: d:/dat/254_doy027_pass04_file08.dat	FILE_DELETE	04-027/21:44:34.3
10105	M1O	04-027/21:55:51.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:35.4
10106	M1O	04-027/21:55:52.7		Deletes the designated file.: d:/dat/254_doy027_pass04_file09.dat	FILE_DELETE	04-027/21:44:36.4
10107	M1O	04-027/21:55:53.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:37.5
10108	M1O	04-027/21:55:54.8		Deletes the designated file.: d:/dat/254_doy027_pass04_file10.dat	FILE_DELETE	04-027/21:44:38.5
10109	M1O	04-027/21:55:55.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:39.6
10110	M1O	04-027/21:55:56.9		Deletes the designated file.: d:/dat/254_doy027_pass04_file11.dat	FILE_DELETE	04-027/21:44:40.6
10111	M1O	04-027/21:55:58.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:41.7
10112	M1O	04-027/21:55:59.0		Deletes the designated file.: d:/dat/254_doy027_pass04_file12.dat	FILE_DELETE	04-027/21:44:42.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10113	M1O	04-027/21:56:00.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:43.8
10114	M1O	04-027/21:56:01.1		Deletes the designated file.: d:/dat/254_doy027_pass04_file13.dat	FILE_DELETE	04-027/21:44:44.8
10115	M1O	04-027/21:56:02.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:45.9
10116	M1O	04-027/21:56:03.2		Deletes the designated file.: d:/dat/254_doy027_pass04_file14.dat	FILE_DELETE	04-027/21:44:46.9
10117	M1O	04-027/21:56:04.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:48.0
10118	M1O	04-027/21:56:05.3		Deletes the designated file.: d:/dat/254_doy027_pass04_file15.dat	FILE_DELETE	04-027/21:44:49.0
10119	M1O	04-027/21:56:06.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:50.1
10120	M1O	04-027/21:56:07.4		Deletes the designated file.: d:/dat/254_doy027_pass04_file16.dat	FILE_DELETE	04-027/21:44:51.1
10121	M1O	04-027/21:56:08.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:52.2
10122	M1O	04-027/21:56:09.5		Deletes the designated file.: d:/dat/254_doy027_pass04_file17.dat	FILE_DELETE	04-027/21:44:53.2
10123	M1O	04-027/21:56:10.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:54.3
10124	M1O	04-027/21:56:11.6		Deletes the designated file.: d:/dat/254_doy027_pass04_file18.dat	FILE_DELETE	04-027/21:44:55.3
10125	M1O	04-027/21:56:12.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy027_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-027/21:44:56.4
10126	M1O	04-027/21:56:13.7		Deletes the designated file.: d:/dat/254_doy027_pass04_file19.dat	FILE_DELETE	04-027/21:44:57.4
10127	M1O	04-027/21:56:14.7		CALL, Engine = , Parameters = 254	get_apid	04-027/21:44:58.4
10128	M1O	04-027/21:56:15.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-027/21:44:59.5
10129	M1O	04-027/21:56:16.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-027/21:44:59.7
10130	M1O	04-027/21:56:17.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-027/21:45:00.8
10131	M1O	04-027/21:56:18.4		CALL, Engine = , Parameters = 254	get_coding	04-027/21:45:02.1
10132	M1O	04-027/21:56:19.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-027/21:45:03.3
10133	M1O	04-027/21:56:20.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-027/21:45:04.5
10134	M1O	04-027/21:57:25.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/21:46:09.3
10135	M1O	04-027/21:57:26.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/21:46:10.3
10136	M1O	04-027/21:57:27.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/21:46:11.3
10137	M1O	04-027/21:57:28.6		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-027/21:46:12.3
10138	M1O	04-027/21:57:29.6		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-027/21:46:13.3
10139	M1O	04-027/21:57:30.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/21:46:14.3
10140	M1O	04-027/21:57:31.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/21:46:15.3
10141	M1O	04-027/21:59:21.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-027/21:48:05.3
10142	M1O	04-027/21:59:31.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-027/21:48:15.3
10143	M1O	04-027/22:02:26.2		NOTE: Descending Node Crossing 9407		04-027/21:51:09.9
10144	M1O	04-027/22:16:14.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/22:04:58.3
10145	M1O	04-027/22:16:15.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/22:04:59.4
10146	M1O	04-027/22:16:25.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/22:05:09.4
10147	M1O	04-027/22:16:26.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/22:05:10.4
10148	M1O	04-027/22:16:27.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-027/22:05:11.4
10149	M1O	04-027/22:16:27.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10150	M1O	04-027/22:16:28.7		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-027/22:05:12.4
10151	M1O	04-027/22:21:27.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-027/22:10:11.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10152	M1O	04-027/22:21:27.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10153	M1O	04-027/22:30:51.1		NOTE: Periapsis 9407 ----------		04-027/22:19:34.7
10154	M1O	04-027/22:31:44.7		NOTE: South Pole Crossing 9407		04-027/22:20:28.3
10155	M1O	04-027/22:50:10.4		SPAWN, Engine = 65535, Parameters = 027, 04, FALSE, 00:15:13.823, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-027/22:38:54.0
10156	M1O	04-027/22:50:11.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/22:38:55.1
10157	M1O	04-027/22:50:13.5		CALL, Engine = , Parameters = 253	get_cmd_opt	04-027/22:38:57.1
10158	M1O	04-027/22:50:55.7		CALL, Engine = , Parameters = 253	get_apid	04-027/22:39:39.3
10159	M1O	04-027/22:50:56.8		CALL, Engine = , Parameters = 253	get_rcv_mode	04-027/22:39:40.4
10160	M1O	04-027/22:50:57.0		CALL, Engine = , Parameters = 253	get_dl_rate	04-027/22:39:40.6
10161	M1O	04-027/22:50:58.1		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-027/22:39:41.7
10162	M1O	04-027/22:50:59.4		CALL, Engine = , Parameters = 253	get_coding	04-027/22:39:43.0
10163	M1O	04-027/22:51:00.6		CALL, Engine = , Parameters = 253	get_xmt_mode	04-027/22:39:44.2
10164	M1O	04-027/22:51:01.8		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-027/22:39:45.4
10165	M1O	04-027/22:52:06.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-027/22:40:50.2
10166	M1O	04-027/22:52:07.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-027/22:40:51.2
10167	M1O	04-027/22:52:08.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-027/22:40:52.2
10168	M1O	04-027/22:52:09.6		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-027/22:40:53.2
10169	M1O	04-027/22:52:10.6		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-027/22:40:54.2
10170	M1O	04-027/22:52:11.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-027/22:40:55.2
10171	M1O	04-027/22:52:12.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-027/22:40:56.2
10172	M1O	04-027/22:59:37.2		NOTE: Enter Solar Eclipse 9407		04-027/22:48:20.7
10173	M1O	04-027/23:01:05.5		NOTE: Ascending Node Crossing 9407		04-027/22:49:49.0
10174	M1O	04-027/23:07:22.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-027/22:56:06.0
10175	M1O	04-027/23:07:23.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-027/22:56:07.1
10176	M1O	04-027/23:07:33.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-027/22:56:17.1
10177	M1O	04-027/23:07:34.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-027/22:56:18.1
10178	M1O	04-027/23:15:39.3		NOTE: Exit Solar Eclipse 9407		04-027/23:04:22.7
10179	M1O	04-027/23:29:56.0		NOTE: Apoapsis 9407 -		04-027/23:18:39.4
10180	M1O	04-027/23:31:05.3		NOTE: North Pole Crossing 9407		04-027/23:19:48.7
10181	M1O	04-027/23:33:39.4		NOTE: Enter Planetary Atmosphere 9407		04-027/23:22:22.7
10182	M1O	04-027/23:43:40.7		NOTE: Exit Planetary Atmosphere 9407		04-027/23:32:24.0
10183	M1O	04-028/00:00:00.0		Light Time: OWLT = 11:16, RTLT = 22:33		
10184	M1O	04-028/00:00:00.0	25	Begin Pre-Cal		
10185	M1O	04-028/00:00:00.0	25	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
10186	M1O	04-028/00:00:00.0	25	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
10187	M1O	04-028/00:00:00.0	25	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
10188	M1O	04-028/00:00:00.0	25	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
10189	M1O	04-028/00:00:00.0	25	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
10190	M1O	04-028/00:00:00.0	25	Config: RCV: Parms:		
10191	M1O	04-028/00:00:00.0	25	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
10192	M1O	04-028/00:00:00.0	25	Config: TGC: BAND=X, SR=221200.000000		
10193	M1O	04-028/00:00:00.0	25	Config: TXL		
10194	M1O	04-028/00:00:00.0	25	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
10195	M1O	04-028/00:00:00.0	25	Config: CMD		
10196	M1O	04-028/00:00:00.0	25	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
10197	M1O	04-028/00:01:02.8		NOTE: Descending Node Crossing 9408		04-027/23:49:46.1
10198	M1O	04-028/00:24:59.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
10199	M1O	04-028/00:29:46.1		NOTE: Periapsis 9408 ----------		04-028/00:18:29.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10200	M1O	04-028/00:30:21.0		NOTE: South Pole Crossing 9408		04-028/00:19:04.2
10201	M1O	04-028/00:34:59.0	14	Range Modulation Off		
10202	M1O	04-028/00:39:59.0	14	X-Band Transmitter Off		
10203	M1O	04-028/00:58:10.0		NOTE: Enter Solar Eclipse 9408		04-028/00:46:53.1
10204	M1O	04-028/00:59:40.9		NOTE: Ascending Node Crossing 9408		04-028/00:48:24.0
10205	M1O	04-028/01:00:00.0	25	Begin Tracking		
10206	M1O	04-028/01:00:00.0	25	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10207	M1O	04-028/01:00:00.0	43	Begin Pre-Cal		
10208	M1O	04-028/01:00:00.0	43	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
10209	M1O	04-028/01:00:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
10210	M1O	04-028/01:00:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
10211	M1O	04-028/01:00:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
10212	M1O	04-028/01:00:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
10213	M1O	04-028/01:00:00.0	43	Config: RCV: Parms:		
10214	M1O	04-028/01:00:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
10215	M1O	04-028/01:00:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
10216	M1O	04-028/01:00:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
10217	M1O	04-028/01:01:00.0	25	Acquire U/L: X/08, PWR=20.0, BR=125.0		
10218	M1O	04-028/01:01:30.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-028/00:50:13.5
10219	M1O	04-028/01:01:32.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/00:50:15.6
10220	M1O	04-028/01:01:32.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10221	M1O	04-028/01:01:32.5	25	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10222	M1O	04-028/01:01:33.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-028/00:50:16.6
10223	M1O	04-028/01:02:32.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10224	M1O	04-028/01:02:32.6	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10225	M1O	04-028/01:06:00.0	25	Range Modulation On: SUP=3.0dB		
10226	M1O	04-028/01:07:00.0	25	Begin Ranging Acquisition		
10227	M1O	04-028/01:07:32.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/00:56:15.6
10228	M1O	04-028/01:07:32.6	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10229	M1O	04-028/01:07:32.6	25	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10230	M1O	04-028/01:07:33.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-028/00:56:16.6
10231	M1O	04-028/01:14:16.3		NOTE: Exit Solar Eclipse 9408		04-028/01:02:59.3
10232	M1O	04-028/01:22:31.5		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-028/01:11:14.5
10233	M1O	04-028/01:22:33.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/01:11:16.6
10234	M1O	04-028/01:22:33.6	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10235	M1O	04-028/01:22:33.6	25	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10236	M1O	04-028/01:22:34.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-028/01:11:17.6
10237	M1O	04-028/01:23:33.7	14	Acquire D/L: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10238	M1O	04-028/01:23:33.7	25	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10239	M1O	04-028/01:28:33.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/01:17:16.6
10240	M1O	04-028/01:28:33.6	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
10241	M1O	04-028/01:28:33.6	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10242	M1O	04-028/01:28:34.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-028/01:17:17.6
10243	M1O	04-028/01:28:42.3		NOTE: Apoapsis 9408 -		04-028/01:17:25.4
10244	M1O	04-028/01:29:40.6		NOTE: North Pole Crossing 9408		04-028/01:18:23.6
10245	M1O	04-028/01:32:11.3		NOTE: Enter Planetary Atmosphere 9408		04-028/01:20:54.3
10246	M1O	04-028/01:42:18.2		NOTE: Exit Planetary Atmosphere 9408		04-028/01:31:01.1
10247	M1O	04-028/01:45:23.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
10248	M1O	04-028/01:48:28.0		SPAWN, Engine = 65535, Parameters = 028, 01, FALSE, 00:11:44.793, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-028/01:37:11.0
10249	M1O	04-028/01:48:29.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/01:37:12.1
10250	M1O	04-028/01:48:31.1		CALL, Engine = , Parameters = 56	get_cmd_opt	04-028/01:37:14.1
10251	M1O	04-028/01:49:13.3		CALL, Engine = , Parameters = 56	get_apid	04-028/01:37:56.3
10252	M1O	04-028/01:49:14.4		CALL, Engine = , Parameters = 56	get_rcv_mode	04-028/01:37:57.4
10253	M1O	04-028/01:49:14.6		CALL, Engine = , Parameters = 56	get_dl_rate	04-028/01:37:57.6
10254	M1O	04-028/01:49:15.7		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-028/01:37:58.7
10255	M1O	04-028/01:49:16.9		CALL, Engine = , Parameters = 56	get_coding	04-028/01:37:59.9
10256	M1O	04-028/01:49:18.1		CALL, Engine = , Parameters = 56	get_xmt_mode	04-028/01:38:01.1
10257	M1O	04-028/01:49:19.3		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-028/01:38:02.3
10258	M1O	04-028/01:50:24.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/01:39:07.1
10259	M1O	04-028/01:50:25.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/01:39:08.1
10260	M1O	04-028/01:50:26.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/01:39:09.1
10261	M1O	04-028/01:50:27.1		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-028/01:39:10.1
10262	M1O	04-028/01:50:28.1		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-028/01:39:11.1
10263	M1O	04-028/01:50:29.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/01:39:12.1
10264	M1O	04-028/01:50:30.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/01:39:13.1
10265	M1O	04-028/01:55:23.0	25	Range Modulation Off		
10266	M1O	04-028/01:59:38.2		NOTE: Descending Node Crossing 9409		04-028/01:48:21.1
10267	M1O	04-028/02:00:23.0	25	X-Band Transmitter Off		
10268	M1O	04-028/02:02:10.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/01:50:53.8
10269	M1O	04-028/02:02:12.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/01:50:54.9
10270	M1O	04-028/02:02:22.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/01:51:04.9
10271	M1O	04-028/02:02:23.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/01:51:05.9
10272	M1O	04-028/02:12:39.1		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-028/02:01:22.0
10273	M1O	04-028/02:12:39.2		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-028/02:01:22.1
10274	M1O	04-028/02:12:40.2		Forces a desaturation of the reaction wheels.	RW_DESAT	04-028/02:01:23.1
10275	M1O	04-028/02:14:46.1		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-028/02:03:29.0
10276	M1O	04-028/02:15:01.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-026T02:03:29.100, 2004-028T02:03:29.100	PCKTS_RE_TX_TIME	04-028/02:03:44.8
10277	M1O	04-028/02:15:02.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-026T02:03:29.100, 2004-028T02:03:29.100	PCKTS_RE_TX_TIME	04-028/02:03:45.8
10278	M1O	04-028/02:15:03.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-026T02:03:29.100, 2004-028T02:03:29.100	PCKTS_RE_TX_TIME	04-028/02:03:46.8
10279	M1O	04-028/02:15:04.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-026T02:03:29.100, 2004-028T02:03:29.100	PCKTS_RE_TX_TIME	04-028/02:03:47.8
10280	M1O	04-028/02:15:05.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-026T02:03:29.100, 2004-028T02:03:29.100	PCKTS_RE_TX_TIME	04-028/02:03:48.8
10281	M1O	04-028/02:15:06.9		Queues in the retransmit buffer, by time range, designated packet from the specified	PCKTS_RE_TX_TIME	04-028/02:03:49.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				APID.: 13, 2004-026T02:03:29.100, 2004-028T02:03:29.100		
10282	M1O	04-028/02:15:06.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-028/02:03:49.8
10283	M1O	04-028/02:15:06.9	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10284	M1O	04-028/02:15:06.9	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10285	M1O	04-028/02:22:07.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/02:10:50.8
10286	M1O	04-028/02:22:07.9	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10287	M1O	04-028/02:22:07.9	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10288	M1O	04-028/02:22:08.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-028/02:10:51.8
10289	M1O	04-028/02:22:24.9		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-028/02:11:07.8
10290	M1O	04-028/02:22:24.9	14	D/L RF Warning: SC antenna change - expect signal level variation		
10291	M1O	04-028/02:22:24.9	25	D/L RF Warning: SC antenna change - expect signal level variation		
10292	M1O	04-028/02:22:25.9		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-028/02:11:08.8
10293	M1O	04-028/02:22:57.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10294	M1O	04-028/02:22:57.1	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10295	M1O	04-028/02:24:10.2		CALL, Engine = , Parameters = FALSE	park_hga	04-028/02:12:53.1
10296	M1O	04-028/02:24:10.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/02:12:53.1
10297	M1O	04-028/02:24:11.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-028/02:12:54.1
10298	M1O	04-028/02:24:12.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-028/02:12:55.1
10299	M1O	04-028/02:24:12.2		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-028/02:12:55.1
10300	M1O	04-028/02:24:12.2		NOTE: START HGA PARK		
10301	M1O	04-028/02:24:12.2	14	NOTE: Loss Of X-Band Signal		
10302	M1O	04-028/02:24:12.2	25	NOTE: Loss Of X-Band Signal		
10303	M1O	04-028/02:24:13.2		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-028/02:12:56.1
10304	M1O	04-028/02:24:14.2		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-028/02:12:57.1
10305	M1O	04-028/02:28:17.5		NOTE: Periapsis 9409 ----------		04-028/02:17:00.3
10306	M1O	04-028/02:28:44.2		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-028/02:17:27.1
10307	M1O	04-028/02:28:55.1		NOTE: South Pole Crossing 9409		04-028/02:17:37.9
10308	M1O	04-028/02:32:14.2		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-028/02:20:57.1
10309	M1O	04-028/02:32:14.2		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-028/02:20:57.1
10310	M1O	04-028/02:56:41.1		NOTE: Enter Solar Eclipse 9409		04-028/02:45:23.9
10311	M1O	04-028/02:57:06.0	25	Acquire U/L: X/08, PWR=20.0, BR=125.0		
10312	M1O	04-028/02:58:13.8		NOTE: Ascending Node Crossing 9409		04-028/02:46:56.6
10313	M1O	04-028/03:00:00.0	43	Begin Tracking		
10314	M1O	04-028/03:02:06.0	25	Range Modulation On: SUP=3.0dB		
10315	M1O	04-028/03:02:14.2		GV: GV_DESAT_ACTIVE = 1		04-028/02:50:57.0
10316	M1O	04-028/03:02:15.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-028/02:50:58.0
10317	M1O	04-028/03:02:15.2		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-028/02:50:58.0
10318	M1O	04-028/03:03:06.0	25	Begin Ranging Acquisition		
10319	M1O	04-028/03:12:14.3		GV: GV_DESAT_ACTIVE = 0		04-028/03:00:57.0
10320	M1O	04-028/03:12:15.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-028/03:00:58.0
10321	M1O	04-028/03:12:16.3		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-028/03:00:59.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10322	M1O	04-028/03:12:17.3		CALL, Engine = , Parameters =	unpark_hga	04-028/03:01:00.0
10323	M1O	04-028/03:12:17.3		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-028/03:01:00.0
10324	M1O	04-028/03:12:18.3		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-028/03:01:01.0
10325	M1O	04-028/03:12:51.4		NOTE: Exit Solar Eclipse 9409		04-028/03:01:34.1
10326	M1O	04-028/03:16:48.3		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-028/03:05:31.0
10327	M1O	04-028/03:16:49.3		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-028/03:05:32.0
10328	M1O	04-028/03:19:14.9		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-028/03:07:57.5
10329	M1O	04-028/03:19:15.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/03:07:57.6
10330	M1O	04-028/03:19:16.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-028/03:07:58.6
10331	M1O	04-028/03:19:17.0		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-028/03:07:59.6
10332	M1O	04-028/03:19:18.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-028/03:08:00.6
10333	M1O	04-028/03:19:19.0		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-028/03:08:01.6
10334	M1O	04-028/03:19:29.0		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-028/03:08:11.6
10335	M1O	04-028/03:19:39.0		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-028/03:08:21.6
10336	M1O	04-028/03:20:00.0	14	End Tracking		
10337	M1O	04-028/03:20:49.3		NOTE: EXIT HGA PARK		
10338	M1O	04-028/03:20:49.3	25	Acquisition Of X-Band Signal		
10339	M1O	04-028/03:20:49.3	25	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10340	M1O	04-028/03:20:49.3	43	Acquisition Of X-Band Signal		
10341	M1O	04-028/03:20:49.3	43	Acquire D/L: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10342	M1O	04-028/03:24:39.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-028/03:13:21.6
10343	M1O	04-028/03:24:40.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/03:13:22.6
10344	M1O	04-028/03:24:40.0	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10345	M1O	04-028/03:24:40.0	43	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10346	M1O	04-028/03:24:41.0		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-028/03:13:23.6
10347	M1O	04-028/03:26:58.5		NOTE: Apoapsis 9409 -		04-028/03:15:41.1
10348	M1O	04-028/03:28:13.3		NOTE: North Pole Crossing 9409		04-028/03:16:56.0
10349	M1O	04-028/03:30:36.4		NOTE: Enter Planetary Atmosphere 9409		04-028/03:19:19.0
10350	M1O	04-028/03:35:00.0	14	End Post-Cal		
10351	M1O	04-028/03:40:56.9		NOTE: Exit Planetary Atmosphere 9409		04-028/03:29:39.5
10352	M1O	04-028/03:42:18.4		SPAWN, Engine = 65535, Parameters = 028, 02, FALSE, 00:19:11.614, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-028/03:31:01.0
10353	M1O	04-028/03:42:19.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/03:31:02.1
10354	M1O	04-028/03:42:21.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-028/03:31:04.1
10355	M1O	04-028/03:43:03.7		CALL, Engine = , Parameters = 56	get_apid	04-028/03:31:46.3
10356	M1O	04-028/03:43:04.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-028/03:31:47.4
10357	M1O	04-028/03:43:05.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-028/03:31:47.6
10358	M1O	04-028/03:43:06.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-028/03:31:48.7
10359	M1O	04-028/03:43:07.3		CALL, Engine = , Parameters = 56	get_coding	04-028/03:31:49.9
10360	M1O	04-028/03:43:08.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-028/03:31:51.1
10361	M1O	04-028/03:43:09.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-028/03:31:52.3
10362	M1O	04-028/03:44:14.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/03:32:57.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10363	M1O	04-028/03:44:15.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/03:32:58.1
10364	M1O	04-028/03:44:16.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/03:32:59.1
10365	M1O	04-028/03:44:17.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-028/03:33:00.1
10366	M1O	04-028/03:44:18.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-028/03:33:01.1
10367	M1O	04-028/03:44:19.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/03:33:02.1
10368	M1O	04-028/03:44:20.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/03:33:03.1
10369	M1O	04-028/03:58:10.3		NOTE: Descending Node Crossing 9410		04-028/03:46:52.8
10370	M1O	04-028/04:03:28.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/03:52:10.7
10371	M1O	04-028/04:03:29.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/03:52:11.8
10372	M1O	04-028/04:03:39.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/03:52:21.8
10373	M1O	04-028/04:03:40.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/03:52:22.8
10374	M1O	04-028/04:26:28.8		NOTE: Periapsis 9410 ----------		04-028/04:15:11.2
10375	M1O	04-028/04:27:26.4		NOTE: South Pole Crossing 9410		04-028/04:16:08.9
10376	M1O	04-028/04:55:13.7		NOTE: Enter Solar Eclipse 9410		04-028/04:43:56.0
10377	M1O	04-028/04:56:45.2		NOTE: Ascending Node Crossing 9410		04-028/04:45:27.6
10378	M1O	04-028/05:11:22.4		NOTE: Exit Solar Eclipse 9410		04-028/05:00:04.8
10379	M1O	04-028/05:25:13.7		NOTE: Apoapsis 9410 -		04-028/05:13:55.9
10380	M1O	04-028/05:26:44.2		NOTE: North Pole Crossing 9410		04-028/05:15:26.4
10381	M1O	04-028/05:29:06.0		NOTE: Enter Planetary Atmosphere 9410		04-028/05:17:48.3
10382	M1O	04-028/05:39:27.6		NOTE: Exit Planetary Atmosphere 9410		04-028/05:28:09.9
10383	M1O	04-028/05:56:40.4		NOTE: Descending Node Crossing 9411		04-028/05:45:22.5
10384	M1O	04-028/06:05:00.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
10385	M1O	04-028/06:15:00.0	25	Range Modulation Off		
10386	M1O	04-028/06:20:00.0	25	X-Band Transmitter Off		
10387	M1O	04-028/06:22:24.0	25	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
10388	M1O	04-028/06:24:48.3		NOTE: Periapsis 9411 ----------		04-028/06:13:30.4
10389	M1O	04-028/06:25:57.2		NOTE: South Pole Crossing 9411		04-028/06:14:39.3
10390	M1O	04-028/06:34:40.0	25	NOTE: Below Uplink Interlock Limit		
10391	M1O	04-028/06:41:33.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-028/06:30:15.7
10392	M1O	04-028/06:41:35.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/06:30:17.8
10393	M1O	04-028/06:41:35.8	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10394	M1O	04-028/06:41:35.8	43	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10395	M1O	04-028/06:41:36.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-028/06:30:18.8
10396	M1O	04-028/06:42:35.8	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10397	M1O	04-028/06:42:35.8	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10398	M1O	04-028/06:45:00.0	25	End Tracking		
10399	M1O	04-028/06:47:35.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/06:36:17.8
10400	M1O	04-028/06:47:35.8	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10401	M1O	04-028/06:47:36.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-028/06:36:18.8
10402	M1O	04-028/06:53:47.5		NOTE: Enter Solar Eclipse 9411		04-028/06:42:29.5
10403	M1O	04-028/06:55:17.2		NOTE: Ascending Node Crossing 9411		04-028/06:43:59.1
10404	M1O	04-028/07:00:00.0	25	End Post-Cal		
10405	M1O	04-028/07:09:48.9		NOTE: Exit Solar Eclipse 9411		04-028/06:58:30.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10406	M1O	04-028/07:11:18.0		SPAWN, Engine = 65535, Parameters =	scdiag	04-028/07:00:00.0
10407	M1O	04-028/07:11:19.1		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-028/07:00:01.1
10408	M1O	04-028/07:11:20.1		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-028/07:00:02.1
10409	M1O	04-028/07:12:21.0		SPAWN, Engine = 65535, Parameters = WEEKLY	fsw_diag	04-028/07:01:03.0
10410	M1O	04-028/07:12:21.2		NOTE: Start Block fsw_diag		04-028/07:01:03.2
10411	M1O	04-028/07:12:22.2		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D53,0x686F7720,0x313B6368,0x65636B53,0x7461636B,0x3B690000,0x0000,0x0000,0x0000, 0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000]	FSW_VX_CMD	04-028/07:01:04.2
10412	M1O	04-028/07:12:23.2		Creates a non-channelized telemetry packet for APID 7.: d:/	FILE_SYS_STATUS	04-028/07:01:05.2
10413	M1O	04-028/07:12:34.2		NOTE: End Block fsw_diag.mod		04-028/07:01:16.2
10414	M1O	04-028/07:13:34.0		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-028/07:02:16.0
10415	M1O	04-028/07:13:34.2		NOTE: Start Block fsw_diag		04-028/07:02:16.2
10416	M1O	04-028/07:13:35.2		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-028/07:02:17.2
10417	M1O	04-028/07:13:36.2		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-028/07:02:18.2
10418	M1O	04-028/07:13:47.2		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-028/07:02:29.2
10419	M1O	04-028/07:14:17.2		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-028/07:02:59.2
10420	M1O	04-028/07:14:37.2		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-028/07:03:19.2
10421	M1O	04-028/07:14:47.2		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-028/07:03:29.2
10422	M1O	04-028/07:15:07.2		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-028/07:03:49.2
10423	M1O	04-028/07:15:17.2		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-028/07:03:59.2
10424	M1O	04-028/07:15:22.2		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-028/07:04:04.2
10425	M1O	04-028/07:15:27.2		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-028/07:04:09.2
10426	M1O	04-028/07:15:32.2		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-028/07:04:14.2
10427	M1O	04-028/07:15:37.2		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-028/07:04:19.2
10428	M1O	04-028/07:15:42.2		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-028/07:04:24.2
10429	M1O	04-028/07:16:22.2		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-028/07:05:04.2
10430	M1O	04-028/07:16:27.2		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-028/07:05:09.2
10431	M1O	04-028/07:16:32.2		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-028/07:05:14.2
10432	M1O	04-028/07:16:37.2		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-028/07:05:19.2
10433	M1O	04-028/07:16:42.2		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-028/07:05:24.2
10434	M1O	04-028/07:16:43.2		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-028/07:05:25.2
10435	M1O	04-028/07:16:44.2		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-028/07:05:26.2
10436	M1O	04-028/07:16:45.2		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-028/07:05:27.2
10437	M1O	04-028/07:16:56.2		NOTE: End Block fsw_diag.mod		04-028/07:05:38.2
10438	M1O	04-028/07:23:57.5		NOTE: Apoapsis 9411 -		04-028/07:12:39.3
10439	M1O	04-028/07:25:17.0		NOTE: North Pole Crossing 9411		04-028/07:13:58.9
10440	M1O	04-028/07:27:55.3		NOTE: Enter Planetary Atmosphere 9411		04-028/07:16:37.2
10441	M1O	04-028/07:37:45.6		NOTE: Exit Planetary Atmosphere 9411		04-028/07:26:27.5
10442	M1O	04-028/07:55:14.2		NOTE: Descending Node Crossing 9412		04-028/07:43:55.9
10443	M1O	04-028/08:23:30.4		NOTE: Periapsis 9412 ----------		04-028/08:12:12.1
10444	M1O	04-028/08:24:31.5		NOTE: South Pole Crossing 9412		04-028/08:13:13.2
10445	M1O	04-028/08:40:00.3		SPAWN, Engine = 65535, Parameters = 028, 01, FALSE, 00:15:21.138, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-028/08:28:42.0
10446	M1O	04-028/08:40:01.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/08:28:43.1
10447	M1O	04-028/08:40:03.4		CALL, Engine = , Parameters = 254	get_cmd_opt	04-028/08:28:45.1
10448	M1O	04-028/08:40:45.6		CALL, Engine = , Parameters = 254	get_apid	04-028/08:29:27.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10449	M1O	04-028/08:40:46.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-028/08:29:28.4
10450	M1O	04-028/08:40:46.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-028/08:29:28.6
10451	M1O	04-028/08:40:48.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-028/08:29:29.7
10452	M1O	04-028/08:40:49.3		CALL, Engine = , Parameters = 254	get_coding	04-028/08:29:31.0
10453	M1O	04-028/08:40:50.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-028/08:29:32.2
10454	M1O	04-028/08:40:51.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-028/08:29:33.4
10455	M1O	04-028/08:41:56.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/08:30:38.2
10456	M1O	04-028/08:41:57.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/08:30:39.2
10457	M1O	04-028/08:41:58.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/08:30:40.2
10458	M1O	04-028/08:41:59.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-028/08:30:41.2
10459	M1O	04-028/08:42:00.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-028/08:30:42.2
10460	M1O	04-028/08:42:01.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/08:30:43.2
10461	M1O	04-028/08:42:02.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/08:30:44.2
10462	M1O	04-028/08:52:21.8		NOTE: Enter Solar Eclipse 9412		04-028/08:41:03.4
10463	M1O	04-028/08:53:51.7		NOTE: Ascending Node Crossing 9412		04-028/08:42:33.3
10464	M1O	04-028/08:57:19.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/08:46:01.3
10465	M1O	04-028/08:57:20.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/08:46:02.4
10466	M1O	04-028/08:57:30.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/08:46:12.4
10467	M1O	04-028/08:57:31.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/08:46:13.4
10468	M1O	04-028/09:08:17.8		NOTE: Exit Solar Eclipse 9412		04-028/08:56:59.4
10469	M1O	04-028/09:22:38.7		NOTE: Apoapsis 9412 -		04-028/09:11:20.2
10470	M1O	04-028/09:23:52.7		NOTE: North Pole Crossing 9412		04-028/09:12:34.2
10471	M1O	04-028/09:26:46.7		NOTE: Enter Planetary Atmosphere 9412		04-028/09:15:28.2
10472	M1O	04-028/09:36:08.4		NOTE: Exit Planetary Atmosphere 9412		04-028/09:24:49.8
10473	M1O	04-028/09:40:00.0	43	Acquire U/L: X/08, PWR=20.0, BR=125.0		
10474	M1O	04-028/09:42:46.5		SPAWN, Engine = 65535, Parameters = 028, 01, TRUE, 00:19:18, 253, TRUE, 32_KPS, 00:02:00, 00:00:00	uhf	04-028/09:31:28.0
10475	M1O	04-028/09:42:47.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/09:31:28.5
10476	M1O	04-028/09:42:47.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10477	M1O	04-028/09:42:47.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/09:31:29.1
10478	M1O	04-028/09:42:49.6		CALL, Engine = , Parameters = 253	get_cmd_opt	04-028/09:31:31.1
10479	M1O	04-028/09:42:49.9		CALL, Engine = , Parameters = 028, 01, 253	bld_autosw	04-028/09:31:31.4
10480	M1O	04-028/09:42:51.0		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-028/09:31:32.5
10481	M1O	04-028/09:42:52.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:33.6
10482	M1O	04-028/09:42:53.1		Deletes the designated file.: d:/dat/253_doy028_pass01_file01.dat	FILE_DELETE	04-028/09:31:34.6
10483	M1O	04-028/09:42:54.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:35.7
10484	M1O	04-028/09:42:55.2		Deletes the designated file.: d:/dat/253_doy028_pass01_file02.dat	FILE_DELETE	04-028/09:31:36.7
10485	M1O	04-028/09:42:56.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:37.8
10486	M1O	04-028/09:42:57.3		Deletes the designated file.: d:/dat/253_doy028_pass01_file03.dat	FILE_DELETE	04-028/09:31:38.8
10487	M1O	04-028/09:42:58.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:39.9
10488	M1O	04-028/09:42:59.4		Deletes the designated file.: d:/dat/253_doy028_pass01_file04.dat	FILE_DELETE	04-028/09:31:40.9
10489	M1O	04-028/09:43:00.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:42.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10490	M1O	04-028/09:43:01.5		Deletes the designated file.: d:/dat/253_doy028_pass01_file05.dat	FILE_DELETE	04-028/09:31:43.0
10491	M1O	04-028/09:43:02.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:44.1
10492	M1O	04-028/09:43:03.6		Deletes the designated file.: d:/dat/253_doy028_pass01_file06.dat	FILE_DELETE	04-028/09:31:45.1
10493	M1O	04-028/09:43:04.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:46.2
10494	M1O	04-028/09:43:05.7		Deletes the designated file.: d:/dat/253_doy028_pass01_file07.dat	FILE_DELETE	04-028/09:31:47.2
10495	M1O	04-028/09:43:06.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:48.3
10496	M1O	04-028/09:43:07.8		Deletes the designated file.: d:/dat/253_doy028_pass01_file08.dat	FILE_DELETE	04-028/09:31:49.3
10497	M1O	04-028/09:43:08.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:50.4
10498	M1O	04-028/09:43:09.9		Deletes the designated file.: d:/dat/253_doy028_pass01_file09.dat	FILE_DELETE	04-028/09:31:51.4
10499	M1O	04-028/09:43:11.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:52.5
10500	M1O	04-028/09:43:12.0		Deletes the designated file.: d:/dat/253_doy028_pass01_file10.dat	FILE_DELETE	04-028/09:31:53.5
10501	M1O	04-028/09:43:13.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:54.6
10502	M1O	04-028/09:43:14.1		Deletes the designated file.: d:/dat/253_doy028_pass01_file11.dat	FILE_DELETE	04-028/09:31:55.6
10503	M1O	04-028/09:43:15.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:56.7
10504	M1O	04-028/09:43:16.2		Deletes the designated file.: d:/dat/253_doy028_pass01_file12.dat	FILE_DELETE	04-028/09:31:57.7
10505	M1O	04-028/09:43:17.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:31:58.8
10506	M1O	04-028/09:43:18.3		Deletes the designated file.: d:/dat/253_doy028_pass01_file13.dat	FILE_DELETE	04-028/09:31:59.8
10507	M1O	04-028/09:43:19.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:32:00.9
10508	M1O	04-028/09:43:20.4		Deletes the designated file.: d:/dat/253_doy028_pass01_file14.dat	FILE_DELETE	04-028/09:32:01.9
10509	M1O	04-028/09:43:21.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:32:03.0
10510	M1O	04-028/09:43:22.5		Deletes the designated file.: d:/dat/253_doy028_pass01_file15.dat	FILE_DELETE	04-028/09:32:04.0
10511	M1O	04-028/09:43:23.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:32:05.1
10512	M1O	04-028/09:43:24.6		Deletes the designated file.: d:/dat/253_doy028_pass01_file16.dat	FILE_DELETE	04-028/09:32:06.1
10513	M1O	04-028/09:43:25.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:32:07.2
10514	M1O	04-028/09:43:26.7		Deletes the designated file.: d:/dat/253_doy028_pass01_file17.dat	FILE_DELETE	04-028/09:32:08.2
10515	M1O	04-028/09:43:27.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:32:09.3
10516	M1O	04-028/09:43:28.8		Deletes the designated file.: d:/dat/253_doy028_pass01_file18.dat	FILE_DELETE	04-028/09:32:10.3
10517	M1O	04-028/09:43:29.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/09:32:11.4
10518	M1O	04-028/09:43:30.9		Deletes the designated file.: d:/dat/253_doy028_pass01_file19.dat	FILE_DELETE	04-028/09:32:12.4
10519	M1O	04-028/09:43:31.9		CALL, Engine = , Parameters = 253	get_apid	04-028/09:32:13.4
10520	M1O	04-028/09:43:33.0		CALL, Engine = , Parameters = 253	get_rcv_mode	04-028/09:32:14.5
10521	M1O	04-028/09:43:33.2		CALL, Engine = , Parameters = 253	get_dl_rate	04-028/09:32:14.7
10522	M1O	04-028/09:43:34.3		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-028/09:32:15.8
10523	M1O	04-028/09:43:35.6		CALL, Engine = , Parameters = 253	get_coding	04-028/09:32:17.1
10524	M1O	04-028/09:43:36.8		CALL, Engine = , Parameters = 253	get_xmt_mode	04-028/09:32:18.3
10525	M1O	04-028/09:43:38.0		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-028/09:32:19.5
10526	M1O	04-028/09:44:42.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/09:33:24.3
10527	M1O	04-028/09:44:43.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/09:33:25.3
10528	M1O	04-028/09:44:44.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/09:33:26.3
10529	M1O	04-028/09:44:45.8		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-028/09:33:27.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10530	M1O	04-028/09:44:46.8		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-028/09:33:28.3
10531	M1O	04-028/09:44:47.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-028/09:33:29.3
10532	M1O	04-028/09:44:48.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/09:33:30.3
10533	M1O	04-028/09:44:49.8		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-028/09:33:31.3
10534	M1O	04-028/09:44:50.8		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-028/09:33:32.3
10535	M1O	04-028/09:45:00.0	43	Range Modulation On: SUP=3.0dB		
10536	M1O	04-028/09:46:00.0	43	Begin Ranging Acquisition		
10537	M1O	04-028/09:46:38.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/09:35:20.3
10538	M1O	04-028/09:46:48.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-028/09:35:30.3
10539	M1O	04-028/09:53:51.1		NOTE: Descending Node Crossing 9413		04-028/09:42:32.5
10540	M1O	04-028/10:01:34.3		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-028/09:50:15.7
10541	M1O	04-028/10:01:36.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/09:50:17.8
10542	M1O	04-028/10:01:37.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-028/09:50:18.8
10543	M1O	04-028/10:02:37.1	43	Acquire D/L: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10544	M1O	04-028/10:04:01.9		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-028/09:52:43.3
10545	M1O	04-028/10:04:02.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-028/09:52:44.3
10546	M1O	04-028/10:04:04.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/09:52:46.3
10547	M1O	04-028/10:04:06.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/09:52:47.4
10548	M1O	04-028/10:04:16.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/09:52:57.4
10549	M1O	04-028/10:04:17.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/09:52:58.4
10550	M1O	04-028/10:04:18.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-028/09:52:59.4
10551	M1O	04-028/10:04:18.0	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10552	M1O	04-028/10:04:19.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-028/09:53:00.4
10553	M1O	04-028/10:07:36.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/09:56:17.8
10554	M1O	04-028/10:07:36.4	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10555	M1O	04-028/10:07:37.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-028/09:56:18.8
10556	M1O	04-028/10:22:11.7		NOTE: Periapsis 9413 ----------		04-028/10:10:53.0
10557	M1O	04-028/10:23:08.3		NOTE: South Pole Crossing 9413		04-028/10:11:49.6
10558	M1O	04-028/10:30:00.0	55	Begin Pre-Cal		
10559	M1O	04-028/10:30:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
10560	M1O	04-028/10:30:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
10561	M1O	04-028/10:30:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
10562	M1O	04-028/10:30:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
10563	M1O	04-028/10:30:00.0	55	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
10564	M1O	04-028/10:30:00.0	55	Config: RCV: Parms:		
10565	M1O	04-028/10:30:00.0	55	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
10566	M1O	04-028/10:30:00.0	55	Config: TGC: BAND=X, SR=221200.000000		
10567	M1O	04-028/10:30:00.0	55	Config: TXL		
10568	M1O	04-028/10:30:00.0	55	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
10569	M1O	04-028/10:30:00.0	55	Config: CMD		
10570	M1O	04-028/10:30:00.0	55	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10571	M1O	04-028/10:36:15.7		SPAWN, Engine = 65535, Parameters = 028, 02, TRUE, 00:18:02, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-028/10:24:57.0
10572	M1O	04-028/10:36:16.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/10:24:57.5
10573	M1O	04-028/10:36:16.2	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10574	M1O	04-028/10:36:16.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/10:24:58.1
10575	M1O	04-028/10:36:18.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-028/10:25:00.1
10576	M1O	04-028/10:36:19.1		CALL, Engine = , Parameters = 028, 02, 254	bld_autosw	04-028/10:25:00.4
10577	M1O	04-028/10:36:20.2		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-028/10:25:01.5
10578	M1O	04-028/10:36:21.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:02.6
10579	M1O	04-028/10:36:22.3		Deletes the designated file.: d:/dat/254_doy028_pass02_file01.dat	FILE_DELETE	04-028/10:25:03.6
10580	M1O	04-028/10:36:23.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:04.7
10581	M1O	04-028/10:36:24.4		Deletes the designated file.: d:/dat/254_doy028_pass02_file02.dat	FILE_DELETE	04-028/10:25:05.7
10582	M1O	04-028/10:36:25.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:06.8
10583	M1O	04-028/10:36:26.5		Deletes the designated file.: d:/dat/254_doy028_pass02_file03.dat	FILE_DELETE	04-028/10:25:07.8
10584	M1O	04-028/10:36:27.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:08.9
10585	M1O	04-028/10:36:28.6		Deletes the designated file.: d:/dat/254_doy028_pass02_file04.dat	FILE_DELETE	04-028/10:25:09.9
10586	M1O	04-028/10:36:29.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:11.0
10587	M1O	04-028/10:36:30.7		Deletes the designated file.: d:/dat/254_doy028_pass02_file05.dat	FILE_DELETE	04-028/10:25:12.0
10588	M1O	04-028/10:36:31.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:13.1
10589	M1O	04-028/10:36:32.8		Deletes the designated file.: d:/dat/254_doy028_pass02_file06.dat	FILE_DELETE	04-028/10:25:14.1
10590	M1O	04-028/10:36:33.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:15.2
10591	M1O	04-028/10:36:34.9		Deletes the designated file.: d:/dat/254_doy028_pass02_file07.dat	FILE_DELETE	04-028/10:25:16.2
10592	M1O	04-028/10:36:36.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:17.3
10593	M1O	04-028/10:36:37.0		Deletes the designated file.: d:/dat/254_doy028_pass02_file08.dat	FILE_DELETE	04-028/10:25:18.3
10594	M1O	04-028/10:36:38.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:19.4
10595	M1O	04-028/10:36:39.1		Deletes the designated file.: d:/dat/254_doy028_pass02_file09.dat	FILE_DELETE	04-028/10:25:20.4
10596	M1O	04-028/10:36:40.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:21.5
10597	M1O	04-028/10:36:41.2		Deletes the designated file.: d:/dat/254_doy028_pass02_file10.dat	FILE_DELETE	04-028/10:25:22.5
10598	M1O	04-028/10:36:42.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:23.6
10599	M1O	04-028/10:36:43.3		Deletes the designated file.: d:/dat/254_doy028_pass02_file11.dat	FILE_DELETE	04-028/10:25:24.6
10600	M1O	04-028/10:36:44.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:25.7
10601	M1O	04-028/10:36:45.4		Deletes the designated file.: d:/dat/254_doy028_pass02_file12.dat	FILE_DELETE	04-028/10:25:26.7
10602	M1O	04-028/10:36:46.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:27.8
10603	M1O	04-028/10:36:47.5		Deletes the designated file.: d:/dat/254_doy028_pass02_file13.dat	FILE_DELETE	04-028/10:25:28.8
10604	M1O	04-028/10:36:48.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:29.9
10605	M1O	04-028/10:36:49.6		Deletes the designated file.: d:/dat/254_doy028_pass02_file14.dat	FILE_DELETE	04-028/10:25:30.9
10606	M1O	04-028/10:36:50.7		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-028/10:25:32.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy028_pass02_file15.dat, d:/dat/autoswitch.dat		
10607	M1O	04-028/10:36:51.7		Deletes the designated file.: d:/dat/254_doy028_pass02_file15.dat	FILE_DELETE	04-028/10:25:33.0
10608	M1O	04-028/10:36:52.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:34.1
10609	M1O	04-028/10:36:53.8		Deletes the designated file.: d:/dat/254_doy028_pass02_file16.dat	FILE_DELETE	04-028/10:25:35.1
10610	M1O	04-028/10:36:54.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:36.2
10611	M1O	04-028/10:36:55.9		Deletes the designated file.: d:/dat/254_doy028_pass02_file17.dat	FILE_DELETE	04-028/10:25:37.2
10612	M1O	04-028/10:36:57.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:38.3
10613	M1O	04-028/10:36:58.0		Deletes the designated file.: d:/dat/254_doy028_pass02_file18.dat	FILE_DELETE	04-028/10:25:39.3
10614	M1O	04-028/10:36:59.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/10:25:40.4
10615	M1O	04-028/10:37:00.1		Deletes the designated file.: d:/dat/254_doy028_pass02_file19.dat	FILE_DELETE	04-028/10:25:41.4
10616	M1O	04-028/10:37:01.1		CALL, Engine = , Parameters = 254	get_apid	04-028/10:25:42.4
10617	M1O	04-028/10:37:02.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-028/10:25:43.5
10618	M1O	04-028/10:37:02.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-028/10:25:43.7
10619	M1O	04-028/10:37:03.5		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-028/10:25:44.8
10620	M1O	04-028/10:37:04.8		CALL, Engine = , Parameters = 254	get_coding	04-028/10:25:46.1
10621	M1O	04-028/10:37:06.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-028/10:25:47.3
10622	M1O	04-028/10:37:07.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-028/10:25:48.5
10623	M1O	04-028/10:38:12.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/10:26:53.3
10624	M1O	04-028/10:38:13.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/10:26:54.3
10625	M1O	04-028/10:38:14.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/10:26:55.3
10626	M1O	04-028/10:38:15.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-028/10:26:56.3
10627	M1O	04-028/10:38:16.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-028/10:26:57.3
10628	M1O	04-028/10:38:17.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/10:26:58.3
10629	M1O	04-028/10:38:18.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/10:26:59.3
10630	M1O	04-028/10:40:08.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/10:28:49.3
10631	M1O	04-028/10:40:18.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-028/10:28:59.3
10632	M1O	04-028/10:50:57.6		NOTE: Enter Solar Eclipse 9413		04-028/10:39:38.8
10633	M1O	04-028/10:52:28.1		NOTE: Ascending Node Crossing 9413		04-028/10:41:09.3
10634	M1O	04-028/10:56:18.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/10:44:59.3
10635	M1O	04-028/10:56:19.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/10:45:00.4
10636	M1O	04-028/10:56:29.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/10:45:10.4
10637	M1O	04-028/10:56:30.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/10:45:11.4
10638	M1O	04-028/10:56:31.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-028/10:45:12.4
10639	M1O	04-028/10:56:31.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10640	M1O	04-028/10:56:32.1		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-028/10:45:13.4
10641	M1O	04-028/11:01:30.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/10:50:12.0
10642	M1O	04-028/11:01:30.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10643	M1O	04-028/11:06:52.0		NOTE: Exit Solar Eclipse 9413		04-028/10:55:33.1
10644	M1O	04-028/11:20:00.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
10645	M1O	04-028/11:21:05.9		NOTE: Apoapsis 9413 -		04-028/11:09:47.1
10646	M1O	04-028/11:22:29.3		NOTE: North Pole Crossing 9413		04-028/11:11:10.4
10647	M1O	04-028/11:25:26.5		NOTE: Enter Planetary Atmosphere 9413		04-028/11:14:07.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10648	M1O	04-028/11:30:00.0	55	Begin Tracking		
10649	M1O	04-028/11:30:00.0	55	Acquire D/L: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10650	M1O	04-028/11:30:00.0	43	Range Modulation Off		
10651	M1O	04-028/11:34:42.8		NOTE: Exit Planetary Atmosphere 9413		04-028/11:23:23.9
10652	M1O	04-028/11:35:00.0	43	X-Band Transmitter Off		
10653	M1O	04-028/11:37:22.0	43	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
10654	M1O	04-028/11:42:16.0	55	NOTE: Above Uplink Interlock Limit		
10655	M1O	04-028/11:45:00.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
10656	M1O	04-028/11:46:40.9		SPAWN, Engine = 65535, Parameters = 028, 02, FALSE, 00:06:17.357, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-028/11:35:22.0
10657	M1O	04-028/11:46:42.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/11:35:23.1
10658	M1O	04-028/11:46:44.0		CALL, Engine = , Parameters = 253	get_cmd_opt	04-028/11:35:25.1
10659	M1O	04-028/11:47:26.2		CALL, Engine = , Parameters = 253	get_apid	04-028/11:36:07.3
10660	M1O	04-028/11:47:27.3		CALL, Engine = , Parameters = 253	get_rcv_mode	04-028/11:36:08.4
10661	M1O	04-028/11:47:27.5		CALL, Engine = , Parameters = 253	get_dl_rate	04-028/11:36:08.6
10662	M1O	04-028/11:47:28.6		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-028/11:36:09.7
10663	M1O	04-028/11:47:29.9		CALL, Engine = , Parameters = 253	get_coding	04-028/11:36:11.0
10664	M1O	04-028/11:47:31.1		CALL, Engine = , Parameters = 253	get_xmt_mode	04-028/11:36:12.2
10665	M1O	04-028/11:47:32.3		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-028/11:36:13.4
10666	M1O	04-028/11:48:37.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/11:37:18.2
10667	M1O	04-028/11:48:38.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/11:37:19.2
10668	M1O	04-028/11:48:39.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/11:37:20.2
10669	M1O	04-028/11:48:40.1		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-028/11:37:21.2
10670	M1O	04-028/11:48:41.1		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-028/11:37:22.2
10671	M1O	04-028/11:48:42.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/11:37:23.2
10672	M1O	04-028/11:48:43.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/11:37:24.2
10673	M1O	04-028/11:49:25.0	43	NOTE: Below Uplink Interlock Limit		
10674	M1O	04-028/11:50:00.0	55	Range Modulation On: SUP=3.0dB		
10675	M1O	04-028/11:51:00.0	55	Begin Ranging Acquisition		
10676	M1O	04-028/11:52:27.8		NOTE: Descending Node Crossing 9414		04-028/11:41:08.8
10677	M1O	04-028/11:54:56.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/11:43:37.5
10678	M1O	04-028/11:54:57.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/11:43:38.6
10679	M1O	04-028/11:55:07.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/11:43:48.6
10680	M1O	04-028/11:55:08.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/11:43:49.6
10681	M1O	04-028/11:56:34.7		SPAWN, Engine = 65535, Parameters = 3, 00:15:58.852, 1	dpt	04-028/11:45:15.7
10682	M1O	04-028/11:56:36.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/11:45:17.8
10683	M1O	04-028/11:56:36.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10684	M1O	04-028/11:56:36.8	55	D/L Change: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10685	M1O	04-028/11:56:37.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-028/11:45:18.8
10686	M1O	04-028/11:57:37.8	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10687	M1O	04-028/11:57:37.8	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10688	M1O	04-028/11:59:59.9		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-028/11:48:40.9
10689	M1O	04-028/11:59:59.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data	DOWNLINK_RATE	04-028/11:48:40.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				is clocked out of the C&DH.: 39816_BPS		
10690	M1O	04-028/11:59:59.9	43	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10691	M1O	04-028/11:59:59.9	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10692	M1O	04-028/12:00:00.0	43	End Tracking		
10693	M1O	04-028/12:00:05.9		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-028/11:48:46.9
10694	M1O	04-028/12:00:05.9	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10695	M1O	04-028/12:07:37.8	55	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10696	M1O	04-028/12:12:35.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/12:01:16.6
10697	M1O	04-028/12:12:35.7	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10698	M1O	04-028/12:12:36.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-028/12:01:17.6
10699	M1O	04-028/12:15:00.0	43	End Post-Cal		
10700	M1O	04-028/12:20:42.5		NOTE: Periapsis 9414 ----------		04-028/12:09:23.5
10701	M1O	04-028/12:21:45.0		NOTE: South Pole Crossing 9414		04-028/12:10:26.0
10702	M1O	04-028/12:49:34.7		NOTE: Enter Solar Eclipse 9414		04-028/12:38:15.5
10703	M1O	04-028/12:51:04.8		NOTE: Ascending Node Crossing 9414		04-028/12:39:45.6
10704	M1O	04-028/13:05:29.9		NOTE: Exit Solar Eclipse 9414		04-028/12:54:10.7
10705	M1O	04-028/13:19:21.7		NOTE: Apoapsis 9414 -		04-028/13:08:02.5
10706	M1O	04-028/13:21:05.2		NOTE: North Pole Crossing 9414		04-028/13:09:45.9
10707	M1O	04-028/13:23:53.3		NOTE: Enter Planetary Atmosphere 9414		04-028/13:12:34.1
10708	M1O	04-028/13:33:26.3		NOTE: Exit Planetary Atmosphere 9414		04-028/13:22:07.0
10709	M1O	04-028/13:51:02.6		NOTE: Descending Node Crossing 9415		04-028/13:39:43.2
10710	M1O	04-028/14:19:17.1		NOTE: Periapsis 9415 ----------		04-028/14:07:57.7
10711	M1O	04-028/14:20:19.8		NOTE: South Pole Crossing 9415		04-028/14:09:00.3
10712	M1O	04-028/14:43:22.5		SPAWN, Engine = 65535, Parameters = 028, 03, FALSE, 00:17:47.581, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-028/14:32:03.0
10713	M1O	04-028/14:43:23.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/14:32:04.1
10714	M1O	04-028/14:43:25.6		CALL, Engine = , Parameters = 56	get_cmd_opt	04-028/14:32:06.1
10715	M1O	04-028/14:44:07.8		CALL, Engine = , Parameters = 56	get_apid	04-028/14:32:48.3
10716	M1O	04-028/14:44:08.9		CALL, Engine = , Parameters = 56	get_rcv_mode	04-028/14:32:49.4
10717	M1O	04-028/14:44:09.1		CALL, Engine = , Parameters = 56	get_dl_rate	04-028/14:32:49.6
10718	M1O	04-028/14:44:10.2		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-028/14:32:50.7
10719	M1O	04-028/14:44:11.4		CALL, Engine = , Parameters = 56	get_coding	04-028/14:32:51.9
10720	M1O	04-028/14:44:12.6		CALL, Engine = , Parameters = 56	get_xmt_mode	04-028/14:32:53.1
10721	M1O	04-028/14:44:13.8		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-028/14:32:54.3
10722	M1O	04-028/14:45:18.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/14:33:59.1
10723	M1O	04-028/14:45:19.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/14:34:00.1
10724	M1O	04-028/14:45:20.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/14:34:01.1
10725	M1O	04-028/14:45:21.6		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-028/14:34:02.1
10726	M1O	04-028/14:45:22.6		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-028/14:34:03.1
10727	M1O	04-028/14:45:23.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/14:34:04.1
10728	M1O	04-028/14:45:24.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/14:34:05.1
10729	M1O	04-028/14:48:09.1		NOTE: Enter Solar Eclipse 9415		04-028/14:36:49.5
10730	M1O	04-028/14:49:39.5		NOTE: Ascending Node Crossing 9415		04-028/14:38:20.0
10731	M1O	04-028/15:03:08.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/14:51:48.6
10732	M1O	04-028/15:03:09.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/14:51:49.7
10733	M1O	04-028/15:03:19.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/14:51:59.7
10734	M1O	04-028/15:03:20.3		Passes the specified amount of data, data size parameter, through the PACI interface.:	GRS_PASS_THROUGH	04-028/14:52:00.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000		
10735	M1O	04-028/15:04:08.2		NOTE: Exit Solar Eclipse 9415		04-028/14:52:48.6
10736	M1O	04-028/15:17:55.4		NOTE: Apoapsis 9415 -		04-028/15:06:35.8
10737	M1O	04-028/15:19:38.7		NOTE: North Pole Crossing 9415		04-028/15:08:19.1
10738	M1O	04-028/15:22:15.1		NOTE: Enter Planetary Atmosphere 9415		04-028/15:10:55.5
10739	M1O	04-028/15:32:07.9		NOTE: Exit Planetary Atmosphere 9415		04-028/15:20:48.2
10740	M1O	04-028/15:49:34.9		NOTE: Descending Node Crossing 9416		04-028/15:38:15.2
10741	M1O	04-028/16:17:49.7		NOTE: Periapsis 9416 ----------		04-028/16:06:29.9
10742	M1O	04-028/16:18:51.6		NOTE: South Pole Crossing 9416		04-028/16:07:31.8
10743	M1O	04-028/16:41:21.8		SPAWN, Engine = 65535, Parameters = 028, 04, FALSE, 00:16:33.580, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-028/16:30:02.0
10744	M1O	04-028/16:41:22.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/16:30:03.1
10745	M1O	04-028/16:41:24.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-028/16:30:05.1
10746	M1O	04-028/16:42:07.1		CALL, Engine = , Parameters = 56	get_apid	04-028/16:30:47.3
10747	M1O	04-028/16:42:08.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-028/16:30:48.4
10748	M1O	04-028/16:42:08.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-028/16:30:48.6
10749	M1O	04-028/16:42:09.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-028/16:30:49.7
10750	M1O	04-028/16:42:10.7		CALL, Engine = , Parameters = 56	get_coding	04-028/16:30:50.9
10751	M1O	04-028/16:42:11.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-028/16:30:52.1
10752	M1O	04-028/16:42:13.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-028/16:30:53.3
10753	M1O	04-028/16:43:17.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/16:31:58.1
10754	M1O	04-028/16:43:18.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/16:31:59.1
10755	M1O	04-028/16:43:19.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/16:32:00.1
10756	M1O	04-028/16:43:20.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-028/16:32:01.1
10757	M1O	04-028/16:43:21.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-028/16:32:02.1
10758	M1O	04-028/16:43:22.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/16:32:03.1
10759	M1O	04-028/16:43:23.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/16:32:04.1
10760	M1O	04-028/16:46:39.9		NOTE: Enter Solar Eclipse 9416		04-028/16:35:20.0
10761	M1O	04-028/16:48:10.9		NOTE: Ascending Node Crossing 9416		04-028/16:36:51.0
10762	M1O	04-028/16:59:53.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/16:48:33.6
10763	M1O	04-028/16:59:54.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/16:48:34.7
10764	M1O	04-028/17:00:04.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/16:48:44.7
10765	M1O	04-028/17:00:05.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/16:48:45.7
10766	M1O	04-028/17:02:40.4		NOTE: Exit Solar Eclipse 9416		04-028/16:51:20.4
10767	M1O	04-028/17:05:00.0	14	Begin Pre-Cal		
10768	M1O	04-028/17:05:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
10769	M1O	04-028/17:05:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
10770	M1O	04-028/17:05:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
10771	M1O	04-028/17:05:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
10772	M1O	04-028/17:05:00.0	14	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
10773	M1O	04-028/17:05:00.0	14	Config: RCV: Parms:		
10774	M1O	04-028/17:05:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
10775	M1O	04-028/17:05:00.0	14	Config: TGC: BAND=X, SR=79632.000000		
10776	M1O	04-028/17:05:00.0	14	Config: TXL		
10777	M1O	04-028/17:05:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
10778	M1O	04-028/17:05:00.0	14	Config: CMD		
10779	M1O	04-028/17:05:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
10780	M1O	04-028/17:16:33.2		NOTE: Apoapsis 9416 -		04-028/17:05:13.2
10781	M1O	04-028/17:18:10.0		NOTE: North Pole Crossing 9416		04-028/17:06:50.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10782	M1O	04-028/17:20:44.6		NOTE: Enter Planetary Atmosphere 9416		04-028/17:09:24.6
10783	M1O	04-028/17:30:39.4		NOTE: Exit Planetary Atmosphere 9416		04-028/17:19:19.4
10784	M1O	04-028/17:48:06.3		NOTE: Descending Node Crossing 9417		04-028/17:36:46.2
10785	M1O	04-028/18:16:07.8		NOTE: Periapsis 9417 ----------		04-028/18:04:47.6
10786	M1O	04-028/18:17:22.1		NOTE: South Pole Crossing 9417		04-028/18:06:01.9
10787	M1O	04-028/18:45:12.1		NOTE: Enter Solar Eclipse 9417		04-028/18:33:51.8
10788	M1O	04-028/18:46:41.3		NOTE: Ascending Node Crossing 9417		04-028/18:35:21.0
10789	M1O	04-028/18:57:19.2	55	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
10790	M1O	04-028/19:01:04.5		NOTE: Exit Solar Eclipse 9417		04-028/18:49:44.2
10791	M1O	04-028/19:03:58.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-028/18:52:37.8
10792	M1O	04-028/19:04:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/18:52:39.9
10793	M1O	04-028/19:04:00.2	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10794	M1O	04-028/19:04:01.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-028/18:52:40.9
10795	M1O	04-028/19:04:54.1		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-028/18:53:33.8
10796	M1O	04-028/19:04:54.1	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10797	M1O	04-028/19:05:00.0	14	Begin Tracking		
10798	M1O	04-028/19:05:00.0	14	Acquire D/L: X/08, 3-Way/55, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10799	M1O	04-028/19:05:00.1		NOTE: Changing to 70M downlink rate: 110600_BPS		04-028/18:53:39.8
10800	M1O	04-028/19:05:00.1		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-028/18:53:39.8
10801	M1O	04-028/19:05:00.1	14	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10802	M1O	04-028/19:05:00.1	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10803	M1O	04-028/19:10:00.0	55	Range Modulation Off		
10804	M1O	04-028/19:10:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/18:58:39.9
10805	M1O	04-028/19:10:00.2	14	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10806	M1O	04-028/19:10:00.2	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10807	M1O	04-028/19:10:01.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-028/18:58:40.9
10808	M1O	04-028/19:14:38.0	14	NOTE: Above Uplink Interlock Limit		
10809	M1O	04-028/19:14:53.2		NOTE: Apoapsis 9417 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
10823	M1O	04-028/19:32:44.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-028/19:21:23.5
10824	M1O	04-028/19:35:00.0	55	End Post-Cal		
10825	M1O	04-028/19:37:40.7	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10826	M1O	04-028/19:46:38.9		NOTE: Descending Node Crossing 9418		04-028/19:35:18.5
10827	M1O	04-028/20:14:29.5		NOTE: Periapsis 9418 ----------		04-028/20:03:09.0
10828	M1O	04-028/20:15:55.7		NOTE: South Pole Crossing 9418		04-028/20:04:35.2
10829	M1O	04-028/20:39:07.6		SPAWN, Engine = 65535, Parameters = 028, 03, FALSE, 00:09:24.215, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-028/20:27:47.0
10830	M1O	04-028/20:39:08.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/20:27:48.1
10831	M1O	04-028/20:39:10.7		CALL, Engine = , Parameters = 253	get_cmd_opt	04-028/20:27:50.1
10832	M1O	04-028/20:39:52.9		CALL, Engine = , Parameters = 253	get_apid	04-028/20:28:32.3
10833	M1O	04-028/20:39:54.0		CALL, Engine = , Parameters = 253	get_rcv_mode	04-028/20:28:33.4
10834	M1O	04-028/20:39:54.2		CALL, Engine = , Parameters = 253	get_dl_rate	04-028/20:28:33.6
10835	M1O	04-028/20:39:55.3		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-028/20:28:34.7
10836	M1O	04-028/20:39:56.6		CALL, Engine = , Parameters = 253	get_coding	04-028/20:28:36.0
10837	M1O	04-028/20:39:57.8		CALL, Engine = , Parameters = 253	get_xmt_mode	04-028/20:28:37.2
10838	M1O	04-028/20:39:59.0		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-028/20:28:38.4
10839	M1O	04-028/20:41:03.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/20:29:43.2
10840	M1O	04-028/20:41:04.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/20:29:44.2
10841	M1O	04-028/20:41:05.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/20:29:45.2
10842	M1O	04-028/20:41:06.8		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-028/20:29:46.2
10843	M1O	04-028/20:41:07.8		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-028/20:29:47.2
10844	M1O	04-028/20:41:08.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/20:29:48.2
10845	M1O	04-028/20:41:09.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/20:29:49.2
10846	M1O	04-028/20:43:49.8		NOTE: Enter Solar Eclipse 9418		04-028/20:32:29.2
10847	M1O	04-028/20:45:16.2		NOTE: Ascending Node Crossing 9418		04-028/20:33:55.5
10848	M1O	04-028/20:50:30.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/20:39:09.4
10849	M1O	04-028/20:50:31.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/20:39:10.5
10850	M1O	04-028/20:50:41.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/20:39:20.5
10851	M1O	04-028/20:50:42.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/20:39:21.5
10852	M1O	04-028/20:59:33.8		NOTE: Exit Solar Eclipse 9418		04-028/20:48:13.1
10853	M1O	04-028/21:13:23.0		NOTE: Apoapsis 9418 -		04-028/21:02:02.3
10854	M1O	04-028/21:15:16.8		NOTE: North Pole Crossing 9418		04-028/21:03:56.1
10855	M1O	04-028/21:18:19.1		NOTE: Enter Planetary Atmosphere 9418		04-028/21:06:58.4
10856	M1O	04-028/21:27:22.8		NOTE: Exit Planetary Atmosphere 9418		04-028/21:16:02.0
10857	M1O	04-028/21:38:50.8		SPAWN, Engine = 65535, Parameters = 028, 03, TRUE, 00:18:43, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-028/21:27:30.0
10858	M1O	04-028/21:38:51.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/21:27:30.5
10859	M1O	04-028/21:38:51.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10860	M1O	04-028/21:38:51.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/21:27:31.1
10861	M1O	04-028/21:38:53.9		CALL, Engine = , Parameters = 254	get_cmd_opt	04-028/21:27:33.1
10862	M1O	04-028/21:38:54.2		CALL, Engine = , Parameters = 028, 03, 254	bld_autosw	04-028/21:27:33.4
10863	M1O	04-028/21:38:55.3		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-028/21:27:34.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10864	M1O	04-028/21:38:56.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:35.6
10865	M1O	04-028/21:38:57.4		Deletes the designated file.: d:/dat/254_doy028_pass03_file01.dat	FILE_DELETE	04-028/21:27:36.6
10866	M1O	04-028/21:38:58.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:37.7
10867	M1O	04-028/21:38:59.5		Deletes the designated file.: d:/dat/254_doy028_pass03_file02.dat	FILE_DELETE	04-028/21:27:38.7
10868	M1O	04-028/21:39:00.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:39.8
10869	M1O	04-028/21:39:01.6		Deletes the designated file.: d:/dat/254_doy028_pass03_file03.dat	FILE_DELETE	04-028/21:27:40.8
10870	M1O	04-028/21:39:02.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:41.9
10871	M1O	04-028/21:39:03.7		Deletes the designated file.: d:/dat/254_doy028_pass03_file04.dat	FILE_DELETE	04-028/21:27:42.9
10872	M1O	04-028/21:39:04.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:44.0
10873	M1O	04-028/21:39:05.8		Deletes the designated file.: d:/dat/254_doy028_pass03_file05.dat	FILE_DELETE	04-028/21:27:45.0
10874	M1O	04-028/21:39:06.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:46.1
10875	M1O	04-028/21:39:07.9		Deletes the designated file.: d:/dat/254_doy028_pass03_file06.dat	FILE_DELETE	04-028/21:27:47.1
10876	M1O	04-028/21:39:09.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:48.2
10877	M1O	04-028/21:39:10.0		Deletes the designated file.: d:/dat/254_doy028_pass03_file07.dat	FILE_DELETE	04-028/21:27:49.2
10878	M1O	04-028/21:39:11.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:50.3
10879	M1O	04-028/21:39:12.1		Deletes the designated file.: d:/dat/254_doy028_pass03_file08.dat	FILE_DELETE	04-028/21:27:51.3
10880	M1O	04-028/21:39:13.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:52.4
10881	M1O	04-028/21:39:14.2		Deletes the designated file.: d:/dat/254_doy028_pass03_file09.dat	FILE_DELETE	04-028/21:27:53.4
10882	M1O	04-028/21:39:15.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:54.5
10883	M1O	04-028/21:39:16.3		Deletes the designated file.: d:/dat/254_doy028_pass03_file10.dat	FILE_DELETE	04-028/21:27:55.5
10884	M1O	04-028/21:39:17.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:56.6
10885	M1O	04-028/21:39:18.4		Deletes the designated file.: d:/dat/254_doy028_pass03_file11.dat	FILE_DELETE	04-028/21:27:57.6
10886	M1O	04-028/21:39:19.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:27:58.7
10887	M1O	04-028/21:39:20.5		Deletes the designated file.: d:/dat/254_doy028_pass03_file12.dat	FILE_DELETE	04-028/21:27:59.7
10888	M1O	04-028/21:39:21.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:28:00.8
10889	M1O	04-028/21:39:22.6		Deletes the designated file.: d:/dat/254_doy028_pass03_file13.dat	FILE_DELETE	04-028/21:28:01.8
10890	M1O	04-028/21:39:23.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:28:02.9
10891	M1O	04-028/21:39:24.7		Deletes the designated file.: d:/dat/254_doy028_pass03_file14.dat	FILE_DELETE	04-028/21:28:03.9
10892	M1O	04-028/21:39:25.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:28:05.0
10893	M1O	04-028/21:39:26.8		Deletes the designated file.: d:/dat/254_doy028_pass03_file15.dat	FILE_DELETE	04-028/21:28:06.0
10894	M1O	04-028/21:39:27.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:28:07.1
10895	M1O	04-028/21:39:28.9		Deletes the designated file.: d:/dat/254_doy028_pass03_file16.dat	FILE_DELETE	04-028/21:28:08.1
10896	M1O	04-028/21:39:30.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:28:09.2
10897	M1O	04-028/21:39:31.0		Deletes the designated file.: d:/dat/254_doy028_pass03_file17.dat	FILE_DELETE	04-028/21:28:10.2
10898	M1O	04-028/21:39:32.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:28:11.3
10899	M1O	04-028/21:39:33.1		Deletes the designated file.: d:/dat/254_doy028_pass03_file18.dat	FILE_DELETE	04-028/21:28:12.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10900	M1O	04-028/21:39:34.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy028_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/21:28:13.4
10901	M1O	04-028/21:39:35.2		Deletes the designated file.: d:/dat/254_doy028_pass03_file19.dat	FILE_DELETE	04-028/21:28:14.4
10902	M1O	04-028/21:39:36.2		CALL, Engine = , Parameters = 254	get_apid	04-028/21:28:15.4
10903	M1O	04-028/21:39:37.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-028/21:28:16.5
10904	M1O	04-028/21:39:37.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-028/21:28:16.7
10905	M1O	04-028/21:39:38.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-028/21:28:17.8
10906	M1O	04-028/21:39:39.9		CALL, Engine = , Parameters = 254	get_coding	04-028/21:28:19.1
10907	M1O	04-028/21:39:41.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-028/21:28:20.3
10908	M1O	04-028/21:39:42.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-028/21:28:21.5
10909	M1O	04-028/21:40:47.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/21:29:26.3
10910	M1O	04-028/21:40:48.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/21:29:27.3
10911	M1O	04-028/21:40:49.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/21:29:28.3
10912	M1O	04-028/21:40:50.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-028/21:29:29.3
10913	M1O	04-028/21:40:51.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-028/21:29:30.3
10914	M1O	04-028/21:40:52.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/21:29:31.3
10915	M1O	04-028/21:40:53.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/21:29:32.3
10916	M1O	04-028/21:42:43.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/21:31:22.3
10917	M1O	04-028/21:42:53.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-028/21:31:32.3
10918	M1O	04-028/21:45:14.2		NOTE: Descending Node Crossing 9419		04-028/21:33:53.4
10919	M1O	04-028/21:59:34.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/21:48:13.3
10920	M1O	04-028/21:59:35.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/21:48:14.4
10921	M1O	04-028/21:59:45.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/21:48:24.4
10922	M1O	04-028/21:59:46.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/21:48:25.4
10923	M1O	04-028/21:59:47.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-028/21:48:26.4
10924	M1O	04-028/21:59:47.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10925	M1O	04-028/21:59:48.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-028/21:48:27.4
10926	M1O	04-028/22:04:46.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/21:53:26.0
10927	M1O	04-028/22:04:46.9	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10928	M1O	04-028/22:13:23.1		NOTE: Periapsis 9419 ----------		04-028/22:02:02.1
10929	M1O	04-028/22:14:32.3		NOTE: South Pole Crossing 9419		04-028/22:03:11.4
10930	M1O	04-028/22:31:34.0		SPAWN, Engine = 65535, Parameters = 028, 04, TRUE, 00:19:18, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-028/22:20:13.0
10931	M1O	04-028/22:31:34.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/22:20:13.5
10932	M1O	04-028/22:31:34.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10933	M1O	04-028/22:31:35.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/22:20:14.1
10934	M1O	04-028/22:31:37.1		CALL, Engine = , Parameters = 253	get_cmd_opt	04-028/22:20:16.1
10935	M1O	04-028/22:31:37.4		CALL, Engine = , Parameters = 028, 04, 253	bld_autosw	04-028/22:20:16.4
10936	M1O	04-028/22:31:38.5		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-028/22:20:17.5
10937	M1O	04-028/22:31:39.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:18.6
10938	M1O	04-028/22:31:40.6		Deletes the designated file.: d:/dat/253_doy028_pass04_file01.dat	FILE_DELETE	04-028/22:20:19.6
10939	M1O	04-028/22:31:41.7		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-028/22:20:20.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy028_pass04_file02.dat, d:/dat/autoswitch.dat		
10940	M1O	04-028/22:31:42.7		Deletes the designated file.: d:/dat/253_doy028_pass04_file02.dat	FILE_DELETE	04-028/22:20:21.7
10941	M1O	04-028/22:31:43.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:22.8
10942	M1O	04-028/22:31:44.8		Deletes the designated file.: d:/dat/253_doy028_pass04_file03.dat	FILE_DELETE	04-028/22:20:23.8
10943	M1O	04-028/22:31:45.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:24.9
10944	M1O	04-028/22:31:46.9		Deletes the designated file.: d:/dat/253_doy028_pass04_file04.dat	FILE_DELETE	04-028/22:20:25.9
10945	M1O	04-028/22:31:48.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:27.0
10946	M1O	04-028/22:31:49.0		Deletes the designated file.: d:/dat/253_doy028_pass04_file05.dat	FILE_DELETE	04-028/22:20:28.0
10947	M1O	04-028/22:31:50.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:29.1
10948	M1O	04-028/22:31:51.1		Deletes the designated file.: d:/dat/253_doy028_pass04_file06.dat	FILE_DELETE	04-028/22:20:30.1
10949	M1O	04-028/22:31:52.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:31.2
10950	M1O	04-028/22:31:53.2		Deletes the designated file.: d:/dat/253_doy028_pass04_file07.dat	FILE_DELETE	04-028/22:20:32.2
10951	M1O	04-028/22:31:54.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:33.3
10952	M1O	04-028/22:31:55.3		Deletes the designated file.: d:/dat/253_doy028_pass04_file08.dat	FILE_DELETE	04-028/22:20:34.3
10953	M1O	04-028/22:31:56.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:35.4
10954	M1O	04-028/22:31:57.4		Deletes the designated file.: d:/dat/253_doy028_pass04_file09.dat	FILE_DELETE	04-028/22:20:36.4
10955	M1O	04-028/22:31:58.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:37.5
10956	M1O	04-028/22:31:59.5		Deletes the designated file.: d:/dat/253_doy028_pass04_file10.dat	FILE_DELETE	04-028/22:20:38.5
10957	M1O	04-028/22:32:00.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:39.6
10958	M1O	04-028/22:32:01.6		Deletes the designated file.: d:/dat/253_doy028_pass04_file11.dat	FILE_DELETE	04-028/22:20:40.6
10959	M1O	04-028/22:32:02.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:41.7
10960	M1O	04-028/22:32:03.7		Deletes the designated file.: d:/dat/253_doy028_pass04_file12.dat	FILE_DELETE	04-028/22:20:42.7
10961	M1O	04-028/22:32:04.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:43.8
10962	M1O	04-028/22:32:05.8		Deletes the designated file.: d:/dat/253_doy028_pass04_file13.dat	FILE_DELETE	04-028/22:20:44.8
10963	M1O	04-028/22:32:06.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:45.9
10964	M1O	04-028/22:32:07.9		Deletes the designated file.: d:/dat/253_doy028_pass04_file14.dat	FILE_DELETE	04-028/22:20:46.9
10965	M1O	04-028/22:32:09.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:48.0
10966	M1O	04-028/22:32:10.0		Deletes the designated file.: d:/dat/253_doy028_pass04_file15.dat	FILE_DELETE	04-028/22:20:49.0
10967	M1O	04-028/22:32:11.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:50.1
10968	M1O	04-028/22:32:12.1		Deletes the designated file.: d:/dat/253_doy028_pass04_file16.dat	FILE_DELETE	04-028/22:20:51.1
10969	M1O	04-028/22:32:13.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:52.2
10970	M1O	04-028/22:32:14.2		Deletes the designated file.: d:/dat/253_doy028_pass04_file17.dat	FILE_DELETE	04-028/22:20:53.2
10971	M1O	04-028/22:32:15.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:54.3
10972	M1O	04-028/22:32:16.3		Deletes the designated file.: d:/dat/253_doy028_pass04_file18.dat	FILE_DELETE	04-028/22:20:55.3
10973	M1O	04-028/22:32:17.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy028_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-028/22:20:56.4
10974	M1O	04-028/22:32:18.4		Deletes the designated file.: d:/dat/253_doy028_pass04_file19.dat	FILE_DELETE	04-028/22:20:57.4
10975	M1O	04-028/22:32:19.4		CALL, Engine = , Parameters = 253	get_apid	04-028/22:20:58.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
10976	M1O	04-028/22:32:20.5		CALL, Engine = , Parameters = 253	get_rcv_mode	04-028/22:20:59.5
10977	M1O	04-028/22:32:20.7		CALL, Engine = , Parameters = 253	get_dl_rate	04-028/22:20:59.7
10978	M1O	04-028/22:32:21.8		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-028/22:21:00.8
10979	M1O	04-028/22:32:23.1		CALL, Engine = , Parameters = 253	get_coding	04-028/22:21:02.1
10980	M1O	04-028/22:32:24.3		CALL, Engine = , Parameters = 253	get_xmt_mode	04-028/22:21:03.3
10981	M1O	04-028/22:32:25.5		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-028/22:21:04.5
10982	M1O	04-028/22:33:30.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/22:22:09.3
10983	M1O	04-028/22:33:31.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/22:22:10.3
10984	M1O	04-028/22:33:32.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/22:22:11.3
10985	M1O	04-028/22:33:33.3		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-028/22:22:12.3
10986	M1O	04-028/22:33:34.3		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-028/22:22:13.3
10987	M1O	04-028/22:33:35.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/22:22:14.3
10988	M1O	04-028/22:33:36.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/22:22:15.3
10989	M1O	04-028/22:35:26.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-028/22:24:05.3
10990	M1O	04-028/22:35:36.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-028/22:24:15.3
10991	M1O	04-028/22:42:26.5		NOTE: Enter Solar Eclipse 9419		04-028/22:31:05.4
10992	M1O	04-028/22:43:53.4		NOTE: Ascending Node Crossing 9419		04-028/22:32:32.3
10993	M1O	04-028/22:52:52.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/22:41:31.3
10994	M1O	04-028/22:52:53.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/22:41:32.4
10995	M1O	04-028/22:53:03.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/22:41:42.4
10996	M1O	04-028/22:53:04.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/22:41:43.4
10997	M1O	04-028/22:53:05.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-028/22:41:44.4
10998	M1O	04-028/22:53:05.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
10999	M1O	04-028/22:53:06.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-028/22:41:45.4
11000	M1O	04-028/22:58:05.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-028/22:46:44.0
11001	M1O	04-028/22:58:05.0	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11002	M1O	04-028/22:58:10.0		NOTE: Exit Solar Eclipse 9419		04-028/22:46:48.9
11003	M1O	04-028/23:12:24.3		NOTE: Apoapsis 9419 -		04-028/23:01:03.1
11004	M1O	04-028/23:13:53.4		NOTE: North Pole Crossing 9419		04-028/23:02:32.3
11005	M1O	04-028/23:16:59.2		NOTE: Enter Planetary Atmosphere 9419		04-028/23:05:38.1
11006	M1O	04-028/23:25:54.2		NOTE: Exit Planetary Atmosphere 9419		04-028/23:14:33.0
11007	M1O	04-028/23:39:40.2		SPAWN, Engine = 65535, Parameters = 028, 04, FALSE, 00:12:33.509, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-028/23:28:19.0
11008	M1O	04-028/23:39:41.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/23:28:20.1
11009	M1O	04-028/23:39:43.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-028/23:28:22.1
11010	M1O	04-028/23:40:25.5		CALL, Engine = , Parameters = 254	get_apid	04-028/23:29:04.3
11011	M1O	04-028/23:40:26.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-028/23:29:05.4
11012	M1O	04-028/23:40:26.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-028/23:29:05.6
11013	M1O	04-028/23:40:27.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-028/23:29:06.7
11014	M1O	04-028/23:40:29.2		CALL, Engine = , Parameters = 254	get_coding	04-028/23:29:08.0
11015	M1O	04-028/23:40:30.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-028/23:29:09.2
11016	M1O	04-028/23:40:31.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-028/23:29:10.4
11017	M1O	04-028/23:41:36.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-028/23:30:15.2
11018	M1O	04-028/23:41:37.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-028/23:30:16.2
11019	M1O	04-028/23:41:38.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-028/23:30:17.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11020	M1O	04-028/23:41:39.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-028/23:30:18.2
11021	M1O	04-028/23:41:40.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-028/23:30:19.2
11022	M1O	04-028/23:41:41.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-028/23:30:20.2
11023	M1O	04-028/23:41:42.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-028/23:30:21.2
11024	M1O	04-028/23:43:50.9		NOTE: Descending Node Crossing 9420		04-028/23:32:29.6
11025	M1O	04-028/23:54:11.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-028/23:42:50.7
11026	M1O	04-028/23:54:13.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-028/23:42:51.8
11027	M1O	04-028/23:54:23.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-028/23:43:01.8
11028	M1O	04-028/23:54:24.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-028/23:43:02.8
11029	M1O	04-029/00:00:00.0		Light Time: OWLT = 11:21, RTLT = 22:42		
11030	M1O	04-029/00:11:18.3		Loads the disignated sequence block from the file system.: 65535, d:/seq/cz506.abs	VM_LOAD	04-028/23:59:57.0
11031	M1O	04-029/00:11:21.3		Dummy command to mark beg/end of mini sequences: cz506a, 2004-036T00:00:02.000	START_MINI	04-029/00:00:00.0
11032	M1O	04-029/00:11:31.3		Deletes the designated file.: d:/seq/cz506.abs	FILE_DELETE	04-029/00:00:10.0
11033	M1O	04-029/00:12:23.7		NOTE: Periapsis 9420 ----------		04-029/00:01:02.3
11034	M1O	04-029/00:13:09.3		NOTE: South Pole Crossing 9420		04-029/00:01:48.0
11035	M1O	04-029/00:41:00.6		NOTE: Enter Solar Eclipse 9420		04-029/00:29:39.2
11036	M1O	04-029/00:42:29.9		NOTE: Ascending Node Crossing 9420		04-029/00:31:08.5
11037	M1O	04-029/00:56:47.8		NOTE: Exit Solar Eclipse 9420		04-029/00:45:26.3
11038	M1O	04-029/01:04:59.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
11039	M1O	04-029/01:11:24.9		NOTE: Apoapsis 9420 -		04-029/01:00:03.3
11040	M1O	04-029/01:12:29.8		NOTE: North Pole Crossing 9420		04-029/01:01:08.3
11041	M1O	04-029/01:14:59.0	14	Range Modulation Off		
11042	M1O	04-029/01:15:34.4		NOTE: Enter Planetary Atmosphere 9420		04-029/01:04:12.9
11043	M1O	04-029/01:19:59.0	14	X-Band Transmitter Off		
11044	M1O	04-029/01:24:29.8		NOTE: Exit Planetary Atmosphere 9420		04-029/01:13:08.3
11045	M1O	04-029/01:30:00.0	43	Begin Pre-Cal		
11046	M1O	04-029/01:30:00.0	43	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
11047	M1O	04-029/01:30:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
11048	M1O	04-029/01:30:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
11049	M1O	04-029/01:30:00.0	43	At BOT: S/C Transmitter Status: PWR=OFF, EXC=1, PWR=OFF, EXC=2		
11050	M1O	04-029/01:30:00.0	43	Config: RCV: Parms:		
11051	M1O	04-029/01:30:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
11052	M1O	04-029/01:30:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
11053	M1O	04-029/01:30:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
11054	M1O	04-029/01:41:36.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/01:30:15.0
11055	M1O	04-029/01:41:36.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11056	M1O	04-029/01:42:27.4		NOTE: Descending Node Crossing 9421		04-029/01:31:05.8
11057	M1O	04-029/01:42:42.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11058	M1O	04-029/01:55:27.6		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-029/01:44:06.0
11059	M1O	04-029/01:55:27.7		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-029/01:44:06.1
11060	M1O	04-029/01:55:28.7		Forces a desaturation of the reaction wheels.	RW_DESAT	04-029/01:44:07.1
11061	M1O	04-029/01:58:50.6		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, TRUE	cend	04-029/01:47:29.0
11062	M1O	04-029/01:59:06.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-027T01:47:29.100, 2004-029T01:47:29.100	PCKTS_RE_TX_TIME	04-029/01:47:44.8
11063	M1O	04-029/01:59:07.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-027T01:47:29.100, 2004-029T01:47:29.100	PCKTS_RE_TX_TIME	04-029/01:47:45.8
11064	M1O	04-029/01:59:08.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-027T01:47:29.100, 2004-029T01:47:29.100	PCKTS_RE_TX_TIME	04-029/01:47:46.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11065	M1O	04-029/01:59:09.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-027T01:47:29.100, 2004-029T01:47:29.100	PCKTS_RE_TX_TIME	04-029/01:47:47.8
11066	M1O	04-029/01:59:10.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-027T01:47:29.100, 2004-029T01:47:29.100	PCKTS_RE_TX_TIME	04-029/01:47:48.8
11067	M1O	04-029/01:59:11.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-027T01:47:29.100, 2004-029T01:47:29.100	PCKTS_RE_TX_TIME	04-029/01:47:49.8
11068	M1O	04-029/01:59:11.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-029/01:47:49.8
11069	M1O	04-029/01:59:11.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11070	M1O	04-029/02:06:12.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/01:54:50.8
11071	M1O	04-029/02:06:12.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11072	M1O	04-029/02:06:13.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-029/01:54:51.8
11073	M1O	04-029/02:06:43.4		Turns power OFF or ON to the SDST exciter on the active telecom side.: OFF	SDST_EXCITER	04-029/01:55:21.8
11074	M1O	04-029/02:06:43.4	14	NOTE: Loss Of X-Band Signal		
11075	M1O	04-029/02:06:53.4		Turns power OFF or ON to the SSPA assigned as active.: OFF	SSPA_POWER	04-029/01:55:31.8
11076	M1O	04-029/02:06:54.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-029/01:55:32.8
11077	M1O	04-029/02:06:55.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-029/01:55:33.8
11078	M1O	04-029/02:06:58.7		CALL, Engine = , Parameters = FALSE	park_hga	04-029/01:55:37.1
11079	M1O	04-029/02:06:58.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/01:55:37.1
11080	M1O	04-029/02:06:59.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-029/01:55:38.1
11081	M1O	04-029/02:07:00.7		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-029/01:55:39.1
11082	M1O	04-029/02:07:00.7		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-029/01:55:39.1
11083	M1O	04-029/02:07:00.7		NOTE: START HGA PARK		
11084	M1O	04-029/02:07:01.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-029/01:55:40.1
11085	M1O	04-029/02:07:02.7		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-029/01:55:41.1
11086	M1O	04-029/02:11:10.0		NOTE: Periapsis 9421 ----------		04-029/01:59:48.3
11087	M1O	04-029/02:11:32.8		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-029/02:00:11.1
11088	M1O	04-029/02:11:45.0		NOTE: South Pole Crossing 9421		04-029/02:00:23.3
11089	M1O	04-029/02:15:02.8		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-029/02:03:41.1
11090	M1O	04-029/02:15:02.8		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-029/02:03:41.1
11091	M1O	04-029/02:39:32.2		NOTE: Enter Solar Eclipse 9421		04-029/02:28:10.4
11092	M1O	04-029/02:41:04.3		NOTE: Ascending Node Crossing 9421		04-029/02:29:42.5
11093	M1O	04-029/02:45:00.0	43	Begin Tracking		
11094	M1O	04-029/02:45:02.8		GV: GV_DESAT_ACTIVE = 1		04-029/02:33:41.0
11095	M1O	04-029/02:45:03.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-029/02:33:42.0
11096	M1O	04-029/02:45:03.8		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-029/02:33:42.0
11097	M1O	04-029/02:55:02.8		GV: GV_DESAT_ACTIVE = 0		04-029/02:43:41.0
11098	M1O	04-029/02:55:03.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-029/02:43:42.0
11099	M1O	04-029/02:55:04.8		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-029/02:43:43.0
11100	M1O	04-029/02:55:05.8		CALL, Engine = , Parameters =	unpark_hga	04-029/02:43:44.0
11101	M1O	04-029/02:55:05.8		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-029/02:43:44.0
11102	M1O	04-029/02:55:06.8		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-029/02:43:45.0
11103	M1O	04-029/02:55:24.7		NOTE: Exit Solar Eclipse 9421		04-029/02:44:02.9
11104	M1O	04-029/02:59:36.8		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS,	FSW_OBJ_INITIAL	04-029/02:48:15.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/sam_ga_hga_vts.cfg,		
11105	M1O	04-029/02:59:37.8		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-029/02:48:16.0
11106	M1O	04-029/03:03:02.8		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-029/02:51:41.0
11107	M1O	04-029/03:03:02.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/02:51:41.1
11108	M1O	04-029/03:03:03.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-029/02:51:42.1
11109	M1O	04-029/03:03:04.9		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-029/02:51:43.1
11110	M1O	04-029/03:03:05.9		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-029/02:51:44.1
11111	M1O	04-029/03:03:06.9		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-029/02:51:45.1
11112	M1O	04-029/03:03:16.9		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-029/02:51:55.1
11113	M1O	04-029/03:03:26.9		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-029/02:52:05.1
11114	M1O	04-029/03:03:37.8		NOTE: EXIT HGA PARK		
11115	M1O	04-029/03:03:37.8	14	Acquisition Of X-Band Signal		
11116	M1O	04-029/03:03:37.8	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11117	M1O	04-029/03:03:37.8	43	Acquisition Of X-Band Signal		
11118	M1O	04-029/03:03:37.8	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11119	M1O	04-029/03:05:00.0	14	End Tracking		
11120	M1O	04-029/03:05:00.0	14	End Post-Cal		
11121	M1O	04-029/03:08:26.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-029/02:57:05.1
11122	M1O	04-029/03:08:27.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-029/02:57:06.1
11123	M1O	04-029/03:08:27.9	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11124	M1O	04-029/03:08:28.9		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-029/02:57:07.1
11125	M1O	04-029/03:09:57.1		NOTE: Apoapsis 9421 -		04-029/02:58:35.2
11126	M1O	04-029/03:11:04.0		NOTE: North Pole Crossing 9421		04-029/02:59:42.1
11127	M1O	04-029/03:14:01.3		NOTE: Enter Planetary Atmosphere 9421		04-029/03:02:39.4
11128	M1O	04-029/03:23:09.7		NOTE: Exit Planetary Atmosphere 9421		04-029/03:11:47.8
11129	M1O	04-029/03:25:52.9		SPAWN, Engine = 65535, Parameters = 029, 01, FALSE, 00:18:51.063, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-029/03:14:31.0
11130	M1O	04-029/03:25:54.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/03:14:32.1
11131	M1O	04-029/03:25:56.0		CALL, Engine = , Parameters = 56	get_cmd_opt	04-029/03:14:34.1
11132	M1O	04-029/03:26:38.2		CALL, Engine = , Parameters = 56	get_apid	04-029/03:15:16.3
11133	M1O	04-029/03:26:39.3		CALL, Engine = , Parameters = 56	get_rcv_mode	04-029/03:15:17.4
11134	M1O	04-029/03:26:39.5		CALL, Engine = , Parameters = 56	get_dl_rate	04-029/03:15:17.6
11135	M1O	04-029/03:26:40.6		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-029/03:15:18.7
11136	M1O	04-029/03:26:41.8		CALL, Engine = , Parameters = 56	get_coding	04-029/03:15:19.9
11137	M1O	04-029/03:26:43.0		CALL, Engine = , Parameters = 56	get_xmt_mode	04-029/03:15:21.1
11138	M1O	04-029/03:26:44.2		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-029/03:15:22.3
11139	M1O	04-029/03:27:49.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/03:16:27.1
11140	M1O	04-029/03:27:50.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/03:16:28.1
11141	M1O	04-029/03:27:51.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/03:16:29.1
11142	M1O	04-029/03:27:52.0		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-029/03:16:30.1
11143	M1O	04-029/03:27:53.0		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-029/03:16:31.1
11144	M1O	04-029/03:27:54.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-029/03:16:32.1
11145	M1O	04-029/03:27:55.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/03:16:33.1
11146	M1O	04-029/03:41:01.3		NOTE: Descending Node Crossing 9422		04-029/03:29:39.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11147	M1O	04-029/03:46:42.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/03:35:20.1
11148	M1O	04-029/03:46:43.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/03:35:21.2
11149	M1O	04-029/03:46:53.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/03:35:31.2
11150	M1O	04-029/03:46:54.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/03:35:32.2
11151	M1O	04-029/04:09:28.3		NOTE: Periapsis 9422 ----------		04-029/03:58:06.2
11152	M1O	04-029/04:10:17.7		NOTE: South Pole Crossing 9422		04-029/03:58:55.6
11153	M1O	04-029/04:30:00.0	14	Begin Pre-Cal		
11154	M1O	04-029/04:30:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
11155	M1O	04-029/04:30:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
11156	M1O	04-029/04:30:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
11157	M1O	04-029/04:30:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
11158	M1O	04-029/04:30:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
11159	M1O	04-029/04:30:00.0	14	Config: RCV: Parms:		
11160	M1O	04-029/04:30:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
11161	M1O	04-029/04:30:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
11162	M1O	04-029/04:30:00.0	14	Config: TXL		
11163	M1O	04-029/04:30:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
11164	M1O	04-029/04:30:00.0	14	Config: CMD		
11165	M1O	04-029/04:38:04.0		NOTE: Enter Solar Eclipse 9422		04-029/04:26:41.8
11166	M1O	04-029/04:39:36.4		NOTE: Ascending Node Crossing 9422		04-029/04:28:14.2
11167	M1O	04-029/04:53:58.5		NOTE: Exit Solar Eclipse 9422		04-029/04:42:36.3
11168	M1O	04-029/05:08:05.4		NOTE: Apoapsis 9422 -		04-029/04:56:43.1
11169	M1O	04-029/05:09:35.6		NOTE: North Pole Crossing 9422		04-029/04:58:13.3
11170	M1O	04-029/05:12:24.7		NOTE: Enter Planetary Atmosphere 9422		04-029/05:01:02.5
11171	M1O	04-029/05:15:00.0	14	Begin Tracking		
11172	M1O	04-029/05:15:00.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11173	M1O	04-029/05:16:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
11174	M1O	04-029/05:21:47.6		NOTE: Exit Planetary Atmosphere 9422		04-029/05:10:25.3
11175	M1O	04-029/05:25:00.0	34	Begin Pre-Cal		
11176	M1O	04-029/05:25:00.0	34	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
11177	M1O	04-029/05:25:00.0	34	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
11178	M1O	04-029/05:25:00.0	34	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
11179	M1O	04-029/05:25:00.0	34	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
11180	M1O	04-029/05:25:00.0	34	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
11181	M1O	04-029/05:25:00.0	34	Config: RCV: Parms:		
11182	M1O	04-029/05:25:00.0	34	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
11183	M1O	04-029/05:25:00.0	34	Config: TGC: BAND=X, SR=221200.000000		
11184	M1O	04-029/05:25:00.0	34	Config: TXL		
11185	M1O	04-029/05:25:00.0	34	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
11186	M1O	04-029/05:25:00.0	34	Config: CMD		
11187	M1O	04-029/05:25:00.0	34	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
11188	M1O	04-029/05:25:25.3		SPAWN, Engine = 65535, Parameters = 029, 02, FALSE, 00:13:57.228, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-029/05:14:03.0
11189	M1O	04-029/05:25:26.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/05:14:04.1
11190	M1O	04-029/05:25:28.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-029/05:14:06.1
11191	M1O	04-029/05:26:10.6		CALL, Engine = , Parameters = 56	get_apid	04-029/05:14:48.3
11192	M1O	04-029/05:26:11.7		CALL, Engine = , Parameters = 56	get_rcv_mode	04-029/05:14:49.4
11193	M1O	04-029/05:26:11.9		CALL, Engine = , Parameters = 56	get_dl_rate	04-029/05:14:49.6
11194	M1O	04-029/05:26:13.0		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-029/05:14:50.7
11195	M1O	04-029/05:26:14.2		CALL, Engine = , Parameters = 56	get_coding	04-029/05:14:51.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11196	M1O	04-029/05:26:15.4		CALL, Engine = , Parameters = 56	get_xmt_mode	04-029/05:14:53.1
11197	M1O	04-029/05:26:16.6		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-029/05:14:54.3
11198	M1O	04-029/05:27:21.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/05:15:59.1
11199	M1O	04-029/05:27:22.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/05:16:00.1
11200	M1O	04-029/05:27:23.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/05:16:01.1
11201	M1O	04-029/05:27:24.4		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-029/05:16:02.1
11202	M1O	04-029/05:27:25.4		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-029/05:16:03.1
11203	M1O	04-029/05:27:26.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-029/05:16:04.1
11204	M1O	04-029/05:27:27.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/05:16:05.1
11205	M1O	04-029/05:37:41.5		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-029/05:26:19.1
11206	M1O	04-029/05:37:43.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/05:26:21.2
11207	M1O	04-029/05:37:43.6	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11208	M1O	04-029/05:37:43.6	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11209	M1O	04-029/05:37:44.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-029/05:26:22.2
11210	M1O	04-029/05:38:44.5	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11211	M1O	04-029/05:38:44.5	43	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11212	M1O	04-029/05:39:31.9		NOTE: Descending Node Crossing 9423		04-029/05:28:09.5
11213	M1O	04-029/05:41:20.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/05:29:58.3
11214	M1O	04-029/05:41:21.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/05:29:59.4
11215	M1O	04-029/05:41:31.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/05:30:09.4
11216	M1O	04-029/05:41:32.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/05:30:10.4
11217	M1O	04-029/05:43:43.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-029/05:32:21.2
11218	M1O	04-029/05:43:43.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11219	M1O	04-029/05:43:43.6	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11220	M1O	04-029/05:43:44.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-029/05:32:22.2
11221	M1O	04-029/06:07:40.7		NOTE: Periapsis 9423 ----------		04-029/05:56:18.2
11222	M1O	04-029/06:08:48.4		NOTE: South Pole Crossing 9423		04-029/05:57:25.9
11223	M1O	04-029/06:10:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
11224	M1O	04-029/06:22:14.9	14	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
11225	M1O	04-029/06:25:00.0	14	X-Band Transmitter Off		
11226	M1O	04-029/06:35:22.0	14	NOTE: Below Uplink Interlock Limit		
11227	M1O	04-029/06:36:37.3		NOTE: Enter Solar Eclipse 9423		04-029/06:25:14.8
11228	M1O	04-029/06:38:07.9		NOTE: Ascending Node Crossing 9423		04-029/06:26:45.3
11229	M1O	04-029/06:40:00.0	34	Begin Tracking		
11230	M1O	04-029/06:40:00.0	34	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11231	M1O	04-029/06:41:00.0	34	Acquire U/L: X/08, PWR=20.0, BR=125.0		
11232	M1O	04-029/06:45:00.0	14	End Tracking		
11233	M1O	04-029/06:46:00.0	34	Range Modulation On: SUP=3.0dB		
11234	M1O	04-029/06:46:42.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-029/06:35:20.3
11235	M1O	04-029/06:46:45.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/06:35:22.4
11236	M1O	04-029/06:46:45.0	34	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
11237	M1O	04-029/06:46:45.0	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11238	M1O	04-029/06:46:46.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-029/06:35:23.4
11239	M1O	04-029/06:47:00.0	34	Begin Ranging Acquisition		
11240	M1O	04-029/06:47:45.0	34	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11241	M1O	04-029/06:47:45.0	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11242	M1O	04-029/06:52:27.3		NOTE: Exit Solar Eclipse 9423		04-029/06:41:04.7
11243	M1O	04-029/06:52:45.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-029/06:41:22.4
11244	M1O	04-029/06:52:45.0	34	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11245	M1O	04-029/06:52:45.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11246	M1O	04-029/06:52:46.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-029/06:41:23.4
11247	M1O	04-029/07:00:00.0	14	End Post-Cal		
11248	M1O	04-029/07:02:42.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-029/06:51:20.3
11249	M1O	04-029/07:02:45.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/06:51:22.4
11250	M1O	04-029/07:02:45.0	34	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11251	M1O	04-029/07:02:45.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11252	M1O	04-029/07:02:46.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-029/06:51:23.4
11253	M1O	04-029/07:03:45.1	34	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11254	M1O	04-029/07:03:45.1	43	Acquire D/L: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11255	M1O	04-029/07:06:37.2		NOTE: Apoapsis 9423 -		04-029/06:55:14.6
11256	M1O	04-029/07:08:07.0		NOTE: North Pole Crossing 9423		04-029/06:56:44.3
11257	M1O	04-029/07:08:45.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-029/06:57:22.4
11258	M1O	04-029/07:08:45.0	34	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11259	M1O	04-029/07:08:45.0	43	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11260	M1O	04-029/07:08:46.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-029/06:57:23.4
11261	M1O	04-029/07:11:03.8		NOTE: Enter Planetary Atmosphere 9423		04-029/06:59:41.1
11262	M1O	04-029/07:11:22.6		SPAWN, Engine = 65535, Parameters =	scdiag	04-029/07:00:00.0
11263	M1O	04-029/07:11:23.7		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-029/07:00:01.1
11264	M1O	04-029/07:11:24.7		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-029/07:00:02.1
11265	M1O	04-029/07:12:25.6		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-029/07:01:03.0
11266	M1O	04-029/07:12:25.8		NOTE: Start Block fsw_diag		04-029/07:01:03.2
11267	M1O	04-029/07:12:26.8		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-029/07:01:04.2
11268	M1O	04-029/07:12:27.8		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-029/07:01:05.2
11269	M1O	04-029/07:12:38.8		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-029/07:01:16.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11270	M1O	04-029/07:13:08.8		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-029/07:01:46.2
11271	M1O	04-029/07:13:28.8		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-029/07:02:06.2
11272	M1O	04-029/07:13:38.8		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-029/07:02:16.2
11273	M1O	04-029/07:13:58.8		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-029/07:02:36.2
11274	M1O	04-029/07:14:08.8		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-029/07:02:46.2
11275	M1O	04-029/07:14:13.8		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-029/07:02:51.2
11276	M1O	04-029/07:14:18.8		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-029/07:02:56.2
11277	M1O	04-029/07:14:23.8		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-029/07:03:01.2
11278	M1O	04-029/07:14:28.8		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-029/07:03:06.2
11279	M1O	04-029/07:14:33.8		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-029/07:03:11.2
11280	M1O	04-029/07:15:13.8		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-029/07:03:51.2
11281	M1O	04-029/07:15:18.8		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-029/07:03:56.2
11282	M1O	04-029/07:15:23.8		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-029/07:04:01.2
11283	M1O	04-029/07:15:28.8		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-029/07:04:06.2
11284	M1O	04-029/07:15:33.8		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-029/07:04:11.2
11285	M1O	04-029/07:15:34.8		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-029/07:04:12.2
11286	M1O	04-029/07:15:35.8		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-029/07:04:13.2
11287	M1O	04-029/07:15:36.8		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-029/07:04:14.2
11288	M1O	04-029/07:15:47.8		NOTE: End Block fsw_diag.mod		04-029/07:04:25.2
11289	M1O	04-029/07:20:11.0		NOTE: Exit Planetary Atmosphere 9423		04-029/07:08:48.4
11290	M1O	04-029/07:38:03.2		NOTE: Descending Node Crossing 9424		04-029/07:26:40.5
11291	M1O	04-029/08:06:11.6		NOTE: Periapsis 9424 ----------		04-029/07:54:48.8
11292	M1O	04-029/08:07:20.5		NOTE: South Pole Crossing 9424		04-029/07:55:57.7
11293	M1O	04-029/08:35:11.7		NOTE: Enter Solar Eclipse 9424		04-029/08:23:48.8
11294	M1O	04-029/08:36:41.0		NOTE: Ascending Node Crossing 9424		04-029/08:25:18.0
11295	M1O	04-029/08:50:54.1		NOTE: Exit Solar Eclipse 9424		04-029/08:39:31.1
11296	M1O	04-029/09:05:22.4		NOTE: Apoapsis 9424 -		04-029/08:53:59.4
11297	M1O	04-029/09:06:41.4		NOTE: North Pole Crossing 9424		04-029/08:55:18.4
11298	M1O	04-029/09:09:59.1		NOTE: Enter Planetary Atmosphere 9424		04-029/08:58:36.1
11299	M1O	04-029/09:18:27.4		NOTE: Exit Planetary Atmosphere 9424		04-029/09:07:04.3
11300	M1O	04-029/09:27:55.0		SPAWN, Engine = 65535, Parameters = 029, 01, FALSE, 00:15:52.045, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-029/09:16:32.0
11301	M1O	04-029/09:27:56.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/09:16:33.1
11302	M1O	04-029/09:27:58.1		CALL, Engine = , Parameters = 253	get_cmd_opt	04-029/09:16:35.1
11303	M1O	04-029/09:28:40.4		CALL, Engine = , Parameters = 253	get_apid	04-029/09:17:17.3
11304	M1O	04-029/09:28:41.5		CALL, Engine = , Parameters = 253	get_rcv_mode	04-029/09:17:18.4
11305	M1O	04-029/09:28:41.7		CALL, Engine = , Parameters = 253	get_dl_rate	04-029/09:17:18.6
11306	M1O	04-029/09:28:42.8		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-029/09:17:19.7
11307	M1O	04-029/09:28:44.1		CALL, Engine = , Parameters = 253	get_coding	04-029/09:17:21.0
11308	M1O	04-029/09:28:45.3		CALL, Engine = , Parameters = 253	get_xmt_mode	04-029/09:17:22.2
11309	M1O	04-029/09:28:46.5		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-029/09:17:23.4
11310	M1O	04-029/09:29:51.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/09:18:28.2
11311	M1O	04-029/09:29:52.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/09:18:29.2
11312	M1O	04-029/09:29:53.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/09:18:30.2
11313	M1O	04-029/09:29:54.3		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-029/09:18:31.2
11314	M1O	04-029/09:29:55.3		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-029/09:18:32.2
11315	M1O	04-029/09:29:56.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-029/09:18:33.2
11316	M1O	04-029/09:29:57.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/09:18:34.2
11317	M1O	04-029/09:36:39.1		NOTE: Descending Node Crossing 9425		04-029/09:25:16.0
11318	M1O	04-029/09:45:45.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/09:34:22.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11319	M1O	04-029/09:45:46.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/09:34:23.3
11320	M1O	04-029/09:45:56.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/09:34:33.3
11321	M1O	04-029/09:45:57.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/09:34:34.3
11322	M1O	04-029/10:04:56.2		NOTE: Periapsis 9425 ----------		04-029/09:53:33.0
11323	M1O	04-029/10:05:56.4		NOTE: South Pole Crossing 9425		04-029/09:54:33.2
11324	M1O	04-029/10:19:04.2		SPAWN, Engine = 65535, Parameters = 029, 01, TRUE, 00:19:16, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-029/10:07:41.0
11325	M1O	04-029/10:19:05.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/10:07:42.1
11326	M1O	04-029/10:19:07.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-029/10:07:44.1
11327	M1O	04-029/10:19:07.6		CALL, Engine = , Parameters = 029, 01, 254	bld_autosw	04-029/10:07:44.4
11328	M1O	04-029/10:19:08.7		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-029/10:07:45.5
11329	M1O	04-029/10:19:09.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:07:46.6
11330	M1O	04-029/10:19:10.8		Deletes the designated file.: d:/dat/254_doy029_pass01_file01.dat	FILE_DELETE	04-029/10:07:47.6
11331	M1O	04-029/10:19:11.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:07:48.7
11332	M1O	04-029/10:19:12.9		Deletes the designated file.: d:/dat/254_doy029_pass01_file02.dat	FILE_DELETE	04-029/10:07:49.7
11333	M1O	04-029/10:19:14.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:07:50.8
11334	M1O	04-029/10:19:15.0		Deletes the designated file.: d:/dat/254_doy029_pass01_file03.dat	FILE_DELETE	04-029/10:07:51.8
11335	M1O	04-029/10:19:16.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:07:52.9
11336	M1O	04-029/10:19:17.1		Deletes the designated file.: d:/dat/254_doy029_pass01_file04.dat	FILE_DELETE	04-029/10:07:53.9
11337	M1O	04-029/10:19:18.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:07:55.0
11338	M1O	04-029/10:19:19.2		Deletes the designated file.: d:/dat/254_doy029_pass01_file05.dat	FILE_DELETE	04-029/10:07:56.0
11339	M1O	04-029/10:19:20.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:07:57.1
11340	M1O	04-029/10:19:21.3		Deletes the designated file.: d:/dat/254_doy029_pass01_file06.dat	FILE_DELETE	04-029/10:07:58.1
11341	M1O	04-029/10:19:22.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:07:59.2
11342	M1O	04-029/10:19:23.4		Deletes the designated file.: d:/dat/254_doy029_pass01_file07.dat	FILE_DELETE	04-029/10:08:00.2
11343	M1O	04-029/10:19:24.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:01.3
11344	M1O	04-029/10:19:25.5		Deletes the designated file.: d:/dat/254_doy029_pass01_file08.dat	FILE_DELETE	04-029/10:08:02.3
11345	M1O	04-029/10:19:26.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:03.4
11346	M1O	04-029/10:19:27.6		Deletes the designated file.: d:/dat/254_doy029_pass01_file09.dat	FILE_DELETE	04-029/10:08:04.4
11347	M1O	04-029/10:19:28.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:05.5
11348	M1O	04-029/10:19:29.7		Deletes the designated file.: d:/dat/254_doy029_pass01_file10.dat	FILE_DELETE	04-029/10:08:06.5
11349	M1O	04-029/10:19:30.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:07.6
11350	M1O	04-029/10:19:31.8		Deletes the designated file.: d:/dat/254_doy029_pass01_file11.dat	FILE_DELETE	04-029/10:08:08.6
11351	M1O	04-029/10:19:32.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:09.7
11352	M1O	04-029/10:19:33.9		Deletes the designated file.: d:/dat/254_doy029_pass01_file12.dat	FILE_DELETE	04-029/10:08:10.7
11353	M1O	04-029/10:19:35.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:11.8
11354	M1O	04-029/10:19:36.0		Deletes the designated file.: d:/dat/254_doy029_pass01_file13.dat	FILE_DELETE	04-029/10:08:12.8
11355	M1O	04-029/10:19:37.1		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-029/10:08:13.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy029_pass01_file14.dat, d:/dat/autoswitch.dat		
11356	M1O	04-029/10:19:38.1		Deletes the designated file.: d:/dat/254_doy029_pass01_file14.dat	FILE_DELETE	04-029/10:08:14.9
11357	M1O	04-029/10:19:39.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:16.0
11358	M1O	04-029/10:19:40.2		Deletes the designated file.: d:/dat/254_doy029_pass01_file15.dat	FILE_DELETE	04-029/10:08:17.0
11359	M1O	04-029/10:19:41.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:18.1
11360	M1O	04-029/10:19:42.3		Deletes the designated file.: d:/dat/254_doy029_pass01_file16.dat	FILE_DELETE	04-029/10:08:19.1
11361	M1O	04-029/10:19:43.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:20.2
11362	M1O	04-029/10:19:44.4		Deletes the designated file.: d:/dat/254_doy029_pass01_file17.dat	FILE_DELETE	04-029/10:08:21.2
11363	M1O	04-029/10:19:45.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:22.3
11364	M1O	04-029/10:19:46.5		Deletes the designated file.: d:/dat/254_doy029_pass01_file18.dat	FILE_DELETE	04-029/10:08:23.3
11365	M1O	04-029/10:19:47.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/10:08:24.4
11366	M1O	04-029/10:19:48.6		Deletes the designated file.: d:/dat/254_doy029_pass01_file19.dat	FILE_DELETE	04-029/10:08:25.4
11367	M1O	04-029/10:19:49.6		CALL, Engine = , Parameters = 254	get_apid	04-029/10:08:26.4
11368	M1O	04-029/10:19:50.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-029/10:08:27.5
11369	M1O	04-029/10:19:50.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-029/10:08:27.7
11370	M1O	04-029/10:19:52.0		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-029/10:08:28.8
11371	M1O	04-029/10:19:53.3		CALL, Engine = , Parameters = 254	get_coding	04-029/10:08:30.1
11372	M1O	04-029/10:19:54.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-029/10:08:31.3
11373	M1O	04-029/10:19:55.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-029/10:08:32.5
11374	M1O	04-029/10:21:00.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/10:09:37.3
11375	M1O	04-029/10:21:01.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/10:09:38.3
11376	M1O	04-029/10:21:02.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/10:09:39.3
11377	M1O	04-029/10:21:03.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-029/10:09:40.3
11378	M1O	04-029/10:21:04.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-029/10:09:41.3
11379	M1O	04-029/10:21:05.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-029/10:09:42.3
11380	M1O	04-029/10:21:06.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/10:09:43.3
11381	M1O	04-029/10:21:07.5		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-029/10:09:44.3
11382	M1O	04-029/10:21:08.5		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-029/10:09:45.3
11383	M1O	04-029/10:22:56.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/10:11:33.3
11384	M1O	04-029/10:22:56.5	34	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11385	M1O	04-029/10:22:56.5	43	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11386	M1O	04-029/10:23:01.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/10:11:38.5
11387	M1O	04-029/10:23:06.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-029/10:11:43.3
11388	M1O	04-029/10:33:46.6		NOTE: Enter Solar Eclipse 9425		04-029/10:22:23.3
11389	M1O	04-029/10:35:16.5		NOTE: Ascending Node Crossing 9425		04-029/10:23:53.2
11390	M1O	04-029/10:40:00.0	65	Begin Pre-Cal		
11391	M1O	04-029/10:40:00.0	65	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
11392	M1O	04-029/10:40:00.0	65	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
11393	M1O	04-029/10:40:00.0	65	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
11394	M1O	04-029/10:40:00.0	65	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
11395	M1O	04-029/10:40:00.0	65	At BOT: S/C Tlm Mode: BR=0.0, FL=10112, SC=375KHZ, MI=71.7		
11396	M1O	04-029/10:40:00.0	65	Config: RCV: Parms:		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11397	M1O	04-029/10:40:00.0	65	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
11398	M1O	04-029/10:40:00.0	65	Config: TGC: BAND=X, SR=0.000000		
11399	M1O	04-029/10:40:00.0	65	Config: TXL		
11400	M1O	04-029/10:40:00.0	65	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
11401	M1O	04-029/10:40:00.0	65	Config: CMD		
11402	M1O	04-029/10:40:00.0	65	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
11403	M1O	04-029/10:40:17.6		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-029/10:28:54.3
11404	M1O	04-029/10:40:18.6		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-029/10:28:55.3
11405	M1O	04-029/10:40:20.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/10:28:57.3
11406	M1O	04-029/10:40:21.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/10:28:58.4
11407	M1O	04-029/10:40:31.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/10:29:08.4
11408	M1O	04-029/10:40:32.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/10:29:09.4
11409	M1O	04-029/10:40:33.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-029/10:29:10.4
11410	M1O	04-029/10:40:33.7	34	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11411	M1O	04-029/10:40:33.7	43	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11412	M1O	04-029/10:40:34.7		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-029/10:29:11.4
11413	M1O	04-029/10:45:33.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-029/10:34:10.0
11414	M1O	04-029/10:45:33.3	34	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11415	M1O	04-029/10:45:33.3	43	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11416	M1O	04-029/10:49:25.6		NOTE: Exit Solar Eclipse 9425		04-029/10:38:02.2
11417	M1O	04-029/11:03:57.2		NOTE: Apoapsis 9425 -		04-029/10:52:33.8
11418	M1O	04-029/11:05:17.7		NOTE: North Pole Crossing 9425		04-029/10:53:54.3
11419	M1O	04-029/11:08:46.6		NOTE: Enter Planetary Atmosphere 9425		04-029/10:57:23.2
11420	M1O	04-029/11:16:54.5		NOTE: Exit Planetary Atmosphere 9425		04-029/11:05:31.1
11421	M1O	04-029/11:20:00.0	34	NOTE: X-Band Transmitter Off in 15 minutes		
11422	M1O	04-029/11:24:25.4		SPAWN, Engine = 65535, Parameters = 029, 02, TRUE, 00:17:36, 253, TRUE, 32_KPS, 00:02:00, 00:00:00	uhf	04-029/11:13:02.0
11423	M1O	04-029/11:24:26.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/11:13:03.1
11424	M1O	04-029/11:24:28.5		CALL, Engine = , Parameters = 253	get_cmd_opt	04-029/11:13:05.1
11425	M1O	04-029/11:24:28.8		CALL, Engine = , Parameters = 029, 02, 253	bld_autosw	04-029/11:13:05.4
11426	M1O	04-029/11:24:29.9		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-029/11:13:06.5
11427	M1O	04-029/11:24:31.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:07.6
11428	M1O	04-029/11:24:32.0		Deletes the designated file.: d:/dat/253_doy029_pass02_file01.dat	FILE_DELETE	04-029/11:13:08.6
11429	M1O	04-029/11:24:33.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:09.7
11430	M1O	04-029/11:24:34.1		Deletes the designated file.: d:/dat/253_doy029_pass02_file02.dat	FILE_DELETE	04-029/11:13:10.7
11431	M1O	04-029/11:24:35.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:11.8
11432	M1O	04-029/11:24:36.2		Deletes the designated file.: d:/dat/253_doy029_pass02_file03.dat	FILE_DELETE	04-029/11:13:12.8
11433	M1O	04-029/11:24:37.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:13.9
11434	M1O	04-029/11:24:38.3		Deletes the designated file.: d:/dat/253_doy029_pass02_file04.dat	FILE_DELETE	04-029/11:13:14.9
11435	M1O	04-029/11:24:39.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:16.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11436	M1O	04-029/11:24:40.4		Deletes the designated file.: d:/dat/253_doy029_pass02_file05.dat	FILE_DELETE	04-029/11:13:17.0
11437	M1O	04-029/11:24:41.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:18.1
11438	M1O	04-029/11:24:42.5		Deletes the designated file.: d:/dat/253_doy029_pass02_file06.dat	FILE_DELETE	04-029/11:13:19.1
11439	M1O	04-029/11:24:43.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:20.2
11440	M1O	04-029/11:24:44.6		Deletes the designated file.: d:/dat/253_doy029_pass02_file07.dat	FILE_DELETE	04-029/11:13:21.2
11441	M1O	04-029/11:24:45.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:22.3
11442	M1O	04-029/11:24:46.7		Deletes the designated file.: d:/dat/253_doy029_pass02_file08.dat	FILE_DELETE	04-029/11:13:23.3
11443	M1O	04-029/11:24:47.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:24.4
11444	M1O	04-029/11:24:48.8		Deletes the designated file.: d:/dat/253_doy029_pass02_file09.dat	FILE_DELETE	04-029/11:13:25.4
11445	M1O	04-029/11:24:49.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:26.5
11446	M1O	04-029/11:24:50.9		Deletes the designated file.: d:/dat/253_doy029_pass02_file10.dat	FILE_DELETE	04-029/11:13:27.5
11447	M1O	04-029/11:24:52.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:28.6
11448	M1O	04-029/11:24:53.0		Deletes the designated file.: d:/dat/253_doy029_pass02_file11.dat	FILE_DELETE	04-029/11:13:29.6
11449	M1O	04-029/11:24:54.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:30.7
11450	M1O	04-029/11:24:55.1		Deletes the designated file.: d:/dat/253_doy029_pass02_file12.dat	FILE_DELETE	04-029/11:13:31.7
11451	M1O	04-029/11:24:56.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:32.8
11452	M1O	04-029/11:24:57.2		Deletes the designated file.: d:/dat/253_doy029_pass02_file13.dat	FILE_DELETE	04-029/11:13:33.8
11453	M1O	04-029/11:24:58.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:34.9
11454	M1O	04-029/11:24:59.3		Deletes the designated file.: d:/dat/253_doy029_pass02_file14.dat	FILE_DELETE	04-029/11:13:35.9
11455	M1O	04-029/11:25:00.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:37.0
11456	M1O	04-029/11:25:01.4		Deletes the designated file.: d:/dat/253_doy029_pass02_file15.dat	FILE_DELETE	04-029/11:13:38.0
11457	M1O	04-029/11:25:02.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:39.1
11458	M1O	04-029/11:25:03.5		Deletes the designated file.: d:/dat/253_doy029_pass02_file16.dat	FILE_DELETE	04-029/11:13:40.1
11459	M1O	04-029/11:25:04.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:41.2
11460	M1O	04-029/11:25:05.6		Deletes the designated file.: d:/dat/253_doy029_pass02_file17.dat	FILE_DELETE	04-029/11:13:42.2
11461	M1O	04-029/11:25:06.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:43.3
11462	M1O	04-029/11:25:07.7		Deletes the designated file.: d:/dat/253_doy029_pass02_file18.dat	FILE_DELETE	04-029/11:13:44.3
11463	M1O	04-029/11:25:08.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/11:13:45.4
11464	M1O	04-029/11:25:09.8		Deletes the designated file.: d:/dat/253_doy029_pass02_file19.dat	FILE_DELETE	04-029/11:13:46.4
11465	M1O	04-029/11:25:10.8		CALL, Engine = , Parameters = 253	get_apid	04-029/11:13:47.4
11466	M1O	04-029/11:25:11.9		CALL, Engine = , Parameters = 253	get_rcv_mode	04-029/11:13:48.5
11467	M1O	04-029/11:25:12.1		CALL, Engine = , Parameters = 253	get_dl_rate	04-029/11:13:48.7
11468	M1O	04-029/11:25:13.2		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-029/11:13:49.8
11469	M1O	04-029/11:25:14.5		CALL, Engine = , Parameters = 253	get_coding	04-029/11:13:51.1
11470	M1O	04-029/11:25:15.7		CALL, Engine = , Parameters = 253	get_xmt_mode	04-029/11:13:52.3
11471	M1O	04-029/11:25:16.9		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-029/11:13:53.5
11472	M1O	04-029/11:26:21.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/11:14:58.3
11473	M1O	04-029/11:26:22.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/11:14:59.3
11474	M1O	04-029/11:26:23.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/11:15:00.3
11475	M1O	04-029/11:26:24.7		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-029/11:15:01.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11476	M1O	04-029/11:26:25.7		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-029/11:15:02.3
11477	M1O	04-029/11:26:26.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-029/11:15:03.3
11478	M1O	04-029/11:26:27.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/11:15:04.3
11479	M1O	04-029/11:26:28.7		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-029/11:15:05.3
11480	M1O	04-029/11:26:29.7		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-029/11:15:06.3
11481	M1O	04-029/11:28:17.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/11:16:54.3
11482	M1O	04-029/11:28:17.7	34	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11483	M1O	04-029/11:28:17.7	43	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11484	M1O	04-029/11:28:22.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/11:16:59.5
11485	M1O	04-029/11:28:27.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-029/11:17:04.3
11486	M1O	04-029/11:30:00.0	34	Range Modulation Off		
11487	M1O	04-029/11:35:00.0	34	X-Band Transmitter Off		
11488	M1O	04-029/11:35:16.1		NOTE: Descending Node Crossing 9426		04-029/11:23:52.6
11489	M1O	04-029/11:37:12.8	34	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
11490	M1O	04-029/11:40:00.0	65	Begin Tracking		
11491	M1O	04-029/11:40:00.0	65	Acquire D/L: X/08, 3-Way/34, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11492	M1O	04-029/11:40:25.0	65	NOTE: Above Uplink Interlock Limit		
11493	M1O	04-029/11:43:58.8		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-029/11:32:35.3
11494	M1O	04-029/11:43:59.8		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-029/11:32:36.3
11495	M1O	04-029/11:44:01.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/11:32:38.3
11496	M1O	04-029/11:44:02.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/11:32:39.4
11497	M1O	04-029/11:44:12.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/11:32:49.4
11498	M1O	04-029/11:44:13.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/11:32:50.4
11499	M1O	04-029/11:44:14.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-029/11:32:51.4
11500	M1O	04-029/11:44:14.9	34	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11501	M1O	04-029/11:44:14.9	43	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11502	M1O	04-029/11:44:14.9	65	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11503	M1O	04-029/11:44:15.9		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-029/11:32:52.4
11504	M1O	04-029/11:45:00.0	65	Acquire U/L: X/08, PWR=20.0, BR=125.0		
11505	M1O	04-029/11:45:28.0	34	NOTE: Below Uplink Interlock Limit		
11506	M1O	04-029/11:47:03.0	43	NOTE: Below Uplink Interlock Limit		
11507	M1O	04-029/11:49:14.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-029/11:37:51.0
11508	M1O	04-029/11:49:14.5	34	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11509	M1O	04-029/11:49:14.5	43	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11510	M1O	04-029/11:49:14.5	65	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11511	M1O	04-029/11:50:00.0	65	Range Modulation On: SUP=3.0dB		
11512	M1O	04-029/11:51:00.0	65	Begin Ranging Acquisition		
11513	M1O	04-029/11:56:43.9		SPAWN, Engine = 65535, Parameters = 3, 00:15:58.852, 1	dpt	04-029/11:45:20.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11514	M1O	04-029/11:56:46.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/11:45:22.4
11515	M1O	04-029/11:56:46.0	34	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11516	M1O	04-029/11:56:46.0	43	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11517	M1O	04-029/11:56:46.0	65	D/L Change: X/08, 3-Way/34, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11518	M1O	04-029/11:56:47.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-029/11:45:23.4
11519	M1O	04-029/11:57:47.0	34	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11520	M1O	04-029/11:57:47.0	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11521	M1O	04-029/11:57:47.0	65	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11522	M1O	04-029/11:59:59.9		NOTE: Changing to 34M (HEF) downlink rate: 39816_BPS		04-029/11:48:36.3
11523	M1O	04-029/11:59:59.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-029/11:48:36.3
11524	M1O	04-029/11:59:59.9	34	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11525	M1O	04-029/11:59:59.9	43	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11526	M1O	04-029/11:59:59.9	65	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11527	M1O	04-029/12:00:00.0	43	End Tracking		
11528	M1O	04-029/12:00:00.0	34	End Tracking		
11529	M1O	04-029/12:00:07.1		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-029/11:48:43.5
11530	M1O	04-029/12:00:07.1	65	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11531	M1O	04-029/12:03:31.1		NOTE: Periapsis 9426 ----------		04-029/11:52:07.5
11532	M1O	04-029/12:04:33.3		NOTE: South Pole Crossing 9426		04-029/11:53:09.7
11533	M1O	04-029/12:07:47.0	65	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11534	M1O	04-029/12:12:44.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-029/12:01:21.2
11535	M1O	04-029/12:12:44.9	65	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11536	M1O	04-029/12:12:45.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-029/12:01:22.2
11537	M1O	04-029/12:15:00.0	43	End Post-Cal		
11538	M1O	04-029/12:15:00.0	34	End Post-Cal		
11539	M1O	04-029/12:21:06.6		SPAWN, Engine = 65535, Parameters = 029, 02, FALSE, 00:09:01.338, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-029/12:09:43.0
11540	M1O	04-029/12:21:07.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/12:09:44.1
11541	M1O	04-029/12:21:09.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-029/12:09:46.1
11542	M1O	04-029/12:21:51.9		CALL, Engine = , Parameters = 254	get_apid	04-029/12:10:28.3
11543	M1O	04-029/12:21:53.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-029/12:10:29.4
11544	M1O	04-029/12:21:53.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-029/12:10:29.6
11545	M1O	04-029/12:21:54.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-029/12:10:30.7
11546	M1O	04-029/12:21:55.6		CALL, Engine = , Parameters = 254	get_coding	04-029/12:10:32.0
11547	M1O	04-029/12:21:56.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-029/12:10:33.2
11548	M1O	04-029/12:21:58.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-029/12:10:34.4
11549	M1O	04-029/12:23:02.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/12:11:39.2
11550	M1O	04-029/12:23:03.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/12:11:40.2
11551	M1O	04-029/12:23:04.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/12:11:41.2
11552	M1O	04-029/12:23:05.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-029/12:11:42.2
11553	M1O	04-029/12:23:06.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-029/12:11:43.2
11554	M1O	04-029/12:23:07.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK,	UHF_RCV_MODE	04-029/12:11:44.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT		
11555	M1O	04-029/12:23:08.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/12:11:45.2
11556	M1O	04-029/12:32:06.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/12:20:42.5
11557	M1O	04-029/12:32:07.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/12:20:43.6
11558	M1O	04-029/12:32:17.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/12:20:53.6
11559	M1O	04-029/12:32:18.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/12:20:54.6
11560	M1O	04-029/12:32:23.1		NOTE: Enter Solar Eclipse 9426		04-029/12:20:59.4
11561	M1O	04-029/12:33:53.2		NOTE: Ascending Node Crossing 9426		04-029/12:22:29.5
11562	M1O	04-029/12:48:01.8		NOTE: Exit Solar Eclipse 9426		04-029/12:36:38.1
11563	M1O	04-029/13:02:14.8		NOTE: Apoapsis 9426 -		04-029/12:50:51.0
11564	M1O	04-029/13:03:54.0		NOTE: North Pole Crossing 9426		04-029/12:52:30.2
11565	M1O	04-029/13:07:18.6		NOTE: Enter Planetary Atmosphere 9426		04-029/12:55:54.8
11566	M1O	04-029/13:15:34.8		NOTE: Exit Planetary Atmosphere 9426		04-029/13:04:11.0
11567	M1O	04-029/13:33:51.7		NOTE: Descending Node Crossing 9427		04-029/13:22:27.9
11568	M1O	04-029/14:02:01.6		NOTE: Periapsis 9427 ----------		04-029/13:50:37.7
11569	M1O	04-029/14:03:09.1		NOTE: South Pole Crossing 9427		04-029/13:51:45.1
11570	M1O	04-029/14:30:59.3		NOTE: Enter Solar Eclipse 9427		04-029/14:19:35.3
11571	M1O	04-029/14:32:07.0		SPAWN, Engine = 65535, Parameters = 029, 03, FALSE, 00:07:52.887, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-029/14:20:43.0
11572	M1O	04-029/14:32:08.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/14:20:44.1
11573	M1O	04-029/14:32:10.1		CALL, Engine = , Parameters = 56	get_cmd_opt	04-029/14:20:46.1
11574	M1O	04-029/14:32:29.1		NOTE: Ascending Node Crossing 9427		04-029/14:21:05.0
11575	M1O	04-029/14:32:52.3		CALL, Engine = , Parameters = 56	get_apid	04-029/14:21:28.3
11576	M1O	04-029/14:32:53.4		CALL, Engine = , Parameters = 56	get_rcv_mode	04-029/14:21:29.4
11577	M1O	04-029/14:32:53.6		CALL, Engine = , Parameters = 56	get_dl_rate	04-029/14:21:29.6
11578	M1O	04-029/14:32:54.7		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-029/14:21:30.7
11579	M1O	04-029/14:32:55.9		CALL, Engine = , Parameters = 56	get_coding	04-029/14:21:31.9
11580	M1O	04-029/14:32:57.1		CALL, Engine = , Parameters = 56	get_xmt_mode	04-029/14:21:33.1
11581	M1O	04-029/14:32:58.3		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-029/14:21:34.3
11582	M1O	04-029/14:34:03.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/14:22:39.1
11583	M1O	04-029/14:34:04.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/14:22:40.1
11584	M1O	04-029/14:34:05.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/14:22:41.1
11585	M1O	04-029/14:34:06.1		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-029/14:22:42.1
11586	M1O	04-029/14:34:07.1		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-029/14:22:43.1
11587	M1O	04-029/14:34:08.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-029/14:22:44.1
11588	M1O	04-029/14:34:09.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/14:22:45.1
11589	M1O	04-029/14:41:58.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/14:30:33.9
11590	M1O	04-029/14:41:59.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/14:30:35.0
11591	M1O	04-029/14:42:09.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/14:30:45.0
11592	M1O	04-029/14:42:10.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/14:30:46.0
11593	M1O	04-029/14:46:40.7		NOTE: Exit Solar Eclipse 9427		04-029/14:35:16.6
11594	M1O	04-029/15:00:34.1		NOTE: Apoapsis 9427 -		04-029/14:49:10.0
11595	M1O	04-029/15:02:28.7		NOTE: North Pole Crossing 9427		04-029/14:51:04.5
11596	M1O	04-029/15:05:38.8		NOTE: Enter Planetary Atmosphere 9427		04-029/14:54:14.7
11597	M1O	04-029/15:14:21.2		NOTE: Exit Planetary Atmosphere 9427		04-029/15:02:57.0
11598	M1O	04-029/15:32:25.1		NOTE: Descending Node Crossing 9428		04-029/15:21:00.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11599	M1O	04-029/16:00:35.0		NOTE: Periapsis 9428 ----------		04-029/15:49:10.7
11600	M1O	04-029/16:01:42.2		NOTE: South Pole Crossing 9428		04-029/15:50:17.8
11601	M1O	04-029/16:07:11.0	65	NOTE: X-Band Transmitter Off in 15 minutes		
11602	M1O	04-029/16:17:11.0	65	Range Modulation Off		
11603	M1O	04-029/16:22:11.0	65	X-Band Transmitter Off		
11604	M1O	04-029/16:22:11.0	65	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
11605	M1O	04-029/16:23:08.4		SPAWN, Engine = 65535, Parameters = 029, 04, FALSE, 00:19:36.135, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-029/16:11:44.0
11606	M1O	04-029/16:23:09.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/16:11:45.1
11607	M1O	04-029/16:23:11.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-029/16:11:47.1
11608	M1O	04-029/16:23:53.7		CALL, Engine = , Parameters = 56	get_apid	04-029/16:12:29.3
11609	M1O	04-029/16:23:54.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-029/16:12:30.4
11610	M1O	04-029/16:23:55.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-029/16:12:30.6
11611	M1O	04-029/16:23:56.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-029/16:12:31.7
11612	M1O	04-029/16:23:57.3		CALL, Engine = , Parameters = 56	get_coding	04-029/16:12:32.9
11613	M1O	04-029/16:23:58.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-029/16:12:34.1
11614	M1O	04-029/16:23:59.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-029/16:12:35.3
11615	M1O	04-029/16:25:04.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/16:13:40.1
11616	M1O	04-029/16:25:05.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/16:13:41.1
11617	M1O	04-029/16:25:06.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/16:13:42.1
11618	M1O	04-029/16:25:07.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-029/16:13:43.1
11619	M1O	04-029/16:25:08.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-029/16:13:44.1
11620	M1O	04-029/16:25:09.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-029/16:13:45.1
11621	M1O	04-029/16:25:10.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/16:13:46.1
11622	M1O	04-029/16:29:31.7		NOTE: Enter Solar Eclipse 9428		04-029/16:18:07.3
11623	M1O	04-029/16:31:02.1		NOTE: Ascending Node Crossing 9428		04-029/16:19:37.6
11624	M1O	04-029/16:36:48.4		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-029/16:25:24.0
11625	M1O	04-029/16:37:04.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-027T16:25:24.100, 2004-029T16:25:24.100	PCKTS_RE_TX_TIME	04-029/16:25:39.8
11626	M1O	04-029/16:37:05.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-027T16:25:24.100, 2004-029T16:25:24.100	PCKTS_RE_TX_TIME	04-029/16:25:40.8
11627	M1O	04-029/16:37:06.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-027T16:25:24.100, 2004-029T16:25:24.100	PCKTS_RE_TX_TIME	04-029/16:25:41.8
11628	M1O	04-029/16:37:07.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-027T16:25:24.100, 2004-029T16:25:24.100	PCKTS_RE_TX_TIME	04-029/16:25:42.8
11629	M1O	04-029/16:37:08.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-027T16:25:24.100, 2004-029T16:25:24.100	PCKTS_RE_TX_TIME	04-029/16:25:43.8
11630	M1O	04-029/16:37:09.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-027T16:25:24.100, 2004-029T16:25:24.100	PCKTS_RE_TX_TIME	04-029/16:25:44.8
11631	M1O	04-029/16:37:09.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-029/16:25:44.8
11632	M1O	04-029/16:37:09.2	65	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11633	M1O	04-029/16:44:10.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/16:32:45.8
11634	M1O	04-029/16:44:10.2	65	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11635	M1O	04-029/16:44:11.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-029/16:32:46.8
11636	M1O	04-029/16:44:27.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-029/16:33:02.8
11637	M1O	04-029/16:44:27.2	65	D/L RF Warning: SC antenna change - expect signal level variation		
11638	M1O	04-029/16:44:28.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-029/16:33:03.8
11639	M1O	04-029/16:44:42.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-029/16:33:18.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
11640	M1O	04-029/16:44:43.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/16:33:19.3
11641	M1O	04-029/16:44:53.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/16:33:29.3
11642	M1O	04-029/16:44:54.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/16:33:30.3
11643	M1O	04-029/16:44:59.8	65	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11644	M1O	04-029/16:45:00.0	65	End Tracking		
11645	M1O	04-029/16:45:16.8		NOTE: Exit Solar Eclipse 9428		04-029/16:33:52.3
11646	M1O	04-029/16:59:16.0		NOTE: Apoapsis 9428 -		04-029/16:47:51.4
11647	M1O	04-029/17:00:00.0	65	End Post-Cal		
11648	M1O	04-029/17:01:00.8		NOTE: North Pole Crossing 9428		04-029/16:49:36.3
11649	M1O	04-029/17:04:01.7		NOTE: Enter Planetary Atmosphere 9428		04-029/16:52:37.2
11650	M1O	04-029/17:12:59.1		NOTE: Exit Planetary Atmosphere 9428		04-029/17:01:34.5
11651	M1O	04-029/17:30:56.5		NOTE: Descending Node Crossing 9429		04-029/17:19:31.9
11652	M1O	04-029/17:59:02.0		NOTE: Periapsis 9429 ----------		04-029/17:47:37.3
11653	M1O	04-029/18:00:00.0	25	Begin Pre-Cal		
11654	M1O	04-029/18:00:00.0	25	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
11655	M1O	04-029/18:00:00.0	25	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
11656	M1O	04-029/18:00:00.0	25	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
11657	M1O	04-029/18:00:00.0	25	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
11658	M1O	04-029/18:00:00.0	25	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
11659	M1O	04-029/18:00:00.0	25	Config: RCV: Parms:		
11660	M1O	04-029/18:00:00.0	25	Config: TLM: DC= 3700, IC1=L, IC2=6, IC3=A15R6, OC1=B, OC2=S		
11661	M1O	04-029/18:00:00.0	25	Config: TGC: BAND=X, SR=238896.000000		
11662	M1O	04-029/18:00:00.0	25	Config: TXL		
11663	M1O	04-029/18:00:00.0	25	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
11664	M1O	04-029/18:00:00.0	25	Config: CMD		
11665	M1O	04-029/18:00:00.0	25	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
11666	M1O	04-029/18:00:12.7		NOTE: South Pole Crossing 9429		04-029/17:48:48.0
11667	M1O	04-029/18:28:02.0		NOTE: Enter Solar Eclipse 9429		04-029/18:16:37.2
11668	M1O	04-029/18:29:32.0		NOTE: Ascending Node Crossing 9429		04-029/18:18:07.2
11669	M1O	04-029/18:43:43.6		NOTE: Exit Solar Eclipse 9429		04-029/18:32:18.7
11670	M1O	04-029/18:57:41.6		NOTE: Apoapsis 9429 -		04-029/18:46:16.7
11671	M1O	04-029/18:59:31.7		NOTE: North Pole Crossing 9429		04-029/18:48:06.8
11672	M1O	04-029/19:02:41.6		NOTE: Enter Planetary Atmosphere 9429		04-029/18:51:16.7
11673	M1O	04-029/19:11:22.1		NOTE: Exit Planetary Atmosphere 9429		04-029/18:59:57.2
11674	M1O	04-029/19:29:28.0		NOTE: Descending Node Crossing 9430		04-029/19:18:03.0
11675	M1O	04-029/19:29:35.2		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-029/19:18:10.2
11676	M1O	04-029/19:29:35.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/19:18:10.3
11677	M1O	04-029/19:29:36.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-029/19:18:11.3
11678	M1O	04-029/19:29:37.3		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-029/19:18:12.3
11679	M1O	04-029/19:29:38.3		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-029/19:18:13.3
11680	M1O	04-029/19:29:39.3		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-029/19:18:14.3
11681	M1O	04-029/19:29:49.3		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-029/19:18:24.3
11682	M1O	04-029/19:29:59.3		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-029/19:18:34.3
11683	M1O	04-029/19:30:00.0	25	Begin Tracking		
11684	M1O	04-029/19:30:00.0	25	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11685	M1O	04-029/19:31:00.0	25	Acquire U/L: X/08, PWR=20.0, BR=125.0		
11686	M1O	04-029/19:34:59.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-029/19:23:34.3
11687	M1O	04-029/19:35:00.3		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-029/19:23:35.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_sci.cfg,		
11688	M1O	04-029/19:35:00.3	25	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11689	M1O	04-029/19:35:01.3		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-029/19:23:36.3
11690	M1O	04-029/19:36:00.0	25	Range Modulation On: SUP=3.0dB		
11691	M1O	04-029/19:37:00.0	25	Begin Ranging Acquisition		
11692	M1O	04-029/19:52:47.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-029/19:41:22.6
11693	M1O	04-029/19:52:49.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/19:41:24.7
11694	M1O	04-029/19:52:49.8	25	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11695	M1O	04-029/19:52:50.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-029/19:41:25.7
11696	M1O	04-029/19:53:50.0	25	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11697	M1O	04-029/19:57:12.7		NOTE: Periapsis 9430 ----------		04-029/19:45:47.6
11698	M1O	04-029/19:58:44.1		NOTE: South Pole Crossing 9430		04-029/19:47:19.0
11699	M1O	04-029/19:58:49.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-029/19:47:24.7
11700	M1O	04-029/19:58:49.8	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11701	M1O	04-029/19:58:50.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-029/19:47:25.7
11702	M1O	04-029/20:26:37.3		NOTE: Enter Solar Eclipse 9430		04-029/20:15:12.1
11703	M1O	04-029/20:28:04.2		NOTE: Ascending Node Crossing 9430		04-029/20:16:39.0
11704	M1O	04-029/20:42:08.8		NOTE: Exit Solar Eclipse 9430		04-029/20:30:43.5
11705	M1O	04-029/20:55:58.7		NOTE: Apoapsis 9430 -		04-029/20:44:33.4
11706	M1O	04-029/20:58:04.9		NOTE: North Pole Crossing 9430		04-029/20:46:39.6
11707	M1O	04-029/21:01:32.5		NOTE: Enter Planetary Atmosphere 9430		04-029/20:50:07.2
11708	M1O	04-029/21:09:40.5		NOTE: Exit Planetary Atmosphere 9430		04-029/20:58:15.1
11709	M1O	04-029/21:24:59.3		SPAWN, Engine = 65535, Parameters = 029, 03, FALSE, 00:13:42.597, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-029/21:13:34.0
11710	M1O	04-029/21:25:00.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/21:13:35.1
11711	M1O	04-029/21:25:02.4		CALL, Engine = , Parameters = 254	get_cmd_opt	04-029/21:13:37.1
11712	M1O	04-029/21:25:44.6		CALL, Engine = , Parameters = 254	get_apid	04-029/21:14:19.3
11713	M1O	04-029/21:25:45.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-029/21:14:20.4
11714	M1O	04-029/21:25:45.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-029/21:14:20.6
11715	M1O	04-029/21:25:47.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-029/21:14:21.7
11716	M1O	04-029/21:25:48.3		CALL, Engine = , Parameters = 254	get_coding	04-029/21:14:23.0
11717	M1O	04-029/21:25:49.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-029/21:14:24.2
11718	M1O	04-029/21:25:50.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-029/21:14:25.4
11719	M1O	04-029/21:26:55.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/21:15:30.2
11720	M1O	04-029/21:26:56.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/21:15:31.2
11721	M1O	04-029/21:26:57.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/21:15:32.2
11722	M1O	04-029/21:26:58.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-029/21:15:33.2
11723	M1O	04-029/21:26:59.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-029/21:15:34.2
11724	M1O	04-029/21:27:00.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-029/21:15:35.2
11725	M1O	04-029/21:27:01.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/21:15:36.2
11726	M1O	04-029/21:28:01.9		NOTE: Descending Node Crossing 9431		04-029/21:16:36.5
11727	M1O	04-029/21:40:40.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/21:29:14.7
11728	M1O	04-029/21:40:41.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/21:29:15.8
11729	M1O	04-029/21:40:51.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/21:29:25.8
11730	M1O	04-029/21:40:52.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/21:29:26.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11731	M1O	04-029/21:55:52.4		NOTE: Periapsis 9431 ----------		04-029/21:44:26.9
11732	M1O	04-029/21:57:19.4		NOTE: South Pole Crossing 9431		04-029/21:45:53.9
11733	M1O	04-029/22:15:20.5		SPAWN, Engine = 65535, Parameters = 029, 03, TRUE, 00:18:27, 253, TRUE, 32_KPS, 00:02:00, 00:00:00	uhf	04-029/22:03:55.0
11734	M1O	04-029/22:15:21.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/22:03:56.1
11735	M1O	04-029/22:15:23.6		CALL, Engine = , Parameters = 253	get_cmd_opt	04-029/22:03:58.1
11736	M1O	04-029/22:15:23.9		CALL, Engine = , Parameters = 029, 03, 253	bld_autosw	04-029/22:03:58.4
11737	M1O	04-029/22:15:25.0		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-029/22:03:59.5
11738	M1O	04-029/22:15:26.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:00.6
11739	M1O	04-029/22:15:27.1		Deletes the designated file.: d:/dat/253_doy029_pass03_file01.dat	FILE_DELETE	04-029/22:04:01.6
11740	M1O	04-029/22:15:28.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:02.7
11741	M1O	04-029/22:15:29.2		Deletes the designated file.: d:/dat/253_doy029_pass03_file02.dat	FILE_DELETE	04-029/22:04:03.7
11742	M1O	04-029/22:15:30.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:04.8
11743	M1O	04-029/22:15:31.3		Deletes the designated file.: d:/dat/253_doy029_pass03_file03.dat	FILE_DELETE	04-029/22:04:05.8
11744	M1O	04-029/22:15:32.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:06.9
11745	M1O	04-029/22:15:33.4		Deletes the designated file.: d:/dat/253_doy029_pass03_file04.dat	FILE_DELETE	04-029/22:04:07.9
11746	M1O	04-029/22:15:34.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:09.0
11747	M1O	04-029/22:15:35.5		Deletes the designated file.: d:/dat/253_doy029_pass03_file05.dat	FILE_DELETE	04-029/22:04:10.0
11748	M1O	04-029/22:15:36.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:11.1
11749	M1O	04-029/22:15:37.6		Deletes the designated file.: d:/dat/253_doy029_pass03_file06.dat	FILE_DELETE	04-029/22:04:12.1
11750	M1O	04-029/22:15:38.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:13.2
11751	M1O	04-029/22:15:39.7		Deletes the designated file.: d:/dat/253_doy029_pass03_file07.dat	FILE_DELETE	04-029/22:04:14.2
11752	M1O	04-029/22:15:40.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:15.3
11753	M1O	04-029/22:15:41.8		Deletes the designated file.: d:/dat/253_doy029_pass03_file08.dat	FILE_DELETE	04-029/22:04:16.3
11754	M1O	04-029/22:15:42.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:17.4
11755	M1O	04-029/22:15:43.9		Deletes the designated file.: d:/dat/253_doy029_pass03_file09.dat	FILE_DELETE	04-029/22:04:18.4
11756	M1O	04-029/22:15:45.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:19.5
11757	M1O	04-029/22:15:46.0		Deletes the designated file.: d:/dat/253_doy029_pass03_file10.dat	FILE_DELETE	04-029/22:04:20.5
11758	M1O	04-029/22:15:47.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:21.6
11759	M1O	04-029/22:15:48.1		Deletes the designated file.: d:/dat/253_doy029_pass03_file11.dat	FILE_DELETE	04-029/22:04:22.6
11760	M1O	04-029/22:15:49.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:23.7
11761	M1O	04-029/22:15:50.2		Deletes the designated file.: d:/dat/253_doy029_pass03_file12.dat	FILE_DELETE	04-029/22:04:24.7
11762	M1O	04-029/22:15:51.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:25.8
11763	M1O	04-029/22:15:52.3		Deletes the designated file.: d:/dat/253_doy029_pass03_file13.dat	FILE_DELETE	04-029/22:04:26.8
11764	M1O	04-029/22:15:53.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:27.9
11765	M1O	04-029/22:15:54.4		Deletes the designated file.: d:/dat/253_doy029_pass03_file14.dat	FILE_DELETE	04-029/22:04:28.9
11766	M1O	04-029/22:15:55.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:30.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11767	M1O	04-029/22:15:56.5		Deletes the designated file.: d:/dat/253_doy029_pass03_file15.dat	FILE_DELETE	04-029/22:04:31.0
11768	M1O	04-029/22:15:57.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:32.1
11769	M1O	04-029/22:15:58.6		Deletes the designated file.: d:/dat/253_doy029_pass03_file16.dat	FILE_DELETE	04-029/22:04:33.1
11770	M1O	04-029/22:15:59.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:34.2
11771	M1O	04-029/22:16:00.7		Deletes the designated file.: d:/dat/253_doy029_pass03_file17.dat	FILE_DELETE	04-029/22:04:35.2
11772	M1O	04-029/22:16:01.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:36.3
11773	M1O	04-029/22:16:02.8		Deletes the designated file.: d:/dat/253_doy029_pass03_file18.dat	FILE_DELETE	04-029/22:04:37.3
11774	M1O	04-029/22:16:03.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy029_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/22:04:38.4
11775	M1O	04-029/22:16:04.9		Deletes the designated file.: d:/dat/253_doy029_pass03_file19.dat	FILE_DELETE	04-029/22:04:39.4
11776	M1O	04-029/22:16:05.9		CALL, Engine = , Parameters = 253	get_apid	04-029/22:04:40.4
11777	M1O	04-029/22:16:07.0		CALL, Engine = , Parameters = 253	get_rcv_mode	04-029/22:04:41.5
11778	M1O	04-029/22:16:07.2		CALL, Engine = , Parameters = 253	get_dl_rate	04-029/22:04:41.7
11779	M1O	04-029/22:16:08.3		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-029/22:04:42.8
11780	M1O	04-029/22:16:09.6		CALL, Engine = , Parameters = 253	get_coding	04-029/22:04:44.1
11781	M1O	04-029/22:16:10.8		CALL, Engine = , Parameters = 253	get_xmt_mode	04-029/22:04:45.3
11782	M1O	04-029/22:16:12.0		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-029/22:04:46.5
11783	M1O	04-029/22:17:16.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/22:05:51.3
11784	M1O	04-029/22:17:17.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/22:05:52.3
11785	M1O	04-029/22:17:18.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/22:05:53.3
11786	M1O	04-029/22:17:19.8		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-029/22:05:54.3
11787	M1O	04-029/22:17:20.8		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-029/22:05:55.3
11788	M1O	04-029/22:17:21.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-029/22:05:56.3
11789	M1O	04-029/22:17:22.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/22:05:57.3
11790	M1O	04-029/22:17:23.8		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-029/22:05:58.3
11791	M1O	04-029/22:17:24.8		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-029/22:05:59.3
11792	M1O	04-029/22:19:12.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/22:07:47.3
11793	M1O	04-029/22:19:12.8	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11794	M1O	04-029/22:19:18.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/22:07:52.5
11795	M1O	04-029/22:19:22.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-029/22:07:57.3
11796	M1O	04-029/22:25:14.7		NOTE: Enter Solar Eclipse 9431		04-029/22:13:49.1
11797	M1O	04-029/22:26:40.5		NOTE: Ascending Node Crossing 9431		04-029/22:15:14.9
11798	M1O	04-029/22:35:44.9		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-029/22:24:19.3
11799	M1O	04-029/22:35:45.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-029/22:24:20.3
11800	M1O	04-029/22:35:47.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/22:24:22.3
11801	M1O	04-029/22:35:49.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/22:24:23.4
11802	M1O	04-029/22:35:59.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/22:24:33.4
11803	M1O	04-029/22:36:00.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/22:24:34.4
11804	M1O	04-029/22:36:01.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-029/22:24:35.4
11805	M1O	04-029/22:36:01.0	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11806	M1O	04-029/22:36:02.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-029/22:24:36.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11807	M1O	04-029/22:40:42.1		NOTE: Exit Solar Eclipse 9431		04-029/22:29:16.5
11808	M1O	04-029/22:41:00.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-029/22:29:35.0
11809	M1O	04-029/22:41:00.6	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11810	M1O	04-029/22:54:46.8		NOTE: Apoapsis 9431 -		04-029/22:43:21.1
11811	M1O	04-029/22:56:40.8		NOTE: North Pole Crossing 9431		04-029/22:45:15.1
11812	M1O	04-029/23:00:16.4		NOTE: Enter Planetary Atmosphere 9431		04-029/22:48:50.7
11813	M1O	04-029/23:08:07.7		NOTE: Exit Planetary Atmosphere 9431		04-029/22:56:42.0
11814	M1O	04-029/23:19:44.7		SPAWN, Engine = 65535, Parameters = 029, 04, TRUE, 00:18:33, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-029/23:08:19.0
11815	M1O	04-029/23:19:45.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/23:08:20.1
11816	M1O	04-029/23:19:47.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-029/23:08:22.1
11817	M1O	04-029/23:19:48.1		CALL, Engine = , Parameters = 029, 04, 254	bld_autosw	04-029/23:08:22.4
11818	M1O	04-029/23:19:49.2		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-029/23:08:23.5
11819	M1O	04-029/23:19:50.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:24.6
11820	M1O	04-029/23:19:51.3		Deletes the designated file.: d:/dat/254_doy029_pass04_file01.dat	FILE_DELETE	04-029/23:08:25.6
11821	M1O	04-029/23:19:52.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:26.7
11822	M1O	04-029/23:19:53.4		Deletes the designated file.: d:/dat/254_doy029_pass04_file02.dat	FILE_DELETE	04-029/23:08:27.7
11823	M1O	04-029/23:19:54.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:28.8
11824	M1O	04-029/23:19:55.5		Deletes the designated file.: d:/dat/254_doy029_pass04_file03.dat	FILE_DELETE	04-029/23:08:29.8
11825	M1O	04-029/23:19:56.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:30.9
11826	M1O	04-029/23:19:57.6		Deletes the designated file.: d:/dat/254_doy029_pass04_file04.dat	FILE_DELETE	04-029/23:08:31.9
11827	M1O	04-029/23:19:58.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:33.0
11828	M1O	04-029/23:19:59.7		Deletes the designated file.: d:/dat/254_doy029_pass04_file05.dat	FILE_DELETE	04-029/23:08:34.0
11829	M1O	04-029/23:20:00.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:35.1
11830	M1O	04-029/23:20:01.8		Deletes the designated file.: d:/dat/254_doy029_pass04_file06.dat	FILE_DELETE	04-029/23:08:36.1
11831	M1O	04-029/23:20:02.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:37.2
11832	M1O	04-029/23:20:03.9		Deletes the designated file.: d:/dat/254_doy029_pass04_file07.dat	FILE_DELETE	04-029/23:08:38.2
11833	M1O	04-029/23:20:05.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:39.3
11834	M1O	04-029/23:20:06.0		Deletes the designated file.: d:/dat/254_doy029_pass04_file08.dat	FILE_DELETE	04-029/23:08:40.3
11835	M1O	04-029/23:20:07.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:41.4
11836	M1O	04-029/23:20:08.1		Deletes the designated file.: d:/dat/254_doy029_pass04_file09.dat	FILE_DELETE	04-029/23:08:42.4
11837	M1O	04-029/23:20:09.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:43.5
11838	M1O	04-029/23:20:10.2		Deletes the designated file.: d:/dat/254_doy029_pass04_file10.dat	FILE_DELETE	04-029/23:08:44.5
11839	M1O	04-029/23:20:11.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:45.6
11840	M1O	04-029/23:20:12.3		Deletes the designated file.: d:/dat/254_doy029_pass04_file11.dat	FILE_DELETE	04-029/23:08:46.6
11841	M1O	04-029/23:20:13.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:47.7
11842	M1O	04-029/23:20:14.4		Deletes the designated file.: d:/dat/254_doy029_pass04_file12.dat	FILE_DELETE	04-029/23:08:48.7
11843	M1O	04-029/23:20:15.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:49.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11844	M1O	04-029/23:20:16.5		Deletes the designated file.: d:/dat/254_doy029_pass04_file13.dat	FILE_DELETE	04-029/23:08:50.8
11845	M1O	04-029/23:20:17.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:51.9
11846	M1O	04-029/23:20:18.6		Deletes the designated file.: d:/dat/254_doy029_pass04_file14.dat	FILE_DELETE	04-029/23:08:52.9
11847	M1O	04-029/23:20:19.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:54.0
11848	M1O	04-029/23:20:20.7		Deletes the designated file.: d:/dat/254_doy029_pass04_file15.dat	FILE_DELETE	04-029/23:08:55.0
11849	M1O	04-029/23:20:21.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:56.1
11850	M1O	04-029/23:20:22.8		Deletes the designated file.: d:/dat/254_doy029_pass04_file16.dat	FILE_DELETE	04-029/23:08:57.1
11851	M1O	04-029/23:20:23.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:08:58.2
11852	M1O	04-029/23:20:24.9		Deletes the designated file.: d:/dat/254_doy029_pass04_file17.dat	FILE_DELETE	04-029/23:08:59.2
11853	M1O	04-029/23:20:26.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:09:00.3
11854	M1O	04-029/23:20:27.0		Deletes the designated file.: d:/dat/254_doy029_pass04_file18.dat	FILE_DELETE	04-029/23:09:01.3
11855	M1O	04-029/23:20:28.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy029_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-029/23:09:02.4
11856	M1O	04-029/23:20:29.1		Deletes the designated file.: d:/dat/254_doy029_pass04_file19.dat	FILE_DELETE	04-029/23:09:03.4
11857	M1O	04-029/23:20:30.1		CALL, Engine = , Parameters = 254	get_apid	04-029/23:09:04.4
11858	M1O	04-029/23:20:31.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-029/23:09:05.5
11859	M1O	04-029/23:20:31.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-029/23:09:05.7
11860	M1O	04-029/23:20:32.5		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-029/23:09:06.8
11861	M1O	04-029/23:20:33.8		CALL, Engine = , Parameters = 254	get_coding	04-029/23:09:08.1
11862	M1O	04-029/23:20:35.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-029/23:09:09.3
11863	M1O	04-029/23:20:36.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-029/23:09:10.5
11864	M1O	04-029/23:21:41.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-029/23:10:15.3
11865	M1O	04-029/23:21:42.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-029/23:10:16.3
11866	M1O	04-029/23:21:43.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-029/23:10:17.3
11867	M1O	04-029/23:21:44.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-029/23:10:18.3
11868	M1O	04-029/23:21:45.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-029/23:10:19.3
11869	M1O	04-029/23:21:46.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-029/23:10:20.3
11870	M1O	04-029/23:21:47.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-029/23:10:21.3
11871	M1O	04-029/23:23:37.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/23:12:11.3
11872	M1O	04-029/23:23:37.0	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11873	M1O	04-029/23:23:42.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-029/23:12:16.5
11874	M1O	04-029/23:23:47.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-029/23:12:21.3
11875	M1O	04-029/23:26:37.7		NOTE: Descending Node Crossing 9432		04-029/23:15:12.0
11876	M1O	04-029/23:40:18.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-029/23:28:52.3
11877	M1O	04-029/23:40:19.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-029/23:28:53.4
11878	M1O	04-029/23:40:29.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-029/23:29:03.4
11879	M1O	04-029/23:40:30.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-029/23:29:04.4
11880	M1O	04-029/23:40:31.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-029/23:29:05.4
11881	M1O	04-029/23:40:31.2	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11882	M1O	04-029/23:40:32.2		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-029/23:29:06.4
11883	M1O	04-029/23:45:30.8		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-029/23:34:05.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_sci.cfg,		
11884	M1O	04-029/23:45:30.8	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11885	M1O	04-029/23:54:52.8		NOTE: Periapsis 9432 ----------		04-029/23:43:26.9
11886	M1O	04-029/23:55:56.2		NOTE: South Pole Crossing 9432		04-029/23:44:30.3
11887	M1O	04-030/00:00:00.0		Light Time: OWLT = 11:25, RTLT = 22:51		
11888	M1O	04-030/00:14:38.9		SPAWN, Engine = 65535, Parameters = 030, 01, FALSE, 00:14:31.789, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-030/00:03:13.0
11889	M1O	04-030/00:14:40.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/00:03:14.1
11890	M1O	04-030/00:14:42.0		CALL, Engine = , Parameters = 253	get_cmd_opt	04-030/00:03:16.1
11891	M1O	04-030/00:15:24.2		CALL, Engine = , Parameters = 253	get_apid	04-030/00:03:58.3
11892	M1O	04-030/00:15:25.3		CALL, Engine = , Parameters = 253	get_rcv_mode	04-030/00:03:59.4
11893	M1O	04-030/00:15:25.5		CALL, Engine = , Parameters = 253	get_dl_rate	04-030/00:03:59.6
11894	M1O	04-030/00:15:26.6		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-030/00:04:00.7
11895	M1O	04-030/00:15:27.9		CALL, Engine = , Parameters = 253	get_coding	04-030/00:04:02.0
11896	M1O	04-030/00:15:29.1		CALL, Engine = , Parameters = 253	get_xmt_mode	04-030/00:04:03.2
11897	M1O	04-030/00:15:30.3		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-030/00:04:04.4
11898	M1O	04-030/00:16:35.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/00:05:09.2
11899	M1O	04-030/00:16:36.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/00:05:10.2
11900	M1O	04-030/00:16:37.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/00:05:11.2
11901	M1O	04-030/00:16:38.1		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-030/00:05:12.2
11902	M1O	04-030/00:16:39.1		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-030/00:05:13.2
11903	M1O	04-030/00:16:40.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-030/00:05:14.2
11904	M1O	04-030/00:16:41.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/00:05:15.2
11905	M1O	04-030/00:23:49.7		NOTE: Enter Solar Eclipse 9432		04-030/00:12:23.8
11906	M1O	04-030/00:25:17.3		NOTE: Ascending Node Crossing 9432		04-030/00:13:51.4
11907	M1O	04-030/00:31:08.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-030/00:19:42.9
11908	M1O	04-030/00:31:10.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/00:19:44.0
11909	M1O	04-030/00:31:20.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/00:19:54.0
11910	M1O	04-030/00:31:21.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/00:19:55.0
11911	M1O	04-030/00:39:19.2		NOTE: Exit Solar Eclipse 9432		04-030/00:27:53.2
11912	M1O	04-030/00:53:53.3		NOTE: Apoapsis 9432 -		04-030/00:42:27.3
11913	M1O	04-030/00:55:17.1		NOTE: North Pole Crossing 9432		04-030/00:43:51.1
11914	M1O	04-030/00:58:54.6		NOTE: Enter Planetary Atmosphere 9432		04-030/00:47:28.6
11915	M1O	04-030/01:06:40.2		NOTE: Exit Planetary Atmosphere 9432		04-030/00:55:14.1
11916	M1O	04-030/01:10:50.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
11917	M1O	04-030/01:20:50.0	25	Range Modulation Off		
11918	M1O	04-030/01:25:14.3		NOTE: Descending Node Crossing 9433		04-030/01:13:48.2
11919	M1O	04-030/01:25:50.0	25	X-Band Transmitter Off		
11920	M1O	04-030/01:38:15.1		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-030/01:26:49.0
11921	M1O	04-030/01:38:15.2		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-030/01:26:49.1
11922	M1O	04-030/01:38:16.2		Forces a desaturation of the reaction wheels.	RW_DESAT	04-030/01:26:50.1
11923	M1O	04-030/01:40:32.1		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-030/01:29:06.0
11924	M1O	04-030/01:40:48.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-028T01:29:06.100, 2004-030T01:29:06.100	PCKTS_RE_TX_TIME	04-030/01:29:21.8
11925	M1O	04-030/01:40:49.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-028T01:29:06.100, 2004-030T01:29:06.100	PCKTS_RE_TX_TIME	04-030/01:29:22.8
11926	M1O	04-030/01:40:50.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-028T01:29:06.100, 2004-030T01:29:06.100	PCKTS_RE_TX_TIME	04-030/01:29:23.8
11927	M1O	04-030/01:40:51.0		Queues in the retransmit buffer, by time range, designated packet from the specified	PCKTS_RE_TX_TIME	04-030/01:29:24.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				APID.: 4, 2004-028T01:29:06.100, 2004-030T01:29:06.100		
11928	M1O	04-030/01:40:52.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-028T01:29:06.100, 2004-030T01:29:06.100	PCKTS_RE_TX_TIME	04-030/01:29:25.8
11929	M1O	04-030/01:40:53.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-028T01:29:06.100, 2004-030T01:29:06.100	PCKTS_RE_TX_TIME	04-030/01:29:26.8
11930	M1O	04-030/01:40:53.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-030/01:29:26.8
11931	M1O	04-030/01:40:53.0	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11932	M1O	04-030/01:47:54.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/01:36:27.8
11933	M1O	04-030/01:47:54.0	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11934	M1O	04-030/01:47:55.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-030/01:36:28.8
11935	M1O	04-030/01:48:11.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-030/01:36:44.8
11936	M1O	04-030/01:48:11.0	25	D/L RF Warning: SC antenna change - expect signal level variation		
11937	M1O	04-030/01:48:12.0		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-030/01:36:45.8
11938	M1O	04-030/01:48:42.3	25	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11939	M1O	04-030/01:49:46.3		CALL, Engine = , Parameters = FALSE	park_hga	04-030/01:38:20.1
11940	M1O	04-030/01:49:46.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/01:38:20.1
11941	M1O	04-030/01:49:47.3		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-030/01:38:21.1
11942	M1O	04-030/01:49:48.3		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-030/01:38:22.1
11943	M1O	04-030/01:49:48.3		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-030/01:38:22.1
11944	M1O	04-030/01:49:48.3		NOTE: START HGA PARK		
11945	M1O	04-030/01:49:48.3	25	NOTE: Loss Of X-Band Signal		
11946	M1O	04-030/01:49:49.3		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-030/01:38:23.1
11947	M1O	04-030/01:49:50.3		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-030/01:38:24.1
11948	M1O	04-030/01:53:47.7		NOTE: Periapsis 9433 ----------		04-030/01:42:21.5
11949	M1O	04-030/01:54:20.3		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-030/01:42:54.1
11950	M1O	04-030/01:54:32.4		NOTE: South Pole Crossing 9433		04-030/01:43:06.1
11951	M1O	04-030/01:57:50.3		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-030/01:46:24.1
11952	M1O	04-030/01:57:50.3		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-030/01:46:24.1
11953	M1O	04-030/02:22:22.3		NOTE: Enter Solar Eclipse 9433		04-030/02:10:56.0
11954	M1O	04-030/02:22:33.0	25	Acquire U/L: X/08, PWR=20.0, BR=125.0		
11955	M1O	04-030/02:23:52.6		NOTE: Ascending Node Crossing 9433		04-030/02:12:26.2
11956	M1O	04-030/02:27:33.0	25	Range Modulation On: SUP=3.0dB		
11957	M1O	04-030/02:27:50.3		GV: GV_DESAT_ACTIVE = 1		04-030/02:16:24.0
11958	M1O	04-030/02:27:51.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-030/02:16:25.0
11959	M1O	04-030/02:27:51.3		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-030/02:16:25.0
11960	M1O	04-030/02:28:33.0	25	Begin Ranging Acquisition		
11961	M1O	04-030/02:37:50.3		GV: GV_DESAT_ACTIVE = 0		04-030/02:26:24.0
11962	M1O	04-030/02:37:51.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-030/02:26:25.0
11963	M1O	04-030/02:37:52.3		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-030/02:26:26.0
11964	M1O	04-030/02:37:53.3		CALL, Engine = , Parameters =	unpark_hga	04-030/02:26:27.0
11965	M1O	04-030/02:37:53.3		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-030/02:26:27.0
11966	M1O	04-030/02:37:54.3		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-030/02:26:28.0
11967	M1O	04-030/02:37:56.3		NOTE: Exit Solar Eclipse 9433		04-030/02:26:29.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
11968	M1O	04-030/02:42:24.3		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-030/02:30:58.0
11969	M1O	04-030/02:42:25.3		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-030/02:30:59.0
11970	M1O	04-030/02:45:00.1		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-030/02:33:33.7
11971	M1O	04-030/02:45:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/02:33:33.8
11972	M1O	04-030/02:45:01.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-030/02:33:34.8
11973	M1O	04-030/02:45:02.2		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-030/02:33:35.8
11974	M1O	04-030/02:45:03.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-030/02:33:36.8
11975	M1O	04-030/02:45:04.2		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-030/02:33:37.8
11976	M1O	04-030/02:45:14.2		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-030/02:33:47.8
11977	M1O	04-030/02:45:24.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-030/02:33:57.8
11978	M1O	04-030/02:46:25.3		NOTE: EXIT HGA PARK		
11979	M1O	04-030/02:46:25.3	25	Acquisition Of X-Band Signal		
11980	M1O	04-030/02:46:25.3	25	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11981	M1O	04-030/02:50:24.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-030/02:38:57.8
11982	M1O	04-030/02:50:25.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/02:38:58.8
11983	M1O	04-030/02:50:25.3	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11984	M1O	04-030/02:50:25.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/02:38:59.3
11985	M1O	04-030/02:50:25.7	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11986	M1O	04-030/02:50:26.3		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-030/02:38:59.8
11987	M1O	04-030/02:51:26.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/02:40:00.0
11988	M1O	04-030/02:51:26.4	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
11989	M1O	04-030/02:52:39.0		NOTE: Apoapsis 9433 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12010	M1O	04-030/03:23:49.5		NOTE: Descending Node Crossing 9434		04-030/03:12:23.0
12011	M1O	04-030/03:26:53.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-030/03:15:26.5
12012	M1O	04-030/03:26:54.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/03:15:27.6
12013	M1O	04-030/03:27:04.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/03:15:37.6
12014	M1O	04-030/03:27:05.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/03:15:38.6
12015	M1O	04-030/03:52:18.2		NOTE: Periapsis 9434 ----------		04-030/03:40:51.6
12016	M1O	04-030/03:53:06.3		NOTE: South Pole Crossing 9434		04-030/03:41:39.7
12017	M1O	04-030/04:20:53.4		NOTE: Enter Solar Eclipse 9434		04-030/04:09:26.7
12018	M1O	04-030/04:22:25.4		NOTE: Ascending Node Crossing 9434		04-030/04:10:58.6
12019	M1O	04-030/04:36:31.3		NOTE: Exit Solar Eclipse 9434		04-030/04:25:04.5
12020	M1O	04-030/04:50:54.3		NOTE: Apoapsis 9434 -		04-030/04:39:27.5
12021	M1O	04-030/04:52:24.9		NOTE: North Pole Crossing 9434		04-030/04:40:58.0
12022	M1O	04-030/04:55:48.2		NOTE: Enter Planetary Atmosphere 9434		04-030/04:44:21.4
12023	M1O	04-030/05:01:26.8		Dummy command to mark beg/end of mini sequences: cz060a, 2004-031T05:10:03.000	START_MINI	04-030/04:50:00.0
12024	M1O	04-030/05:01:31.8		Deletes the designated file.: d:/seq/cz060a.abs	FILE_DELETE	04-030/04:50:05.0
12025	M1O	04-030/05:01:36.8		Assigns a constant integer to a global variable.: GV_SPARE_35, 1	VM_GV_SET_INT	04-030/04:50:10.0
12026	M1O	04-030/05:01:36.8		GV: GV_SPARE_35 = 1		04-030/04:50:10.0
12027	M1O	04-030/05:03:59.2		NOTE: Exit Planetary Atmosphere 9434		04-030/04:52:32.4
12028	M1O	04-030/05:06:31.8		SPAWN, Engine = 65535, Parameters = 030, 02, FALSE, 00:19:01.070, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-030/04:55:05.0
12029	M1O	04-030/05:06:32.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/04:55:06.1
12030	M1O	04-030/05:06:34.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-030/04:55:08.1
12031	M1O	04-030/05:06:35.2		CALL, Engine = , Parameters = 030, 02, 056	bld_autosw	04-030/04:55:08.4
12032	M1O	04-030/05:06:36.3		Copies the file designated in the source_path to the target_path.: d:/dat/056_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-030/04:55:09.5
12033	M1O	04-030/05:06:37.4		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:10.6
12034	M1O	04-030/05:06:38.4		Deletes the designated file.: d:/dat/056_doy030_pass02_file01.dat	FILE_DELETE	04-030/04:55:11.6
12035	M1O	04-030/05:06:39.5		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:12.7
12036	M1O	04-030/05:06:40.5		Deletes the designated file.: d:/dat/056_doy030_pass02_file02.dat	FILE_DELETE	04-030/04:55:13.7
12037	M1O	04-030/05:06:41.6		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:14.8
12038	M1O	04-030/05:06:42.6		Deletes the designated file.: d:/dat/056_doy030_pass02_file03.dat	FILE_DELETE	04-030/04:55:15.8
12039	M1O	04-030/05:06:43.7		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:16.9
12040	M1O	04-030/05:06:44.7		Deletes the designated file.: d:/dat/056_doy030_pass02_file04.dat	FILE_DELETE	04-030/04:55:17.9
12041	M1O	04-030/05:06:45.8		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:19.0
12042	M1O	04-030/05:06:46.8		Deletes the designated file.: d:/dat/056_doy030_pass02_file05.dat	FILE_DELETE	04-030/04:55:20.0
12043	M1O	04-030/05:06:47.9		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:21.1
12044	M1O	04-030/05:06:48.9		Deletes the designated file.: d:/dat/056_doy030_pass02_file06.dat	FILE_DELETE	04-030/04:55:22.1
12045	M1O	04-030/05:06:50.0		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:23.2
12046	M1O	04-030/05:06:51.0		Deletes the designated file.: d:/dat/056_doy030_pass02_file07.dat	FILE_DELETE	04-030/04:55:24.2
12047	M1O	04-030/05:06:52.1		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:25.3
12048	M1O	04-030/05:06:53.1		Deletes the designated file.: d:/dat/056_doy030_pass02_file08.dat	FILE_DELETE	04-030/04:55:26.3
12049	M1O	04-030/05:06:54.2		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:27.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12050	M1O	04-030/05:06:55.2		Deletes the designated file.: d:/dat/056_doy030_pass02_file09.dat	FILE_DELETE	04-030/04:55:28.4
12051	M1O	04-030/05:06:56.3		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:29.5
12052	M1O	04-030/05:06:57.3		Deletes the designated file.: d:/dat/056_doy030_pass02_file10.dat	FILE_DELETE	04-030/04:55:30.5
12053	M1O	04-030/05:06:58.4		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:31.6
12054	M1O	04-030/05:06:59.4		Deletes the designated file.: d:/dat/056_doy030_pass02_file11.dat	FILE_DELETE	04-030/04:55:32.6
12055	M1O	04-030/05:07:00.5		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:33.7
12056	M1O	04-030/05:07:01.5		Deletes the designated file.: d:/dat/056_doy030_pass02_file12.dat	FILE_DELETE	04-030/04:55:34.7
12057	M1O	04-030/05:07:02.6		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:35.8
12058	M1O	04-030/05:07:03.6		Deletes the designated file.: d:/dat/056_doy030_pass02_file13.dat	FILE_DELETE	04-030/04:55:36.8
12059	M1O	04-030/05:07:04.7		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:37.9
12060	M1O	04-030/05:07:05.7		Deletes the designated file.: d:/dat/056_doy030_pass02_file14.dat	FILE_DELETE	04-030/04:55:38.9
12061	M1O	04-030/05:07:06.8		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:40.0
12062	M1O	04-030/05:07:07.8		Deletes the designated file.: d:/dat/056_doy030_pass02_file15.dat	FILE_DELETE	04-030/04:55:41.0
12063	M1O	04-030/05:07:08.9		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:42.1
12064	M1O	04-030/05:07:09.9		Deletes the designated file.: d:/dat/056_doy030_pass02_file16.dat	FILE_DELETE	04-030/04:55:43.1
12065	M1O	04-030/05:07:11.0		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:44.2
12066	M1O	04-030/05:07:12.0		Deletes the designated file.: d:/dat/056_doy030_pass02_file17.dat	FILE_DELETE	04-030/04:55:45.2
12067	M1O	04-030/05:07:13.1		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:46.3
12068	M1O	04-030/05:07:14.1		Deletes the designated file.: d:/dat/056_doy030_pass02_file18.dat	FILE_DELETE	04-030/04:55:47.3
12069	M1O	04-030/05:07:15.2		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/04:55:48.4
12070	M1O	04-030/05:07:16.2		Deletes the designated file.: d:/dat/056_doy030_pass02_file19.dat	FILE_DELETE	04-030/04:55:49.4
12071	M1O	04-030/05:07:17.2		CALL, Engine = , Parameters = 56	get_apid	04-030/04:55:50.4
12072	M1O	04-030/05:07:18.3		CALL, Engine = , Parameters = 56	get_rcv_mode	04-030/04:55:51.5
12073	M1O	04-030/05:07:18.5		CALL, Engine = , Parameters = 56	get_dl_rate	04-030/04:55:51.7
12074	M1O	04-030/05:07:19.6		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-030/04:55:52.8
12075	M1O	04-030/05:07:20.8		CALL, Engine = , Parameters = 56	get_coding	04-030/04:55:54.0
12076	M1O	04-030/05:07:22.0		CALL, Engine = , Parameters = 56	get_xmt_mode	04-030/04:55:55.2
12077	M1O	04-030/05:07:23.2		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-030/04:55:56.4
12078	M1O	04-030/05:08:28.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/04:57:01.2
12079	M1O	04-030/05:08:29.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/04:57:02.2
12080	M1O	04-030/05:08:30.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/04:57:03.2
12081	M1O	04-030/05:08:31.0		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-030/04:57:04.2
12082	M1O	04-030/05:08:32.0		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-030/04:57:05.2
12083	M1O	04-030/05:08:33.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-030/04:57:06.2
12084	M1O	04-030/05:08:34.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/04:57:07.2
12085	M1O	04-030/05:09:24.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/04:57:57.2
12086	M1O	04-030/05:09:24.0	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12087	M1O	04-030/05:09:34.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-030/04:58:07.2
12088	M1O	04-030/05:22:21.4		NOTE: Descending Node Crossing 9435		04-030/05:10:54.5
12089	M1O	04-030/05:27:33.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-030/05:16:06.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
12090	M1O	04-030/05:27:34.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/05:16:07.3
12091	M1O	04-030/05:27:44.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/05:16:17.3
12092	M1O	04-030/05:27:45.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/05:16:18.3
12093	M1O	04-030/05:27:46.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-030/05:16:19.3
12094	M1O	04-030/05:27:46.2	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12095	M1O	04-030/05:27:47.2		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-030/05:16:20.3
12096	M1O	04-030/05:33:26.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/05:22:00.0
12097	M1O	04-030/05:33:26.9	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12098	M1O	04-030/05:50:29.4		NOTE: Periapsis 9435 ----------		04-030/05:39:02.4
12099	M1O	04-030/05:51:37.5		NOTE: South Pole Crossing 9435		04-030/05:40:10.5
12100	M1O	04-030/05:55:00.0	43	Begin Pre-Cal		
12101	M1O	04-030/05:55:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
12102	M1O	04-030/05:55:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
12103	M1O	04-030/05:55:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
12104	M1O	04-030/05:55:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
12105	M1O	04-030/05:55:00.0	43	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
12106	M1O	04-030/05:55:00.0	43	Config: RCV: Parms:		
12107	M1O	04-030/05:55:00.0	43	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
12108	M1O	04-030/05:55:00.0	43	Config: TGC: BAND=X, SR=79632.000000		
12109	M1O	04-030/05:55:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
12110	M1O	04-030/06:05:00.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
12111	M1O	04-030/06:15:00.0	25	Range Modulation Off		
12112	M1O	04-030/06:19:26.1		NOTE: Enter Solar Eclipse 9435		04-030/06:07:59.0
12113	M1O	04-030/06:20:00.0	25	X-Band Transmitter Off		
12114	M1O	04-030/06:20:56.7		NOTE: Ascending Node Crossing 9435		04-030/06:09:29.6
12115	M1O	04-030/06:22:05.7	25	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
12116	M1O	04-030/06:23:58.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-030/06:12:30.9
12117	M1O	04-030/06:24:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/06:12:33.0
12118	M1O	04-030/06:24:00.1	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12119	M1O	04-030/06:24:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-030/06:12:34.0
12120	M1O	04-030/06:24:54.0		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-030/06:13:26.9
12121	M1O	04-030/06:24:54.0	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12122	M1O	04-030/06:25:00.0	43	Begin Tracking		
12123	M1O	04-030/06:25:00.0	43	Acquire D/L: X/08, 3-Way/25, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12124	M1O	04-030/06:25:00.0		NOTE: Changing to 70M downlink rate: 110600_BPS		04-030/06:13:32.9
12125	M1O	04-030/06:25:00.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-030/06:13:32.9
12126	M1O	04-030/06:25:00.0	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12127	M1O	04-030/06:25:00.0	43	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12128	M1O	04-030/06:30:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/06:18:33.0
12129	M1O	04-030/06:30:00.1	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12130	M1O	04-030/06:30:00.1	43	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12131	M1O	04-030/06:30:01.1		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-030/06:18:34.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_map.cfg		
12132	M1O	04-030/06:32:53.0	25	NOTE: Below Uplink Interlock Limit		
12133	M1O	04-030/06:35:02.0		NOTE: Exit Solar Eclipse 9435		04-030/06:23:34.9
12134	M1O	04-030/06:41:52.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-030/06:30:24.9
12135	M1O	04-030/06:41:54.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/06:30:27.0
12136	M1O	04-030/06:41:54.1	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12137	M1O	04-030/06:41:54.1	43	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12138	M1O	04-030/06:41:55.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-030/06:30:28.0
12139	M1O	04-030/06:42:54.1	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12140	M1O	04-030/06:42:54.1	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12141	M1O	04-030/06:45:00.0	25	End Tracking		
12142	M1O	04-030/06:47:54.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/06:36:27.0
12143	M1O	04-030/06:47:54.2	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12144	M1O	04-030/06:47:55.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-030/06:36:28.0
12145	M1O	04-030/06:49:10.2		NOTE: Apoapsis 9435 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12175	M1O	04-030/07:16:32.4		NOTE: Start Block fsw_diag		04-030/07:05:05.2
12176	M1O	04-030/07:16:33.4		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-030/07:05:06.2
12177	M1O	04-030/07:16:34.4		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-030/07:05:07.2
12178	M1O	04-030/07:16:45.4		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-030/07:05:18.2
12179	M1O	04-030/07:17:15.4		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-030/07:05:48.2
12180	M1O	04-030/07:17:35.4		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-030/07:06:08.2
12181	M1O	04-030/07:17:45.4		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-030/07:06:18.2
12182	M1O	04-030/07:18:05.4		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-030/07:06:38.2
12183	M1O	04-030/07:18:15.4		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-030/07:06:48.2
12184	M1O	04-030/07:18:20.4		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-030/07:06:53.2
12185	M1O	04-030/07:18:25.4		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-030/07:06:58.2
12186	M1O	04-030/07:18:30.4		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-030/07:07:03.2
12187	M1O	04-030/07:18:35.4		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-030/07:07:08.2
12188	M1O	04-030/07:18:40.4		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-030/07:07:13.2
12189	M1O	04-030/07:19:20.4		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-030/07:07:53.2
12190	M1O	04-030/07:19:25.4		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-030/07:07:58.2
12191	M1O	04-030/07:19:30.4		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-030/07:08:03.2
12192	M1O	04-030/07:19:35.4		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-030/07:08:08.2
12193	M1O	04-030/07:19:40.4		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-030/07:08:13.2
12194	M1O	04-030/07:19:41.4		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-030/07:08:14.2
12195	M1O	04-030/07:19:42.4		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-030/07:08:15.2
12196	M1O	04-030/07:19:43.4		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-030/07:08:16.2
12197	M1O	04-030/07:19:54.4		NOTE: End Block fsw_diag.mod		04-030/07:08:27.2
12198	M1O	04-030/07:20:51.5		NOTE: Descending Node Crossing 9436		04-030/07:09:24.2
12199	M1O	04-030/07:48:49.4		NOTE: Periapsis 9436 ----------		04-030/07:37:22.1
12200	M1O	04-030/07:50:08.3		NOTE: South Pole Crossing 9436		04-030/07:38:40.9
12201	M1O	04-030/08:17:59.9		NOTE: Enter Solar Eclipse 9436		04-030/08:06:32.5
12202	M1O	04-030/08:19:28.6		NOTE: Ascending Node Crossing 9436		04-030/08:08:01.2
12203	M1O	04-030/08:33:28.2		NOTE: Exit Solar Eclipse 9436		04-030/08:22:00.7
12204	M1O	04-030/08:47:55.4		NOTE: Apoapsis 9436 -		04-030/08:36:27.9
12205	M1O	04-030/08:49:28.6		NOTE: North Pole Crossing 9436		04-030/08:38:01.1
12206	M1O	04-030/08:53:13.8		NOTE: Enter Planetary Atmosphere 9436		04-030/08:41:46.2
12207	M1O	04-030/09:00:41.7		NOTE: Exit Planetary Atmosphere 9436		04-030/08:49:14.1
12208	M1O	04-030/09:19:25.5		NOTE: Descending Node Crossing 9437		04-030/09:07:57.8
12209	M1O	04-030/09:47:32.5		NOTE: Periapsis 9437 ----------		04-030/09:36:04.8
12210	M1O	04-030/09:48:42.7		NOTE: South Pole Crossing 9437		04-030/09:37:14.9
12211	M1O	04-030/09:50:00.0	63	Begin Pre-Cal		
12212	M1O	04-030/09:50:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
12213	M1O	04-030/09:50:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
12214	M1O	04-030/09:50:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
12215	M1O	04-030/09:50:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
12216	M1O	04-030/09:50:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
12217	M1O	04-030/09:50:00.0	63	Config: RCV: Parms:		
12218	M1O	04-030/09:50:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
12219	M1O	04-030/09:50:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
12220	M1O	04-030/09:50:00.0	63	Config: TXL		
12221	M1O	04-030/09:50:00.0	63	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
12222	M1O	04-030/09:50:00.0	63	Config: CMD		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12223	M1O	04-030/09:50:00.0	63	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
12224	M1O	04-030/10:03:52.8		SPAWN, Engine = 65535, Parameters = 030, 01, FALSE, 00:15:57.491, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-030/09:52:25.0
12225	M1O	04-030/10:03:53.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/09:52:26.1
12226	M1O	04-030/10:03:55.9		CALL, Engine = , Parameters = 254	get_cmd_opt	04-030/09:52:28.1
12227	M1O	04-030/10:04:38.1		CALL, Engine = , Parameters = 254	get_apid	04-030/09:53:10.3
12228	M1O	04-030/10:04:39.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-030/09:53:11.4
12229	M1O	04-030/10:04:39.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-030/09:53:11.6
12230	M1O	04-030/10:04:40.5		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-030/09:53:12.7
12231	M1O	04-030/10:04:41.8		CALL, Engine = , Parameters = 254	get_coding	04-030/09:53:14.0
12232	M1O	04-030/10:04:43.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-030/09:53:15.2
12233	M1O	04-030/10:04:44.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-030/09:53:16.4
12234	M1O	04-030/10:05:49.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/09:54:21.2
12235	M1O	04-030/10:05:50.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/09:54:22.2
12236	M1O	04-030/10:05:51.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/09:54:23.2
12237	M1O	04-030/10:05:52.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-030/09:54:24.2
12238	M1O	04-030/10:05:53.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-030/09:54:25.2
12239	M1O	04-030/10:05:54.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-030/09:54:26.2
12240	M1O	04-030/10:05:55.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/09:54:27.2
12241	M1O	04-030/10:16:34.3		NOTE: Enter Solar Eclipse 9437		04-030/10:05:06.4
12242	M1O	04-030/10:18:03.2		NOTE: Ascending Node Crossing 9437		04-030/10:06:35.3
12243	M1O	04-030/10:21:48.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-030/10:10:20.6
12244	M1O	04-030/10:21:49.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/10:10:21.7
12245	M1O	04-030/10:21:59.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/10:10:31.7
12246	M1O	04-030/10:22:00.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/10:10:32.7
12247	M1O	04-030/10:31:57.2		NOTE: Exit Solar Eclipse 9437		04-030/10:20:29.3
12248	M1O	04-030/10:46:36.9		NOTE: Apoapsis 9437 -		04-030/10:35:08.9
12249	M1O	04-030/10:48:04.3		NOTE: North Pole Crossing 9437		04-030/10:36:36.4
12250	M1O	04-030/10:52:10.2		NOTE: Enter Planetary Atmosphere 9437		04-030/10:40:42.3
12251	M1O	04-030/10:58:59.4		NOTE: Exit Planetary Atmosphere 9437		04-030/10:47:31.4
12252	M1O	04-030/11:00:00.0	43	Acquire U/L: X/08, PWR=20.0, BR=125.0		
12253	M1O	04-030/11:05:00.0	43	Range Modulation On: SUP=3.0dB		
12254	M1O	04-030/11:06:00.0	43	Begin Ranging Acquisition		
12255	M1O	04-030/11:06:53.0		SPAWN, Engine = 65535, Parameters = 030, 02, TRUE, 00:19:21, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-030/10:55:25.0
12256	M1O	04-030/11:06:54.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/10:55:26.1
12257	M1O	04-030/11:06:56.1		CALL, Engine = , Parameters = 253	get_cmd_opt	04-030/10:55:28.1
12258	M1O	04-030/11:06:56.4		CALL, Engine = , Parameters = 030, 02, 253	bld_autosw	04-030/10:55:28.4
12259	M1O	04-030/11:06:57.5		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-030/10:55:29.5
12260	M1O	04-030/11:06:58.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:30.6
12261	M1O	04-030/11:06:59.6		Deletes the designated file.: d:/dat/253_doy030_pass02_file01.dat	FILE_DELETE	04-030/10:55:31.6
12262	M1O	04-030/11:07:00.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:32.7
12263	M1O	04-030/11:07:01.7		Deletes the designated file.: d:/dat/253_doy030_pass02_file02.dat	FILE_DELETE	04-030/10:55:33.7
12264	M1O	04-030/11:07:02.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:34.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12265	M1O	04-030/11:07:03.8		Deletes the designated file.: d:/dat/253_doy030_pass02_file03.dat	FILE_DELETE	04-030/10:55:35.8
12266	M1O	04-030/11:07:04.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:36.9
12267	M1O	04-030/11:07:05.9		Deletes the designated file.: d:/dat/253_doy030_pass02_file04.dat	FILE_DELETE	04-030/10:55:37.9
12268	M1O	04-030/11:07:07.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:39.0
12269	M1O	04-030/11:07:08.0		Deletes the designated file.: d:/dat/253_doy030_pass02_file05.dat	FILE_DELETE	04-030/10:55:40.0
12270	M1O	04-030/11:07:09.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:41.1
12271	M1O	04-030/11:07:10.1		Deletes the designated file.: d:/dat/253_doy030_pass02_file06.dat	FILE_DELETE	04-030/10:55:42.1
12272	M1O	04-030/11:07:11.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:43.2
12273	M1O	04-030/11:07:12.2		Deletes the designated file.: d:/dat/253_doy030_pass02_file07.dat	FILE_DELETE	04-030/10:55:44.2
12274	M1O	04-030/11:07:13.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:45.3
12275	M1O	04-030/11:07:14.3		Deletes the designated file.: d:/dat/253_doy030_pass02_file08.dat	FILE_DELETE	04-030/10:55:46.3
12276	M1O	04-030/11:07:15.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:47.4
12277	M1O	04-030/11:07:16.4		Deletes the designated file.: d:/dat/253_doy030_pass02_file09.dat	FILE_DELETE	04-030/10:55:48.4
12278	M1O	04-030/11:07:17.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:49.5
12279	M1O	04-030/11:07:18.5		Deletes the designated file.: d:/dat/253_doy030_pass02_file10.dat	FILE_DELETE	04-030/10:55:50.5
12280	M1O	04-030/11:07:19.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:51.6
12281	M1O	04-030/11:07:20.6		Deletes the designated file.: d:/dat/253_doy030_pass02_file11.dat	FILE_DELETE	04-030/10:55:52.6
12282	M1O	04-030/11:07:21.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:53.7
12283	M1O	04-030/11:07:22.7		Deletes the designated file.: d:/dat/253_doy030_pass02_file12.dat	FILE_DELETE	04-030/10:55:54.7
12284	M1O	04-030/11:07:23.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:55.8
12285	M1O	04-030/11:07:24.8		Deletes the designated file.: d:/dat/253_doy030_pass02_file13.dat	FILE_DELETE	04-030/10:55:56.8
12286	M1O	04-030/11:07:25.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:55:57.9
12287	M1O	04-030/11:07:26.9		Deletes the designated file.: d:/dat/253_doy030_pass02_file14.dat	FILE_DELETE	04-030/10:55:58.9
12288	M1O	04-030/11:07:28.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:56:00.0
12289	M1O	04-030/11:07:29.0		Deletes the designated file.: d:/dat/253_doy030_pass02_file15.dat	FILE_DELETE	04-030/10:56:01.0
12290	M1O	04-030/11:07:30.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:56:02.1
12291	M1O	04-030/11:07:31.1		Deletes the designated file.: d:/dat/253_doy030_pass02_file16.dat	FILE_DELETE	04-030/10:56:03.1
12292	M1O	04-030/11:07:32.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:56:04.2
12293	M1O	04-030/11:07:33.2		Deletes the designated file.: d:/dat/253_doy030_pass02_file17.dat	FILE_DELETE	04-030/10:56:05.2
12294	M1O	04-030/11:07:34.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:56:06.3
12295	M1O	04-030/11:07:35.3		Deletes the designated file.: d:/dat/253_doy030_pass02_file18.dat	FILE_DELETE	04-030/10:56:07.3
12296	M1O	04-030/11:07:36.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/10:56:08.4
12297	M1O	04-030/11:07:37.4		Deletes the designated file.: d:/dat/253_doy030_pass02_file19.dat	FILE_DELETE	04-030/10:56:09.4
12298	M1O	04-030/11:07:38.4		CALL, Engine = , Parameters = 253	get_apid	04-030/10:56:10.4
12299	M1O	04-030/11:07:39.5		CALL, Engine = , Parameters = 253	get_rcv_mode	04-030/10:56:11.5
12300	M1O	04-030/11:07:39.7		CALL, Engine = , Parameters = 253	get_dl_rate	04-030/10:56:11.7
12301	M1O	04-030/11:07:40.8		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-030/10:56:12.8
12302	M1O	04-030/11:07:42.1		CALL, Engine = , Parameters = 253	get_coding	04-030/10:56:14.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12303	M1O	04-030/11:07:43.3		CALL, Engine = , Parameters = 253	get_xmt_mode	04-030/10:56:15.3
12304	M1O	04-030/11:07:44.5		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-030/10:56:16.5
12305	M1O	04-030/11:08:49.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/10:57:21.3
12306	M1O	04-030/11:08:50.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/10:57:22.3
12307	M1O	04-030/11:08:51.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/10:57:23.3
12308	M1O	04-030/11:08:52.3		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-030/10:57:24.3
12309	M1O	04-030/11:08:53.3		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-030/10:57:25.3
12310	M1O	04-030/11:08:54.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-030/10:57:26.3
12311	M1O	04-030/11:08:55.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/10:57:27.3
12312	M1O	04-030/11:10:45.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/10:59:17.3
12313	M1O	04-030/11:10:45.3	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12314	M1O	04-030/11:10:50.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/10:59:22.5
12315	M1O	04-030/11:10:55.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-030/10:59:27.3
12316	M1O	04-030/11:15:00.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
12317	M1O	04-030/11:18:02.4		NOTE: Descending Node Crossing 9438		04-030/11:06:34.4
12318	M1O	04-030/11:21:52.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-030/11:10:24.9
12319	M1O	04-030/11:21:55.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/11:10:27.0
12320	M1O	04-030/11:21:56.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-030/11:10:28.0
12321	M1O	04-030/11:22:55.9	43	Acquire D/L: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12322	M1O	04-030/11:25:00.0	43	Range Modulation Off		
12323	M1O	04-030/11:27:55.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/11:16:27.0
12324	M1O	04-030/11:27:55.1	43	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12325	M1O	04-030/11:27:56.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/11:16:28.0
12326	M1O	04-030/11:27:56.0	43	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12327	M1O	04-030/11:27:56.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-030/11:16:28.0
12328	M1O	04-030/11:28:14.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-030/11:16:46.3
12329	M1O	04-030/11:28:15.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/11:16:47.4
12330	M1O	04-030/11:28:25.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/11:16:57.4
12331	M1O	04-030/11:28:26.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/11:16:58.4
12332	M1O	04-030/11:28:27.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-030/11:16:59.4
12333	M1O	04-030/11:28:27.4	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12334	M1O	04-030/11:28:28.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-030/11:17:00.4
12335	M1O	04-030/11:30:00.0	43	X-Band Transmitter Off		
12336	M1O	04-030/11:32:03.7	43	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
12337	M1O	04-030/11:33:27.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/11:21:59.0
12338	M1O	04-030/11:33:27.0	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12339	M1O	04-030/11:35:00.0	63	Begin Tracking		
12340	M1O	04-030/11:35:00.0	63	Acquire D/L: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12341	M1O	04-030/11:37:30.0	63	NOTE: Above Uplink Interlock Limit		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12342	M1O	04-030/11:40:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
12343	M1O	04-030/11:44:41.0	43	NOTE: Below Uplink Interlock Limit		
12344	M1O	04-030/11:45:00.0	63	Range Modulation On: SUP=3.0dB		
12345	M1O	04-030/11:46:00.0	63	Begin Ranging Acquisition		
12346	M1O	04-030/11:46:13.5		NOTE: Periapsis 9438 ----------		04-030/11:34:45.4
12347	M1O	04-030/11:47:19.5		NOTE: South Pole Crossing 9438		04-030/11:35:51.4
12348	M1O	04-030/11:51:53.0		SPAWN, Engine = 65535, Parameters = 3, 00:15:58.852, 1	dpt	04-030/11:40:24.9
12349	M1O	04-030/11:51:55.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/11:40:27.0
12350	M1O	04-030/11:51:55.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12351	M1O	04-030/11:51:55.1	63	D/L Change: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12352	M1O	04-030/11:51:56.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-030/11:40:28.0
12353	M1O	04-030/11:52:56.1	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12354	M1O	04-030/11:52:56.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12355	M1O	04-030/11:55:00.0	43	End Tracking		
12356	M1O	04-030/12:00:32.1		SPAWN, Engine = 65535, Parameters = 030, 02, TRUE, 00:17:43, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-030/11:49:04.0
12357	M1O	04-030/12:00:33.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/11:49:05.1
12358	M1O	04-030/12:00:35.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-030/11:49:07.1
12359	M1O	04-030/12:00:35.5		CALL, Engine = , Parameters = 030, 02, 254	bld_autosw	04-030/11:49:07.4
12360	M1O	04-030/12:00:36.6		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-030/11:49:08.5
12361	M1O	04-030/12:00:37.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:09.6
12362	M1O	04-030/12:00:38.7		Deletes the designated file.: d:/dat/254_doy030_pass02_file01.dat	FILE_DELETE	04-030/11:49:10.6
12363	M1O	04-030/12:00:39.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:11.7
12364	M1O	04-030/12:00:40.8		Deletes the designated file.: d:/dat/254_doy030_pass02_file02.dat	FILE_DELETE	04-030/11:49:12.7
12365	M1O	04-030/12:00:41.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:13.8
12366	M1O	04-030/12:00:42.9		Deletes the designated file.: d:/dat/254_doy030_pass02_file03.dat	FILE_DELETE	04-030/11:49:14.8
12367	M1O	04-030/12:00:44.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:15.9
12368	M1O	04-030/12:00:45.0		Deletes the designated file.: d:/dat/254_doy030_pass02_file04.dat	FILE_DELETE	04-030/11:49:16.9
12369	M1O	04-030/12:00:46.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:18.0
12370	M1O	04-030/12:00:47.1		Deletes the designated file.: d:/dat/254_doy030_pass02_file05.dat	FILE_DELETE	04-030/11:49:19.0
12371	M1O	04-030/12:00:48.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:20.1
12372	M1O	04-030/12:00:49.2		Deletes the designated file.: d:/dat/254_doy030_pass02_file06.dat	FILE_DELETE	04-030/11:49:21.1
12373	M1O	04-030/12:00:50.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:22.2
12374	M1O	04-030/12:00:51.3		Deletes the designated file.: d:/dat/254_doy030_pass02_file07.dat	FILE_DELETE	04-030/11:49:23.2
12375	M1O	04-030/12:00:52.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:24.3
12376	M1O	04-030/12:00:53.4		Deletes the designated file.: d:/dat/254_doy030_pass02_file08.dat	FILE_DELETE	04-030/11:49:25.3
12377	M1O	04-030/12:00:54.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:26.4
12378	M1O	04-030/12:00:55.5		Deletes the designated file.: d:/dat/254_doy030_pass02_file09.dat	FILE_DELETE	04-030/11:49:27.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12379	M1O	04-030/12:00:56.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:28.5
12380	M1O	04-030/12:00:57.6		Deletes the designated file.: d:/dat/254_doy030_pass02_file10.dat	FILE_DELETE	04-030/11:49:29.5
12381	M1O	04-030/12:00:58.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:30.6
12382	M1O	04-030/12:00:59.7		Deletes the designated file.: d:/dat/254_doy030_pass02_file11.dat	FILE_DELETE	04-030/11:49:31.6
12383	M1O	04-030/12:01:00.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:32.7
12384	M1O	04-030/12:01:01.8		Deletes the designated file.: d:/dat/254_doy030_pass02_file12.dat	FILE_DELETE	04-030/11:49:33.7
12385	M1O	04-030/12:01:02.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:34.8
12386	M1O	04-030/12:01:03.9		Deletes the designated file.: d:/dat/254_doy030_pass02_file13.dat	FILE_DELETE	04-030/11:49:35.8
12387	M1O	04-030/12:01:05.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:36.9
12388	M1O	04-030/12:01:06.0		Deletes the designated file.: d:/dat/254_doy030_pass02_file14.dat	FILE_DELETE	04-030/11:49:37.9
12389	M1O	04-030/12:01:07.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:39.0
12390	M1O	04-030/12:01:08.1		Deletes the designated file.: d:/dat/254_doy030_pass02_file15.dat	FILE_DELETE	04-030/11:49:40.0
12391	M1O	04-030/12:01:09.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:41.1
12392	M1O	04-030/12:01:10.2		Deletes the designated file.: d:/dat/254_doy030_pass02_file16.dat	FILE_DELETE	04-030/11:49:42.1
12393	M1O	04-030/12:01:11.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:43.2
12394	M1O	04-030/12:01:12.3		Deletes the designated file.: d:/dat/254_doy030_pass02_file17.dat	FILE_DELETE	04-030/11:49:44.2
12395	M1O	04-030/12:01:13.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:45.3
12396	M1O	04-030/12:01:14.4		Deletes the designated file.: d:/dat/254_doy030_pass02_file18.dat	FILE_DELETE	04-030/11:49:46.3
12397	M1O	04-030/12:01:15.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/11:49:47.4
12398	M1O	04-030/12:01:16.5		Deletes the designated file.: d:/dat/254_doy030_pass02_file19.dat	FILE_DELETE	04-030/11:49:48.4
12399	M1O	04-030/12:01:17.5		CALL, Engine = , Parameters = 254	get_apid	04-030/11:49:49.4
12400	M1O	04-030/12:01:18.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-030/11:49:50.5
12401	M1O	04-030/12:01:18.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-030/11:49:50.7
12402	M1O	04-030/12:01:19.9		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-030/11:49:51.8
12403	M1O	04-030/12:01:21.2		CALL, Engine = , Parameters = 254	get_coding	04-030/11:49:53.1
12404	M1O	04-030/12:01:22.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-030/11:49:54.3
12405	M1O	04-030/12:01:23.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-030/11:49:55.5
12406	M1O	04-030/12:02:28.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/11:51:00.3
12407	M1O	04-030/12:02:29.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/11:51:01.3
12408	M1O	04-030/12:02:30.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/11:51:02.3
12409	M1O	04-030/12:02:31.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-030/11:51:03.3
12410	M1O	04-030/12:02:32.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-030/11:51:04.3
12411	M1O	04-030/12:02:33.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-030/11:51:05.3
12412	M1O	04-030/12:02:34.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/11:51:06.3
12413	M1O	04-030/12:02:35.4		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-030/11:51:07.3
12414	M1O	04-030/12:02:36.4		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-030/11:51:08.3
12415	M1O	04-030/12:02:56.2	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12416	M1O	04-030/12:04:24.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/11:52:56.3
12417	M1O	04-030/12:04:34.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data	DOWNLINK_MODE	04-030/11:53:06.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				stream.: RELAY_CMD		
12418	M1O	04-030/12:07:54.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/11:56:25.8
12419	M1O	04-030/12:07:54.0	63	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12420	M1O	04-030/12:07:55.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/11:56:26.8
12421	M1O	04-030/12:07:55.0	63	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12422	M1O	04-030/12:07:55.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-030/11:56:26.8
12423	M1O	04-030/12:10:00.0	43	End Post-Cal		
12424	M1O	04-030/12:15:10.0		NOTE: Enter Solar Eclipse 9438		04-030/12:03:41.8
12425	M1O	04-030/12:16:39.6		NOTE: Ascending Node Crossing 9438		04-030/12:05:11.3
12426	M1O	04-030/12:20:12.5		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-030/12:08:44.3
12427	M1O	04-030/12:20:13.5		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-030/12:08:45.3
12428	M1O	04-030/12:20:15.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-030/12:08:47.3
12429	M1O	04-030/12:20:16.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/12:08:48.4
12430	M1O	04-030/12:20:26.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/12:08:58.4
12431	M1O	04-030/12:20:27.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/12:08:59.4
12432	M1O	04-030/12:20:28.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-030/12:09:00.4
12433	M1O	04-030/12:20:28.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12434	M1O	04-030/12:20:29.6		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-030/12:09:01.4
12435	M1O	04-030/12:25:28.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/12:14:00.0
12436	M1O	04-030/12:25:28.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12437	M1O	04-030/12:30:31.4		NOTE: Exit Solar Eclipse 9438		04-030/12:19:03.1
12438	M1O	04-030/12:45:03.3		NOTE: Apoapsis 9438 -		04-030/12:33:34.9
12439	M1O	04-030/12:46:40.8		NOTE: North Pole Crossing 9438		04-030/12:35:12.5
12440	M1O	04-030/12:50:50.3		NOTE: Enter Planetary Atmosphere 9438		04-030/12:39:22.0
12441	M1O	04-030/12:57:33.3		NOTE: Exit Planetary Atmosphere 9438		04-030/12:46:04.9
12442	M1O	04-030/13:16:38.9		NOTE: Descending Node Crossing 9439		04-030/13:05:10.5
12443	M1O	04-030/13:44:44.1		NOTE: Periapsis 9439 ----------		04-030/13:33:15.6
12444	M1O	04-030/13:45:56.1		NOTE: South Pole Crossing 9439		04-030/13:34:27.6
12445	M1O	04-030/14:13:47.1		NOTE: Enter Solar Eclipse 9439		04-030/14:02:18.5
12446	M1O	04-030/14:15:16.2		NOTE: Ascending Node Crossing 9439		04-030/14:03:47.6
12447	M1O	04-030/14:24:59.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
12448	M1O	04-030/14:29:09.5		NOTE: Exit Solar Eclipse 9439		04-030/14:17:40.8
12449	M1O	04-030/14:34:59.0	63	Range Modulation Off		
12450	M1O	04-030/14:39:59.0	63	X-Band Transmitter Off		
12451	M1O	04-030/14:43:18.3		NOTE: Apoapsis 9439 -		04-030/14:31:49.6
12452	M1O	04-030/14:45:16.6		NOTE: North Pole Crossing 9439		04-030/14:33:47.9
12453	M1O	04-030/14:49:13.0		NOTE: Enter Planetary Atmosphere 9439		04-030/14:37:44.2
12454	M1O	04-030/14:56:20.6		NOTE: Exit Planetary Atmosphere 9439		04-030/14:44:51.9
12455	M1O	04-030/15:01:53.8		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-030/14:50:25.0
12456	M1O	04-030/15:01:55.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/14:50:27.1
12457	M1O	04-030/15:01:55.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12458	M1O	04-030/15:01:56.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-030/14:50:28.1
12459	M1O	04-030/15:02:56.3	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12460	M1O	04-030/15:07:55.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/14:56:27.1
12461	M1O	04-030/15:07:55.9	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12462	M1O	04-030/15:07:56.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-030/14:56:28.1
12463	M1O	04-030/15:15:13.5		NOTE: Descending Node Crossing 9440		04-030/15:03:44.7
12464	M1O	04-030/15:43:18.2		NOTE: Periapsis 9440 ----------		04-030/15:31:49.3
12465	M1O	04-030/15:44:30.7		NOTE: South Pole Crossing 9440		04-030/15:33:01.8
12466	M1O	04-030/16:07:18.9		SPAWN, Engine = 65535, Parameters = 030, 03, FALSE, 00:18:08.566, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-030/15:55:50.0
12467	M1O	04-030/16:07:20.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/15:55:51.1
12468	M1O	04-030/16:07:22.0		CALL, Engine = , Parameters = 56	get_cmd_opt	04-030/15:55:53.1
12469	M1O	04-030/16:07:22.3		CALL, Engine = , Parameters = 030, 03, 056	bld_autosw	04-030/15:55:53.4
12470	M1O	04-030/16:07:23.4		Copies the file designated in the source_path to the target_path.: d:/dat/056_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-030/15:55:54.5
12471	M1O	04-030/16:07:24.5		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:55:55.6
12472	M1O	04-030/16:07:25.5		Deletes the designated file.: d:/dat/056_doy030_pass03_file01.dat	FILE_DELETE	04-030/15:55:56.6
12473	M1O	04-030/16:07:26.6		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:55:57.7
12474	M1O	04-030/16:07:27.6		Deletes the designated file.: d:/dat/056_doy030_pass03_file02.dat	FILE_DELETE	04-030/15:55:58.7
12475	M1O	04-030/16:07:28.7		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:55:59.8
12476	M1O	04-030/16:07:29.7		Deletes the designated file.: d:/dat/056_doy030_pass03_file03.dat	FILE_DELETE	04-030/15:56:00.8
12477	M1O	04-030/16:07:30.8		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:01.9
12478	M1O	04-030/16:07:31.8		Deletes the designated file.: d:/dat/056_doy030_pass03_file04.dat	FILE_DELETE	04-030/15:56:02.9
12479	M1O	04-030/16:07:32.9		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:04.0
12480	M1O	04-030/16:07:33.9		Deletes the designated file.: d:/dat/056_doy030_pass03_file05.dat	FILE_DELETE	04-030/15:56:05.0
12481	M1O	04-030/16:07:35.0		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:06.1
12482	M1O	04-030/16:07:36.0		Deletes the designated file.: d:/dat/056_doy030_pass03_file06.dat	FILE_DELETE	04-030/15:56:07.1
12483	M1O	04-030/16:07:37.1		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:08.2
12484	M1O	04-030/16:07:38.1		Deletes the designated file.: d:/dat/056_doy030_pass03_file07.dat	FILE_DELETE	04-030/15:56:09.2
12485	M1O	04-030/16:07:39.2		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:10.3
12486	M1O	04-030/16:07:40.2		Deletes the designated file.: d:/dat/056_doy030_pass03_file08.dat	FILE_DELETE	04-030/15:56:11.3
12487	M1O	04-030/16:07:41.3		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:12.4
12488	M1O	04-030/16:07:42.3		Deletes the designated file.: d:/dat/056_doy030_pass03_file09.dat	FILE_DELETE	04-030/15:56:13.4
12489	M1O	04-030/16:07:43.4		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:14.5
12490	M1O	04-030/16:07:44.4		Deletes the designated file.: d:/dat/056_doy030_pass03_file10.dat	FILE_DELETE	04-030/15:56:15.5
12491	M1O	04-030/16:07:45.5		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:16.6
12492	M1O	04-030/16:07:46.5		Deletes the designated file.: d:/dat/056_doy030_pass03_file11.dat	FILE_DELETE	04-030/15:56:17.6
12493	M1O	04-030/16:07:47.6		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:18.7
12494	M1O	04-030/16:07:48.6		Deletes the designated file.: d:/dat/056_doy030_pass03_file12.dat	FILE_DELETE	04-030/15:56:19.7
12495	M1O	04-030/16:07:49.7		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:20.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12496	M1O	04-030/16:07:50.7		Deletes the designated file.: d:/dat/056_doy030_pass03_file13.dat	FILE_DELETE	04-030/15:56:21.8
12497	M1O	04-030/16:07:51.8		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:22.9
12498	M1O	04-030/16:07:52.8		Deletes the designated file.: d:/dat/056_doy030_pass03_file14.dat	FILE_DELETE	04-030/15:56:23.9
12499	M1O	04-030/16:07:53.9		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:25.0
12500	M1O	04-030/16:07:54.9		Deletes the designated file.: d:/dat/056_doy030_pass03_file15.dat	FILE_DELETE	04-030/15:56:26.0
12501	M1O	04-030/16:07:56.0		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:27.1
12502	M1O	04-030/16:07:57.0		Deletes the designated file.: d:/dat/056_doy030_pass03_file16.dat	FILE_DELETE	04-030/15:56:28.1
12503	M1O	04-030/16:07:58.1		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:29.2
12504	M1O	04-030/16:07:59.1		Deletes the designated file.: d:/dat/056_doy030_pass03_file17.dat	FILE_DELETE	04-030/15:56:30.2
12505	M1O	04-030/16:08:00.2		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:31.3
12506	M1O	04-030/16:08:01.2		Deletes the designated file.: d:/dat/056_doy030_pass03_file18.dat	FILE_DELETE	04-030/15:56:32.3
12507	M1O	04-030/16:08:02.3		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/15:56:33.4
12508	M1O	04-030/16:08:03.3		Deletes the designated file.: d:/dat/056_doy030_pass03_file19.dat	FILE_DELETE	04-030/15:56:34.4
12509	M1O	04-030/16:08:04.3		CALL, Engine = , Parameters = 56	get_apid	04-030/15:56:35.4
12510	M1O	04-030/16:08:05.4		CALL, Engine = , Parameters = 56	get_rcv_mode	04-030/15:56:36.5
12511	M1O	04-030/16:08:05.6		CALL, Engine = , Parameters = 56	get_dl_rate	04-030/15:56:36.7
12512	M1O	04-030/16:08:06.7		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-030/15:56:37.8
12513	M1O	04-030/16:08:07.9		CALL, Engine = , Parameters = 56	get_coding	04-030/15:56:39.0
12514	M1O	04-030/16:08:09.1		CALL, Engine = , Parameters = 56	get_xmt_mode	04-030/15:56:40.2
12515	M1O	04-030/16:08:10.3		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-030/15:56:41.4
12516	M1O	04-030/16:09:15.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/15:57:46.2
12517	M1O	04-030/16:09:16.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/15:57:47.2
12518	M1O	04-030/16:09:17.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/15:57:48.2
12519	M1O	04-030/16:09:18.1		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-030/15:57:49.2
12520	M1O	04-030/16:09:19.1		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-030/15:57:50.2
12521	M1O	04-030/16:09:20.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-030/15:57:51.2
12522	M1O	04-030/16:09:21.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/15:57:52.2
12523	M1O	04-030/16:10:11.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/15:58:42.2
12524	M1O	04-030/16:10:11.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12525	M1O	04-030/16:10:21.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-030/15:58:52.2
12526	M1O	04-030/16:12:21.3		NOTE: Enter Solar Eclipse 9440		04-030/16:00:52.3
12527	M1O	04-030/16:13:50.7		NOTE: Ascending Node Crossing 9440		04-030/16:02:21.8
12528	M1O	04-030/16:27:27.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-030/16:15:58.7
12529	M1O	04-030/16:27:28.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/16:15:59.8
12530	M1O	04-030/16:27:38.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/16:16:09.8
12531	M1O	04-030/16:27:39.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/16:16:10.8
12532	M1O	04-030/16:27:40.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-030/16:16:11.8
12533	M1O	04-030/16:27:40.8	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12534	M1O	04-030/16:27:41.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-030/16:16:12.8
12535	M1O	04-030/16:27:47.6		NOTE: Exit Solar Eclipse 9440		04-030/16:16:18.6
12536	M1O	04-030/16:33:29.0		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-030/16:22:00.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_sci.cfg,		
12537	M1O	04-030/16:33:29.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12538	M1O	04-030/16:41:52.2		NOTE: Apoapsis 9440 -		04-030/16:30:23.2
12539	M1O	04-030/16:43:49.9		NOTE: North Pole Crossing 9440		04-030/16:32:20.9
12540	M1O	04-030/16:47:31.2		NOTE: Enter Planetary Atmosphere 9440		04-030/16:36:02.2
12541	M1O	04-030/16:55:05.3		NOTE: Exit Planetary Atmosphere 9440		04-030/16:43:36.2
12542	M1O	04-030/17:13:45.8		NOTE: Descending Node Crossing 9441		04-030/17:02:16.6
12543	M1O	04-030/17:41:50.7		NOTE: Periapsis 9441 ----------		04-030/17:30:21.5
12544	M1O	04-030/17:43:02.3		NOTE: South Pole Crossing 9441		04-030/17:31:33.0
12545	M1O	04-030/18:05:47.3		SPAWN, Engine = 65535, Parameters = 030, 04, FALSE, 00:16:00.895, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-030/17:54:18.0
12546	M1O	04-030/18:05:48.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/17:54:19.1
12547	M1O	04-030/18:05:50.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-030/17:54:21.1
12548	M1O	04-030/18:05:50.7		CALL, Engine = , Parameters = 030, 04, 056	bld_autosw	04-030/17:54:21.4
12549	M1O	04-030/18:05:51.8		Copies the file designated in the source_path to the target_path.: d:/dat/056_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-030/17:54:22.5
12550	M1O	04-030/18:05:52.9		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:23.6
12551	M1O	04-030/18:05:53.9		Deletes the designated file.: d:/dat/056_doy030_pass04_file01.dat	FILE_DELETE	04-030/17:54:24.6
12552	M1O	04-030/18:05:55.0		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:25.7
12553	M1O	04-030/18:05:56.0		Deletes the designated file.: d:/dat/056_doy030_pass04_file02.dat	FILE_DELETE	04-030/17:54:26.7
12554	M1O	04-030/18:05:57.1		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:27.8
12555	M1O	04-030/18:05:58.1		Deletes the designated file.: d:/dat/056_doy030_pass04_file03.dat	FILE_DELETE	04-030/17:54:28.8
12556	M1O	04-030/18:05:59.2		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:29.9
12557	M1O	04-030/18:06:00.2		Deletes the designated file.: d:/dat/056_doy030_pass04_file04.dat	FILE_DELETE	04-030/17:54:30.9
12558	M1O	04-030/18:06:01.3		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:32.0
12559	M1O	04-030/18:06:02.3		Deletes the designated file.: d:/dat/056_doy030_pass04_file05.dat	FILE_DELETE	04-030/17:54:33.0
12560	M1O	04-030/18:06:03.4		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:34.1
12561	M1O	04-030/18:06:04.4		Deletes the designated file.: d:/dat/056_doy030_pass04_file06.dat	FILE_DELETE	04-030/17:54:35.1
12562	M1O	04-030/18:06:05.5		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:36.2
12563	M1O	04-030/18:06:06.5		Deletes the designated file.: d:/dat/056_doy030_pass04_file07.dat	FILE_DELETE	04-030/17:54:37.2
12564	M1O	04-030/18:06:07.6		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:38.3
12565	M1O	04-030/18:06:08.6		Deletes the designated file.: d:/dat/056_doy030_pass04_file08.dat	FILE_DELETE	04-030/17:54:39.3
12566	M1O	04-030/18:06:09.7		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:40.4
12567	M1O	04-030/18:06:10.7		Deletes the designated file.: d:/dat/056_doy030_pass04_file09.dat	FILE_DELETE	04-030/17:54:41.4
12568	M1O	04-030/18:06:11.8		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:42.5
12569	M1O	04-030/18:06:12.8		Deletes the designated file.: d:/dat/056_doy030_pass04_file10.dat	FILE_DELETE	04-030/17:54:43.5
12570	M1O	04-030/18:06:13.9		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:44.6
12571	M1O	04-030/18:06:14.9		Deletes the designated file.: d:/dat/056_doy030_pass04_file11.dat	FILE_DELETE	04-030/17:54:45.6
12572	M1O	04-030/18:06:16.0		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:46.7
12573	M1O	04-030/18:06:17.0		Deletes the designated file.: d:/dat/056_doy030_pass04_file12.dat	FILE_DELETE	04-030/17:54:47.7
12574	M1O	04-030/18:06:18.1		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-030/17:54:48.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/056_doy030_pass04_file13.dat, d:/dat/autoswitch.dat		
12575	M1O	04-030/18:06:19.1		Deletes the designated file.: d:/dat/056_doy030_pass04_file13.dat	FILE_DELETE	04-030/17:54:49.8
12576	M1O	04-030/18:06:20.2		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:50.9
12577	M1O	04-030/18:06:21.2		Deletes the designated file.: d:/dat/056_doy030_pass04_file14.dat	FILE_DELETE	04-030/17:54:51.9
12578	M1O	04-030/18:06:22.3		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:53.0
12579	M1O	04-030/18:06:23.3		Deletes the designated file.: d:/dat/056_doy030_pass04_file15.dat	FILE_DELETE	04-030/17:54:54.0
12580	M1O	04-030/18:06:24.4		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:55.1
12581	M1O	04-030/18:06:25.4		Deletes the designated file.: d:/dat/056_doy030_pass04_file16.dat	FILE_DELETE	04-030/17:54:56.1
12582	M1O	04-030/18:06:26.5		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:57.2
12583	M1O	04-030/18:06:27.5		Deletes the designated file.: d:/dat/056_doy030_pass04_file17.dat	FILE_DELETE	04-030/17:54:58.2
12584	M1O	04-030/18:06:28.6		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:54:59.3
12585	M1O	04-030/18:06:29.6		Deletes the designated file.: d:/dat/056_doy030_pass04_file18.dat	FILE_DELETE	04-030/17:55:00.3
12586	M1O	04-030/18:06:30.7		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy030_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/17:55:01.4
12587	M1O	04-030/18:06:31.7		Deletes the designated file.: d:/dat/056_doy030_pass04_file19.dat	FILE_DELETE	04-030/17:55:02.4
12588	M1O	04-030/18:06:32.7		CALL, Engine = , Parameters = 56	get_apid	04-030/17:55:03.4
12589	M1O	04-030/18:06:33.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-030/17:55:04.5
12590	M1O	04-030/18:06:34.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-030/17:55:04.7
12591	M1O	04-030/18:06:35.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-030/17:55:05.8
12592	M1O	04-030/18:06:36.3		CALL, Engine = , Parameters = 56	get_coding	04-030/17:55:07.0
12593	M1O	04-030/18:06:37.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-030/17:55:08.2
12594	M1O	04-030/18:06:38.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-030/17:55:09.4
12595	M1O	04-030/18:07:43.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/17:56:14.2
12596	M1O	04-030/18:07:44.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/17:56:15.2
12597	M1O	04-030/18:07:45.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/17:56:16.2
12598	M1O	04-030/18:07:46.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-030/17:56:17.2
12599	M1O	04-030/18:07:47.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-030/17:56:18.2
12600	M1O	04-030/18:07:48.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-030/17:56:19.2
12601	M1O	04-030/18:07:49.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/17:56:20.2
12602	M1O	04-030/18:08:39.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/17:57:10.2
12603	M1O	04-030/18:08:39.5	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12604	M1O	04-030/18:08:49.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-030/17:57:20.2
12605	M1O	04-030/18:10:52.0		NOTE: Enter Solar Eclipse 9441		04-030/17:59:22.6
12606	M1O	04-030/18:12:21.9		NOTE: Ascending Node Crossing 9441		04-030/18:00:52.6
12607	M1O	04-030/18:15:00.0	26	Begin Pre-Cal		
12608	M1O	04-030/18:15:00.0	26	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
12609	M1O	04-030/18:15:00.0	26	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
12610	M1O	04-030/18:15:00.0	26	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
12611	M1O	04-030/18:15:00.0	26	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
12612	M1O	04-030/18:15:00.0	26	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
12613	M1O	04-030/18:15:00.0	26	Config: RCV: Parms:		
12614	M1O	04-030/18:15:00.0	26	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
12615	M1O	04-030/18:15:00.0	26	Config: TGC: BAND=X, SR=221200.000000		
12616	M1O	04-030/18:15:00.0	26	Config: TXL		
12617	M1O	04-030/18:15:00.0	26	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12618	M1O	04-030/18:15:00.0	26	Config: CMD		
12619	M1O	04-030/18:15:00.0	26	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
12620	M1O	04-030/18:23:48.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-030/18:12:19.0
12621	M1O	04-030/18:23:49.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/18:12:20.1
12622	M1O	04-030/18:23:59.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/18:12:30.1
12623	M1O	04-030/18:24:00.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/18:12:31.1
12624	M1O	04-030/18:24:01.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-030/18:12:32.1
12625	M1O	04-030/18:24:01.5	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12626	M1O	04-030/18:24:02.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-030/18:12:33.1
12627	M1O	04-030/18:26:19.4		NOTE: Exit Solar Eclipse 9441		04-030/18:14:50.0
12628	M1O	04-030/18:29:29.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/18:18:00.0
12629	M1O	04-030/18:29:29.4	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12630	M1O	04-030/18:40:29.6		NOTE: Apoapsis 9441 -		04-030/18:29:00.2
12631	M1O	04-030/18:42:21.1		NOTE: North Pole Crossing 9441		04-030/18:30:51.7
12632	M1O	04-030/18:46:01.0		NOTE: Enter Planetary Atmosphere 9441		04-030/18:34:31.6
12633	M1O	04-030/18:53:36.4		NOTE: Exit Planetary Atmosphere 9441		04-030/18:42:06.9
12634	M1O	04-030/19:12:17.0		NOTE: Descending Node Crossing 9442		04-030/19:00:47.4
12635	M1O	04-030/19:15:00.0	26	Begin Tracking		
12636	M1O	04-030/19:15:00.0	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12637	M1O	04-030/19:16:00.0	26	Acquire U/L: X/08, PWR=20.0, BR=125.0		
12638	M1O	04-030/19:21:00.0	26	Range Modulation On: SUP=3.0dB		
12639	M1O	04-030/19:22:00.0	26	Begin Ranging Acquisition		
12640	M1O	04-030/19:37:56.8		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-030/19:26:27.2
12641	M1O	04-030/19:37:58.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/19:26:29.3
12642	M1O	04-030/19:37:58.9	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12643	M1O	04-030/19:37:58.9	26	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12644	M1O	04-030/19:37:59.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-030/19:26:30.3
12645	M1O	04-030/19:38:59.1	63	Acquire D/L: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12646	M1O	04-030/19:38:59.1	26	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12647	M1O	04-030/19:40:07.9		NOTE: Periapsis 9442 ----------		04-030/19:28:38.3
12648	M1O	04-030/19:41:32.8		NOTE: South Pole Crossing 9442		04-030/19:30:03.1
12649	M1O	04-030/19:43:58.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/19:32:29.3
12650	M1O	04-030/19:43:58.9	63	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12651	M1O	04-030/19:43:58.9	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12652	M1O	04-030/19:43:59.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-030/19:32:30.3
12653	M1O	04-030/20:09:24.5		NOTE: Enter Solar Eclipse 9442		04-030/19:57:54.7
12654	M1O	04-030/20:10:52.4		NOTE: Ascending Node Crossing 9442		04-030/19:59:22.6
12655	M1O	04-030/20:24:43.2		NOTE: Exit Solar Eclipse 9442		04-030/20:13:13.4
12656	M1O	04-030/20:38:49.4		NOTE: Apoapsis 9442 -		04-030/20:27:19.6
12657	M1O	04-030/20:40:52.9		NOTE: North Pole Crossing 9442		04-030/20:29:23.1
12658	M1O	04-030/20:44:54.2		NOTE: Enter Planetary Atmosphere 9442		04-030/20:33:24.3
12659	M1O	04-030/20:51:49.8		NOTE: Exit Planetary Atmosphere 9442		04-030/20:40:19.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12660	M1O	04-030/21:10:49.7		NOTE: Descending Node Crossing 9443		04-030/20:59:19.8
12661	M1O	04-030/21:38:31.0		NOTE: Periapsis 9443 ----------		04-030/21:27:00.9
12662	M1O	04-030/21:40:06.6		NOTE: South Pole Crossing 9443		04-030/21:28:36.5
12663	M1O	04-030/22:02:29.0		SPAWN, Engine = 65535, Parameters = 030, 03, FALSE, 00:10:56.588, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-030/21:50:59.0
12664	M1O	04-030/22:02:30.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/21:51:00.1
12665	M1O	04-030/22:02:32.1		CALL, Engine = , Parameters = 253	get_cmd_opt	04-030/21:51:02.1
12666	M1O	04-030/22:03:14.4		CALL, Engine = , Parameters = 253	get_apid	04-030/21:51:44.3
12667	M1O	04-030/22:03:15.5		CALL, Engine = , Parameters = 253	get_rcv_mode	04-030/21:51:45.4
12668	M1O	04-030/22:03:15.7		CALL, Engine = , Parameters = 253	get_dl_rate	04-030/21:51:45.6
12669	M1O	04-030/22:03:16.8		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-030/21:51:46.7
12670	M1O	04-030/22:03:18.1		CALL, Engine = , Parameters = 253	get_coding	04-030/21:51:48.0
12671	M1O	04-030/22:03:19.3		CALL, Engine = , Parameters = 253	get_xmt_mode	04-030/21:51:49.2
12672	M1O	04-030/22:03:20.5		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-030/21:51:50.4
12673	M1O	04-030/22:04:25.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/21:52:55.2
12674	M1O	04-030/22:04:26.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/21:52:56.2
12675	M1O	04-030/22:04:27.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/21:52:57.2
12676	M1O	04-030/22:04:28.3		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-030/21:52:58.2
12677	M1O	04-030/22:04:29.3		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-030/21:52:59.2
12678	M1O	04-030/22:04:30.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-030/21:53:00.2
12679	M1O	04-030/22:04:31.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/21:53:01.2
12680	M1O	04-030/22:08:02.3		NOTE: Enter Solar Eclipse 9443		04-030/21:56:32.2
12681	M1O	04-030/22:09:27.4		NOTE: Ascending Node Crossing 9443		04-030/21:57:57.3
12682	M1O	04-030/22:15:23.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-030/22:03:53.7
12683	M1O	04-030/22:15:25.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/22:03:54.8
12684	M1O	04-030/22:15:35.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/22:04:04.8
12685	M1O	04-030/22:15:36.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/22:04:05.8
12686	M1O	04-030/22:23:12.7		NOTE: Exit Solar Eclipse 9443		04-030/22:11:42.5
12687	M1O	04-030/22:37:20.6		NOTE: Apoapsis 9443 -		04-030/22:25:50.4
12688	M1O	04-030/22:39:28.0		NOTE: North Pole Crossing 9443		04-030/22:27:57.8
12689	M1O	04-030/22:43:45.7		NOTE: Enter Planetary Atmosphere 9443		04-030/22:32:15.5
12690	M1O	04-030/22:47:46.0	63	NOTE: Below Uplink Interlock Limit		
12691	M1O	04-030/22:50:09.7		NOTE: Exit Planetary Atmosphere 9443		04-030/22:38:39.5
12692	M1O	04-030/23:02:53.2		SPAWN, Engine = 65535, Parameters = 030, 03, TRUE, 00:18:52, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-030/22:51:23.0
12693	M1O	04-030/23:02:54.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/22:51:24.1
12694	M1O	04-030/23:02:56.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-030/22:51:26.1
12695	M1O	04-030/23:02:56.6		CALL, Engine = , Parameters = 030, 03, 254	bld_autosw	04-030/22:51:26.4
12696	M1O	04-030/23:02:57.7		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-030/22:51:27.5
12697	M1O	04-030/23:02:58.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:28.6
12698	M1O	04-030/23:02:59.8		Deletes the designated file.: d:/dat/254_doy030_pass03_file01.dat	FILE_DELETE	04-030/22:51:29.6
12699	M1O	04-030/23:03:00.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:30.7
12700	M1O	04-030/23:03:01.9		Deletes the designated file.: d:/dat/254_doy030_pass03_file02.dat	FILE_DELETE	04-030/22:51:31.7
12701	M1O	04-030/23:03:03.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:32.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12702	M1O	04-030/23:03:04.0		Deletes the designated file.: d:/dat/254_doy030_pass03_file03.dat	FILE_DELETE	04-030/22:51:33.8
12703	M1O	04-030/23:03:05.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:34.9
12704	M1O	04-030/23:03:06.1		Deletes the designated file.: d:/dat/254_doy030_pass03_file04.dat	FILE_DELETE	04-030/22:51:35.9
12705	M1O	04-030/23:03:07.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:37.0
12706	M1O	04-030/23:03:08.2		Deletes the designated file.: d:/dat/254_doy030_pass03_file05.dat	FILE_DELETE	04-030/22:51:38.0
12707	M1O	04-030/23:03:09.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:39.1
12708	M1O	04-030/23:03:10.3		Deletes the designated file.: d:/dat/254_doy030_pass03_file06.dat	FILE_DELETE	04-030/22:51:40.1
12709	M1O	04-030/23:03:11.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:41.2
12710	M1O	04-030/23:03:12.4		Deletes the designated file.: d:/dat/254_doy030_pass03_file07.dat	FILE_DELETE	04-030/22:51:42.2
12711	M1O	04-030/23:03:13.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:43.3
12712	M1O	04-030/23:03:14.5		Deletes the designated file.: d:/dat/254_doy030_pass03_file08.dat	FILE_DELETE	04-030/22:51:44.3
12713	M1O	04-030/23:03:15.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:45.4
12714	M1O	04-030/23:03:16.6		Deletes the designated file.: d:/dat/254_doy030_pass03_file09.dat	FILE_DELETE	04-030/22:51:46.4
12715	M1O	04-030/23:03:17.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:47.5
12716	M1O	04-030/23:03:18.7		Deletes the designated file.: d:/dat/254_doy030_pass03_file10.dat	FILE_DELETE	04-030/22:51:48.5
12717	M1O	04-030/23:03:19.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:49.6
12718	M1O	04-030/23:03:20.8		Deletes the designated file.: d:/dat/254_doy030_pass03_file11.dat	FILE_DELETE	04-030/22:51:50.6
12719	M1O	04-030/23:03:21.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:51.7
12720	M1O	04-030/23:03:22.9		Deletes the designated file.: d:/dat/254_doy030_pass03_file12.dat	FILE_DELETE	04-030/22:51:52.7
12721	M1O	04-030/23:03:24.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:53.8
12722	M1O	04-030/23:03:25.0		Deletes the designated file.: d:/dat/254_doy030_pass03_file13.dat	FILE_DELETE	04-030/22:51:54.8
12723	M1O	04-030/23:03:26.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:55.9
12724	M1O	04-030/23:03:27.1		Deletes the designated file.: d:/dat/254_doy030_pass03_file14.dat	FILE_DELETE	04-030/22:51:56.9
12725	M1O	04-030/23:03:28.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:51:58.0
12726	M1O	04-030/23:03:29.2		Deletes the designated file.: d:/dat/254_doy030_pass03_file15.dat	FILE_DELETE	04-030/22:51:59.0
12727	M1O	04-030/23:03:30.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:52:00.1
12728	M1O	04-030/23:03:31.3		Deletes the designated file.: d:/dat/254_doy030_pass03_file16.dat	FILE_DELETE	04-030/22:52:01.1
12729	M1O	04-030/23:03:32.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:52:02.2
12730	M1O	04-030/23:03:33.4		Deletes the designated file.: d:/dat/254_doy030_pass03_file17.dat	FILE_DELETE	04-030/22:52:03.2
12731	M1O	04-030/23:03:34.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:52:04.3
12732	M1O	04-030/23:03:35.5		Deletes the designated file.: d:/dat/254_doy030_pass03_file18.dat	FILE_DELETE	04-030/22:52:05.3
12733	M1O	04-030/23:03:36.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy030_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/22:52:06.4
12734	M1O	04-030/23:03:37.6		Deletes the designated file.: d:/dat/254_doy030_pass03_file19.dat	FILE_DELETE	04-030/22:52:07.4
12735	M1O	04-030/23:03:38.6		CALL, Engine = , Parameters = 254	get_apid	04-030/22:52:08.4
12736	M1O	04-030/23:03:39.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-030/22:52:09.5
12737	M1O	04-030/23:03:39.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-030/22:52:09.7
12738	M1O	04-030/23:03:41.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-030/22:52:10.8
12739	M1O	04-030/23:03:42.3		CALL, Engine = , Parameters = 254	get_coding	04-030/22:52:12.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12740	M1O	04-030/23:03:43.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-030/22:52:13.3
12741	M1O	04-030/23:03:44.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-030/22:52:14.5
12742	M1O	04-030/23:04:49.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/22:53:19.3
12743	M1O	04-030/23:04:50.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/22:53:20.3
12744	M1O	04-030/23:04:51.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/22:53:21.3
12745	M1O	04-030/23:04:52.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-030/22:53:22.3
12746	M1O	04-030/23:04:53.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-030/22:53:23.3
12747	M1O	04-030/23:04:54.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-030/22:53:24.3
12748	M1O	04-030/23:04:55.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/22:53:25.3
12749	M1O	04-030/23:06:45.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/22:55:15.3
12750	M1O	04-030/23:06:45.6	63	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12751	M1O	04-030/23:06:45.6	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12752	M1O	04-030/23:06:50.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/22:55:20.5
12753	M1O	04-030/23:06:55.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-030/22:55:25.3
12754	M1O	04-030/23:08:58.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-030/22:57:28.6
12755	M1O	04-030/23:09:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/22:57:30.7
12756	M1O	04-030/23:09:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-030/22:57:31.7
12757	M1O	04-030/23:09:25.0		NOTE: Descending Node Crossing 9444		04-030/22:57:54.7
12758	M1O	04-030/23:10:00.0	63	End Tracking		
12759	M1O	04-030/23:10:00.9		NOTE: Changing to 34M (BWG) downlink rate: 28440_BPS		04-030/22:58:30.6
12760	M1O	04-030/23:10:00.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-030/22:58:30.6
12761	M1O	04-030/23:10:00.9	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12762	M1O	04-030/23:10:06.9		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-030/22:58:36.6
12763	M1O	04-030/23:10:06.9	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12764	M1O	04-030/23:15:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/23:03:30.7
12765	M1O	04-030/23:15:01.0	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12766	M1O	04-030/23:15:02.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/23:03:31.7
12767	M1O	04-030/23:15:02.0	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12768	M1O	04-030/23:15:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-030/23:03:31.7
12769	M1O	04-030/23:23:45.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-030/23:12:15.3
12770	M1O	04-030/23:23:46.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-030/23:12:16.4
12771	M1O	04-030/23:23:56.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-030/23:12:26.4
12772	M1O	04-030/23:23:57.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/23:12:27.4
12773	M1O	04-030/23:23:58.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-030/23:12:28.4
12774	M1O	04-030/23:23:59.7		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-030/23:12:29.4
12775	M1O	04-030/23:25:00.0	63	End Post-Cal		
12776	M1O	04-030/23:28:58.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-030/23:17:28.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12777	M1O	04-030/23:28:58.3	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12778	M1O	04-030/23:30:00.0	14	Begin Pre-Cal		
12779	M1O	04-030/23:30:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
12780	M1O	04-030/23:30:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
12781	M1O	04-030/23:30:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
12782	M1O	04-030/23:30:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
12783	M1O	04-030/23:30:00.0	14	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
12784	M1O	04-030/23:30:00.0	14	Config: RCV: Parms:		
12785	M1O	04-030/23:30:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
12786	M1O	04-030/23:30:00.0	14	Config: TGC: BAND=X, SR=79632.000000		
12787	M1O	04-030/23:30:00.0	14	Config: TXL		
12788	M1O	04-030/23:30:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
12789	M1O	04-030/23:30:00.0	14	Config: CMD		
12790	M1O	04-030/23:30:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
12791	M1O	04-030/23:37:25.2		NOTE: Periapsis 9444 ----------		04-030/23:25:54.8
12792	M1O	04-030/23:38:43.2		NOTE: South Pole Crossing 9444		04-030/23:27:12.7
12793	M1O	04-030/23:55:45.4		SPAWN, Engine = 65535, Parameters = 030, 04, TRUE, 00:19:11, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-030/23:44:15.0
12794	M1O	04-030/23:55:46.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-030/23:44:16.1
12795	M1O	04-030/23:55:48.5		CALL, Engine = , Parameters = 253	get_cmd_opt	04-030/23:44:18.1
12796	M1O	04-030/23:55:48.8		CALL, Engine = , Parameters = 030, 04, 253	bld_autosw	04-030/23:44:18.4
12797	M1O	04-030/23:55:49.9		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-030/23:44:19.5
12798	M1O	04-030/23:55:51.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:20.6
12799	M1O	04-030/23:55:52.0		Deletes the designated file.: d:/dat/253_doy030_pass04_file01.dat	FILE_DELETE	04-030/23:44:21.6
12800	M1O	04-030/23:55:53.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:22.7
12801	M1O	04-030/23:55:54.1		Deletes the designated file.: d:/dat/253_doy030_pass04_file02.dat	FILE_DELETE	04-030/23:44:23.7
12802	M1O	04-030/23:55:55.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:24.8
12803	M1O	04-030/23:55:56.2		Deletes the designated file.: d:/dat/253_doy030_pass04_file03.dat	FILE_DELETE	04-030/23:44:25.8
12804	M1O	04-030/23:55:57.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:26.9
12805	M1O	04-030/23:55:58.3		Deletes the designated file.: d:/dat/253_doy030_pass04_file04.dat	FILE_DELETE	04-030/23:44:27.9
12806	M1O	04-030/23:55:59.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:29.0
12807	M1O	04-030/23:56:00.4		Deletes the designated file.: d:/dat/253_doy030_pass04_file05.dat	FILE_DELETE	04-030/23:44:30.0
12808	M1O	04-030/23:56:01.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:31.1
12809	M1O	04-030/23:56:02.5		Deletes the designated file.: d:/dat/253_doy030_pass04_file06.dat	FILE_DELETE	04-030/23:44:32.1
12810	M1O	04-030/23:56:03.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:33.2
12811	M1O	04-030/23:56:04.6		Deletes the designated file.: d:/dat/253_doy030_pass04_file07.dat	FILE_DELETE	04-030/23:44:34.2
12812	M1O	04-030/23:56:05.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:35.3
12813	M1O	04-030/23:56:06.7		Deletes the designated file.: d:/dat/253_doy030_pass04_file08.dat	FILE_DELETE	04-030/23:44:36.3
12814	M1O	04-030/23:56:07.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:37.4
12815	M1O	04-030/23:56:08.8		Deletes the designated file.: d:/dat/253_doy030_pass04_file09.dat	FILE_DELETE	04-030/23:44:38.4
12816	M1O	04-030/23:56:09.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:39.5
12817	M1O	04-030/23:56:10.9		Deletes the designated file.: d:/dat/253_doy030_pass04_file10.dat	FILE_DELETE	04-030/23:44:40.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12818	M1O	04-030/23:56:12.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:41.6
12819	M1O	04-030/23:56:13.0		Deletes the designated file.: d:/dat/253_doy030_pass04_file11.dat	FILE_DELETE	04-030/23:44:42.6
12820	M1O	04-030/23:56:14.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:43.7
12821	M1O	04-030/23:56:15.1		Deletes the designated file.: d:/dat/253_doy030_pass04_file12.dat	FILE_DELETE	04-030/23:44:44.7
12822	M1O	04-030/23:56:16.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:45.8
12823	M1O	04-030/23:56:17.2		Deletes the designated file.: d:/dat/253_doy030_pass04_file13.dat	FILE_DELETE	04-030/23:44:46.8
12824	M1O	04-030/23:56:18.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:47.9
12825	M1O	04-030/23:56:19.3		Deletes the designated file.: d:/dat/253_doy030_pass04_file14.dat	FILE_DELETE	04-030/23:44:48.9
12826	M1O	04-030/23:56:20.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:50.0
12827	M1O	04-030/23:56:21.4		Deletes the designated file.: d:/dat/253_doy030_pass04_file15.dat	FILE_DELETE	04-030/23:44:51.0
12828	M1O	04-030/23:56:22.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:52.1
12829	M1O	04-030/23:56:23.5		Deletes the designated file.: d:/dat/253_doy030_pass04_file16.dat	FILE_DELETE	04-030/23:44:53.1
12830	M1O	04-030/23:56:24.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:54.2
12831	M1O	04-030/23:56:25.6		Deletes the designated file.: d:/dat/253_doy030_pass04_file17.dat	FILE_DELETE	04-030/23:44:55.2
12832	M1O	04-030/23:56:26.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:56.3
12833	M1O	04-030/23:56:27.7		Deletes the designated file.: d:/dat/253_doy030_pass04_file18.dat	FILE_DELETE	04-030/23:44:57.3
12834	M1O	04-030/23:56:28.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy030_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-030/23:44:58.4
12835	M1O	04-030/23:56:29.8		Deletes the designated file.: d:/dat/253_doy030_pass04_file19.dat	FILE_DELETE	04-030/23:44:59.4
12836	M1O	04-030/23:56:30.8		CALL, Engine = , Parameters = 253	get_apid	04-030/23:45:00.4
12837	M1O	04-030/23:56:31.9		CALL, Engine = , Parameters = 253	get_rcv_mode	04-030/23:45:01.5
12838	M1O	04-030/23:56:32.1		CALL, Engine = , Parameters = 253	get_dl_rate	04-030/23:45:01.7
12839	M1O	04-030/23:56:33.2		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-030/23:45:02.8
12840	M1O	04-030/23:56:34.5		CALL, Engine = , Parameters = 253	get_coding	04-030/23:45:04.1
12841	M1O	04-030/23:56:35.7		CALL, Engine = , Parameters = 253	get_xmt_mode	04-030/23:45:05.3
12842	M1O	04-030/23:56:36.9		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-030/23:45:06.5
12843	M1O	04-030/23:57:41.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-030/23:46:11.3
12844	M1O	04-030/23:57:42.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-030/23:46:12.3
12845	M1O	04-030/23:57:43.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-030/23:46:13.3
12846	M1O	04-030/23:57:44.7		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-030/23:46:14.3
12847	M1O	04-030/23:57:45.7		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-030/23:46:15.3
12848	M1O	04-030/23:57:46.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-030/23:46:16.3
12849	M1O	04-030/23:57:47.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-030/23:46:17.3
12850	M1O	04-030/23:59:37.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/23:48:07.3
12851	M1O	04-030/23:59:37.7	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12852	M1O	04-030/23:59:42.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-030/23:48:12.5
12853	M1O	04-030/23:59:47.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-030/23:48:17.3
12854	M1O	04-031/00:00:00.0		Light Time: OWLT = 11:30, RTLT = 23:01		
12855	M1O	04-031/00:06:38.8		NOTE: Enter Solar Eclipse 9444		04-030/23:55:08.3
12856	M1O	04-031/00:08:04.5		NOTE: Ascending Node Crossing 9444		04-030/23:56:34.0
12857	M1O	04-031/00:15:59.0	26	NOTE: X-Band Transmitter Off in 15 minutes		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12858	M1O	04-031/00:16:56.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/00:05:26.3
12859	M1O	04-031/00:16:57.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/00:05:27.4
12860	M1O	04-031/00:17:07.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/00:05:37.4
12861	M1O	04-031/00:17:08.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/00:05:38.4
12862	M1O	04-031/00:17:09.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-031/00:05:39.4
12863	M1O	04-031/00:17:09.9	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12864	M1O	04-031/00:17:10.9		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-031/00:05:40.4
12865	M1O	04-031/00:21:49.0		NOTE: Exit Solar Eclipse 9444		04-031/00:10:18.4
12866	M1O	04-031/00:22:09.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/00:10:39.0
12867	M1O	04-031/00:22:09.5	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12868	M1O	04-031/00:25:59.0	26	Range Modulation Off		
12869	M1O	04-031/00:28:58.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-031/00:17:27.4
12870	M1O	04-031/00:29:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/00:17:29.5
12871	M1O	04-031/00:29:00.1	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12872	M1O	04-031/00:29:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/00:17:30.5
12873	M1O	04-031/00:29:54.0		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-031/00:18:23.4
12874	M1O	04-031/00:29:54.0	26	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12875	M1O	04-031/00:30:00.0	14	Begin Tracking		
12876	M1O	04-031/00:30:00.0	14	Acquire D/L: X/08, 3-Way/26, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12877	M1O	04-031/00:30:00.0		NOTE: Changing to 70M downlink rate: 110600_BPS		04-031/00:18:29.4
12878	M1O	04-031/00:30:00.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-031/00:18:29.4
12879	M1O	04-031/00:30:00.0	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12880	M1O	04-031/00:30:00.0	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12881	M1O	04-031/00:30:59.0	26	X-Band Transmitter Off		
12882	M1O	04-031/00:31:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
12883	M1O	04-031/00:35:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/00:23:29.5
12884	M1O	04-031/00:35:00.1	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12885	M1O	04-031/00:35:00.1	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12886	M1O	04-031/00:35:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/00:23:30.5
12887	M1O	04-031/00:36:00.0	14	Range Modulation On: SUP=3.0dB		
12888	M1O	04-031/00:36:22.6		NOTE: Apoapsis 9444 -		04-031/00:24:52.0
12889	M1O	04-031/00:37:00.0	14	Begin Ranging Acquisition		
12890	M1O	04-031/00:38:04.6		NOTE: North Pole Crossing 9444		04-031/00:26:34.0
12891	M1O	04-031/00:42:27.5		NOTE: Enter Planetary Atmosphere 9444		04-031/00:30:56.9
12892	M1O	04-031/00:48:39.3		NOTE: Exit Planetary Atmosphere 9444		04-031/00:37:08.7
12893	M1O	04-031/00:52:58.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:01, 1	dpt	04-031/00:41:27.3
12894	M1O	04-031/00:53:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/00:41:29.4
12895	M1O	04-031/00:53:00.1	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12896	M1O	04-031/00:53:00.1	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12897	M1O	04-031/00:53:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/00:41:30.4
12898	M1O	04-031/00:53:32.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
12899	M1O	04-031/00:54:00.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12900	M1O	04-031/00:54:00.1	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12901	M1O	04-031/00:54:01.1	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12902	M1O	04-031/00:54:01.1	26	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12903	M1O	04-031/00:59:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/00:47:30.4
12904	M1O	04-031/00:59:01.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12905	M1O	04-031/00:59:01.1	26	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12906	M1O	04-031/00:59:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/00:47:31.4
12907	M1O	04-031/01:03:32.0	14	Range Modulation Off		
12908	M1O	04-031/01:04:22.6		SPAWN, Engine = 65535, Parameters = 031, 01, FALSE, 00:11:26.936, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-031/00:52:52.0
12909	M1O	04-031/01:04:23.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/00:52:53.1
12910	M1O	04-031/01:04:25.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-031/00:52:55.1
12911	M1O	04-031/01:05:07.9		CALL, Engine = , Parameters = 254	get_apid	04-031/00:53:37.3
12912	M1O	04-031/01:05:09.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-031/00:53:38.4
12913	M1O	04-031/01:05:09.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-031/00:53:38.6
12914	M1O	04-031/01:05:10.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-031/00:53:39.7
12915	M1O	04-031/01:05:11.6		CALL, Engine = , Parameters = 254	get_coding	04-031/00:53:41.0
12916	M1O	04-031/01:05:12.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-031/00:53:42.2
12917	M1O	04-031/01:05:14.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-031/00:53:43.4
12918	M1O	04-031/01:06:18.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/00:54:48.2
12919	M1O	04-031/01:06:19.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/00:54:49.2
12920	M1O	04-031/01:06:20.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/00:54:50.2
12921	M1O	04-031/01:06:21.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-031/00:54:51.2
12922	M1O	04-031/01:06:22.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-031/00:54:52.2
12923	M1O	04-031/01:06:23.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/00:54:53.2
12924	M1O	04-031/01:06:24.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/00:54:54.2
12925	M1O	04-031/01:08:01.6		NOTE: Descending Node Crossing 9445		04-031/00:56:30.9
12926	M1O	04-031/01:08:32.0	14	X-Band Transmitter Off		
12927	M1O	04-031/01:15:00.0	43	Begin Pre-Cal		
12928	M1O	04-031/01:15:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
12929	M1O	04-031/01:15:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
12930	M1O	04-031/01:15:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
12931	M1O	04-031/01:15:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
12932	M1O	04-031/01:15:00.0	43	At BOT: S/C Tlm Mode: BR=28440.0, FL=10112, SC=375KHZ, MI=71.7		
12933	M1O	04-031/01:15:00.0	43	Config: RCV: Parms:		
12934	M1O	04-031/01:15:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
12935	M1O	04-031/01:15:00.0	43	Config: TGC: BAND=X, SR=56880.000000		
12936	M1O	04-031/01:15:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
12937	M1O	04-031/01:17:47.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/01:06:17.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12938	M1O	04-031/01:17:48.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/01:06:18.2
12939	M1O	04-031/01:17:58.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/01:06:28.2
12940	M1O	04-031/01:17:59.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/01:06:29.2
12941	M1O	04-031/01:21:01.7		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-031/01:09:31.0
12942	M1O	04-031/01:21:01.8		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-031/01:09:31.1
12943	M1O	04-031/01:21:02.8		Forces a desaturation of the reaction wheels.	RW_DESAT	04-031/01:09:32.1
12944	M1O	04-031/01:23:22.7		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-031/01:11:52.0
12945	M1O	04-031/01:23:38.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-029T01:11:52.100, 2004-031T01:11:52.100	PCKTS_RE_TX_TIME	04-031/01:12:07.8
12946	M1O	04-031/01:23:39.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-029T01:11:52.100, 2004-031T01:11:52.100	PCKTS_RE_TX_TIME	04-031/01:12:08.8
12947	M1O	04-031/01:23:40.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-029T01:11:52.100, 2004-031T01:11:52.100	PCKTS_RE_TX_TIME	04-031/01:12:09.8
12948	M1O	04-031/01:23:41.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-029T01:11:52.100, 2004-031T01:11:52.100	PCKTS_RE_TX_TIME	04-031/01:12:10.8
12949	M1O	04-031/01:23:42.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-029T01:11:52.100, 2004-031T01:11:52.100	PCKTS_RE_TX_TIME	04-031/01:12:11.8
12950	M1O	04-031/01:23:43.5		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-029T01:11:52.100, 2004-031T01:11:52.100	PCKTS_RE_TX_TIME	04-031/01:12:12.8
12951	M1O	04-031/01:23:43.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-031/01:12:12.8
12952	M1O	04-031/01:23:43.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12953	M1O	04-031/01:23:43.5	26	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12954	M1O	04-031/01:30:44.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/01:19:13.8
12955	M1O	04-031/01:30:44.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12956	M1O	04-031/01:30:44.5	26	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12957	M1O	04-031/01:30:45.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/01:19:14.8
12958	M1O	04-031/01:31:01.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-031/01:19:30.8
12959	M1O	04-031/01:31:01.5	14	D/L RF Warning: SC antenna change - expect signal level variation		
12960	M1O	04-031/01:31:01.5	26	D/L RF Warning: SC antenna change - expect signal level variation		
12961	M1O	04-031/01:31:02.5		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-031/01:19:31.8
12962	M1O	04-031/01:31:33.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12963	M1O	04-031/01:31:33.3	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
12964	M1O	04-031/01:32:32.8		CALL, Engine = , Parameters = FALSE	park_hga	04-031/01:21:02.1
12965	M1O	04-031/01:32:32.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/01:21:02.1
12966	M1O	04-031/01:32:33.8		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-031/01:21:03.1
12967	M1O	04-031/01:32:34.8		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-031/01:21:04.1
12968	M1O	04-031/01:32:34.8		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-031/01:21:04.1
12969	M1O	04-031/01:32:34.8		NOTE: START HGA PARK		
12970	M1O	04-031/01:32:34.8	14	NOTE: Loss Of X-Band Signal		
12971	M1O	04-031/01:32:34.8	26	NOTE: Loss Of X-Band Signal		
12972	M1O	04-031/01:32:35.8		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-031/01:21:05.1
12973	M1O	04-031/01:32:36.8		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-031/01:21:06.1
12974	M1O	04-031/01:36:25.8		NOTE: Periapsis 9445 ----------		04-031/01:24:55.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
12975	M1O	04-031/01:37:06.8		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-031/01:25:36.1
12976	M1O	04-031/01:37:20.0		NOTE: South Pole Crossing 9445		04-031/01:25:49.2
12977	M1O	04-031/01:40:36.8		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-031/01:29:06.1
12978	M1O	04-031/01:40:36.8		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-031/01:29:06.1
12979	M1O	04-031/02:05:12.6		NOTE: Enter Solar Eclipse 9445		04-031/01:53:41.7
12980	M1O	04-031/02:05:15.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
12981	M1O	04-031/02:06:40.9		NOTE: Ascending Node Crossing 9445		04-031/01:55:10.0
12982	M1O	04-031/02:10:15.0	14	Range Modulation On: SUP=3.0dB		
12983	M1O	04-031/02:10:36.8		GV: GV_DESAT_ACTIVE = 1		04-031/01:59:06.0
12984	M1O	04-031/02:10:37.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-031/01:59:07.0
12985	M1O	04-031/02:10:37.8		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-031/01:59:07.0
12986	M1O	04-031/02:11:15.0	14	Begin Ranging Acquisition		
12987	M1O	04-031/02:20:26.8		NOTE: Exit Solar Eclipse 9445		04-031/02:08:55.9
12988	M1O	04-031/02:20:36.9		GV: GV_DESAT_ACTIVE = 0		04-031/02:09:06.0
12989	M1O	04-031/02:20:37.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-031/02:09:07.0
12990	M1O	04-031/02:20:38.9		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-031/02:09:08.0
12991	M1O	04-031/02:20:39.9		CALL, Engine = , Parameters =	unpark_hga	04-031/02:09:09.0
12992	M1O	04-031/02:20:39.9		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-031/02:09:09.0
12993	M1O	04-031/02:20:40.9		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-031/02:09:10.0
12994	M1O	04-031/02:25:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
12995	M1O	04-031/02:25:10.9		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-031/02:13:40.0
12996	M1O	04-031/02:25:11.9		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-031/02:13:41.0
12997	M1O	04-031/02:27:51.3		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-031/02:16:20.3
12998	M1O	04-031/02:27:51.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/02:16:20.4
12999	M1O	04-031/02:27:52.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/02:16:21.4
13000	M1O	04-031/02:27:53.4		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-031/02:16:22.4
13001	M1O	04-031/02:27:54.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-031/02:16:23.4
13002	M1O	04-031/02:27:55.4		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-031/02:16:24.4
13003	M1O	04-031/02:28:05.4		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-031/02:16:34.4
13004	M1O	04-031/02:28:15.4		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-031/02:16:44.4
13005	M1O	04-031/02:29:11.9		NOTE: EXIT HGA PARK		
13006	M1O	04-031/02:29:11.9	14	Acquisition Of X-Band Signal		
13007	M1O	04-031/02:29:11.9	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13008	M1O	04-031/02:29:11.9	26	Acquisition Of X-Band Signal		
13009	M1O	04-031/02:29:11.9	26	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13010	M1O	04-031/02:33:15.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/02:21:44.4
13011	M1O	04-031/02:33:16.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/02:21:45.4
13012	M1O	04-031/02:33:16.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13013	M1O	04-031/02:33:16.4	26	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13014	M1O	04-031/02:33:17.4		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-031/02:21:46.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13015	M1O	04-031/02:35:00.0	14	Range Modulation Off		
13016	M1O	04-031/02:35:22.9		NOTE: Apoapsis 9445 -		04-031/02:23:52.0
13017	M1O	04-031/02:36:40.8		NOTE: North Pole Crossing 9445		04-031/02:25:09.8
13018	M1O	04-031/02:40:00.0	14	X-Band Transmitter Off		
13019	M1O	04-031/02:40:00.0	26	Acquire U/L: X/08, PWR=20.0, BR=125.0		
13020	M1O	04-031/02:41:02.1		NOTE: Enter Planetary Atmosphere 9445		04-031/02:29:31.1
13021	M1O	04-031/02:43:58.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-031/02:32:27.4
13022	M1O	04-031/02:44:00.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/02:32:29.5
13023	M1O	04-031/02:44:00.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13024	M1O	04-031/02:44:00.5	26	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13025	M1O	04-031/02:44:01.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/02:32:30.5
13026	M1O	04-031/02:45:00.0	14	End Tracking		
13027	M1O	04-031/02:45:00.0	26	Range Modulation On: SUP=3.0dB		
13028	M1O	04-031/02:45:00.4		NOTE: Changing to 34M (BWG) downlink rate: 28440_BPS		04-031/02:33:29.4
13029	M1O	04-031/02:45:00.4		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 28440_BPS	DOWNLINK_RATE	04-031/02:33:29.4
13030	M1O	04-031/02:45:00.4	26	D/L Change: X/08, 3-Way/14, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13031	M1O	04-031/02:46:00.0	26	Begin Ranging Acquisition		
13032	M1O	04-031/02:47:15.2		NOTE: Exit Planetary Atmosphere 9445		04-031/02:35:44.2
13033	M1O	04-031/02:50:00.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/02:38:29.5
13034	M1O	04-031/02:50:00.6	26	D/L Change: X/08, 3-Way/14, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13035	M1O	04-031/02:50:01.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/02:38:30.5
13036	M1O	04-031/02:58:58.5		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-031/02:47:27.4
13037	M1O	04-031/02:59:00.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/02:47:29.5
13038	M1O	04-031/02:59:00.6	26	D/L Change: X/08, 3-Way/14, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13039	M1O	04-031/02:59:01.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/02:47:30.5
13040	M1O	04-031/03:00:00.0	14	End Post-Cal		
13041	M1O	04-031/03:00:00.0	43	Begin Tracking		
13042	M1O	04-031/03:00:00.0	43	Acquire D/L: X/08, 3-Way/14, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13043	M1O	04-031/03:00:00.5		NOTE: Changing to 70M downlink rate: 110600_BPS		04-031/02:48:29.4
13044	M1O	04-031/03:00:00.5		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-031/02:48:29.4
13045	M1O	04-031/03:00:00.5	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13046	M1O	04-031/03:00:00.5	26	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13047	M1O	04-031/03:03:01.9	43	Acquire D/L: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13048	M1O	04-031/03:03:01.9	26	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13049	M1O	04-031/03:05:00.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/02:53:29.5
13050	M1O	04-031/03:05:00.6	43	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
13051	M1O	04-031/03:05:00.6	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13052	M1O	04-031/03:05:01.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/02:53:30.5
13053	M1O	04-031/03:06:38.0		NOTE: Descending Node Crossing 9446		04-031/02:55:07.0
13054	M1O	04-031/03:35:11.3		NOTE: Periapsis 9446 ----------		04-031/03:23:40.2
13055	M1O	04-031/03:35:55.5		NOTE: South Pole Crossing 9446		04-031/03:24:24.3
13056	M1O	04-031/04:03:43.9		NOTE: Enter Solar Eclipse 9446		04-031/03:52:12.7
13057	M1O	04-031/04:05:15.1		NOTE: Ascending Node Crossing 9446		04-031/03:53:43.9
13058	M1O	04-031/04:19:03.6		NOTE: Exit Solar Eclipse 9446		04-031/04:07:32.3
13059	M1O	04-031/04:33:54.0		NOTE: Apoapsis 9446 -		04-031/04:22:22.6
13060	M1O	04-031/04:35:14.8		NOTE: North Pole Crossing 9446		04-031/04:23:43.5
13061	M1O	04-031/04:39:26.0		NOTE: Enter Planetary Atmosphere 9446		04-031/04:27:54.7
13062	M1O	04-031/04:45:57.7		NOTE: Exit Planetary Atmosphere 9446		04-031/04:34:26.3
13063	M1O	04-031/04:49:55.3		SPAWN, Engine = 65535, Parameters = 031, 01, FALSE, 00:19:02.250, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-031/04:38:24.0
13064	M1O	04-031/04:49:56.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/04:38:25.1
13065	M1O	04-031/04:49:58.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-031/04:38:27.1
13066	M1O	04-031/04:49:58.7		CALL, Engine = , Parameters = 031, 01, 056	bld_autosw	04-031/04:38:27.4
13067	M1O	04-031/04:49:59.8		Copies the file designated in the source_path to the target_path.: d:/dat/056_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-031/04:38:28.5
13068	M1O	04-031/04:50:00.9		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:29.6
13069	M1O	04-031/04:50:01.9		Deletes the designated file.: d:/dat/056_doy031_pass01_file01.dat	FILE_DELETE	04-031/04:38:30.6
13070	M1O	04-031/04:50:03.0		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:31.7
13071	M1O	04-031/04:50:04.0		Deletes the designated file.: d:/dat/056_doy031_pass01_file02.dat	FILE_DELETE	04-031/04:38:32.7
13072	M1O	04-031/04:50:05.1		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:33.8
13073	M1O	04-031/04:50:06.1		Deletes the designated file.: d:/dat/056_doy031_pass01_file03.dat	FILE_DELETE	04-031/04:38:34.8
13074	M1O	04-031/04:50:07.2		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:35.9
13075	M1O	04-031/04:50:08.2		Deletes the designated file.: d:/dat/056_doy031_pass01_file04.dat	FILE_DELETE	04-031/04:38:36.9
13076	M1O	04-031/04:50:09.3		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:38.0
13077	M1O	04-031/04:50:10.3		Deletes the designated file.: d:/dat/056_doy031_pass01_file05.dat	FILE_DELETE	04-031/04:38:39.0
13078	M1O	04-031/04:50:11.4		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:40.1
13079	M1O	04-031/04:50:12.4		Deletes the designated file.: d:/dat/056_doy031_pass01_file06.dat	FILE_DELETE	04-031/04:38:41.1
13080	M1O	04-031/04:50:13.5		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:42.2
13081	M1O	04-031/04:50:14.5		Deletes the designated file.: d:/dat/056_doy031_pass01_file07.dat	FILE_DELETE	04-031/04:38:43.2
13082	M1O	04-031/04:50:15.6		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:44.3
13083	M1O	04-031/04:50:16.6		Deletes the designated file.: d:/dat/056_doy031_pass01_file08.dat	FILE_DELETE	04-031/04:38:45.3
13084	M1O	04-031/04:50:17.7		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:46.4
13085	M1O	04-031/04:50:18.7		Deletes the designated file.: d:/dat/056_doy031_pass01_file09.dat	FILE_DELETE	04-031/04:38:47.4
13086	M1O	04-031/04:50:19.8		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:48.5
13087	M1O	04-031/04:50:20.8		Deletes the designated file.: d:/dat/056_doy031_pass01_file10.dat	FILE_DELETE	04-031/04:38:49.5
13088	M1O	04-031/04:50:21.9		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:50.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13089	M1O	04-031/04:50:22.9		Deletes the designated file.: d:/dat/056_doy031_pass01_file11.dat	FILE_DELETE	04-031/04:38:51.6
13090	M1O	04-031/04:50:24.0		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:52.7
13091	M1O	04-031/04:50:25.0		Deletes the designated file.: d:/dat/056_doy031_pass01_file12.dat	FILE_DELETE	04-031/04:38:53.7
13092	M1O	04-031/04:50:26.1		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:54.8
13093	M1O	04-031/04:50:27.1		Deletes the designated file.: d:/dat/056_doy031_pass01_file13.dat	FILE_DELETE	04-031/04:38:55.8
13094	M1O	04-031/04:50:28.2		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:56.9
13095	M1O	04-031/04:50:29.2		Deletes the designated file.: d:/dat/056_doy031_pass01_file14.dat	FILE_DELETE	04-031/04:38:57.9
13096	M1O	04-031/04:50:30.3		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:38:59.0
13097	M1O	04-031/04:50:31.3		Deletes the designated file.: d:/dat/056_doy031_pass01_file15.dat	FILE_DELETE	04-031/04:39:00.0
13098	M1O	04-031/04:50:32.4		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:39:01.1
13099	M1O	04-031/04:50:33.4		Deletes the designated file.: d:/dat/056_doy031_pass01_file16.dat	FILE_DELETE	04-031/04:39:02.1
13100	M1O	04-031/04:50:34.5		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:39:03.2
13101	M1O	04-031/04:50:35.5		Deletes the designated file.: d:/dat/056_doy031_pass01_file17.dat	FILE_DELETE	04-031/04:39:04.2
13102	M1O	04-031/04:50:36.6		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:39:05.3
13103	M1O	04-031/04:50:37.6		Deletes the designated file.: d:/dat/056_doy031_pass01_file18.dat	FILE_DELETE	04-031/04:39:06.3
13104	M1O	04-031/04:50:38.7		Appends the source_path file onto the end of the target_path file.: d:/dat/056_doy031_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/04:39:07.4
13105	M1O	04-031/04:50:39.7		Deletes the designated file.: d:/dat/056_doy031_pass01_file19.dat	FILE_DELETE	04-031/04:39:08.4
13106	M1O	04-031/04:50:40.7		CALL, Engine = , Parameters = 56	get_apid	04-031/04:39:09.4
13107	M1O	04-031/04:50:41.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-031/04:39:10.5
13108	M1O	04-031/04:50:42.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-031/04:39:10.7
13109	M1O	04-031/04:50:43.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-031/04:39:11.8
13110	M1O	04-031/04:50:44.3		CALL, Engine = , Parameters = 56	get_coding	04-031/04:39:13.0
13111	M1O	04-031/04:50:45.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-031/04:39:14.2
13112	M1O	04-031/04:50:46.8		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-031/04:39:15.4
13113	M1O	04-031/04:51:51.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/04:40:20.2
13114	M1O	04-031/04:51:52.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/04:40:21.2
13115	M1O	04-031/04:51:53.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/04:40:22.2
13116	M1O	04-031/04:51:54.6		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-031/04:40:23.2
13117	M1O	04-031/04:51:55.6		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-031/04:40:24.2
13118	M1O	04-031/04:51:56.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/04:40:25.2
13119	M1O	04-031/04:51:57.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/04:40:26.2
13120	M1O	04-031/04:52:47.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/04:41:16.2
13121	M1O	04-031/04:52:47.6	43	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13122	M1O	04-031/04:52:47.6	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13123	M1O	04-031/04:52:57.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-031/04:41:26.2
13124	M1O	04-031/05:05:11.7		NOTE: Descending Node Crossing 9447		04-031/04:53:40.3
13125	M1O	04-031/05:10:00.0	45	Begin Pre-Cal		
13126	M1O	04-031/05:10:00.0	45	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
13127	M1O	04-031/05:10:00.0	45	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
13128	M1O	04-031/05:10:00.0	45	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
13129	M1O	04-031/05:10:00.0	45	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13130	M1O	04-031/05:10:00.0	45	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
13131	M1O	04-031/05:10:00.0	45	Config: RCV: Parms:		
13132	M1O	04-031/05:10:00.0	45	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
13133	M1O	04-031/05:10:00.0	45	Config: TGC: BAND=X, SR=221200.000000		
13134	M1O	04-031/05:10:00.0	45	Config: TXL		
13135	M1O	04-031/05:10:00.0	45	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
13136	M1O	04-031/05:10:00.0	45	Config: CMD		
13137	M1O	04-031/05:10:00.0	45	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
13138	M1O	04-031/05:10:57.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/04:59:26.4
13139	M1O	04-031/05:10:59.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/04:59:27.5
13140	M1O	04-031/05:11:09.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/04:59:37.5
13141	M1O	04-031/05:11:10.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/04:59:38.5
13142	M1O	04-031/05:11:11.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-031/04:59:39.5
13143	M1O	04-031/05:11:11.0	43	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13144	M1O	04-031/05:11:11.0	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13145	M1O	04-031/05:11:12.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-031/04:59:40.5
13146	M1O	04-031/05:17:31.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/05:06:00.0
13147	M1O	04-031/05:17:31.4	43	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13148	M1O	04-031/05:17:31.4	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13149	M1O	04-031/05:17:41.4		Assigns a constant integer to a global variable.: GV_SPARE_35, 0	VM_GV_SET_INT	04-031/05:06:10.0
13150	M1O	04-031/05:17:41.4		GV: GV_SPARE_35 = 0		04-031/05:06:10.0
13151	M1O	04-031/05:33:28.9		NOTE: Periapsis 9447 ----------		04-031/05:21:57.4
13152	M1O	04-031/05:34:28.0		NOTE: South Pole Crossing 9447		04-031/05:22:56.5
13153	M1O	04-031/06:02:15.8		NOTE: Enter Solar Eclipse 9447		04-031/05:50:44.1
13154	M1O	04-031/06:03:47.1		NOTE: Ascending Node Crossing 9447		04-031/05:52:15.4
13155	M1O	04-031/06:05:00.0	26	NOTE: X-Band Transmitter Off in 15 minutes		
13156	M1O	04-031/06:15:00.0	26	Range Modulation Off		
13157	M1O	04-031/06:17:37.2		NOTE: Exit Solar Eclipse 9447		04-031/06:06:05.5
13158	M1O	04-031/06:20:00.0	26	X-Band Transmitter Off		
13159	M1O	04-031/06:21:56.5	26	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
13160	M1O	04-031/06:25:00.0	45	Begin Tracking		
13161	M1O	04-031/06:25:00.0	45	Acquire D/L: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13162	M1O	04-031/06:26:00.0	45	Acquire U/L: X/08, PWR=20.0, BR=125.0		
13163	M1O	04-031/06:31:00.0	45	Range Modulation On: SUP=3.0dB		
13164	M1O	04-031/06:32:00.0	26	NOTE: Below Uplink Interlock Limit		
13165	M1O	04-031/06:32:00.0	45	Begin Ranging Acquisition		
13166	M1O	04-031/06:32:01.3		NOTE: Apoapsis 9447 -		04-031/06:20:29.6
13167	M1O	04-031/06:33:46.2		NOTE: North Pole Crossing 9447		04-031/06:22:14.5
13168	M1O	04-031/06:37:46.5		NOTE: Enter Planetary Atmosphere 9447		04-031/06:26:14.8
13169	M1O	04-031/06:42:01.2		SPAWN, Engine = 65535, Parameters = 3, 00:12:00, 1	dpt	04-031/06:30:29.5
13170	M1O	04-031/06:42:03.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/06:30:31.6
13171	M1O	04-031/06:42:03.3	43	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13172	M1O	04-031/06:42:03.3	45	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13173	M1O	04-031/06:42:03.3	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13174	M1O	04-031/06:42:04.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/06:30:32.6
13175	M1O	04-031/06:43:03.3	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13176	M1O	04-031/06:43:03.3	45	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13177	M1O	04-031/06:43:03.3	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13178	M1O	04-031/06:44:38.2		NOTE: Exit Planetary Atmosphere 9447		04-031/06:33:06.4
13179	M1O	04-031/06:45:00.0	26	End Tracking		
13180	M1O	04-031/06:49:03.4	43	Acquire D/L: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13181	M1O	04-031/06:49:03.4	45	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13182	M1O	04-031/06:49:56.7		SPAWN, Engine = 65535, Parameters = 031, 02, FALSE, 00:13:04.967, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-031/06:38:25.0
13183	M1O	04-031/06:49:57.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/06:38:26.1
13184	M1O	04-031/06:49:59.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-031/06:38:28.1
13185	M1O	04-031/06:50:42.0		CALL, Engine = , Parameters = 56	get_apid	04-031/06:39:10.3
13186	M1O	04-031/06:50:43.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-031/06:39:11.4
13187	M1O	04-031/06:50:43.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-031/06:39:11.6
13188	M1O	04-031/06:50:44.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-031/06:39:12.7
13189	M1O	04-031/06:50:45.6		CALL, Engine = , Parameters = 56	get_coding	04-031/06:39:13.9
13190	M1O	04-031/06:50:46.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-031/06:39:15.1
13191	M1O	04-031/06:50:48.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-031/06:39:16.3
13192	M1O	04-031/06:51:52.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/06:40:21.1
13193	M1O	04-031/06:51:53.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/06:40:22.1
13194	M1O	04-031/06:51:54.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/06:40:23.1
13195	M1O	04-031/06:51:55.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-031/06:40:24.1
13196	M1O	04-031/06:51:56.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-031/06:40:25.1
13197	M1O	04-031/06:51:57.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/06:40:26.1
13198	M1O	04-031/06:51:58.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/06:40:27.1
13199	M1O	04-031/06:54:03.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/06:42:31.6
13200	M1O	04-031/06:54:03.4	43	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13201	M1O	04-031/06:54:03.4	45	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13202	M1O	04-031/06:54:04.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/06:42:32.6
13203	M1O	04-031/07:00:00.0	26	End Post-Cal		
13204	M1O	04-031/07:03:42.1		NOTE: Descending Node Crossing 9448		04-031/06:52:10.3
13205	M1O	04-031/07:04:59.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/06:53:28.0
13206	M1O	04-031/07:05:00.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/06:53:29.1
13207	M1O	04-031/07:05:10.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/06:53:39.1
13208	M1O	04-031/07:05:11.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/06:53:40.1
13209	M1O	04-031/07:11:31.8		SPAWN, Engine = 65535, Parameters =	scdiag	04-031/07:00:00.0
13210	M1O	04-031/07:11:32.9		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-031/07:00:01.1
13211	M1O	04-031/07:11:33.9		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-031/07:00:02.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13212	M1O	04-031/07:12:34.8		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-031/07:01:03.0
13213	M1O	04-031/07:12:35.0		NOTE: Start Block fsw_diag		04-031/07:01:03.2
13214	M1O	04-031/07:12:36.0		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-031/07:01:04.2
13215	M1O	04-031/07:12:37.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-031/07:01:05.2
13216	M1O	04-031/07:12:48.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-031/07:01:16.2
13217	M1O	04-031/07:13:18.0		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-031/07:01:46.2
13218	M1O	04-031/07:13:38.0		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-031/07:02:06.2
13219	M1O	04-031/07:13:48.0		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-031/07:02:16.2
13220	M1O	04-031/07:14:08.0		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-031/07:02:36.2
13221	M1O	04-031/07:14:18.0		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-031/07:02:46.2
13222	M1O	04-031/07:14:23.0		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-031/07:02:51.2
13223	M1O	04-031/07:14:28.0		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-031/07:02:56.2
13224	M1O	04-031/07:14:33.0		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-031/07:03:01.2
13225	M1O	04-031/07:14:38.0		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-031/07:03:06.2
13226	M1O	04-031/07:14:43.0		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-031/07:03:11.2
13227	M1O	04-031/07:15:23.0		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-031/07:03:51.2
13228	M1O	04-031/07:15:28.0		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-031/07:03:56.2
13229	M1O	04-031/07:15:33.0		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-031/07:04:01.2
13230	M1O	04-031/07:15:38.0		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-031/07:04:06.2
13231	M1O	04-031/07:15:43.0		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-031/07:04:11.2
13232	M1O	04-031/07:15:44.0		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-031/07:04:12.2
13233	M1O	04-031/07:15:45.0		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-031/07:04:13.2
13234	M1O	04-031/07:15:46.0		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-031/07:04:14.2
13235	M1O	04-031/07:15:57.0		NOTE: End Block fsw_diag.mod		04-031/07:04:25.2
13236	M1O	04-031/07:31:41.0		NOTE: Periapsis 9448 ----------		04-031/07:20:09.1
13237	M1O	04-031/07:32:58.6		NOTE: South Pole Crossing 9448		04-031/07:21:26.7
13238	M1O	04-031/08:00:49.2		NOTE: Enter Solar Eclipse 9448		04-031/07:49:17.2
13239	M1O	04-031/08:02:18.5		NOTE: Ascending Node Crossing 9448		04-031/07:50:46.5
13240	M1O	04-031/08:16:05.5		NOTE: Exit Solar Eclipse 9448		04-031/08:04:33.4
13241	M1O	04-031/08:30:32.6		NOTE: Apoapsis 9448 -		04-031/08:19:00.5
13242	M1O	04-031/08:32:17.6		NOTE: North Pole Crossing 9448		04-031/08:20:45.5
13243	M1O	04-031/08:36:29.9		NOTE: Enter Planetary Atmosphere 9448		04-031/08:24:57.8
13244	M1O	04-031/08:42:57.5		NOTE: Exit Planetary Atmosphere 9448		04-031/08:31:25.3
13245	M1O	04-031/09:02:13.5		NOTE: Descending Node Crossing 9449		04-031/08:50:41.3
13246	M1O	04-031/09:30:11.8		NOTE: Periapsis 9449 ----------		04-031/09:18:39.5
13247	M1O	04-031/09:31:30.8		NOTE: South Pole Crossing 9449		04-031/09:19:58.5
13248	M1O	04-031/09:36:55.2	45	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
13249	M1O	04-031/09:40:00.0	45	NOTE: X-Band Transmitter Off in 15 minutes		
13250	M1O	04-031/09:45:00.0	63	Begin Pre-Cal		
13251	M1O	04-031/09:45:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
13252	M1O	04-031/09:45:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
13253	M1O	04-031/09:45:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
13254	M1O	04-031/09:45:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
13255	M1O	04-031/09:45:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
13256	M1O	04-031/09:45:00.0	63	Config: RCV: Parms:		
13257	M1O	04-031/09:45:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
13258	M1O	04-031/09:45:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
13259	M1O	04-031/09:45:00.0	63	Config: TXL		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13260	M1O	04-031/09:45:00.0	63	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
13261	M1O	04-031/09:45:00.0	63	Config: CMD		
13262	M1O	04-031/09:45:00.0	63	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
13263	M1O	04-031/09:50:00.0	45	Range Modulation Off		
13264	M1O	04-031/09:55:00.0	45	X-Band Transmitter Off		
13265	M1O	04-031/09:59:23.7		NOTE: Enter Solar Eclipse 9449		04-031/09:47:51.3
13266	M1O	04-031/10:00:00.0	45	End Tracking		
13267	M1O	04-031/10:00:51.6		NOTE: Ascending Node Crossing 9449		04-031/09:49:19.2
13268	M1O	04-031/10:14:32.3		NOTE: Exit Solar Eclipse 9449		04-031/10:02:59.8
13269	M1O	04-031/10:15:00.0	45	End Post-Cal		
13270	M1O	04-031/10:17:01.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-031/10:05:29.5
13271	M1O	04-031/10:17:04.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/10:05:31.6
13272	M1O	04-031/10:17:04.0	43	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13273	M1O	04-031/10:17:05.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/10:05:32.6
13274	M1O	04-031/10:18:04.7	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13275	M1O	04-031/10:23:04.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/10:11:31.6
13276	M1O	04-031/10:23:04.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13277	M1O	04-031/10:23:05.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/10:11:32.6
13278	M1O	04-031/10:29:18.4		NOTE: Apoapsis 9449 -		04-031/10:17:46.0
13279	M1O	04-031/10:30:52.1		NOTE: North Pole Crossing 9449		04-031/10:19:19.6
13280	M1O	04-031/10:35:35.2		NOTE: Enter Planetary Atmosphere 9449		04-031/10:24:02.7
13281	M1O	04-031/10:41:04.0		NOTE: Exit Planetary Atmosphere 9449		04-031/10:29:31.5
13282	M1O	04-031/10:51:46.5		SPAWN, Engine = 65535, Parameters = 031, 01, FALSE, 00:16:24.040, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-031/10:40:14.0
13283	M1O	04-031/10:51:47.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/10:40:15.1
13284	M1O	04-031/10:51:49.6		CALL, Engine = , Parameters = 253	get_cmd_opt	04-031/10:40:17.1
13285	M1O	04-031/10:52:31.8		CALL, Engine = , Parameters = 253	get_apid	04-031/10:40:59.3
13286	M1O	04-031/10:52:32.9		CALL, Engine = , Parameters = 253	get_rcv_mode	04-031/10:41:00.4
13287	M1O	04-031/10:52:33.1		CALL, Engine = , Parameters = 253	get_dl_rate	04-031/10:41:00.6
13288	M1O	04-031/10:52:34.2		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-031/10:41:01.7
13289	M1O	04-031/10:52:35.5		CALL, Engine = , Parameters = 253	get_coding	04-031/10:41:03.0
13290	M1O	04-031/10:52:36.7		CALL, Engine = , Parameters = 253	get_xmt_mode	04-031/10:41:04.2
13291	M1O	04-031/10:52:37.9		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-031/10:41:05.4
13292	M1O	04-031/10:53:42.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/10:42:10.2
13293	M1O	04-031/10:53:43.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/10:42:11.2
13294	M1O	04-031/10:53:44.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/10:42:12.2
13295	M1O	04-031/10:53:45.7		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-031/10:42:13.2
13296	M1O	04-031/10:53:46.7		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-031/10:42:14.2
13297	M1O	04-031/10:53:47.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/10:42:15.2
13298	M1O	04-031/10:53:48.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/10:42:16.2
13299	M1O	04-031/11:00:49.4		NOTE: Descending Node Crossing 9450		04-031/10:49:16.8
13300	M1O	04-031/11:10:08.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/10:58:36.2
13301	M1O	04-031/11:10:09.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/10:58:37.3
13302	M1O	04-031/11:10:19.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/10:58:47.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13303	M1O	04-031/11:10:20.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/10:58:48.3
13304	M1O	04-031/11:28:56.6		NOTE: Periapsis 9450 ----------		04-031/11:17:24.0
13305	M1O	04-031/11:30:00.0	63	Begin Tracking		
13306	M1O	04-031/11:30:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13307	M1O	04-031/11:30:06.7		NOTE: South Pole Crossing 9450		04-031/11:18:34.0
13308	M1O	04-031/11:35:09.0	63	NOTE: Above Uplink Interlock Limit		
13309	M1O	04-031/11:40:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
13310	M1O	04-031/11:42:20.0	43	NOTE: Below Uplink Interlock Limit		
13311	M1O	04-031/11:43:10.7		SPAWN, Engine = 65535, Parameters = 031, 02, TRUE, 00:19:20, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-031/11:31:38.0
13312	M1O	04-031/11:43:11.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/11:31:39.1
13313	M1O	04-031/11:43:13.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-031/11:31:41.1
13314	M1O	04-031/11:43:14.1		CALL, Engine = , Parameters = 031, 02, 254	bld_autosw	04-031/11:31:41.4
13315	M1O	04-031/11:43:15.2		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-031/11:31:42.5
13316	M1O	04-031/11:43:16.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:31:43.6
13317	M1O	04-031/11:43:17.3		Deletes the designated file.: d:/dat/254_doy031_pass02_file01.dat	FILE_DELETE	04-031/11:31:44.6
13318	M1O	04-031/11:43:18.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:31:45.7
13319	M1O	04-031/11:43:19.4		Deletes the designated file.: d:/dat/254_doy031_pass02_file02.dat	FILE_DELETE	04-031/11:31:46.7
13320	M1O	04-031/11:43:20.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:31:47.8
13321	M1O	04-031/11:43:21.5		Deletes the designated file.: d:/dat/254_doy031_pass02_file03.dat	FILE_DELETE	04-031/11:31:48.8
13322	M1O	04-031/11:43:22.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:31:49.9
13323	M1O	04-031/11:43:23.6		Deletes the designated file.: d:/dat/254_doy031_pass02_file04.dat	FILE_DELETE	04-031/11:31:50.9
13324	M1O	04-031/11:43:24.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:31:52.0
13325	M1O	04-031/11:43:25.7		Deletes the designated file.: d:/dat/254_doy031_pass02_file05.dat	FILE_DELETE	04-031/11:31:53.0
13326	M1O	04-031/11:43:26.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:31:54.1
13327	M1O	04-031/11:43:27.8		Deletes the designated file.: d:/dat/254_doy031_pass02_file06.dat	FILE_DELETE	04-031/11:31:55.1
13328	M1O	04-031/11:43:28.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:31:56.2
13329	M1O	04-031/11:43:29.9		Deletes the designated file.: d:/dat/254_doy031_pass02_file07.dat	FILE_DELETE	04-031/11:31:57.2
13330	M1O	04-031/11:43:31.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:31:58.3
13331	M1O	04-031/11:43:32.0		Deletes the designated file.: d:/dat/254_doy031_pass02_file08.dat	FILE_DELETE	04-031/11:31:59.3
13332	M1O	04-031/11:43:33.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:00.4
13333	M1O	04-031/11:43:34.1		Deletes the designated file.: d:/dat/254_doy031_pass02_file09.dat	FILE_DELETE	04-031/11:32:01.4
13334	M1O	04-031/11:43:35.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:02.5
13335	M1O	04-031/11:43:36.2		Deletes the designated file.: d:/dat/254_doy031_pass02_file10.dat	FILE_DELETE	04-031/11:32:03.5
13336	M1O	04-031/11:43:37.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:04.6
13337	M1O	04-031/11:43:38.3		Deletes the designated file.: d:/dat/254_doy031_pass02_file11.dat	FILE_DELETE	04-031/11:32:05.6
13338	M1O	04-031/11:43:39.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:06.7
13339	M1O	04-031/11:43:40.4		Deletes the designated file.: d:/dat/254_doy031_pass02_file12.dat	FILE_DELETE	04-031/11:32:07.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13340	M1O	04-031/11:43:41.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:08.8
13341	M1O	04-031/11:43:42.5		Deletes the designated file.: d:/dat/254_doy031_pass02_file13.dat	FILE_DELETE	04-031/11:32:09.8
13342	M1O	04-031/11:43:43.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:10.9
13343	M1O	04-031/11:43:44.6		Deletes the designated file.: d:/dat/254_doy031_pass02_file14.dat	FILE_DELETE	04-031/11:32:11.9
13344	M1O	04-031/11:43:45.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:13.0
13345	M1O	04-031/11:43:46.7		Deletes the designated file.: d:/dat/254_doy031_pass02_file15.dat	FILE_DELETE	04-031/11:32:14.0
13346	M1O	04-031/11:43:47.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:15.1
13347	M1O	04-031/11:43:48.8		Deletes the designated file.: d:/dat/254_doy031_pass02_file16.dat	FILE_DELETE	04-031/11:32:16.1
13348	M1O	04-031/11:43:49.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:17.2
13349	M1O	04-031/11:43:50.9		Deletes the designated file.: d:/dat/254_doy031_pass02_file17.dat	FILE_DELETE	04-031/11:32:18.2
13350	M1O	04-031/11:43:52.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:19.3
13351	M1O	04-031/11:43:53.0		Deletes the designated file.: d:/dat/254_doy031_pass02_file18.dat	FILE_DELETE	04-031/11:32:20.3
13352	M1O	04-031/11:43:54.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy031_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/11:32:21.4
13353	M1O	04-031/11:43:55.1		Deletes the designated file.: d:/dat/254_doy031_pass02_file19.dat	FILE_DELETE	04-031/11:32:22.4
13354	M1O	04-031/11:43:56.1		CALL, Engine = , Parameters = 254	get_apid	04-031/11:32:23.4
13355	M1O	04-031/11:43:57.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-031/11:32:24.5
13356	M1O	04-031/11:43:57.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-031/11:32:24.7
13357	M1O	04-031/11:43:58.5		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-031/11:32:25.8
13358	M1O	04-031/11:43:59.8		CALL, Engine = , Parameters = 254	get_coding	04-031/11:32:27.1
13359	M1O	04-031/11:44:01.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-031/11:32:28.3
13360	M1O	04-031/11:44:02.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-031/11:32:29.5
13361	M1O	04-031/11:45:00.0	63	Range Modulation On: SUP=3.0dB		
13362	M1O	04-031/11:45:07.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/11:33:34.3
13363	M1O	04-031/11:45:08.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/11:33:35.3
13364	M1O	04-031/11:45:09.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/11:33:36.3
13365	M1O	04-031/11:45:10.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-031/11:33:37.3
13366	M1O	04-031/11:45:11.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-031/11:33:38.3
13367	M1O	04-031/11:45:12.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-031/11:33:39.3
13368	M1O	04-031/11:45:13.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/11:33:40.3
13369	M1O	04-031/11:45:14.0		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-031/11:33:41.3
13370	M1O	04-031/11:45:15.0		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-031/11:33:42.3
13371	M1O	04-031/11:46:00.0	63	Begin Ranging Acquisition		
13372	M1O	04-031/11:47:03.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/11:35:30.3
13373	M1O	04-031/11:47:03.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13374	M1O	04-031/11:47:03.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13375	M1O	04-031/11:47:08.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/11:35:35.5
13376	M1O	04-031/11:47:13.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-031/11:35:40.3
13377	M1O	04-031/11:50:00.0	43	End Tracking		
13378	M1O	04-031/11:57:58.6		NOTE: Enter Solar Eclipse 9450		04-031/11:46:25.8
13379	M1O	04-031/11:59:27.2		NOTE: Ascending Node Crossing 9450		04-031/11:47:54.4
13380	M1O	04-031/12:02:01.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-031/11:50:28.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13381	M1O	04-031/12:02:03.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/11:50:30.4
13382	M1O	04-031/12:02:04.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/11:50:31.4
13383	M1O	04-031/12:03:05.4	63	Acquire D/L: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13384	M1O	04-031/12:04:28.0		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-031/11:52:55.3
13385	M1O	04-031/12:04:29.0		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-031/11:52:56.3
13386	M1O	04-031/12:04:31.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/11:52:58.3
13387	M1O	04-031/12:04:32.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/11:52:59.4
13388	M1O	04-031/12:04:42.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/11:53:09.4
13389	M1O	04-031/12:04:43.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/11:53:10.4
13390	M1O	04-031/12:04:44.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-031/11:53:11.4
13391	M1O	04-031/12:04:44.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13392	M1O	04-031/12:04:45.1		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-031/11:53:12.4
13393	M1O	04-031/12:05:00.0	43	End Post-Cal		
13394	M1O	04-031/12:08:03.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/11:56:30.4
13395	M1O	04-031/12:08:03.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13396	M1O	04-031/12:08:04.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/11:56:31.4
13397	M1O	04-031/12:13:03.8		NOTE: Exit Solar Eclipse 9450		04-031/12:01:31.0
13398	M1O	04-031/12:27:53.2		NOTE: Apoapsis 9450 -		04-031/12:16:20.4
13399	M1O	04-031/12:29:28.3		NOTE: North Pole Crossing 9450		04-031/12:17:55.5
13400	M1O	04-031/12:34:28.3		NOTE: Enter Planetary Atmosphere 9450		04-031/12:22:55.4
13401	M1O	04-031/12:39:25.4		NOTE: Exit Planetary Atmosphere 9450		04-031/12:27:52.5
13402	M1O	04-031/12:48:45.9		SPAWN, Engine = 65535, Parameters = 031, 02, TRUE, 00:17:12, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-031/12:37:13.0
13403	M1O	04-031/12:48:47.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/12:37:14.1
13404	M1O	04-031/12:48:49.0		CALL, Engine = , Parameters = 253	get_cmd_opt	04-031/12:37:16.1
13405	M1O	04-031/12:48:49.3		CALL, Engine = , Parameters = 031, 02, 253	bld_autosw	04-031/12:37:16.4
13406	M1O	04-031/12:48:50.4		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-031/12:37:17.5
13407	M1O	04-031/12:48:51.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:18.6
13408	M1O	04-031/12:48:52.5		Deletes the designated file.: d:/dat/253_doy031_pass02_file01.dat	FILE_DELETE	04-031/12:37:19.6
13409	M1O	04-031/12:48:53.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:20.7
13410	M1O	04-031/12:48:54.6		Deletes the designated file.: d:/dat/253_doy031_pass02_file02.dat	FILE_DELETE	04-031/12:37:21.7
13411	M1O	04-031/12:48:55.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:22.8
13412	M1O	04-031/12:48:56.7		Deletes the designated file.: d:/dat/253_doy031_pass02_file03.dat	FILE_DELETE	04-031/12:37:23.8
13413	M1O	04-031/12:48:57.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:24.9
13414	M1O	04-031/12:48:58.8		Deletes the designated file.: d:/dat/253_doy031_pass02_file04.dat	FILE_DELETE	04-031/12:37:25.9
13415	M1O	04-031/12:48:59.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:27.0
13416	M1O	04-031/12:49:00.9		Deletes the designated file.: d:/dat/253_doy031_pass02_file05.dat	FILE_DELETE	04-031/12:37:28.0
13417	M1O	04-031/12:49:02.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:29.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13418	M1O	04-031/12:49:03.0		Deletes the designated file.: d:/dat/253_doy031_pass02_file06.dat	FILE_DELETE	04-031/12:37:30.1
13419	M1O	04-031/12:49:04.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:31.2
13420	M1O	04-031/12:49:05.1		Deletes the designated file.: d:/dat/253_doy031_pass02_file07.dat	FILE_DELETE	04-031/12:37:32.2
13421	M1O	04-031/12:49:06.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:33.3
13422	M1O	04-031/12:49:07.2		Deletes the designated file.: d:/dat/253_doy031_pass02_file08.dat	FILE_DELETE	04-031/12:37:34.3
13423	M1O	04-031/12:49:08.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:35.4
13424	M1O	04-031/12:49:09.3		Deletes the designated file.: d:/dat/253_doy031_pass02_file09.dat	FILE_DELETE	04-031/12:37:36.4
13425	M1O	04-031/12:49:10.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:37.5
13426	M1O	04-031/12:49:11.4		Deletes the designated file.: d:/dat/253_doy031_pass02_file10.dat	FILE_DELETE	04-031/12:37:38.5
13427	M1O	04-031/12:49:12.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:39.6
13428	M1O	04-031/12:49:13.5		Deletes the designated file.: d:/dat/253_doy031_pass02_file11.dat	FILE_DELETE	04-031/12:37:40.6
13429	M1O	04-031/12:49:14.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:41.7
13430	M1O	04-031/12:49:15.6		Deletes the designated file.: d:/dat/253_doy031_pass02_file12.dat	FILE_DELETE	04-031/12:37:42.7
13431	M1O	04-031/12:49:16.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:43.8
13432	M1O	04-031/12:49:17.7		Deletes the designated file.: d:/dat/253_doy031_pass02_file13.dat	FILE_DELETE	04-031/12:37:44.8
13433	M1O	04-031/12:49:18.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:45.9
13434	M1O	04-031/12:49:19.8		Deletes the designated file.: d:/dat/253_doy031_pass02_file14.dat	FILE_DELETE	04-031/12:37:46.9
13435	M1O	04-031/12:49:20.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:48.0
13436	M1O	04-031/12:49:21.9		Deletes the designated file.: d:/dat/253_doy031_pass02_file15.dat	FILE_DELETE	04-031/12:37:49.0
13437	M1O	04-031/12:49:23.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:50.1
13438	M1O	04-031/12:49:24.0		Deletes the designated file.: d:/dat/253_doy031_pass02_file16.dat	FILE_DELETE	04-031/12:37:51.1
13439	M1O	04-031/12:49:25.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:52.2
13440	M1O	04-031/12:49:26.1		Deletes the designated file.: d:/dat/253_doy031_pass02_file17.dat	FILE_DELETE	04-031/12:37:53.2
13441	M1O	04-031/12:49:27.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:54.3
13442	M1O	04-031/12:49:28.2		Deletes the designated file.: d:/dat/253_doy031_pass02_file18.dat	FILE_DELETE	04-031/12:37:55.3
13443	M1O	04-031/12:49:29.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/12:37:56.4
13444	M1O	04-031/12:49:30.3		Deletes the designated file.: d:/dat/253_doy031_pass02_file19.dat	FILE_DELETE	04-031/12:37:57.4
13445	M1O	04-031/12:49:31.3		CALL, Engine = , Parameters = 253	get_apid	04-031/12:37:58.4
13446	M1O	04-031/12:49:32.4		CALL, Engine = , Parameters = 253	get_rcv_mode	04-031/12:37:59.5
13447	M1O	04-031/12:49:32.6		CALL, Engine = , Parameters = 253	get_dl_rate	04-031/12:37:59.7
13448	M1O	04-031/12:49:33.7		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-031/12:38:00.8
13449	M1O	04-031/12:49:35.0		CALL, Engine = , Parameters = 253	get_coding	04-031/12:38:02.1
13450	M1O	04-031/12:49:36.2		CALL, Engine = , Parameters = 253	get_xmt_mode	04-031/12:38:03.3
13451	M1O	04-031/12:49:37.4		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-031/12:38:04.5
13452	M1O	04-031/12:50:42.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/12:39:09.3
13453	M1O	04-031/12:50:43.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/12:39:10.3
13454	M1O	04-031/12:50:44.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/12:39:11.3
13455	M1O	04-031/12:50:45.2		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-031/12:39:12.3
13456	M1O	04-031/12:50:46.2		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-031/12:39:13.3
13457	M1O	04-031/12:50:47.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/12:39:14.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13458	M1O	04-031/12:50:48.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/12:39:15.3
13459	M1O	04-031/12:52:38.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/12:41:05.3
13460	M1O	04-031/12:52:38.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13461	M1O	04-031/12:52:43.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/12:41:10.5
13462	M1O	04-031/12:52:48.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-031/12:41:15.3
13463	M1O	04-031/12:59:26.3		NOTE: Descending Node Crossing 9451		04-031/12:47:53.3
13464	M1O	04-031/13:07:58.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/12:56:25.3
13465	M1O	04-031/13:07:59.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/12:56:26.4
13466	M1O	04-031/13:08:09.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/12:56:36.4
13467	M1O	04-031/13:08:10.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/12:56:37.4
13468	M1O	04-031/13:08:11.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-031/12:56:38.4
13469	M1O	04-031/13:08:11.3	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13470	M1O	04-031/13:08:12.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-031/12:56:39.4
13471	M1O	04-031/13:13:11.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/13:01:38.0
13472	M1O	04-031/13:13:11.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13473	M1O	04-031/13:27:31.2		NOTE: Periapsis 9451 ----------		04-031/13:15:58.1
13474	M1O	04-031/13:28:43.5		NOTE: South Pole Crossing 9451		04-031/13:17:10.4
13475	M1O	04-031/13:40:00.0	65	Begin Pre-Cal		
13476	M1O	04-031/13:40:00.0	65	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
13477	M1O	04-031/13:40:00.0	65	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
13478	M1O	04-031/13:40:00.0	65	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
13479	M1O	04-031/13:40:00.0	65	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
13480	M1O	04-031/13:40:00.0	65	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
13481	M1O	04-031/13:40:00.0	65	Config: RCV: Parms:		
13482	M1O	04-031/13:40:00.0	65	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
13483	M1O	04-031/13:40:00.0	65	Config: TGC: BAND=X, SR=221200.000000		
13484	M1O	04-031/13:40:00.0	65	Config: TXL		
13485	M1O	04-031/13:40:00.0	65	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
13486	M1O	04-031/13:40:00.0	65	Config: CMD		
13487	M1O	04-031/13:46:10.1		SPAWN, Engine = 65535, Parameters = 031, 03, FALSE, 00:07:03.063, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-031/13:34:37.0
13488	M1O	04-031/13:46:11.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/13:34:38.1
13489	M1O	04-031/13:46:13.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-031/13:34:40.1
13490	M1O	04-031/13:46:55.4		CALL, Engine = , Parameters = 254	get_apid	04-031/13:35:22.3
13491	M1O	04-031/13:46:56.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-031/13:35:23.4
13492	M1O	04-031/13:46:56.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-031/13:35:23.6
13493	M1O	04-031/13:46:57.8		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-031/13:35:24.7
13494	M1O	04-031/13:46:59.1		CALL, Engine = , Parameters = 254	get_coding	04-031/13:35:26.0
13495	M1O	04-031/13:47:00.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-031/13:35:27.2
13496	M1O	04-031/13:47:01.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-031/13:35:28.4
13497	M1O	04-031/13:48:06.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/13:36:33.2
13498	M1O	04-031/13:48:07.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/13:36:34.2
13499	M1O	04-031/13:48:08.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/13:36:35.2
13500	M1O	04-031/13:48:09.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-031/13:36:36.2
13501	M1O	04-031/13:48:10.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-031/13:36:37.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13502	M1O	04-031/13:48:11.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/13:36:38.2
13503	M1O	04-031/13:48:12.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/13:36:39.2
13504	M1O	04-031/13:55:11.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/13:43:38.2
13505	M1O	04-031/13:55:12.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/13:43:39.3
13506	M1O	04-031/13:55:22.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/13:43:49.3
13507	M1O	04-031/13:55:23.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/13:43:50.3
13508	M1O	04-031/13:56:35.1		NOTE: Enter Solar Eclipse 9451		04-031/13:45:02.0
13509	M1O	04-031/13:58:03.8		NOTE: Ascending Node Crossing 9451		04-031/13:46:30.6
13510	M1O	04-031/14:09:59.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
13511	M1O	04-031/14:11:40.1		NOTE: Exit Solar Eclipse 9451		04-031/14:00:06.9
13512	M1O	04-031/14:19:59.0	63	Range Modulation Off		
13513	M1O	04-031/14:24:59.0	63	X-Band Transmitter Off		
13514	M1O	04-031/14:25:00.0	65	Begin Tracking		
13515	M1O	04-031/14:25:00.0	65	Acquire D/L: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13516	M1O	04-031/14:26:00.0	65	Acquire U/L: X/08, PWR=20.0, BR=125.0		
13517	M1O	04-031/14:26:10.1		NOTE: Apoapsis 9451 -		04-031/14:14:36.9
13518	M1O	04-031/14:28:04.5		NOTE: North Pole Crossing 9451		04-031/14:16:31.3
13519	M1O	04-031/14:32:56.8		NOTE: Enter Planetary Atmosphere 9451		04-031/14:21:23.5
13520	M1O	04-031/14:38:09.0		NOTE: Exit Planetary Atmosphere 9451		04-031/14:26:35.7
13521	M1O	04-031/14:47:02.9		SPAWN, Engine = 65535, Parameters = 3, 00:07:01, 1	dpt	04-031/14:35:29.6
13522	M1O	04-031/14:47:05.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/14:35:31.7
13523	M1O	04-031/14:47:05.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13524	M1O	04-031/14:47:05.0	65	D/L Change: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13525	M1O	04-031/14:47:06.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/14:35:32.7
13526	M1O	04-031/14:48:05.4	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13527	M1O	04-031/14:48:05.4	65	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13528	M1O	04-031/14:49:06.4	63	Acquire D/L: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13529	M1O	04-031/14:49:06.4	65	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13530	M1O	04-031/14:54:06.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/14:42:32.7
13531	M1O	04-031/14:54:06.0	63	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13532	M1O	04-031/14:54:06.0	65	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13533	M1O	04-031/14:54:07.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/14:42:33.7
13534	M1O	04-031/14:58:01.8		NOTE: Descending Node Crossing 9452		04-031/14:46:28.4
13535	M1O	04-031/15:26:01.9		NOTE: Periapsis 9452 ----------		04-031/15:14:28.5
13536	M1O	04-031/15:27:19.1		NOTE: South Pole Crossing 9452		04-031/15:15:45.7
13537	M1O	04-031/15:55:11.1		NOTE: Enter Solar Eclipse 9452		04-031/15:43:37.6
13538	M1O	04-031/15:55:16.5		SPAWN, Engine = 65535, Parameters = 031, 03, FALSE, 00:09:43.345, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-031/15:43:43.0
13539	M1O	04-031/15:55:17.6		Passes the specified amount of data, data size parameter, through the PACI interface.:	GRS_PASS_THROUGH	04-031/15:43:44.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000		
13540	M1O	04-031/15:55:19.6		CALL, Engine = , Parameters = 56	get_cmd_opt	04-031/15:43:46.1
13541	M1O	04-031/15:56:01.8		CALL, Engine = , Parameters = 56	get_apid	04-031/15:44:28.3
13542	M1O	04-031/15:56:02.9		CALL, Engine = , Parameters = 56	get_rcv_mode	04-031/15:44:29.4
13543	M1O	04-031/15:56:03.1		CALL, Engine = , Parameters = 56	get_dl_rate	04-031/15:44:29.6
13544	M1O	04-031/15:56:04.2		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-031/15:44:30.7
13545	M1O	04-031/15:56:05.4		CALL, Engine = , Parameters = 56	get_coding	04-031/15:44:31.9
13546	M1O	04-031/15:56:06.6		CALL, Engine = , Parameters = 56	get_xmt_mode	04-031/15:44:33.1
13547	M1O	04-031/15:56:07.8		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-031/15:44:34.3
13548	M1O	04-031/15:56:39.5		NOTE: Ascending Node Crossing 9452		04-031/15:45:06.0
13549	M1O	04-031/15:57:12.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/15:45:39.1
13550	M1O	04-031/15:57:13.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/15:45:40.1
13551	M1O	04-031/15:57:14.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/15:45:41.1
13552	M1O	04-031/15:57:15.6		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-031/15:45:42.1
13553	M1O	04-031/15:57:16.6		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-031/15:45:43.1
13554	M1O	04-031/15:57:17.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/15:45:44.1
13555	M1O	04-031/15:57:18.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/15:45:45.1
13556	M1O	04-031/16:06:58.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/15:55:24.4
13557	M1O	04-031/16:06:59.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/15:55:25.5
13558	M1O	04-031/16:07:09.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/15:55:35.5
13559	M1O	04-031/16:07:10.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/15:55:36.5
13560	M1O	04-031/16:10:18.9		NOTE: Exit Solar Eclipse 9452		04-031/15:58:45.3
13561	M1O	04-031/16:24:29.7		NOTE: Apoapsis 9452 -		04-031/16:12:56.1
13562	M1O	04-031/16:26:39.1		NOTE: North Pole Crossing 9452		04-031/16:15:05.4
13563	M1O	04-031/16:31:09.3		NOTE: Enter Planetary Atmosphere 9452		04-031/16:19:35.6
13564	M1O	04-031/16:37:02.6		NOTE: Exit Planetary Atmosphere 9452		04-031/16:25:29.0
13565	M1O	04-031/16:56:34.9		NOTE: Descending Node Crossing 9453		04-031/16:45:01.2
13566	M1O	04-031/17:00:00.0	14	Begin Pre-Cal		
13567	M1O	04-031/17:00:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
13568	M1O	04-031/17:00:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
13569	M1O	04-031/17:00:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
13570	M1O	04-031/17:00:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
13571	M1O	04-031/17:00:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
13572	M1O	04-031/17:00:00.0	14	Config: RCV: Parms:		
13573	M1O	04-031/17:00:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
13574	M1O	04-031/17:00:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
13575	M1O	04-031/17:00:00.0	14	Config: TXL		
13576	M1O	04-031/17:00:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
13577	M1O	04-031/17:00:00.0	14	Config: CMD		
13578	M1O	04-031/17:00:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
13579	M1O	04-031/17:24:35.2		NOTE: Periapsis 9453 ----------		04-031/17:13:01.4
13580	M1O	04-031/17:25:52.0		NOTE: South Pole Crossing 9453		04-031/17:14:18.2
13581	M1O	04-031/17:47:17.8		SPAWN, Engine = 65535, Parameters = 031, 04, FALSE, 00:19:32.309, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-031/17:35:44.0
13582	M1O	04-031/17:47:18.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/17:35:45.1
13583	M1O	04-031/17:47:20.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-031/17:35:47.1
13584	M1O	04-031/17:48:03.1		CALL, Engine = , Parameters = 56	get_apid	04-031/17:36:29.3
13585	M1O	04-031/17:48:04.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-031/17:36:30.4
13586	M1O	04-031/17:48:04.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-031/17:36:30.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13587	M1O	04-031/17:48:05.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-031/17:36:31.7
13588	M1O	04-031/17:48:06.7		CALL, Engine = , Parameters = 56	get_coding	04-031/17:36:32.9
13589	M1O	04-031/17:48:07.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-031/17:36:34.1
13590	M1O	04-031/17:48:09.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-031/17:36:35.3
13591	M1O	04-031/17:49:13.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/17:37:40.1
13592	M1O	04-031/17:49:14.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/17:37:41.1
13593	M1O	04-031/17:49:15.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/17:37:42.1
13594	M1O	04-031/17:49:16.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-031/17:37:43.1
13595	M1O	04-031/17:49:17.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-031/17:37:44.1
13596	M1O	04-031/17:49:18.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/17:37:45.1
13597	M1O	04-031/17:49:19.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/17:37:46.1
13598	M1O	04-031/17:53:43.3		NOTE: Enter Solar Eclipse 9453		04-031/17:42:09.4
13599	M1O	04-031/17:55:12.3		NOTE: Ascending Node Crossing 9453		04-031/17:43:38.4
13600	M1O	04-031/18:08:48.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/17:57:14.4
13601	M1O	04-031/18:08:49.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/17:57:15.5
13602	M1O	04-031/18:08:54.7		NOTE: Exit Solar Eclipse 9453		04-031/17:57:20.7
13603	M1O	04-031/18:08:59.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/17:57:25.5
13604	M1O	04-031/18:09:00.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/17:57:26.5
13605	M1O	04-031/18:23:11.7		NOTE: Apoapsis 9453 -		04-031/18:11:37.8
13606	M1O	04-031/18:25:11.0		NOTE: North Pole Crossing 9453		04-031/18:13:37.0
13607	M1O	04-031/18:29:29.1		NOTE: Enter Planetary Atmosphere 9453		04-031/18:17:55.1
13608	M1O	04-031/18:35:43.3		NOTE: Exit Planetary Atmosphere 9453		04-031/18:24:09.3
13609	M1O	04-031/18:54:59.0	65	NOTE: X-Band Transmitter Off in 15 minutes		
13610	M1O	04-031/18:55:06.3		NOTE: Descending Node Crossing 9454		04-031/18:43:32.2
13611	M1O	04-031/18:56:51.7	65	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
13612	M1O	04-031/19:00:00.0	14	Begin Tracking		
13613	M1O	04-031/19:00:00.0	14	Acquire D/L: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13614	M1O	04-031/19:07:57.0	14	NOTE: Above Uplink Interlock Limit		
13615	M1O	04-031/19:09:59.0	65	X-Band Transmitter Off		
13616	M1O	04-031/19:10:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
13617	M1O	04-031/19:15:00.0	14	Range Modulation On: SUP=3.0dB		
13618	M1O	04-031/19:16:00.0	14	Begin Ranging Acquisition		
13619	M1O	04-031/19:20:00.0	63	End Tracking		
13620	M1O	04-031/19:20:00.0	63	End Post-Cal		
13621	M1O	04-031/19:20:00.0	65	End Tracking		
13622	M1O	04-031/19:23:01.7		NOTE: Periapsis 9454 ----------		04-031/19:11:27.6
13623	M1O	04-031/19:24:22.4		NOTE: South Pole Crossing 9454		04-031/19:12:48.2
13624	M1O	04-031/19:32:05.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:01, 1	dpt	04-031/19:20:30.8
13625	M1O	04-031/19:32:07.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/19:20:32.9
13626	M1O	04-031/19:32:07.1	14	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13627	M1O	04-031/19:32:08.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/19:20:33.9
13628	M1O	04-031/19:33:07.2	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13629	M1O	04-031/19:33:08.2	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13630	M1O	04-031/19:35:00.0	65	End Post-Cal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13631	M1O	04-031/19:38:08.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/19:26:33.9
13632	M1O	04-031/19:38:08.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13633	M1O	04-031/19:38:09.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/19:26:34.9
13634	M1O	04-031/19:52:13.7		NOTE: Enter Solar Eclipse 9454		04-031/19:40:39.4
13635	M1O	04-031/19:53:42.1		NOTE: Ascending Node Crossing 9454		04-031/19:42:07.8
13636	M1O	04-031/20:07:20.9		NOTE: Exit Solar Eclipse 9454		04-031/19:55:46.6
13637	M1O	04-031/20:21:37.0		NOTE: Apoapsis 9454 -		04-031/20:10:02.6
13638	M1O	04-031/20:23:41.8		NOTE: North Pole Crossing 9454		04-031/20:12:07.5
13639	M1O	04-031/20:28:14.7		NOTE: Enter Planetary Atmosphere 9454		04-031/20:16:40.3
13640	M1O	04-031/20:34:00.8		NOTE: Exit Planetary Atmosphere 9454		04-031/20:22:26.4
13641	M1O	04-031/20:53:37.8		NOTE: Descending Node Crossing 9455		04-031/20:42:03.3
13642	M1O	04-031/21:21:12.0		NOTE: Periapsis 9455 ----------		04-031/21:09:37.4
13643	M1O	04-031/21:22:53.9		NOTE: South Pole Crossing 9455		04-031/21:11:19.3
13644	M1O	04-031/21:39:59.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
13645	M1O	04-031/21:49:59.0	14	Range Modulation Off		
13646	M1O	04-031/21:50:49.3		NOTE: Enter Solar Eclipse 9455		04-031/21:39:14.6
13647	M1O	04-031/21:52:14.4		NOTE: Ascending Node Crossing 9455		04-031/21:40:39.7
13648	M1O	04-031/21:54:59.0	14	X-Band Transmitter Off		
13649	M1O	04-031/22:05:45.8		NOTE: Exit Solar Eclipse 9455		04-031/21:54:11.1
13650	M1O	04-031/22:17:05.5		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-031/22:05:30.8
13651	M1O	04-031/22:17:07.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/22:05:32.9
13652	M1O	04-031/22:17:07.6	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13653	M1O	04-031/22:17:08.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-031/22:05:33.9
13654	M1O	04-031/22:18:08.3	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13655	M1O	04-031/22:19:53.8		NOTE: Apoapsis 9455 -		04-031/22:08:19.1
13656	M1O	04-031/22:22:15.1		NOTE: North Pole Crossing 9455		04-031/22:10:40.3
13657	M1O	04-031/22:23:07.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/22:11:32.9
13658	M1O	04-031/22:23:07.6	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13659	M1O	04-031/22:23:08.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-031/22:11:33.9
13660	M1O	04-031/22:27:16.3		NOTE: Enter Planetary Atmosphere 9455		04-031/22:15:41.5
13661	M1O	04-031/22:32:08.8		NOTE: Exit Planetary Atmosphere 9455		04-031/22:20:34.0
13662	M1O	04-031/22:48:42.8		SPAWN, Engine = 65535, Parameters = 031, 04, FALSE, 00:14:26.318, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-031/22:37:08.0
13663	M1O	04-031/22:48:43.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/22:37:09.1
13664	M1O	04-031/22:48:45.9		CALL, Engine = , Parameters = 254	get_cmd_opt	04-031/22:37:11.1
13665	M1O	04-031/22:49:28.1		CALL, Engine = , Parameters = 254	get_apid	04-031/22:37:53.3
13666	M1O	04-031/22:49:29.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-031/22:37:54.4
13667	M1O	04-031/22:49:29.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-031/22:37:54.6
13668	M1O	04-031/22:49:30.5		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-031/22:37:55.7
13669	M1O	04-031/22:49:31.8		CALL, Engine = , Parameters = 254	get_coding	04-031/22:37:57.0
13670	M1O	04-031/22:49:33.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-031/22:37:58.2
13671	M1O	04-031/22:49:34.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-031/22:37:59.4
13672	M1O	04-031/22:50:39.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/22:39:04.2
13673	M1O	04-031/22:50:40.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/22:39:05.2
13674	M1O	04-031/22:50:41.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/22:39:06.2
13675	M1O	04-031/22:50:42.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-031/22:39:07.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13676	M1O	04-031/22:50:43.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-031/22:39:08.2
13677	M1O	04-031/22:50:44.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/22:39:09.2
13678	M1O	04-031/22:50:45.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/22:39:10.2
13679	M1O	04-031/22:52:11.7		NOTE: Descending Node Crossing 9456		04-031/22:40:36.8
13680	M1O	04-031/23:05:07.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/22:53:32.5
13681	M1O	04-031/23:05:08.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/22:53:33.6
13682	M1O	04-031/23:05:18.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/22:53:43.6
13683	M1O	04-031/23:05:19.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/22:53:44.6
13684	M1O	04-031/23:10:00.0	26	Begin Pre-Cal		
13685	M1O	04-031/23:10:00.0	26	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
13686	M1O	04-031/23:10:00.0	26	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
13687	M1O	04-031/23:10:00.0	26	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
13688	M1O	04-031/23:10:00.0	26	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
13689	M1O	04-031/23:10:00.0	26	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
13690	M1O	04-031/23:10:00.0	26	Config: RCV: Parms:		
13691	M1O	04-031/23:10:00.0	26	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
13692	M1O	04-031/23:10:00.0	26	Config: TGC: BAND=X, SR=221200.000000		
13693	M1O	04-031/23:10:00.0	26	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
13694	M1O	04-031/23:19:52.5		NOTE: Periapsis 9456 ----------		04-031/23:08:17.6
13695	M1O	04-031/23:21:29.2		NOTE: South Pole Crossing 9456		04-031/23:09:54.3
13696	M1O	04-031/23:39:19.9		SPAWN, Engine = 65535, Parameters = 031, 03, TRUE, 00:18:43, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-031/23:27:45.0
13697	M1O	04-031/23:39:21.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/23:27:46.1
13698	M1O	04-031/23:39:23.0		CALL, Engine = , Parameters = 253	get_cmd_opt	04-031/23:27:48.1
13699	M1O	04-031/23:39:23.3		CALL, Engine = , Parameters = 031, 03, 253	bld_autosw	04-031/23:27:48.4
13700	M1O	04-031/23:39:24.4		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-031/23:27:49.5
13701	M1O	04-031/23:39:25.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:27:50.6
13702	M1O	04-031/23:39:26.6		Deletes the designated file.: d:/dat/253_doy031_pass03_file01.dat	FILE_DELETE	04-031/23:27:51.6
13703	M1O	04-031/23:39:27.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:27:52.7
13704	M1O	04-031/23:39:28.7		Deletes the designated file.: d:/dat/253_doy031_pass03_file02.dat	FILE_DELETE	04-031/23:27:53.7
13705	M1O	04-031/23:39:29.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:27:54.8
13706	M1O	04-031/23:39:30.8		Deletes the designated file.: d:/dat/253_doy031_pass03_file03.dat	FILE_DELETE	04-031/23:27:55.8
13707	M1O	04-031/23:39:31.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:27:56.9
13708	M1O	04-031/23:39:32.9		Deletes the designated file.: d:/dat/253_doy031_pass03_file04.dat	FILE_DELETE	04-031/23:27:57.9
13709	M1O	04-031/23:39:34.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:27:59.0
13710	M1O	04-031/23:39:35.0		Deletes the designated file.: d:/dat/253_doy031_pass03_file05.dat	FILE_DELETE	04-031/23:28:00.0
13711	M1O	04-031/23:39:36.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:01.1
13712	M1O	04-031/23:39:37.1		Deletes the designated file.: d:/dat/253_doy031_pass03_file06.dat	FILE_DELETE	04-031/23:28:02.1
13713	M1O	04-031/23:39:38.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:03.2
13714	M1O	04-031/23:39:39.2		Deletes the designated file.: d:/dat/253_doy031_pass03_file07.dat	FILE_DELETE	04-031/23:28:04.2
13715	M1O	04-031/23:39:40.3		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-031/23:28:05.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy031_pass03_file08.dat, d:/dat/autoswitch.dat		
13716	M1O	04-031/23:39:41.3		Deletes the designated file.: d:/dat/253_doy031_pass03_file08.dat	FILE_DELETE	04-031/23:28:06.3
13717	M1O	04-031/23:39:42.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:07.4
13718	M1O	04-031/23:39:43.4		Deletes the designated file.: d:/dat/253_doy031_pass03_file09.dat	FILE_DELETE	04-031/23:28:08.4
13719	M1O	04-031/23:39:44.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:09.5
13720	M1O	04-031/23:39:45.5		Deletes the designated file.: d:/dat/253_doy031_pass03_file10.dat	FILE_DELETE	04-031/23:28:10.5
13721	M1O	04-031/23:39:46.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:11.6
13722	M1O	04-031/23:39:47.6		Deletes the designated file.: d:/dat/253_doy031_pass03_file11.dat	FILE_DELETE	04-031/23:28:12.6
13723	M1O	04-031/23:39:48.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:13.7
13724	M1O	04-031/23:39:49.7		Deletes the designated file.: d:/dat/253_doy031_pass03_file12.dat	FILE_DELETE	04-031/23:28:14.7
13725	M1O	04-031/23:39:50.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:15.8
13726	M1O	04-031/23:39:51.8		Deletes the designated file.: d:/dat/253_doy031_pass03_file13.dat	FILE_DELETE	04-031/23:28:16.8
13727	M1O	04-031/23:39:52.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:17.9
13728	M1O	04-031/23:39:53.9		Deletes the designated file.: d:/dat/253_doy031_pass03_file14.dat	FILE_DELETE	04-031/23:28:18.9
13729	M1O	04-031/23:39:55.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:20.0
13730	M1O	04-031/23:39:56.0		Deletes the designated file.: d:/dat/253_doy031_pass03_file15.dat	FILE_DELETE	04-031/23:28:21.0
13731	M1O	04-031/23:39:57.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:22.1
13732	M1O	04-031/23:39:58.1		Deletes the designated file.: d:/dat/253_doy031_pass03_file16.dat	FILE_DELETE	04-031/23:28:23.1
13733	M1O	04-031/23:39:59.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:24.2
13734	M1O	04-031/23:40:00.0	26	Begin Tracking		
13735	M1O	04-031/23:40:00.0	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13736	M1O	04-031/23:40:00.2		Deletes the designated file.: d:/dat/253_doy031_pass03_file17.dat	FILE_DELETE	04-031/23:28:25.2
13737	M1O	04-031/23:40:01.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:26.3
13738	M1O	04-031/23:40:02.3		Deletes the designated file.: d:/dat/253_doy031_pass03_file18.dat	FILE_DELETE	04-031/23:28:27.3
13739	M1O	04-031/23:40:03.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy031_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-031/23:28:28.4
13740	M1O	04-031/23:40:04.4		Deletes the designated file.: d:/dat/253_doy031_pass03_file19.dat	FILE_DELETE	04-031/23:28:29.4
13741	M1O	04-031/23:40:05.4		CALL, Engine = , Parameters = 253	get_apid	04-031/23:28:30.4
13742	M1O	04-031/23:40:06.5		CALL, Engine = , Parameters = 253	get_rcv_mode	04-031/23:28:31.5
13743	M1O	04-031/23:40:06.7		CALL, Engine = , Parameters = 253	get_dl_rate	04-031/23:28:31.7
13744	M1O	04-031/23:40:07.8		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-031/23:28:32.8
13745	M1O	04-031/23:40:09.1		CALL, Engine = , Parameters = 253	get_coding	04-031/23:28:34.1
13746	M1O	04-031/23:40:10.3		CALL, Engine = , Parameters = 253	get_xmt_mode	04-031/23:28:35.3
13747	M1O	04-031/23:40:11.5		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-031/23:28:36.5
13748	M1O	04-031/23:41:16.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-031/23:29:41.3
13749	M1O	04-031/23:41:17.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-031/23:29:42.3
13750	M1O	04-031/23:41:18.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-031/23:29:43.3
13751	M1O	04-031/23:41:19.3		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-031/23:29:44.3
13752	M1O	04-031/23:41:20.3		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-031/23:29:45.3
13753	M1O	04-031/23:41:21.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-031/23:29:46.3
13754	M1O	04-031/23:41:22.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-031/23:29:47.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13755	M1O	04-031/23:43:12.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/23:31:37.3
13756	M1O	04-031/23:43:12.3	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13757	M1O	04-031/23:43:12.3	26	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13758	M1O	04-031/23:43:17.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-031/23:31:42.5
13759	M1O	04-031/23:43:22.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-031/23:31:47.3
13760	M1O	04-031/23:49:26.6		NOTE: Enter Solar Eclipse 9456		04-031/23:37:51.6
13761	M1O	04-031/23:50:50.7		NOTE: Ascending Node Crossing 9456		04-031/23:39:15.7
13762	M1O	04-032/00:00:00.0		Light Time: OWLT = 11:35, RTLT = 23:10		
13763	M1O	04-032/00:00:03.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-031/23:48:28.3
13764	M1O	04-032/00:00:04.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-031/23:48:29.4
13765	M1O	04-032/00:00:14.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-031/23:48:39.4
13766	M1O	04-032/00:00:15.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-031/23:48:40.4
13767	M1O	04-032/00:00:16.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-031/23:48:41.4
13768	M1O	04-032/00:00:16.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13769	M1O	04-032/00:00:16.4	26	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13770	M1O	04-032/00:00:17.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-031/23:48:42.4
13771	M1O	04-032/00:04:19.3		NOTE: Exit Solar Eclipse 9456		04-031/23:52:44.2
13772	M1O	04-032/00:05:16.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-031/23:53:41.0
13773	M1O	04-032/00:05:16.0	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13774	M1O	04-032/00:05:16.0	26	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13775	M1O	04-032/00:18:42.7		NOTE: Apoapsis 9456 -		04-032/00:07:07.5
13776	M1O	04-032/00:20:51.0		NOTE: North Pole Crossing 9456		04-032/00:09:15.9
13777	M1O	04-032/00:26:05.9		NOTE: Enter Planetary Atmosphere 9456		04-032/00:14:30.8
13778	M1O	04-032/00:30:30.2		NOTE: Exit Planetary Atmosphere 9456		04-032/00:18:55.1
13779	M1O	04-032/00:44:00.2		SPAWN, Engine = 65535, Parameters = 032, 01, TRUE, 00:18:18, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-032/00:32:25.0
13780	M1O	04-032/00:44:01.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/00:32:26.1
13781	M1O	04-032/00:44:03.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-032/00:32:28.1
13782	M1O	04-032/00:44:03.6		CALL, Engine = , Parameters = 032, 01, 254	bld_autosw	04-032/00:32:28.4
13783	M1O	04-032/00:44:04.7		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-032/00:32:29.5
13784	M1O	04-032/00:44:05.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:30.6
13785	M1O	04-032/00:44:06.8		Deletes the designated file.: d:/dat/254_doy032_pass01_file01.dat	FILE_DELETE	04-032/00:32:31.6
13786	M1O	04-032/00:44:07.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:32.7
13787	M1O	04-032/00:44:08.9		Deletes the designated file.: d:/dat/254_doy032_pass01_file02.dat	FILE_DELETE	04-032/00:32:33.7
13788	M1O	04-032/00:44:10.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:34.8
13789	M1O	04-032/00:44:11.0		Deletes the designated file.: d:/dat/254_doy032_pass01_file03.dat	FILE_DELETE	04-032/00:32:35.8
13790	M1O	04-032/00:44:12.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:36.9
13791	M1O	04-032/00:44:13.1		Deletes the designated file.: d:/dat/254_doy032_pass01_file04.dat	FILE_DELETE	04-032/00:32:37.9
13792	M1O	04-032/00:44:14.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:39.0
13793	M1O	04-032/00:44:15.2		Deletes the designated file.: d:/dat/254_doy032_pass01_file05.dat	FILE_DELETE	04-032/00:32:40.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13794	M1O	04-032/00:44:16.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:41.1
13795	M1O	04-032/00:44:17.3		Deletes the designated file.: d:/dat/254_doy032_pass01_file06.dat	FILE_DELETE	04-032/00:32:42.1
13796	M1O	04-032/00:44:18.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:43.2
13797	M1O	04-032/00:44:19.4		Deletes the designated file.: d:/dat/254_doy032_pass01_file07.dat	FILE_DELETE	04-032/00:32:44.2
13798	M1O	04-032/00:44:20.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:45.3
13799	M1O	04-032/00:44:21.5		Deletes the designated file.: d:/dat/254_doy032_pass01_file08.dat	FILE_DELETE	04-032/00:32:46.3
13800	M1O	04-032/00:44:22.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:47.4
13801	M1O	04-032/00:44:23.6		Deletes the designated file.: d:/dat/254_doy032_pass01_file09.dat	FILE_DELETE	04-032/00:32:48.4
13802	M1O	04-032/00:44:24.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:49.5
13803	M1O	04-032/00:44:25.7		Deletes the designated file.: d:/dat/254_doy032_pass01_file10.dat	FILE_DELETE	04-032/00:32:50.5
13804	M1O	04-032/00:44:26.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:51.6
13805	M1O	04-032/00:44:27.8		Deletes the designated file.: d:/dat/254_doy032_pass01_file11.dat	FILE_DELETE	04-032/00:32:52.6
13806	M1O	04-032/00:44:28.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:53.7
13807	M1O	04-032/00:44:29.9		Deletes the designated file.: d:/dat/254_doy032_pass01_file12.dat	FILE_DELETE	04-032/00:32:54.7
13808	M1O	04-032/00:44:31.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:55.8
13809	M1O	04-032/00:44:32.0		Deletes the designated file.: d:/dat/254_doy032_pass01_file13.dat	FILE_DELETE	04-032/00:32:56.8
13810	M1O	04-032/00:44:33.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:32:57.9
13811	M1O	04-032/00:44:34.1		Deletes the designated file.: d:/dat/254_doy032_pass01_file14.dat	FILE_DELETE	04-032/00:32:58.9
13812	M1O	04-032/00:44:35.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:33:00.0
13813	M1O	04-032/00:44:36.2		Deletes the designated file.: d:/dat/254_doy032_pass01_file15.dat	FILE_DELETE	04-032/00:33:01.0
13814	M1O	04-032/00:44:37.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:33:02.1
13815	M1O	04-032/00:44:38.3		Deletes the designated file.: d:/dat/254_doy032_pass01_file16.dat	FILE_DELETE	04-032/00:33:03.1
13816	M1O	04-032/00:44:39.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:33:04.2
13817	M1O	04-032/00:44:40.4		Deletes the designated file.: d:/dat/254_doy032_pass01_file17.dat	FILE_DELETE	04-032/00:33:05.2
13818	M1O	04-032/00:44:41.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:33:06.3
13819	M1O	04-032/00:44:42.5		Deletes the designated file.: d:/dat/254_doy032_pass01_file18.dat	FILE_DELETE	04-032/00:33:07.3
13820	M1O	04-032/00:44:43.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/00:33:08.4
13821	M1O	04-032/00:44:44.6		Deletes the designated file.: d:/dat/254_doy032_pass01_file19.dat	FILE_DELETE	04-032/00:33:09.4
13822	M1O	04-032/00:44:45.6		CALL, Engine = , Parameters = 254	get_apid	04-032/00:33:10.4
13823	M1O	04-032/00:44:46.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-032/00:33:11.5
13824	M1O	04-032/00:44:46.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-032/00:33:11.7
13825	M1O	04-032/00:44:48.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-032/00:33:12.8
13826	M1O	04-032/00:44:49.3		CALL, Engine = , Parameters = 254	get_coding	04-032/00:33:14.1
13827	M1O	04-032/00:44:50.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-032/00:33:15.3
13828	M1O	04-032/00:44:51.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-032/00:33:16.5
13829	M1O	04-032/00:45:56.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-032/00:34:21.3
13830	M1O	04-032/00:45:57.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-032/00:34:22.3
13831	M1O	04-032/00:45:58.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-032/00:34:23.3
13832	M1O	04-032/00:45:59.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-032/00:34:24.3
13833	M1O	04-032/00:46:00.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-032/00:34:25.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13834	M1O	04-032/00:46:01.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-032/00:34:26.3
13835	M1O	04-032/00:46:02.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-032/00:34:27.3
13836	M1O	04-032/00:47:52.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/00:36:17.3
13837	M1O	04-032/00:47:52.5	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13838	M1O	04-032/00:47:52.5	26	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13839	M1O	04-032/00:47:57.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/00:36:22.5
13840	M1O	04-032/00:48:02.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-032/00:36:27.3
13841	M1O	04-032/00:50:47.6		NOTE: Descending Node Crossing 9457		04-032/00:39:12.3
13842	M1O	04-032/00:51:50.2		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-032/00:40:15.0
13843	M1O	04-032/00:52:06.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-030T00:40:15.100, 2004-032T00:40:15.100	PCKTS_RE_TX_TIME	04-032/00:40:30.8
13844	M1O	04-032/00:52:07.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-030T00:40:15.100, 2004-032T00:40:15.100	PCKTS_RE_TX_TIME	04-032/00:40:31.8
13845	M1O	04-032/00:52:08.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-030T00:40:15.100, 2004-032T00:40:15.100	PCKTS_RE_TX_TIME	04-032/00:40:32.8
13846	M1O	04-032/00:52:09.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-030T00:40:15.100, 2004-032T00:40:15.100	PCKTS_RE_TX_TIME	04-032/00:40:33.8
13847	M1O	04-032/00:52:10.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-030T00:40:15.100, 2004-032T00:40:15.100	PCKTS_RE_TX_TIME	04-032/00:40:34.8
13848	M1O	04-032/00:52:11.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-030T00:40:15.100, 2004-032T00:40:15.100	PCKTS_RE_TX_TIME	04-032/00:40:35.8
13849	M1O	04-032/00:52:11.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-032/00:40:35.8
13850	M1O	04-032/00:52:11.0	14	D/L Change: X/08, 1-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13851	M1O	04-032/00:52:11.0	26	D/L Change: X/08, 1-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13852	M1O	04-032/00:52:12.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/00:40:36.8
13853	M1O	04-032/00:52:12.0	14	D/L Change: X/08, 1-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13854	M1O	04-032/00:52:12.0	26	D/L Change: X/08, 1-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13855	M1O	04-032/00:59:12.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/00:47:36.8
13856	M1O	04-032/00:59:13.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-032/00:47:37.8
13857	M1O	04-032/00:59:29.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-032/00:47:53.8
13858	M1O	04-032/00:59:29.0	14	D/L RF Warning: SC antenna change - expect signal level variation		
13859	M1O	04-032/00:59:29.0	26	D/L RF Warning: SC antenna change - expect signal level variation		
13860	M1O	04-032/00:59:30.0		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-032/00:47:54.8
13861	M1O	04-032/01:00:00.0	14	End Tracking		
13862	M1O	04-032/01:00:00.1		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-032/00:48:24.8
13863	M1O	04-032/01:00:00.1		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-032/00:48:24.8
13864	M1O	04-032/01:00:00.1	26	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13865	M1O	04-032/01:00:06.1		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-032/00:48:30.8
13866	M1O	04-032/01:00:06.1	26	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13867	M1O	04-032/01:03:48.2		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-032/00:52:13.0
13868	M1O	04-032/01:03:48.3		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-032/00:52:13.1
13869	M1O	04-032/01:03:49.3		Forces a desaturation of the reaction wheels.	RW_DESAT	04-032/00:52:14.1
13870	M1O	04-032/01:04:18.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-032/00:52:43.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
13871	M1O	04-032/01:04:19.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-032/00:52:44.4
13872	M1O	04-032/01:04:29.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/00:52:54.4
13873	M1O	04-032/01:04:30.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/00:52:55.4
13874	M1O	04-032/01:04:31.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-032/00:52:56.4
13875	M1O	04-032/01:04:32.6		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-032/00:52:57.4
13876	M1O	04-032/01:15:00.0	14	End Post-Cal		
13877	M1O	04-032/01:15:19.4		CALL, Engine = , Parameters = FALSE	park_hga	04-032/01:03:44.1
13878	M1O	04-032/01:15:19.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/01:03:44.1
13879	M1O	04-032/01:15:20.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-032/01:03:45.1
13880	M1O	04-032/01:15:21.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-032/01:03:46.1
13881	M1O	04-032/01:15:21.4		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-032/01:03:46.1
13882	M1O	04-032/01:15:21.4		NOTE: START HGA PARK		
13883	M1O	04-032/01:15:21.4	26	NOTE: Loss Of X-Band Signal		
13884	M1O	04-032/01:15:22.4		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-032/01:03:47.1
13885	M1O	04-032/01:15:23.4		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-032/01:03:48.1
13886	M1O	04-032/01:18:53.2		NOTE: Periapsis 9457 ----------		04-032/01:07:17.9
13887	M1O	04-032/01:19:53.4		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-032/01:08:18.1
13888	M1O	04-032/01:20:06.0		NOTE: South Pole Crossing 9457		04-032/01:08:30.6
13889	M1O	04-032/01:23:23.4		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-032/01:11:48.1
13890	M1O	04-032/01:23:23.4		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-032/01:11:48.1
13891	M1O	04-032/01:39:09.3		SPAWN, Engine = 65535, Parameters = 032, 01, FALSE, 00:13:44.200, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-032/01:27:34.0
13892	M1O	04-032/01:39:10.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/01:27:35.1
13893	M1O	04-032/01:39:12.4		CALL, Engine = , Parameters = 253	get_cmd_opt	04-032/01:27:37.1
13894	M1O	04-032/01:39:54.6		CALL, Engine = , Parameters = 253	get_apid	04-032/01:28:19.3
13895	M1O	04-032/01:39:55.7		CALL, Engine = , Parameters = 253	get_rcv_mode	04-032/01:28:20.4
13896	M1O	04-032/01:39:55.9		CALL, Engine = , Parameters = 253	get_dl_rate	04-032/01:28:20.6
13897	M1O	04-032/01:39:57.0		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-032/01:28:21.7
13898	M1O	04-032/01:39:58.3		CALL, Engine = , Parameters = 253	get_coding	04-032/01:28:23.0
13899	M1O	04-032/01:39:59.5		CALL, Engine = , Parameters = 253	get_xmt_mode	04-032/01:28:24.2
13900	M1O	04-032/01:40:00.7		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-032/01:28:25.4
13901	M1O	04-032/01:41:05.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-032/01:29:30.2
13902	M1O	04-032/01:41:06.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-032/01:29:31.2
13903	M1O	04-032/01:41:07.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-032/01:29:32.2
13904	M1O	04-032/01:41:08.5		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-032/01:29:33.2
13905	M1O	04-032/01:41:09.5		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-032/01:29:34.2
13906	M1O	04-032/01:41:10.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-032/01:29:35.2
13907	M1O	04-032/01:41:11.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-032/01:29:36.2
13908	M1O	04-032/01:48:01.5		NOTE: Enter Solar Eclipse 9457		04-032/01:36:26.1
13909	M1O	04-032/01:49:27.5		NOTE: Ascending Node Crossing 9457		04-032/01:37:52.1
13910	M1O	04-032/01:53:23.4		GV: GV_DESAT_ACTIVE = 1		04-032/01:41:48.0
13911	M1O	04-032/01:53:24.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-032/01:41:49.0
13912	M1O	04-032/01:53:24.4		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-032/01:41:49.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
13913	M1O	04-032/01:54:51.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-032/01:43:16.4
13914	M1O	04-032/01:54:52.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-032/01:43:17.5
13915	M1O	04-032/01:55:02.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/01:43:27.5
13916	M1O	04-032/01:55:03.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/01:43:28.5
13917	M1O	04-032/02:02:56.6		NOTE: Exit Solar Eclipse 9457		04-032/01:51:21.1
13918	M1O	04-032/02:03:23.4		GV: GV_DESAT_ACTIVE = 0		04-032/01:51:48.0
13919	M1O	04-032/02:03:24.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-032/01:51:49.0
13920	M1O	04-032/02:03:25.4		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-032/01:51:50.0
13921	M1O	04-032/02:03:26.4		CALL, Engine = , Parameters =	unpark_hga	04-032/01:51:51.0
13922	M1O	04-032/02:03:26.4		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-032/01:51:51.0
13923	M1O	04-032/02:03:27.4		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-032/01:51:52.0
13924	M1O	04-032/02:07:57.4		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-032/01:56:22.0
13925	M1O	04-032/02:07:58.4		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-032/01:56:23.0
13926	M1O	04-032/02:11:23.4		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-032/01:59:48.0
13927	M1O	04-032/02:11:23.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/01:59:48.1
13928	M1O	04-032/02:11:24.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-032/01:59:49.1
13929	M1O	04-032/02:11:25.5		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-032/01:59:50.1
13930	M1O	04-032/02:11:26.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-032/01:59:51.1
13931	M1O	04-032/02:11:27.5		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-032/01:59:52.1
13932	M1O	04-032/02:11:37.5		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-032/02:00:02.1
13933	M1O	04-032/02:11:47.5		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-032/02:00:12.1
13934	M1O	04-032/02:11:58.4		NOTE: EXIT HGA PARK		
13935	M1O	04-032/02:11:58.4	26	Acquisition Of X-Band Signal		
13936	M1O	04-032/02:11:58.4	26	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13937	M1O	04-032/02:16:47.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-032/02:05:12.1
13938	M1O	04-032/02:16:48.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-032/02:05:13.1
13939	M1O	04-032/02:16:48.6	26	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
13940	M1O	04-032/02:16:49.6		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-032/02:05:14.1
13941	M1O	04-032/02:17:49.4		NOTE: Apoapsis 9457 -		04-032/02:06:13.9
13942	M1O	04-032/02:19:27.3		NOTE: North Pole Crossing 9457		04-032/02:07:51.8
13943	M1O	04-032/02:24:46.2		NOTE: Enter Planetary Atmosphere 9457		04-032/02:13:10.7
13944	M1O	04-032/02:29:00.5		NOTE: Exit Planetary Atmosphere 9457		04-032/02:17:25.0
13945	M1O	04-032/02:49:24.1		NOTE: Descending Node Crossing 9458		04-032/02:37:48.5
13946	M1O	04-032/03:17:48.1		NOTE: Periapsis 9458 ----------		04-032/03:06:12.4
13947	M1O	04-032/03:18:42.1		NOTE: South Pole Crossing 9458		04-032/03:07:06.4
13948	M1O	04-032/03:46:33.9		NOTE: Enter Solar Eclipse 9458		04-032/03:34:58.1
13949	M1O	04-032/03:48:02.6		NOTE: Ascending Node Crossing 9458		04-032/03:36:26.8
13950	M1O	04-032/04:01:33.6		NOTE: Exit Solar Eclipse 9458		04-032/03:49:57.8
13951	M1O	04-032/04:16:34.4		NOTE: Apoapsis 9458 -		04-032/04:04:58.5
13952	M1O	04-032/04:18:02.4		NOTE: North Pole Crossing 9458		04-032/04:06:26.5
13953	M1O	04-032/04:23:12.8		NOTE: Enter Planetary Atmosphere 9458		04-032/04:11:36.9
13954	M1O	04-032/04:27:42.6		NOTE: Exit Planetary Atmosphere 9458		04-032/04:16:06.7
13955	M1O	04-032/04:35:45.9		SPAWN, Engine = 65535, Parameters = 032, 01, FALSE, 00:13:44.275, 056, FALSE, 32_KPS,	uhf	04-032/04:24:10.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				00:06:00, 00:00:00		
13956	M1O	04-032/04:35:47.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/04:24:11.1
13957	M1O	04-032/04:35:49.0		CALL, Engine = , Parameters = 56	get_cmd_opt	04-032/04:24:13.1
13958	M1O	04-032/04:36:31.2		CALL, Engine = , Parameters = 56	get_apid	04-032/04:24:55.3
13959	M1O	04-032/04:36:32.3		CALL, Engine = , Parameters = 56	get_rcv_mode	04-032/04:24:56.4
13960	M1O	04-032/04:36:32.5		CALL, Engine = , Parameters = 56	get_dl_rate	04-032/04:24:56.6
13961	M1O	04-032/04:36:33.6		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-032/04:24:57.7
13962	M1O	04-032/04:36:34.8		CALL, Engine = , Parameters = 56	get_coding	04-032/04:24:58.9
13963	M1O	04-032/04:36:36.0		CALL, Engine = , Parameters = 56	get_xmt_mode	04-032/04:25:00.1
13964	M1O	04-032/04:36:37.2		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-032/04:25:01.3
13965	M1O	04-032/04:37:42.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-032/04:26:06.1
13966	M1O	04-032/04:37:43.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-032/04:26:07.1
13967	M1O	04-032/04:37:44.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-032/04:26:08.1
13968	M1O	04-032/04:37:45.0		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-032/04:26:09.1
13969	M1O	04-032/04:37:46.0		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-032/04:26:10.1
13970	M1O	04-032/04:37:47.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-032/04:26:11.1
13971	M1O	04-032/04:37:48.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-032/04:26:12.1
13972	M1O	04-032/04:47:59.1		NOTE: Descending Node Crossing 9459		04-032/04:36:23.2
13973	M1O	04-032/04:51:28.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-032/04:39:52.3
13974	M1O	04-032/04:51:29.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-032/04:39:53.4
13975	M1O	04-032/04:51:39.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/04:40:03.4
13976	M1O	04-032/04:51:40.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/04:40:04.4
13977	M1O	04-032/05:16:17.7		NOTE: Periapsis 9459 ----------		04-032/05:04:41.6
13978	M1O	04-032/05:17:15.8		NOTE: South Pole Crossing 9459		04-032/05:05:39.8
13979	M1O	04-032/05:45:00.0	45	Begin Pre-Cal		
13980	M1O	04-032/05:45:00.0	45	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
13981	M1O	04-032/05:45:00.0	45	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
13982	M1O	04-032/05:45:00.0	45	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
13983	M1O	04-032/05:45:00.0	45	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
13984	M1O	04-032/05:45:00.0	45	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
13985	M1O	04-032/05:45:00.0	45	Config: RCV: Parms:		
13986	M1O	04-032/05:45:00.0	45	Config: TLM: DC= 3700, IC1=L, IC2=6, IC3=A15R6, OC1=B, OC2=S		
13987	M1O	04-032/05:45:00.0	45	Config: TGC: BAND=X, SR=238896.000000		
13988	M1O	04-032/05:45:00.0	45	Config: TXL		
13989	M1O	04-032/05:45:00.0	45	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
13990	M1O	04-032/05:45:00.0	45	Config: CMD		
13991	M1O	04-032/05:45:00.0	45	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
13992	M1O	04-032/05:45:05.0		NOTE: Enter Solar Eclipse 9459		04-032/05:33:28.8
13993	M1O	04-032/05:46:35.3		NOTE: Ascending Node Crossing 9459		04-032/05:34:59.1
13994	M1O	04-032/06:00:08.5		NOTE: Exit Solar Eclipse 9459		04-032/05:48:32.3
13995	M1O	04-032/06:14:48.8		NOTE: Apoapsis 9459 -		04-032/06:03:12.6
13996	M1O	04-032/06:16:34.8		NOTE: North Pole Crossing 9459		04-032/06:04:58.5
13997	M1O	04-032/06:21:29.5		NOTE: Enter Planetary Atmosphere 9459		04-032/06:09:53.3
13998	M1O	04-032/06:26:29.2		NOTE: Exit Planetary Atmosphere 9459		04-032/06:14:52.9
13999	M1O	04-032/06:28:58.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-032/06:17:21.7
14000	M1O	04-032/06:29:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/06:17:23.8
14001	M1O	04-032/06:29:00.1	26	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14002	M1O	04-032/06:29:01.1		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-032/06:17:24.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_nom.cfg		
14003	M1O	04-032/06:30:00.0	45	Begin Tracking		
14004	M1O	04-032/06:30:00.0	45	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14005	M1O	04-032/06:30:06.3		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-032/06:18:30.0
14006	M1O	04-032/06:30:06.3	45	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14007	M1O	04-032/06:30:06.3	26	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14008	M1O	04-032/06:30:44.3		SPAWN, Engine = 65535, Parameters = 032, 02, FALSE, 00:18:48.657, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-032/06:19:08.0
14009	M1O	04-032/06:30:45.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/06:19:09.1
14010	M1O	04-032/06:30:47.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-032/06:19:11.1
14011	M1O	04-032/06:31:00.0	45	Acquire U/L: X/08, PWR=20.0, BR=125.0		
14012	M1O	04-032/06:31:07.0	26	NOTE: Below Uplink Interlock Limit		
14013	M1O	04-032/06:31:29.6		CALL, Engine = , Parameters = 56	get_apid	04-032/06:19:53.3
14014	M1O	04-032/06:31:30.7		CALL, Engine = , Parameters = 56	get_rcv_mode	04-032/06:19:54.4
14015	M1O	04-032/06:31:30.9		CALL, Engine = , Parameters = 56	get_dl_rate	04-032/06:19:54.6
14016	M1O	04-032/06:31:32.0		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-032/06:19:55.7
14017	M1O	04-032/06:31:33.2		CALL, Engine = , Parameters = 56	get_coding	04-032/06:19:56.9
14018	M1O	04-032/06:31:34.4		CALL, Engine = , Parameters = 56	get_xmt_mode	04-032/06:19:58.1
14019	M1O	04-032/06:31:35.6		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-032/06:19:59.3
14020	M1O	04-032/06:32:40.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-032/06:21:04.1
14021	M1O	04-032/06:32:41.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-032/06:21:05.1
14022	M1O	04-032/06:32:42.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-032/06:21:06.1
14023	M1O	04-032/06:32:43.4		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-032/06:21:07.1
14024	M1O	04-032/06:32:44.4		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-032/06:21:08.1
14025	M1O	04-032/06:32:45.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-032/06:21:09.1
14026	M1O	04-032/06:32:46.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-032/06:21:10.1
14027	M1O	04-032/06:35:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-032/06:23:23.8
14028	M1O	04-032/06:35:00.1	45	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14029	M1O	04-032/06:35:00.1	26	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14030	M1O	04-032/06:35:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-032/06:23:24.8
14031	M1O	04-032/06:36:00.0	45	Range Modulation On: SUP=3.0dB		
14032	M1O	04-032/06:37:00.0	45	Begin Ranging Acquisition		
14033	M1O	04-032/06:40:00.0	26	End Tracking		
14034	M1O	04-032/06:46:30.9		NOTE: Descending Node Crossing 9460		04-032/06:34:54.5
14035	M1O	04-032/06:51:31.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-032/06:39:54.7
14036	M1O	04-032/06:51:32.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-032/06:39:55.8
14037	M1O	04-032/06:51:42.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/06:40:05.8
14038	M1O	04-032/06:51:43.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/06:40:06.8
14039	M1O	04-032/06:53:10.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-032/06:41:34.1
14040	M1O	04-032/06:53:12.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/06:41:36.2
14041	M1O	04-032/06:53:12.5	45	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14042	M1O	04-032/06:53:13.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-032/06:41:37.2
14043	M1O	04-032/06:54:12.6	45	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14044	M1O	04-032/06:55:00.0	26	End Post-Cal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14045	M1O	04-032/06:59:12.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-032/06:47:36.2
14046	M1O	04-032/06:59:12.6	45	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14047	M1O	04-032/06:59:13.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-032/06:47:37.2
14048	M1O	04-032/07:11:36.4		SPAWN, Engine = 65535, Parameters =	scdiag	04-032/07:00:00.0
14049	M1O	04-032/07:11:37.5		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-032/07:00:01.1
14050	M1O	04-032/07:11:38.5		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-032/07:00:02.1
14051	M1O	04-032/07:12:39.4		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-032/07:01:03.0
14052	M1O	04-032/07:12:39.6		NOTE: Start Block fsw_diag		04-032/07:01:03.2
14053	M1O	04-032/07:12:40.6		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-032/07:01:04.2
14054	M1O	04-032/07:12:41.6		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-032/07:01:05.2
14055	M1O	04-032/07:12:52.6		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-032/07:01:16.2
14056	M1O	04-032/07:13:22.6		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-032/07:01:46.2
14057	M1O	04-032/07:13:42.6		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-032/07:02:06.2
14058	M1O	04-032/07:13:52.6		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-032/07:02:16.2
14059	M1O	04-032/07:14:12.6		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-032/07:02:36.2
14060	M1O	04-032/07:14:22.6		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-032/07:02:46.2
14061	M1O	04-032/07:14:27.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-032/07:02:51.2
14062	M1O	04-032/07:14:28.7		NOTE: Periapsis 9460 ----------		04-032/07:02:52.3
14063	M1O	04-032/07:14:32.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-032/07:02:56.2
14064	M1O	04-032/07:14:37.6		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-032/07:03:01.2
14065	M1O	04-032/07:14:42.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-032/07:03:06.2
14066	M1O	04-032/07:14:47.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-032/07:03:11.2
14067	M1O	04-032/07:15:27.6		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-032/07:03:51.2
14068	M1O	04-032/07:15:32.6		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-032/07:03:56.2
14069	M1O	04-032/07:15:37.6		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-032/07:04:01.2
14070	M1O	04-032/07:15:42.6		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-032/07:04:06.2
14071	M1O	04-032/07:15:47.0		NOTE: South Pole Crossing 9460		04-032/07:04:10.5
14072	M1O	04-032/07:15:47.6		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-032/07:04:11.2
14073	M1O	04-032/07:15:48.6		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-032/07:04:12.2
14074	M1O	04-032/07:15:49.6		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-032/07:04:13.2
14075	M1O	04-032/07:15:50.6		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-032/07:04:14.2
14076	M1O	04-032/07:16:01.6		NOTE: End Block fsw_diag.mod		04-032/07:04:25.2
14077	M1O	04-032/07:43:37.7		NOTE: Enter Solar Eclipse 9460		04-032/07:32:01.2
14078	M1O	04-032/07:45:06.6		NOTE: Ascending Node Crossing 9460		04-032/07:33:30.0
14079	M1O	04-032/07:58:39.1		NOTE: Exit Solar Eclipse 9460		04-032/07:47:02.5
14080	M1O	04-032/08:13:05.6		NOTE: Apoapsis 9460 -		04-032/08:01:29.0
14081	M1O	04-032/08:15:05.6		NOTE: North Pole Crossing 9460		04-032/08:03:29.0
14082	M1O	04-032/08:20:01.0		NOTE: Enter Planetary Atmosphere 9460		04-032/08:08:24.4
14083	M1O	04-032/08:24:58.1		NOTE: Exit Planetary Atmosphere 9460		04-032/08:13:21.4
14084	M1O	04-032/08:45:01.0		NOTE: Descending Node Crossing 9461		04-032/08:33:24.3
14085	M1O	04-032/09:12:49.5		NOTE: Periapsis 9461 ----------		04-032/09:01:12.7
14086	M1O	04-032/09:14:17.8		NOTE: South Pole Crossing 9461		04-032/09:02:41.0
14087	M1O	04-032/09:42:11.6		NOTE: Enter Solar Eclipse 9461		04-032/09:30:34.7
14088	M1O	04-032/09:43:38.6		NOTE: Ascending Node Crossing 9461		04-032/09:32:01.7
14089	M1O	04-032/09:45:00.0	63	Begin Pre-Cal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14090	M1O	04-032/09:45:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
14091	M1O	04-032/09:45:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
14092	M1O	04-032/09:45:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
14093	M1O	04-032/09:45:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
14094	M1O	04-032/09:45:00.0	63	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
14095	M1O	04-032/09:45:00.0	63	Config: RCV: Parms:		
14096	M1O	04-032/09:45:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
14097	M1O	04-032/09:45:00.0	63	Config: TGC: BAND=X, SR=79632.000000		
14098	M1O	04-032/09:45:00.0	63	Config: TXL		
14099	M1O	04-032/09:45:00.0	63	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
14100	M1O	04-032/09:45:00.0	63	Config: CMD		
14101	M1O	04-032/09:45:00.0	63	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
14102	M1O	04-032/09:57:05.0		NOTE: Exit Solar Eclipse 9461		04-032/09:45:28.1
14103	M1O	04-032/10:11:52.3		NOTE: Apoapsis 9461 -		04-032/10:00:15.3
14104	M1O	04-032/10:13:38.6		NOTE: North Pole Crossing 9461		04-032/10:02:01.6
14105	M1O	04-032/10:19:17.0		NOTE: Enter Planetary Atmosphere 9461		04-032/10:07:39.9
14106	M1O	04-032/10:22:50.2		NOTE: Exit Planetary Atmosphere 9461		04-032/10:11:13.2
14107	M1O	04-032/10:43:35.2		NOTE: Descending Node Crossing 9462		04-032/10:31:58.0
14108	M1O	04-032/11:10:00.0	45	NOTE: X-Band Transmitter Off in 15 minutes		
14109	M1O	04-032/11:11:33.5		NOTE: Periapsis 9462 ----------		04-032/10:59:56.3
14110	M1O	04-032/11:12:52.4		NOTE: South Pole Crossing 9462		04-032/11:01:15.2
14111	M1O	04-032/11:20:00.0	45	Range Modulation Off		
14112	M1O	04-032/11:25:00.0	45	X-Band Transmitter Off		
14113	M1O	04-032/11:26:45.4	45	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
14114	M1O	04-032/11:27:45.2		SPAWN, Engine = 65535, Parameters = 032, 02, FALSE, 00:16:29.599, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-032/11:16:08.0
14115	M1O	04-032/11:27:46.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/11:16:09.1
14116	M1O	04-032/11:27:48.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-032/11:16:11.1
14117	M1O	04-032/11:28:30.5		CALL, Engine = , Parameters = 254	get_apid	04-032/11:16:53.3
14118	M1O	04-032/11:28:31.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-032/11:16:54.4
14119	M1O	04-032/11:28:31.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-032/11:16:54.6
14120	M1O	04-032/11:28:32.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-032/11:16:55.7
14121	M1O	04-032/11:28:34.2		CALL, Engine = , Parameters = 254	get_coding	04-032/11:16:57.0
14122	M1O	04-032/11:28:35.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-032/11:16:58.2
14123	M1O	04-032/11:28:36.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-032/11:16:59.4
14124	M1O	04-032/11:28:59.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-032/11:17:21.7
14125	M1O	04-032/11:29:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/11:17:23.8
14126	M1O	04-032/11:29:01.1	45	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14127	M1O	04-032/11:29:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-032/11:17:24.8
14128	M1O	04-032/11:29:41.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-032/11:18:04.2
14129	M1O	04-032/11:29:42.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-032/11:18:05.2
14130	M1O	04-032/11:29:43.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-032/11:18:06.2
14131	M1O	04-032/11:29:44.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-032/11:18:07.2
14132	M1O	04-032/11:29:45.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-032/11:18:08.2
14133	M1O	04-032/11:29:46.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-032/11:18:09.2
14134	M1O	04-032/11:29:47.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-032/11:18:10.2
14135	M1O	04-032/11:30:00.0	63	Begin Tracking		
14136	M1O	04-032/11:30:00.0	63	Acquire D/L: X/08, 3-Way/45, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14137	M1O	04-032/11:30:01.0		NOTE: Changing to 70M downlink rate: 110600_BPS		04-032/11:18:23.7
14138	M1O	04-032/11:30:01.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-032/11:18:23.7
14139	M1O	04-032/11:30:01.0	45	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14140	M1O	04-032/11:30:01.0	63	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14141	M1O	04-032/11:32:48.0	63	NOTE: Above Uplink Interlock Limit		
14142	M1O	04-032/11:35:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
14143	M1O	04-032/11:35:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-032/11:23:23.8
14144	M1O	04-032/11:35:01.1	45	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14145	M1O	04-032/11:35:01.1	63	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14146	M1O	04-032/11:35:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-032/11:23:24.8
14147	M1O	04-032/11:38:24.0	45	NOTE: Below Uplink Interlock Limit		
14148	M1O	04-032/11:40:00.0	63	Range Modulation On: SUP=3.0dB		
14149	M1O	04-032/11:40:46.0		NOTE: Enter Solar Eclipse 9462		04-032/11:29:08.7
14150	M1O	04-032/11:41:00.0	63	Begin Ranging Acquisition		
14151	M1O	04-032/11:42:13.2		NOTE: Ascending Node Crossing 9462		04-032/11:30:35.9
14152	M1O	04-032/11:46:13.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-032/11:34:35.7
14153	M1O	04-032/11:46:14.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-032/11:34:36.8
14154	M1O	04-032/11:46:24.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/11:34:46.8
14155	M1O	04-032/11:46:25.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/11:34:47.8
14156	M1O	04-032/11:47:11.4		SPAWN, Engine = 65535, Parameters = 3, 00:16:00, 1	dpt	04-032/11:35:34.1
14157	M1O	04-032/11:47:13.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/11:35:36.2
14158	M1O	04-032/11:47:13.5	45	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14159	M1O	04-032/11:47:13.5	63	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14160	M1O	04-032/11:47:14.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-032/11:35:37.2
14161	M1O	04-032/11:48:14.5	45	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14162	M1O	04-032/11:48:14.5	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14163	M1O	04-032/11:50:00.0	45	End Tracking		
14164	M1O	04-032/11:55:34.1		NOTE: Exit Solar Eclipse 9462		04-032/11:43:56.7
14165	M1O	04-032/11:58:14.5	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14166	M1O	04-032/12:03:13.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-032/11:51:36.2
14167	M1O	04-032/12:03:13.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14168	M1O	04-032/12:03:14.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-032/11:51:37.2
14169	M1O	04-032/12:05:00.0	45	End Post-Cal		
14170	M1O	04-032/12:10:33.9		NOTE: Apoapsis 9462 -		04-032/11:58:56.5
14171	M1O	04-032/12:12:14.4		NOTE: North Pole Crossing 9462		04-032/12:00:37.0
14172	M1O	04-032/12:18:45.8		NOTE: Enter Planetary Atmosphere 9462		04-032/12:07:08.4
14173	M1O	04-032/12:20:35.6		NOTE: Exit Planetary Atmosphere 9462		04-032/12:08:58.1
14174	M1O	04-032/12:30:59.4		SPAWN, Engine = 65535, Parameters = 032, 02, TRUE, 00:19:23, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-032/12:19:22.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14175	M1O	04-032/12:31:00.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/12:19:23.1
14176	M1O	04-032/12:31:02.5		CALL, Engine = , Parameters = 253	get_cmd_opt	04-032/12:19:25.1
14177	M1O	04-032/12:31:02.8		CALL, Engine = , Parameters = 032, 02, 253	bld_autosw	04-032/12:19:25.4
14178	M1O	04-032/12:31:03.9		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-032/12:19:26.5
14179	M1O	04-032/12:31:05.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:27.6
14180	M1O	04-032/12:31:06.0		Deletes the designated file.: d:/dat/253_doy032_pass02_file01.dat	FILE_DELETE	04-032/12:19:28.6
14181	M1O	04-032/12:31:07.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:29.7
14182	M1O	04-032/12:31:08.1		Deletes the designated file.: d:/dat/253_doy032_pass02_file02.dat	FILE_DELETE	04-032/12:19:30.7
14183	M1O	04-032/12:31:09.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:31.8
14184	M1O	04-032/12:31:10.2		Deletes the designated file.: d:/dat/253_doy032_pass02_file03.dat	FILE_DELETE	04-032/12:19:32.8
14185	M1O	04-032/12:31:11.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:33.9
14186	M1O	04-032/12:31:12.3		Deletes the designated file.: d:/dat/253_doy032_pass02_file04.dat	FILE_DELETE	04-032/12:19:34.9
14187	M1O	04-032/12:31:13.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:36.0
14188	M1O	04-032/12:31:14.4		Deletes the designated file.: d:/dat/253_doy032_pass02_file05.dat	FILE_DELETE	04-032/12:19:37.0
14189	M1O	04-032/12:31:15.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:38.1
14190	M1O	04-032/12:31:16.5		Deletes the designated file.: d:/dat/253_doy032_pass02_file06.dat	FILE_DELETE	04-032/12:19:39.1
14191	M1O	04-032/12:31:17.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:40.2
14192	M1O	04-032/12:31:18.6		Deletes the designated file.: d:/dat/253_doy032_pass02_file07.dat	FILE_DELETE	04-032/12:19:41.2
14193	M1O	04-032/12:31:19.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:42.3
14194	M1O	04-032/12:31:20.7		Deletes the designated file.: d:/dat/253_doy032_pass02_file08.dat	FILE_DELETE	04-032/12:19:43.3
14195	M1O	04-032/12:31:21.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:44.4
14196	M1O	04-032/12:31:22.8		Deletes the designated file.: d:/dat/253_doy032_pass02_file09.dat	FILE_DELETE	04-032/12:19:45.4
14197	M1O	04-032/12:31:23.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:46.5
14198	M1O	04-032/12:31:24.9		Deletes the designated file.: d:/dat/253_doy032_pass02_file10.dat	FILE_DELETE	04-032/12:19:47.5
14199	M1O	04-032/12:31:26.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:48.6
14200	M1O	04-032/12:31:27.0		Deletes the designated file.: d:/dat/253_doy032_pass02_file11.dat	FILE_DELETE	04-032/12:19:49.6
14201	M1O	04-032/12:31:28.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:50.7
14202	M1O	04-032/12:31:29.1		Deletes the designated file.: d:/dat/253_doy032_pass02_file12.dat	FILE_DELETE	04-032/12:19:51.7
14203	M1O	04-032/12:31:30.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:52.8
14204	M1O	04-032/12:31:31.2		Deletes the designated file.: d:/dat/253_doy032_pass02_file13.dat	FILE_DELETE	04-032/12:19:53.8
14205	M1O	04-032/12:31:32.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:54.9
14206	M1O	04-032/12:31:33.3		Deletes the designated file.: d:/dat/253_doy032_pass02_file14.dat	FILE_DELETE	04-032/12:19:55.9
14207	M1O	04-032/12:31:34.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:57.0
14208	M1O	04-032/12:31:35.4		Deletes the designated file.: d:/dat/253_doy032_pass02_file15.dat	FILE_DELETE	04-032/12:19:58.0
14209	M1O	04-032/12:31:36.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:19:59.1
14210	M1O	04-032/12:31:37.5		Deletes the designated file.: d:/dat/253_doy032_pass02_file16.dat	FILE_DELETE	04-032/12:20:00.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14211	M1O	04-032/12:31:38.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:20:01.2
14212	M1O	04-032/12:31:39.6		Deletes the designated file.: d:/dat/253_doy032_pass02_file17.dat	FILE_DELETE	04-032/12:20:02.2
14213	M1O	04-032/12:31:40.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:20:03.3
14214	M1O	04-032/12:31:41.7		Deletes the designated file.: d:/dat/253_doy032_pass02_file18.dat	FILE_DELETE	04-032/12:20:04.3
14215	M1O	04-032/12:31:42.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy032_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/12:20:05.4
14216	M1O	04-032/12:31:43.8		Deletes the designated file.: d:/dat/253_doy032_pass02_file19.dat	FILE_DELETE	04-032/12:20:06.4
14217	M1O	04-032/12:31:44.8		CALL, Engine = , Parameters = 253	get_apid	04-032/12:20:07.4
14218	M1O	04-032/12:31:45.9		CALL, Engine = , Parameters = 253	get_rcv_mode	04-032/12:20:08.5
14219	M1O	04-032/12:31:46.1		CALL, Engine = , Parameters = 253	get_dl_rate	04-032/12:20:08.7
14220	M1O	04-032/12:31:47.2		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-032/12:20:09.8
14221	M1O	04-032/12:31:48.5		CALL, Engine = , Parameters = 253	get_coding	04-032/12:20:11.1
14222	M1O	04-032/12:31:49.7		CALL, Engine = , Parameters = 253	get_xmt_mode	04-032/12:20:12.3
14223	M1O	04-032/12:31:50.9		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-032/12:20:13.5
14224	M1O	04-032/12:32:55.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-032/12:21:18.3
14225	M1O	04-032/12:32:56.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-032/12:21:19.3
14226	M1O	04-032/12:32:57.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-032/12:21:20.3
14227	M1O	04-032/12:32:58.7		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-032/12:21:21.3
14228	M1O	04-032/12:32:59.7		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-032/12:21:22.3
14229	M1O	04-032/12:33:00.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-032/12:21:23.3
14230	M1O	04-032/12:33:01.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-032/12:21:24.3
14231	M1O	04-032/12:34:51.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/12:23:14.3
14232	M1O	04-032/12:34:51.7	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14233	M1O	04-032/12:34:56.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/12:23:19.5
14234	M1O	04-032/12:35:01.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-032/12:23:24.3
14235	M1O	04-032/12:42:12.1		NOTE: Descending Node Crossing 9463		04-032/12:30:34.6
14236	M1O	04-032/12:52:22.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-032/12:40:45.3
14237	M1O	04-032/12:52:23.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-032/12:40:46.4
14238	M1O	04-032/12:52:33.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/12:40:56.4
14239	M1O	04-032/12:52:34.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/12:40:57.4
14240	M1O	04-032/12:52:35.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-032/12:40:58.4
14241	M1O	04-032/12:52:35.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14242	M1O	04-032/12:52:36.9		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-032/12:40:59.4
14243	M1O	04-032/12:57:35.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-032/12:45:58.0
14244	M1O	04-032/12:57:35.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14245	M1O	04-032/13:10:14.2		NOTE: Periapsis 9463 ----------		04-032/12:58:36.6
14246	M1O	04-032/13:11:29.2		NOTE: South Pole Crossing 9463		04-032/12:59:51.6
14247	M1O	04-032/13:24:48.6		SPAWN, Engine = 65535, Parameters = 032, 03, TRUE, 00:17:23, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-032/13:13:11.0
14248	M1O	04-032/13:24:49.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/13:13:12.1
14249	M1O	04-032/13:24:51.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-032/13:13:14.1
14250	M1O	04-032/13:24:52.0		CALL, Engine = , Parameters = 032, 03, 254	bld_autosw	04-032/13:13:14.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14251	M1O	04-032/13:24:53.1		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-032/13:13:15.5
14252	M1O	04-032/13:24:54.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:16.6
14253	M1O	04-032/13:24:55.2		Deletes the designated file.: d:/dat/254_doy032_pass03_file01.dat	FILE_DELETE	04-032/13:13:17.6
14254	M1O	04-032/13:24:56.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:18.7
14255	M1O	04-032/13:24:57.3		Deletes the designated file.: d:/dat/254_doy032_pass03_file02.dat	FILE_DELETE	04-032/13:13:19.7
14256	M1O	04-032/13:24:58.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:20.8
14257	M1O	04-032/13:24:59.4		Deletes the designated file.: d:/dat/254_doy032_pass03_file03.dat	FILE_DELETE	04-032/13:13:21.8
14258	M1O	04-032/13:25:00.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:22.9
14259	M1O	04-032/13:25:01.5		Deletes the designated file.: d:/dat/254_doy032_pass03_file04.dat	FILE_DELETE	04-032/13:13:23.9
14260	M1O	04-032/13:25:02.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:25.0
14261	M1O	04-032/13:25:03.6		Deletes the designated file.: d:/dat/254_doy032_pass03_file05.dat	FILE_DELETE	04-032/13:13:26.0
14262	M1O	04-032/13:25:04.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:27.1
14263	M1O	04-032/13:25:05.7		Deletes the designated file.: d:/dat/254_doy032_pass03_file06.dat	FILE_DELETE	04-032/13:13:28.1
14264	M1O	04-032/13:25:06.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:29.2
14265	M1O	04-032/13:25:07.8		Deletes the designated file.: d:/dat/254_doy032_pass03_file07.dat	FILE_DELETE	04-032/13:13:30.2
14266	M1O	04-032/13:25:08.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:31.3
14267	M1O	04-032/13:25:09.9		Deletes the designated file.: d:/dat/254_doy032_pass03_file08.dat	FILE_DELETE	04-032/13:13:32.3
14268	M1O	04-032/13:25:11.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:33.4
14269	M1O	04-032/13:25:12.0		Deletes the designated file.: d:/dat/254_doy032_pass03_file09.dat	FILE_DELETE	04-032/13:13:34.4
14270	M1O	04-032/13:25:13.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:35.5
14271	M1O	04-032/13:25:14.1		Deletes the designated file.: d:/dat/254_doy032_pass03_file10.dat	FILE_DELETE	04-032/13:13:36.5
14272	M1O	04-032/13:25:15.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:37.6
14273	M1O	04-032/13:25:16.2		Deletes the designated file.: d:/dat/254_doy032_pass03_file11.dat	FILE_DELETE	04-032/13:13:38.6
14274	M1O	04-032/13:25:17.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:39.7
14275	M1O	04-032/13:25:18.3		Deletes the designated file.: d:/dat/254_doy032_pass03_file12.dat	FILE_DELETE	04-032/13:13:40.7
14276	M1O	04-032/13:25:19.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:41.8
14277	M1O	04-032/13:25:20.4		Deletes the designated file.: d:/dat/254_doy032_pass03_file13.dat	FILE_DELETE	04-032/13:13:42.8
14278	M1O	04-032/13:25:21.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:43.9
14279	M1O	04-032/13:25:22.5		Deletes the designated file.: d:/dat/254_doy032_pass03_file14.dat	FILE_DELETE	04-032/13:13:44.9
14280	M1O	04-032/13:25:23.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:46.0
14281	M1O	04-032/13:25:24.6		Deletes the designated file.: d:/dat/254_doy032_pass03_file15.dat	FILE_DELETE	04-032/13:13:47.0
14282	M1O	04-032/13:25:25.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:48.1
14283	M1O	04-032/13:25:26.7		Deletes the designated file.: d:/dat/254_doy032_pass03_file16.dat	FILE_DELETE	04-032/13:13:49.1
14284	M1O	04-032/13:25:27.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:50.2
14285	M1O	04-032/13:25:28.8		Deletes the designated file.: d:/dat/254_doy032_pass03_file17.dat	FILE_DELETE	04-032/13:13:51.2
14286	M1O	04-032/13:25:29.9		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-032/13:13:52.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy032_pass03_file18.dat, d:/dat/autoswitch.dat		
14287	M1O	04-032/13:25:30.9		Deletes the designated file.: d:/dat/254_doy032_pass03_file18.dat	FILE_DELETE	04-032/13:13:53.3
14288	M1O	04-032/13:25:32.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy032_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-032/13:13:54.4
14289	M1O	04-032/13:25:33.0		Deletes the designated file.: d:/dat/254_doy032_pass03_file19.dat	FILE_DELETE	04-032/13:13:55.4
14290	M1O	04-032/13:25:34.0		CALL, Engine = , Parameters = 254	get_apid	04-032/13:13:56.4
14291	M1O	04-032/13:25:35.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-032/13:13:57.5
14292	M1O	04-032/13:25:35.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-032/13:13:57.7
14293	M1O	04-032/13:25:36.4		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-032/13:13:58.8
14294	M1O	04-032/13:25:37.7		CALL, Engine = , Parameters = 254	get_coding	04-032/13:14:00.1
14295	M1O	04-032/13:25:38.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-032/13:14:01.3
14296	M1O	04-032/13:25:40.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-032/13:14:02.5
14297	M1O	04-032/13:26:44.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-032/13:15:07.3
14298	M1O	04-032/13:26:45.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-032/13:15:08.3
14299	M1O	04-032/13:26:46.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-032/13:15:09.3
14300	M1O	04-032/13:26:47.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-032/13:15:10.3
14301	M1O	04-032/13:26:48.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-032/13:15:11.3
14302	M1O	04-032/13:26:49.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-032/13:15:12.3
14303	M1O	04-032/13:26:50.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-032/13:15:13.3
14304	M1O	04-032/13:26:51.9		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-032/13:15:14.3
14305	M1O	04-032/13:26:52.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-032/13:15:15.3
14306	M1O	04-032/13:28:40.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/13:17:03.3
14307	M1O	04-032/13:28:40.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14308	M1O	04-032/13:28:46.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/13:17:08.5
14309	M1O	04-032/13:28:50.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-032/13:17:13.3
14310	M1O	04-032/13:39:21.8		NOTE: Enter Solar Eclipse 9463		04-032/13:27:44.1
14311	M1O	04-032/13:40:49.6		NOTE: Ascending Node Crossing 9463		04-032/13:29:11.9
14312	M1O	04-032/13:44:08.9		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-032/13:32:31.3
14313	M1O	04-032/13:44:09.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-032/13:32:32.3
14314	M1O	04-032/13:44:11.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-032/13:32:34.3
14315	M1O	04-032/13:44:13.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-032/13:32:35.4
14316	M1O	04-032/13:44:23.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/13:32:45.4
14317	M1O	04-032/13:44:24.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/13:32:46.4
14318	M1O	04-032/13:44:25.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-032/13:32:47.4
14319	M1O	04-032/13:44:25.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14320	M1O	04-032/13:44:26.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-032/13:32:48.4
14321	M1O	04-032/13:49:24.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-032/13:37:47.0
14322	M1O	04-032/13:49:24.7	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14323	M1O	04-032/13:54:08.4		NOTE: Exit Solar Eclipse 9463		04-032/13:42:30.7
14324	M1O	04-032/14:08:59.5		NOTE: Apoapsis 9463 -		04-032/13:57:21.7
14325	M1O	04-032/14:10:50.8		NOTE: North Pole Crossing 9463		04-032/13:59:13.0
14326	M1O	04-032/14:17:32.5		NOTE: Enter Planetary Atmosphere 9463		04-032/14:05:54.7
14327	M1O	04-032/14:19:02.7		NOTE: Exit Planetary Atmosphere 9463		04-032/14:07:24.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14328	M1O	04-032/14:40:48.5		NOTE: Descending Node Crossing 9464		04-032/14:29:10.6
14329	M1O	04-032/15:08:44.6		NOTE: Periapsis 9464 ----------		04-032/14:57:06.6
14330	M1O	04-032/15:10:05.7		NOTE: South Pole Crossing 9464		04-032/14:58:27.7
14331	M1O	04-032/15:37:58.8		NOTE: Enter Solar Eclipse 9464		04-032/15:26:20.8
14332	M1O	04-032/15:39:26.2		NOTE: Ascending Node Crossing 9464		04-032/15:27:48.1
14333	M1O	04-032/15:44:59.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
14334	M1O	04-032/15:52:46.6		NOTE: Exit Solar Eclipse 9464		04-032/15:41:08.4
14335	M1O	04-032/15:54:59.0	63	Range Modulation Off		
14336	M1O	04-032/15:59:59.0	63	X-Band Transmitter Off		
14337	M1O	04-032/16:07:13.7		NOTE: Apoapsis 9464 -		04-032/15:55:35.6
14338	M1O	04-032/16:09:26.5		NOTE: North Pole Crossing 9464		04-032/15:57:48.3
14339	M1O	04-032/16:15:25.3		NOTE: Enter Planetary Atmosphere 9464		04-032/16:03:47.1
14340	M1O	04-032/16:18:19.6		NOTE: Exit Planetary Atmosphere 9464		04-032/16:06:41.4
14341	M1O	04-032/16:22:12.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-032/16:10:34.2
14342	M1O	04-032/16:22:14.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/16:10:36.3
14343	M1O	04-032/16:22:14.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14344	M1O	04-032/16:22:15.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-032/16:10:37.3
14345	M1O	04-032/16:23:15.2	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14346	M1O	04-032/16:28:14.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-032/16:16:36.3
14347	M1O	04-032/16:28:14.5	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14348	M1O	04-032/16:28:15.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-032/16:16:37.3
14349	M1O	04-032/16:39:22.9		NOTE: Descending Node Crossing 9465		04-032/16:27:44.7
14350	M1O	04-032/17:07:18.2		NOTE: Periapsis 9465 ----------		04-032/16:55:39.9
14351	M1O	04-032/17:08:40.1		NOTE: South Pole Crossing 9465		04-032/16:57:01.7
14352	M1O	04-032/17:31:15.4		SPAWN, Engine = 65535, Parameters = 032, 03, FALSE, 00:18:26.979, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-032/17:19:37.0
14353	M1O	04-032/17:31:16.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/17:19:38.1
14354	M1O	04-032/17:31:18.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-032/17:19:40.1
14355	M1O	04-032/17:32:00.7		CALL, Engine = , Parameters = 56	get_apid	04-032/17:20:22.3
14356	M1O	04-032/17:32:01.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-032/17:20:23.4
14357	M1O	04-032/17:32:02.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-032/17:20:23.6
14358	M1O	04-032/17:32:03.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-032/17:20:24.7
14359	M1O	04-032/17:32:04.3		CALL, Engine = , Parameters = 56	get_coding	04-032/17:20:25.9
14360	M1O	04-032/17:32:05.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-032/17:20:27.1
14361	M1O	04-032/17:32:06.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-032/17:20:28.3
14362	M1O	04-032/17:33:11.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-032/17:21:33.1
14363	M1O	04-032/17:33:12.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-032/17:21:34.1
14364	M1O	04-032/17:33:13.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-032/17:21:35.1
14365	M1O	04-032/17:33:14.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-032/17:21:36.1
14366	M1O	04-032/17:33:15.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-032/17:21:37.1
14367	M1O	04-032/17:33:16.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-032/17:21:38.1
14368	M1O	04-032/17:33:17.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-032/17:21:39.1
14369	M1O	04-032/17:36:32.8		NOTE: Enter Solar Eclipse 9465		04-032/17:24:54.4
14370	M1O	04-032/17:38:00.5		NOTE: Ascending Node Crossing 9465		04-032/17:26:22.1
14371	M1O	04-032/17:45:00.0	14	Begin Pre-Cal		
14372	M1O	04-032/17:45:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14373	M1O	04-032/17:45:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
14374	M1O	04-032/17:45:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
14375	M1O	04-032/17:45:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
14376	M1O	04-032/17:45:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
14377	M1O	04-032/17:45:00.0	14	Config: RCV: Parms:		
14378	M1O	04-032/17:45:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
14379	M1O	04-032/17:45:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
14380	M1O	04-032/17:45:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
14381	M1O	04-032/17:51:24.6		NOTE: Exit Solar Eclipse 9465		04-032/17:39:46.1
14382	M1O	04-032/17:51:40.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-032/17:40:02.0
14383	M1O	04-032/17:51:41.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-032/17:40:03.1
14384	M1O	04-032/17:51:51.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/17:40:13.1
14385	M1O	04-032/17:51:52.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/17:40:14.1
14386	M1O	04-032/18:05:48.0		NOTE: Apoapsis 9465 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14419	M1O	04-032/19:47:46.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/19:36:07.3
14420	M1O	04-032/19:47:47.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/19:36:08.3
14421	M1O	04-032/19:49:56.0		NOTE: Exit Solar Eclipse 9466		04-032/19:38:17.1
14422	M1O	04-032/20:04:25.0		NOTE: Apoapsis 9466 -		04-032/19:52:46.1
14423	M1O	04-032/20:06:30.7		NOTE: North Pole Crossing 9466		04-032/19:54:51.8
14424	M1O	04-032/20:11:58.5		NOTE: Enter Planetary Atmosphere 9466		04-032/20:00:19.6
14425	M1O	04-032/20:15:49.8		NOTE: Exit Planetary Atmosphere 9466		04-032/20:04:10.8
14426	M1O	04-032/20:36:26.2		NOTE: Descending Node Crossing 9467		04-032/20:24:47.2
14427	M1O	04-032/20:45:00.0	25	Begin Pre-Cal		
14428	M1O	04-032/20:45:00.0	25	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
14429	M1O	04-032/20:45:00.0	25	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
14430	M1O	04-032/20:45:00.0	25	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
14431	M1O	04-032/20:45:00.0	25	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
14432	M1O	04-032/20:45:00.0	25	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
14433	M1O	04-032/20:45:00.0	25	Config: RCV: Parms:		
14434	M1O	04-032/20:45:00.0	25	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
14435	M1O	04-032/20:45:00.0	25	Config: TGC: BAND=X, SR=221200.000000		
14436	M1O	04-032/20:45:00.0	25	Config: TXL		
14437	M1O	04-032/20:45:00.0	25	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
14438	M1O	04-032/20:45:00.0	25	Config: CMD		
14439	M1O	04-032/20:45:00.0	25	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
14440	M1O	04-032/21:04:06.9		NOTE: Periapsis 9467 ----------		04-032/20:52:27.8
14441	M1O	04-032/21:05:42.0		NOTE: South Pole Crossing 9467		04-032/20:54:02.9
14442	M1O	04-032/21:33:36.3		NOTE: Enter Solar Eclipse 9467		04-032/21:21:57.1
14443	M1O	04-032/21:35:02.1		NOTE: Ascending Node Crossing 9467		04-032/21:23:22.9
14444	M1O	04-032/21:45:00.0	25	Begin Tracking		
14445	M1O	04-032/21:45:00.0	25	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14446	M1O	04-032/21:46:00.0	25	Acquire U/L: X/08, PWR=20.0, BR=125.0		
14447	M1O	04-032/21:48:19.5		NOTE: Exit Solar Eclipse 9467		04-032/21:36:40.3
14448	M1O	04-032/21:51:00.0	25	Range Modulation On: SUP=3.0dB		
14449	M1O	04-032/21:52:00.0	25	Begin Ranging Acquisition		
14450	M1O	04-032/22:02:44.5		NOTE: Apoapsis 9467 -		04-032/21:51:05.2
14451	M1O	04-032/22:05:02.6		NOTE: North Pole Crossing 9467		04-032/21:53:23.3
14452	M1O	04-032/22:08:15.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-032/21:56:36.4
14453	M1O	04-032/22:08:17.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-032/21:56:38.5
14454	M1O	04-032/22:08:17.8	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14455	M1O	04-032/22:08:17.8	25	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14456	M1O	04-032/22:08:18.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-032/21:56:39.5
14457	M1O	04-032/22:09:18.4	14	Acquire D/L: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14458	M1O	04-032/22:09:18.4	25	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14459	M1O	04-032/22:11:22.1		NOTE: Enter Planetary Atmosphere 9467		04-032/21:59:42.7
14460	M1O	04-032/22:13:33.0		NOTE: Exit Planetary Atmosphere 9467		04-032/22:01:53.7
14461	M1O	04-032/22:14:17.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-032/22:02:38.5
14462	M1O	04-032/22:14:17.8	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14463	M1O	04-032/22:14:17.8	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14464	M1O	04-032/22:14:18.8		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-032/22:02:39.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_map.cfg		
14465	M1O	04-032/22:34:59.0		NOTE: Descending Node Crossing 9468		04-032/22:23:19.6
14466	M1O	04-032/23:02:31.3		NOTE: Periapsis 9468 ----------		04-032/22:50:51.8
14467	M1O	04-032/23:04:15.9		NOTE: South Pole Crossing 9468		04-032/22:52:36.5
14468	M1O	04-032/23:25:58.5		SPAWN, Engine = 65535, Parameters = 032, 03, FALSE, 00:12:10.489, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-032/23:14:19.0
14469	M1O	04-032/23:25:59.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/23:14:20.1
14470	M1O	04-032/23:26:01.6		CALL, Engine = , Parameters = 253	get_cmd_opt	04-032/23:14:22.1
14471	M1O	04-032/23:26:43.8		CALL, Engine = , Parameters = 253	get_apid	04-032/23:15:04.3
14472	M1O	04-032/23:26:44.9		CALL, Engine = , Parameters = 253	get_rcv_mode	04-032/23:15:05.4
14473	M1O	04-032/23:26:45.1		CALL, Engine = , Parameters = 253	get_dl_rate	04-032/23:15:05.6
14474	M1O	04-032/23:26:46.2		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-032/23:15:06.7
14475	M1O	04-032/23:26:47.5		CALL, Engine = , Parameters = 253	get_coding	04-032/23:15:08.0
14476	M1O	04-032/23:26:48.7		CALL, Engine = , Parameters = 253	get_xmt_mode	04-032/23:15:09.2
14477	M1O	04-032/23:26:49.9		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-032/23:15:10.4
14478	M1O	04-032/23:27:54.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-032/23:16:15.2
14479	M1O	04-032/23:27:55.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-032/23:16:16.2
14480	M1O	04-032/23:27:56.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-032/23:16:17.2
14481	M1O	04-032/23:27:57.7		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-032/23:16:18.2
14482	M1O	04-032/23:27:58.7		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-032/23:16:19.2
14483	M1O	04-032/23:27:59.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-032/23:16:20.2
14484	M1O	04-032/23:28:00.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-032/23:16:21.2
14485	M1O	04-032/23:32:14.2		NOTE: Enter Solar Eclipse 9468		04-032/23:20:34.6
14486	M1O	04-032/23:33:37.2		NOTE: Ascending Node Crossing 9468		04-032/23:21:57.7
14487	M1O	04-032/23:40:07.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-032/23:28:27.6
14488	M1O	04-032/23:40:08.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-032/23:28:28.7
14489	M1O	04-032/23:40:18.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-032/23:28:38.7
14490	M1O	04-032/23:40:19.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-032/23:28:39.7
14491	M1O	04-032/23:46:49.2		NOTE: Exit Solar Eclipse 9468		04-032/23:35:09.6
14492	M1O	04-033/00:00:00.0		Light Time: OWLT = 11:39, RTLT = 23:19		
14493	M1O	04-033/00:01:17.0		NOTE: Apoapsis 9468 -		04-032/23:49:37.3
14494	M1O	04-033/00:03:37.8		NOTE: North Pole Crossing 9468		04-032/23:51:58.1
14495	M1O	04-033/00:18:56.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
14496	M1O	04-033/00:26:55.7		SPAWN, Engine = 65535, Parameters = 033, 01, TRUE, 00:19:00, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-033/00:15:16.0
14497	M1O	04-033/00:26:56.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/00:15:17.1
14498	M1O	04-033/00:26:58.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-033/00:15:19.1
14499	M1O	04-033/00:26:59.1		CALL, Engine = , Parameters = 033, 01, 254	bld_autosw	04-033/00:15:19.4
14500	M1O	04-033/00:27:00.2		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-033/00:15:20.5
14501	M1O	04-033/00:27:01.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:21.6
14502	M1O	04-033/00:27:02.3		Deletes the designated file.: d:/dat/254_doy033_pass01_file01.dat	FILE_DELETE	04-033/00:15:22.6
14503	M1O	04-033/00:27:03.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:23.7
14504	M1O	04-033/00:27:04.4		Deletes the designated file.: d:/dat/254_doy033_pass01_file02.dat	FILE_DELETE	04-033/00:15:24.7
14505	M1O	04-033/00:27:05.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:25.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14506	M1O	04-033/00:27:06.5		Deletes the designated file.: d:/dat/254_doy033_pass01_file03.dat	FILE_DELETE	04-033/00:15:26.8
14507	M1O	04-033/00:27:07.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:27.9
14508	M1O	04-033/00:27:08.6		Deletes the designated file.: d:/dat/254_doy033_pass01_file04.dat	FILE_DELETE	04-033/00:15:28.9
14509	M1O	04-033/00:27:09.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:30.0
14510	M1O	04-033/00:27:10.7		Deletes the designated file.: d:/dat/254_doy033_pass01_file05.dat	FILE_DELETE	04-033/00:15:31.0
14511	M1O	04-033/00:27:11.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:32.1
14512	M1O	04-033/00:27:12.8		Deletes the designated file.: d:/dat/254_doy033_pass01_file06.dat	FILE_DELETE	04-033/00:15:33.1
14513	M1O	04-033/00:27:13.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:34.2
14514	M1O	04-033/00:27:14.9		Deletes the designated file.: d:/dat/254_doy033_pass01_file07.dat	FILE_DELETE	04-033/00:15:35.2
14515	M1O	04-033/00:27:16.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:36.3
14516	M1O	04-033/00:27:17.0		Deletes the designated file.: d:/dat/254_doy033_pass01_file08.dat	FILE_DELETE	04-033/00:15:37.3
14517	M1O	04-033/00:27:18.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:38.4
14518	M1O	04-033/00:27:19.1		Deletes the designated file.: d:/dat/254_doy033_pass01_file09.dat	FILE_DELETE	04-033/00:15:39.4
14519	M1O	04-033/00:27:20.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:40.5
14520	M1O	04-033/00:27:21.2		Deletes the designated file.: d:/dat/254_doy033_pass01_file10.dat	FILE_DELETE	04-033/00:15:41.5
14521	M1O	04-033/00:27:22.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:42.6
14522	M1O	04-033/00:27:23.3		Deletes the designated file.: d:/dat/254_doy033_pass01_file11.dat	FILE_DELETE	04-033/00:15:43.6
14523	M1O	04-033/00:27:24.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:44.7
14524	M1O	04-033/00:27:25.4		Deletes the designated file.: d:/dat/254_doy033_pass01_file12.dat	FILE_DELETE	04-033/00:15:45.7
14525	M1O	04-033/00:27:26.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:46.8
14526	M1O	04-033/00:27:27.5		Deletes the designated file.: d:/dat/254_doy033_pass01_file13.dat	FILE_DELETE	04-033/00:15:47.8
14527	M1O	04-033/00:27:28.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:48.9
14528	M1O	04-033/00:27:29.6		Deletes the designated file.: d:/dat/254_doy033_pass01_file14.dat	FILE_DELETE	04-033/00:15:49.9
14529	M1O	04-033/00:27:30.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:51.0
14530	M1O	04-033/00:27:31.7		Deletes the designated file.: d:/dat/254_doy033_pass01_file15.dat	FILE_DELETE	04-033/00:15:52.0
14531	M1O	04-033/00:27:32.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:53.1
14532	M1O	04-033/00:27:33.8		Deletes the designated file.: d:/dat/254_doy033_pass01_file16.dat	FILE_DELETE	04-033/00:15:54.1
14533	M1O	04-033/00:27:34.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:55.2
14534	M1O	04-033/00:27:35.9		Deletes the designated file.: d:/dat/254_doy033_pass01_file17.dat	FILE_DELETE	04-033/00:15:56.2
14535	M1O	04-033/00:27:37.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:57.3
14536	M1O	04-033/00:27:38.0		Deletes the designated file.: d:/dat/254_doy033_pass01_file18.dat	FILE_DELETE	04-033/00:15:58.3
14537	M1O	04-033/00:27:39.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/00:15:59.4
14538	M1O	04-033/00:27:40.1		Deletes the designated file.: d:/dat/254_doy033_pass01_file19.dat	FILE_DELETE	04-033/00:16:00.4
14539	M1O	04-033/00:27:41.1		CALL, Engine = , Parameters = 254	get_apid	04-033/00:16:01.4
14540	M1O	04-033/00:27:42.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-033/00:16:02.5
14541	M1O	04-033/00:27:42.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-033/00:16:02.7
14542	M1O	04-033/00:27:43.5		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-033/00:16:03.8
14543	M1O	04-033/00:27:44.8		CALL, Engine = , Parameters = 254	get_coding	04-033/00:16:05.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14544	M1O	04-033/00:27:46.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-033/00:16:06.3
14545	M1O	04-033/00:27:47.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-033/00:16:07.5
14546	M1O	04-033/00:28:52.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-033/00:17:12.3
14547	M1O	04-033/00:28:53.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-033/00:17:13.3
14548	M1O	04-033/00:28:54.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-033/00:17:14.3
14549	M1O	04-033/00:28:55.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-033/00:17:15.3
14550	M1O	04-033/00:28:56.0	25	Range Modulation Off		
14551	M1O	04-033/00:28:56.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-033/00:17:16.3
14552	M1O	04-033/00:28:57.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-033/00:17:17.3
14553	M1O	04-033/00:28:58.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-033/00:17:18.3
14554	M1O	04-033/00:28:58.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-033/00:17:18.3
14555	M1O	04-033/00:29:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/00:17:20.4
14556	M1O	04-033/00:29:00.1	14	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14557	M1O	04-033/00:29:00.1	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14558	M1O	04-033/00:29:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-033/00:17:21.4
14559	M1O	04-033/00:30:00.0	14	End Tracking		
14560	M1O	04-033/00:30:00.0		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-033/00:18:20.3
14561	M1O	04-033/00:30:00.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-033/00:18:20.3
14562	M1O	04-033/00:30:00.0	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14563	M1O	04-033/00:30:06.0		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-033/00:18:26.3
14564	M1O	04-033/00:30:06.0	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14565	M1O	04-033/00:30:48.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/00:19:08.3
14566	M1O	04-033/00:30:58.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-033/00:19:18.3
14567	M1O	04-033/00:33:34.3		NOTE: Descending Node Crossing 9469		04-033/00:21:54.6
14568	M1O	04-033/00:33:56.0	25	X-Band Transmitter Off		
14569	M1O	04-033/00:35:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/00:23:20.4
14570	M1O	04-033/00:35:00.1	25	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14571	M1O	04-033/00:35:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/00:23:21.4
14572	M1O	04-033/00:35:01.1	25	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14573	M1O	04-033/00:35:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-033/00:23:21.4
14574	M1O	04-033/00:45:00.0	14	End Post-Cal		
14575	M1O	04-033/00:45:00.0	43	Begin Pre-Cal		
14576	M1O	04-033/00:45:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
14577	M1O	04-033/00:45:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
14578	M1O	04-033/00:45:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
14579	M1O	04-033/00:45:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
14580	M1O	04-033/00:45:00.0	43	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
14581	M1O	04-033/00:45:00.0	43	Config: RCV: Parms:		
14582	M1O	04-033/00:45:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
14583	M1O	04-033/00:45:00.0	43	Config: TGC: BAND=X, SR=79632.000000		
14584	M1O	04-033/00:45:00.0	43	Config: TXL		
14585	M1O	04-033/00:45:00.0	43	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14586	M1O	04-033/00:45:00.0	43	Config: CMD		
14587	M1O	04-033/00:45:00.0	43	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
14588	M1O	04-033/00:46:34.8		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-033/00:34:55.0
14589	M1O	04-033/00:46:34.9		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-033/00:34:55.1
14590	M1O	04-033/00:46:35.9		Forces a desaturation of the reaction wheels.	RW_DESAT	04-033/00:34:56.1
14591	M1O	04-033/00:47:56.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-033/00:36:16.3
14592	M1O	04-033/00:47:57.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-033/00:36:17.4
14593	M1O	04-033/00:48:07.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-033/00:36:27.4
14594	M1O	04-033/00:48:08.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/00:36:28.4
14595	M1O	04-033/00:48:09.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-033/00:36:29.4
14596	M1O	04-033/00:48:09.2	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14597	M1O	04-033/00:48:10.2		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-033/00:36:30.4
14598	M1O	04-033/00:49:04.8		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-033/00:37:25.0
14599	M1O	04-033/00:49:20.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-031T00:37:25.100, 2004-033T00:37:25.100	PCKTS_RE_TX_TIME	04-033/00:37:40.8
14600	M1O	04-033/00:49:21.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-031T00:37:25.100, 2004-033T00:37:25.100	PCKTS_RE_TX_TIME	04-033/00:37:41.8
14601	M1O	04-033/00:49:22.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-031T00:37:25.100, 2004-033T00:37:25.100	PCKTS_RE_TX_TIME	04-033/00:37:42.8
14602	M1O	04-033/00:49:23.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-031T00:37:25.100, 2004-033T00:37:25.100	PCKTS_RE_TX_TIME	04-033/00:37:43.8
14603	M1O	04-033/00:49:24.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-031T00:37:25.100, 2004-033T00:37:25.100	PCKTS_RE_TX_TIME	04-033/00:37:44.8
14604	M1O	04-033/00:49:25.6		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-031T00:37:25.100, 2004-033T00:37:25.100	PCKTS_RE_TX_TIME	04-033/00:37:45.8
14605	M1O	04-033/00:49:25.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-033/00:37:45.8
14606	M1O	04-033/00:49:25.6	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14607	M1O	04-033/00:49:26.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/00:37:46.8
14608	M1O	04-033/00:49:26.6	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14609	M1O	04-033/00:56:26.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/00:44:46.8
14610	M1O	04-033/00:56:27.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-033/00:44:47.8
14611	M1O	04-033/00:56:43.6		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-033/00:45:03.8
14612	M1O	04-033/00:56:43.6	25	D/L RF Warning: SC antenna change - expect signal level variation		
14613	M1O	04-033/00:56:44.6		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-033/00:45:04.8
14614	M1O	04-033/00:57:15.5	25	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14615	M1O	04-033/00:58:05.9		CALL, Engine = , Parameters = FALSE	park_hga	04-033/00:46:26.1
14616	M1O	04-033/00:58:05.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/00:46:26.1
14617	M1O	04-033/00:58:06.9		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-033/00:46:27.1
14618	M1O	04-033/00:58:07.9		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-033/00:46:28.1
14619	M1O	04-033/00:58:07.9		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-033/00:46:28.1
14620	M1O	04-033/00:58:07.9		NOTE: START HGA PARK		
14621	M1O	04-033/00:58:07.9	25	NOTE: Loss Of X-Band Signal		
14622	M1O	04-033/00:58:08.9		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-033/00:46:29.1
14623	M1O	04-033/00:58:09.9		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-033/00:46:30.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14624	M1O	04-033/01:01:26.3		NOTE: Periapsis 9469 ----------		04-033/00:49:46.5
14625	M1O	04-033/01:02:39.9		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-033/00:51:00.1
14626	M1O	04-033/01:02:52.5		NOTE: South Pole Crossing 9469		04-033/00:51:12.7
14627	M1O	04-033/01:06:09.9		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-033/00:54:30.1
14628	M1O	04-033/01:06:09.9		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-033/00:54:30.1
14629	M1O	04-033/01:19:56.9		SPAWN, Engine = 65535, Parameters = 033, 01, TRUE, 00:19:02, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-033/01:08:17.0
14630	M1O	04-033/01:19:58.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/01:08:18.1
14631	M1O	04-033/01:20:00.0		CALL, Engine = , Parameters = 253	get_cmd_opt	04-033/01:08:20.1
14632	M1O	04-033/01:20:00.3		CALL, Engine = , Parameters = 033, 01, 253	bld_autosw	04-033/01:08:20.4
14633	M1O	04-033/01:20:01.4		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-033/01:08:21.5
14634	M1O	04-033/01:20:02.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:22.6
14635	M1O	04-033/01:20:03.5		Deletes the designated file.: d:/dat/253_doy033_pass01_file01.dat	FILE_DELETE	04-033/01:08:23.6
14636	M1O	04-033/01:20:04.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:24.7
14637	M1O	04-033/01:20:05.6		Deletes the designated file.: d:/dat/253_doy033_pass01_file02.dat	FILE_DELETE	04-033/01:08:25.7
14638	M1O	04-033/01:20:06.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:26.8
14639	M1O	04-033/01:20:07.7		Deletes the designated file.: d:/dat/253_doy033_pass01_file03.dat	FILE_DELETE	04-033/01:08:27.8
14640	M1O	04-033/01:20:08.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:28.9
14641	M1O	04-033/01:20:09.8		Deletes the designated file.: d:/dat/253_doy033_pass01_file04.dat	FILE_DELETE	04-033/01:08:29.9
14642	M1O	04-033/01:20:10.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:31.0
14643	M1O	04-033/01:20:11.9		Deletes the designated file.: d:/dat/253_doy033_pass01_file05.dat	FILE_DELETE	04-033/01:08:32.0
14644	M1O	04-033/01:20:13.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:33.1
14645	M1O	04-033/01:20:14.0		Deletes the designated file.: d:/dat/253_doy033_pass01_file06.dat	FILE_DELETE	04-033/01:08:34.1
14646	M1O	04-033/01:20:15.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:35.2
14647	M1O	04-033/01:20:16.1		Deletes the designated file.: d:/dat/253_doy033_pass01_file07.dat	FILE_DELETE	04-033/01:08:36.2
14648	M1O	04-033/01:20:17.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:37.3
14649	M1O	04-033/01:20:18.2		Deletes the designated file.: d:/dat/253_doy033_pass01_file08.dat	FILE_DELETE	04-033/01:08:38.3
14650	M1O	04-033/01:20:19.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:39.4
14651	M1O	04-033/01:20:20.3		Deletes the designated file.: d:/dat/253_doy033_pass01_file09.dat	FILE_DELETE	04-033/01:08:40.4
14652	M1O	04-033/01:20:21.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:41.5
14653	M1O	04-033/01:20:22.4		Deletes the designated file.: d:/dat/253_doy033_pass01_file10.dat	FILE_DELETE	04-033/01:08:42.5
14654	M1O	04-033/01:20:23.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:43.6
14655	M1O	04-033/01:20:24.5		Deletes the designated file.: d:/dat/253_doy033_pass01_file11.dat	FILE_DELETE	04-033/01:08:44.6
14656	M1O	04-033/01:20:25.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:45.7
14657	M1O	04-033/01:20:26.6		Deletes the designated file.: d:/dat/253_doy033_pass01_file12.dat	FILE_DELETE	04-033/01:08:46.7
14658	M1O	04-033/01:20:27.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:47.8
14659	M1O	04-033/01:20:28.7		Deletes the designated file.: d:/dat/253_doy033_pass01_file13.dat	FILE_DELETE	04-033/01:08:48.8
14660	M1O	04-033/01:20:29.8		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-033/01:08:49.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy033_pass01_file14.dat, d:/dat/autoswitch.dat		
14661	M1O	04-033/01:20:30.8		Deletes the designated file.: d:/dat/253_doy033_pass01_file14.dat	FILE_DELETE	04-033/01:08:50.9
14662	M1O	04-033/01:20:31.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:52.0
14663	M1O	04-033/01:20:32.9		Deletes the designated file.: d:/dat/253_doy033_pass01_file15.dat	FILE_DELETE	04-033/01:08:53.0
14664	M1O	04-033/01:20:34.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:54.1
14665	M1O	04-033/01:20:35.0		Deletes the designated file.: d:/dat/253_doy033_pass01_file16.dat	FILE_DELETE	04-033/01:08:55.1
14666	M1O	04-033/01:20:36.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:56.2
14667	M1O	04-033/01:20:37.1		Deletes the designated file.: d:/dat/253_doy033_pass01_file17.dat	FILE_DELETE	04-033/01:08:57.2
14668	M1O	04-033/01:20:38.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:08:58.3
14669	M1O	04-033/01:20:39.2		Deletes the designated file.: d:/dat/253_doy033_pass01_file18.dat	FILE_DELETE	04-033/01:08:59.3
14670	M1O	04-033/01:20:40.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/01:09:00.4
14671	M1O	04-033/01:20:41.3		Deletes the designated file.: d:/dat/253_doy033_pass01_file19.dat	FILE_DELETE	04-033/01:09:01.4
14672	M1O	04-033/01:20:42.3		CALL, Engine = , Parameters = 253	get_apid	04-033/01:09:02.4
14673	M1O	04-033/01:20:43.4		CALL, Engine = , Parameters = 253	get_rcv_mode	04-033/01:09:03.5
14674	M1O	04-033/01:20:43.6		CALL, Engine = , Parameters = 253	get_dl_rate	04-033/01:09:03.7
14675	M1O	04-033/01:20:44.7		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-033/01:09:04.8
14676	M1O	04-033/01:20:46.0		CALL, Engine = , Parameters = 253	get_coding	04-033/01:09:06.1
14677	M1O	04-033/01:20:47.2		CALL, Engine = , Parameters = 253	get_xmt_mode	04-033/01:09:07.3
14678	M1O	04-033/01:20:48.4		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-033/01:09:08.5
14679	M1O	04-033/01:21:53.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-033/01:10:13.3
14680	M1O	04-033/01:21:54.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-033/01:10:14.3
14681	M1O	04-033/01:21:55.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-033/01:10:15.3
14682	M1O	04-033/01:21:56.2		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-033/01:10:16.3
14683	M1O	04-033/01:21:57.2		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-033/01:10:17.3
14684	M1O	04-033/01:21:58.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-033/01:10:18.3
14685	M1O	04-033/01:21:59.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-033/01:10:19.3
14686	M1O	04-033/01:23:49.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/01:12:09.3
14687	M1O	04-033/01:23:59.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-033/01:12:19.3
14688	M1O	04-033/01:30:39.0	25	Acquire U/L: X/08, PWR=20.0, BR=125.0		
14689	M1O	04-033/01:30:50.5		NOTE: Enter Solar Eclipse 9469		04-033/01:19:10.5
14690	M1O	04-033/01:32:14.3		NOTE: Ascending Node Crossing 9469		04-033/01:20:34.4
14691	M1O	04-033/01:35:39.0	25	Range Modulation On: SUP=3.0dB		
14692	M1O	04-033/01:36:09.9		GV: GV_DESAT_ACTIVE = 1		04-033/01:24:30.0
14693	M1O	04-033/01:36:10.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-033/01:24:31.0
14694	M1O	04-033/01:36:10.9		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-033/01:24:31.0
14695	M1O	04-033/01:36:39.0	25	Begin Ranging Acquisition		
14696	M1O	04-033/01:40:59.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-033/01:29:19.3
14697	M1O	04-033/01:41:00.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-033/01:29:20.4
14698	M1O	04-033/01:41:10.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-033/01:29:30.4
14699	M1O	04-033/01:41:11.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/01:29:31.4
14700	M1O	04-033/01:41:12.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-033/01:29:32.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14701	M1O	04-033/01:41:13.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-033/01:29:33.4
14702	M1O	04-033/01:45:25.6		NOTE: Exit Solar Eclipse 9469		04-033/01:33:45.6
14703	M1O	04-033/01:46:09.9		GV: GV_DESAT_ACTIVE = 0		04-033/01:34:30.0
14704	M1O	04-033/01:46:10.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-033/01:34:31.0
14705	M1O	04-033/01:46:11.9		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-033/01:34:32.0
14706	M1O	04-033/01:46:12.9		CALL, Engine = , Parameters =	unpark_hga	04-033/01:34:33.0
14707	M1O	04-033/01:46:12.9		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-033/01:34:33.0
14708	M1O	04-033/01:46:13.9		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-033/01:34:34.0
14709	M1O	04-033/01:50:44.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-033/01:39:04.0
14710	M1O	04-033/01:50:45.0		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-033/01:39:05.0
14711	M1O	04-033/01:53:33.5		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-033/01:41:53.5
14712	M1O	04-033/01:53:33.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/01:41:53.6
14713	M1O	04-033/01:53:34.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-033/01:41:54.6
14714	M1O	04-033/01:53:35.6		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-033/01:41:55.6
14715	M1O	04-033/01:53:36.6		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-033/01:41:56.6
14716	M1O	04-033/01:53:37.6		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-033/01:41:57.6
14717	M1O	04-033/01:53:47.6		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-033/01:42:07.6
14718	M1O	04-033/01:53:57.6		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-033/01:42:17.6
14719	M1O	04-033/01:54:45.0		NOTE: EXIT HGA PARK		
14720	M1O	04-033/01:54:45.0	25	Acquisition Of X-Band Signal		
14721	M1O	04-033/01:54:45.0	25	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14722	M1O	04-033/01:58:57.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-033/01:47:17.6
14723	M1O	04-033/01:58:58.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/01:47:18.6
14724	M1O	04-033/01:58:58.7	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14725	M1O	04-033/01:58:59.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/01:47:19.1
14726	M1O	04-033/01:58:59.1	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14727	M1O	04-033/01:58:59.7		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-033/01:47:19.6
14728	M1O	04-033/01:59:59.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/01:48:19.0
14729	M1O	04-033/01:59:59.0	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14730	M1O	04-033/02:00:19.9		NOTE: Apoapsis 9469 -		04-033/01:48:39.9
14731	M1O	04-033/02:02:14.3		NOTE: North Pole Crossing 9469		04-033/01:50:34.2
14732	M1O	04-033/02:26:39.6	25	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
14733	M1O	04-033/02:28:58.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-033/02:17:18.3
14734	M1O	04-033/02:29:00.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/02:17:20.4
14735	M1O	04-033/02:29:00.5	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14736	M1O	04-033/02:29:01.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-033/02:17:21.4
14737	M1O	04-033/02:29:12.1		SPAWN, Engine = 65535, Parameters = 033, 02, FALSE, 00:10:06.792, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-033/02:17:32.0
14738	M1O	04-033/02:29:13.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/02:17:33.1
14739	M1O	04-033/02:29:15.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-033/02:17:35.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14740	M1O	04-033/02:29:54.4		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-033/02:18:14.3
14741	M1O	04-033/02:29:54.4	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14742	M1O	04-033/02:29:57.4		CALL, Engine = , Parameters = 254	get_apid	04-033/02:18:17.3
14743	M1O	04-033/02:29:58.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-033/02:18:18.4
14744	M1O	04-033/02:29:58.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-033/02:18:18.6
14745	M1O	04-033/02:29:59.8		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-033/02:18:19.7
14746	M1O	04-033/02:30:00.0	43	Begin Tracking		
14747	M1O	04-033/02:30:00.0	43	Acquire D/L: X/08, 3-Way/25, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14748	M1O	04-033/02:30:00.0	25	Range Modulation Off		
14749	M1O	04-033/02:30:00.4		NOTE: Changing to 70M downlink rate: 110600_BPS		04-033/02:18:20.3
14750	M1O	04-033/02:30:00.4		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-033/02:18:20.3
14751	M1O	04-033/02:30:00.4	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14752	M1O	04-033/02:30:00.4	43	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14753	M1O	04-033/02:30:01.1		CALL, Engine = , Parameters = 254	get_coding	04-033/02:18:21.0
14754	M1O	04-033/02:30:02.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-033/02:18:22.2
14755	M1O	04-033/02:30:03.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-033/02:18:23.4
14756	M1O	04-033/02:31:08.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-033/02:19:28.2
14757	M1O	04-033/02:31:09.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-033/02:19:29.2
14758	M1O	04-033/02:31:10.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-033/02:19:30.2
14759	M1O	04-033/02:31:11.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-033/02:19:31.2
14760	M1O	04-033/02:31:12.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-033/02:19:32.2
14761	M1O	04-033/02:31:13.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-033/02:19:33.2
14762	M1O	04-033/02:31:14.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-033/02:19:34.2
14763	M1O	04-033/02:31:34.0	43	NOTE: Above Uplink Interlock Limit		
14764	M1O	04-033/02:32:10.9		NOTE: Descending Node Crossing 9470		04-033/02:20:30.7
14765	M1O	04-033/02:35:00.0	43	U/L Transfer From DSS-25 to DSS-43: PWR=20.0, BR=125.0		
14766	M1O	04-033/02:35:00.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/02:23:20.4
14767	M1O	04-033/02:35:00.5	25	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14768	M1O	04-033/02:35:00.5	43	D/L Change: X/08, 3-Way/25, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14769	M1O	04-033/02:35:01.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-033/02:23:21.4
14770	M1O	04-033/02:40:00.0	43	Range Modulation On: SUP=3.0dB		
14771	M1O	04-033/02:41:00.0	43	Begin Ranging Acquisition		
14772	M1O	04-033/02:41:17.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-033/02:29:36.9
14773	M1O	04-033/02:41:18.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-033/02:29:38.0
14774	M1O	04-033/02:41:28.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-033/02:29:48.0
14775	M1O	04-033/02:41:29.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/02:29:49.0
14776	M1O	04-033/02:50:00.0	25	End Tracking		
14777	M1O	04-033/02:58:20.3	43	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14778	M1O	04-033/03:00:26.9		NOTE: Periapsis 9470 ----------		04-033/02:48:46.7
14779	M1O	04-033/03:01:29.3		NOTE: South Pole Crossing 9470		04-033/02:49:49.1
14780	M1O	04-033/03:05:00.0	25	End Post-Cal		
14781	M1O	04-033/03:29:24.1		NOTE: Enter Solar Eclipse 9470		04-033/03:17:43.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14782	M1O	04-033/03:30:50.6		NOTE: Ascending Node Crossing 9470		04-033/03:19:10.2
14783	M1O	04-033/03:44:03.4		NOTE: Exit Solar Eclipse 9470		04-033/03:32:23.1
14784	M1O	04-033/03:44:59.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
14785	M1O	04-033/03:54:59.0	43	Range Modulation Off		
14786	M1O	04-033/03:59:20.1		NOTE: Apoapsis 9470 -		04-033/03:47:39.7
14787	M1O	04-033/03:59:59.0	43	X-Band Transmitter Off		
14788	M1O	04-033/04:00:50.4		NOTE: North Pole Crossing 9470		04-033/03:49:09.9
14789	M1O	04-033/04:22:17.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-033/04:10:36.5
14790	M1O	04-033/04:22:19.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/04:10:38.6
14791	M1O	04-033/04:22:19.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14792	M1O	04-033/04:22:20.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-033/04:10:39.6
14793	M1O	04-033/04:23:19.8	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14794	M1O	04-033/04:28:19.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/04:16:38.6
14795	M1O	04-033/04:28:19.1	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14796	M1O	04-033/04:28:20.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-033/04:16:39.6
14797	M1O	04-033/04:30:47.2		NOTE: Descending Node Crossing 9471		04-033/04:19:06.6
14798	M1O	04-033/04:59:11.8		NOTE: Periapsis 9471 ----------		04-033/04:47:31.2
14799	M1O	04-033/05:00:04.6		NOTE: South Pole Crossing 9471		04-033/04:48:24.0
14800	M1O	04-033/05:27:55.2		NOTE: Enter Solar Eclipse 9471		04-033/05:16:14.5
14801	M1O	04-033/05:29:24.6		NOTE: Ascending Node Crossing 9471		04-033/05:17:43.9
14802	M1O	04-033/05:42:40.1		NOTE: Exit Solar Eclipse 9471		04-033/05:30:59.3
14803	M1O	04-033/05:57:49.9		NOTE: Apoapsis 9471 -		04-033/05:46:09.1
14804	M1O	04-033/05:59:24.2		NOTE: North Pole Crossing 9471		04-033/05:47:43.4
14805	M1O	04-033/06:13:56.8		SPAWN, Engine = 65535, Parameters = 033, 01, FALSE, 00:19:11.397, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-033/06:02:16.0
14806	M1O	04-033/06:13:57.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/06:02:17.1
14807	M1O	04-033/06:13:59.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-033/06:02:19.1
14808	M1O	04-033/06:14:42.1		CALL, Engine = , Parameters = 56	get_apid	04-033/06:03:01.3
14809	M1O	04-033/06:14:43.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-033/06:03:02.4
14810	M1O	04-033/06:14:43.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-033/06:03:02.6
14811	M1O	04-033/06:14:44.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-033/06:03:03.7
14812	M1O	04-033/06:14:45.7		CALL, Engine = , Parameters = 56	get_coding	04-033/06:03:04.9
14813	M1O	04-033/06:14:46.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-033/06:03:06.1
14814	M1O	04-033/06:14:48.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-033/06:03:07.3
14815	M1O	04-033/06:15:52.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-033/06:04:12.1
14816	M1O	04-033/06:15:53.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-033/06:04:13.1
14817	M1O	04-033/06:15:54.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-033/06:04:14.1
14818	M1O	04-033/06:15:55.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-033/06:04:15.1
14819	M1O	04-033/06:15:56.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-033/06:04:16.1
14820	M1O	04-033/06:15:57.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-033/06:04:17.1
14821	M1O	04-033/06:15:58.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-033/06:04:18.1
14822	M1O	04-033/06:29:20.7		NOTE: Descending Node Crossing 9472		04-033/06:17:39.8
14823	M1O	04-033/06:35:06.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-033/06:23:25.4
14824	M1O	04-033/06:35:07.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-033/06:23:26.5
14825	M1O	04-033/06:35:17.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-033/06:23:36.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14826	M1O	04-033/06:35:18.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/06:23:37.5
14827	M1O	04-033/06:57:28.5		NOTE: Periapsis 9472 ----------		04-033/06:45:47.5
14828	M1O	04-033/06:58:37.0		NOTE: South Pole Crossing 9472		04-033/06:46:56.0
14829	M1O	04-033/07:11:41.0		SPAWN, Engine = 65535, Parameters =	scdiag	04-033/07:00:00.0
14830	M1O	04-033/07:11:42.1		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-033/07:00:01.1
14831	M1O	04-033/07:11:43.1		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-033/07:00:02.1
14832	M1O	04-033/07:12:44.0		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-033/07:01:03.0
14833	M1O	04-033/07:12:44.2		NOTE: Start Block fsw_diag		04-033/07:01:03.2
14834	M1O	04-033/07:12:45.2		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-033/07:01:04.2
14835	M1O	04-033/07:12:46.2		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-033/07:01:05.2
14836	M1O	04-033/07:12:57.2		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-033/07:01:16.2
14837	M1O	04-033/07:13:27.2		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-033/07:01:46.2
14838	M1O	04-033/07:13:47.2		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-033/07:02:06.2
14839	M1O	04-033/07:13:57.2		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-033/07:02:16.2
14840	M1O	04-033/07:14:17.2		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-033/07:02:36.2
14841	M1O	04-033/07:14:27.2		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-033/07:02:46.2
14842	M1O	04-033/07:14:32.2		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-033/07:02:51.2
14843	M1O	04-033/07:14:37.2		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-033/07:02:56.2
14844	M1O	04-033/07:14:42.2		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-033/07:03:01.2
14845	M1O	04-033/07:14:47.2		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-033/07:03:06.2
14846	M1O	04-033/07:14:52.2		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-033/07:03:11.2
14847	M1O	04-033/07:15:32.2		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-033/07:03:51.2
14848	M1O	04-033/07:15:37.2		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-033/07:03:56.2
14849	M1O	04-033/07:15:42.2		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-033/07:04:01.2
14850	M1O	04-033/07:15:47.2		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-033/07:04:06.2
14851	M1O	04-033/07:15:52.2		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-033/07:04:11.2
14852	M1O	04-033/07:15:53.2		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-033/07:04:12.2
14853	M1O	04-033/07:15:54.2		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-033/07:04:13.2
14854	M1O	04-033/07:15:55.2		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-033/07:04:14.2
14855	M1O	04-033/07:16:06.2		NOTE: End Block fsw_diag.mod		04-033/07:04:25.2
14856	M1O	04-033/07:26:27.0		NOTE: Enter Solar Eclipse 9472		04-033/07:14:45.9
14857	M1O	04-033/07:27:56.4		NOTE: Ascending Node Crossing 9472		04-033/07:16:15.3
14858	M1O	04-033/07:41:13.5		NOTE: Exit Solar Eclipse 9472		04-033/07:29:32.4
14859	M1O	04-033/07:55:56.3		NOTE: Apoapsis 9472 -		04-033/07:44:15.1
14860	M1O	04-033/07:57:55.5		NOTE: North Pole Crossing 9472		04-033/07:46:14.3
14861	M1O	04-033/08:00:00.0	45	Begin Pre-Cal		
14862	M1O	04-033/08:00:00.0	45	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
14863	M1O	04-033/08:00:00.0	45	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
14864	M1O	04-033/08:00:00.0	45	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
14865	M1O	04-033/08:00:00.0	45	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
14866	M1O	04-033/08:00:00.0	45	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
14867	M1O	04-033/08:00:00.0	45	Config: RCV: Parms:		
14868	M1O	04-033/08:00:00.0	45	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
14869	M1O	04-033/08:00:00.0	45	Config: TGC: BAND=X, SR=221200.000000		
14870	M1O	04-033/08:00:00.0	45	Config: TXL		
14871	M1O	04-033/08:00:00.0	45	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14872	M1O	04-033/08:00:00.0	45	Config: CMD		
14873	M1O	04-033/08:00:00.0	45	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
14874	M1O	04-033/08:04:16.5		NOTE: Enter Planetary Atmosphere 9472		04-033/07:52:35.3
14875	M1O	04-033/08:06:18.2		NOTE: Exit Planetary Atmosphere 9472		04-033/07:54:37.0
14876	M1O	04-033/08:14:30.2		SPAWN, Engine = 65535, Parameters = 033, 02, FALSE, 00:12:05.002, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-033/08:02:49.0
14877	M1O	04-033/08:14:31.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/08:02:50.1
14878	M1O	04-033/08:14:33.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-033/08:02:52.1
14879	M1O	04-033/08:15:15.5		CALL, Engine = , Parameters = 56	get_apid	04-033/08:03:34.3
14880	M1O	04-033/08:15:16.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-033/08:03:35.4
14881	M1O	04-033/08:15:16.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-033/08:03:35.6
14882	M1O	04-033/08:15:17.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-033/08:03:36.7
14883	M1O	04-033/08:15:19.1		CALL, Engine = , Parameters = 56	get_coding	04-033/08:03:37.9
14884	M1O	04-033/08:15:20.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-033/08:03:39.1
14885	M1O	04-033/08:15:21.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-033/08:03:40.3
14886	M1O	04-033/08:16:26.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-033/08:04:45.1
14887	M1O	04-033/08:16:27.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-033/08:04:46.1
14888	M1O	04-033/08:16:28.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-033/08:04:47.1
14889	M1O	04-033/08:16:29.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-033/08:04:48.1
14890	M1O	04-033/08:16:30.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-033/08:04:49.1
14891	M1O	04-033/08:16:31.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-033/08:04:50.1
14892	M1O	04-033/08:16:32.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-033/08:04:51.1
14893	M1O	04-033/08:27:50.9		NOTE: Descending Node Crossing 9473		04-033/08:16:09.6
14894	M1O	04-033/08:28:33.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-033/08:16:52.1
14895	M1O	04-033/08:28:34.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-033/08:16:53.2
14896	M1O	04-033/08:28:44.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-033/08:17:03.2
14897	M1O	04-033/08:28:45.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/08:17:04.2
14898	M1O	04-033/08:30:00.0	45	Begin Tracking		
14899	M1O	04-033/08:30:00.0	45	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14900	M1O	04-033/08:31:00.0	45	Acquire U/L: X/08, PWR=20.0, BR=125.0		
14901	M1O	04-033/08:36:00.0	45	Range Modulation On: SUP=3.0dB		
14902	M1O	04-033/08:37:00.0	45	Begin Ranging Acquisition		
14903	M1O	04-033/08:53:20.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-033/08:41:38.7
14904	M1O	04-033/08:53:22.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/08:41:40.8
14905	M1O	04-033/08:53:22.1	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14906	M1O	04-033/08:53:22.1	45	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14907	M1O	04-033/08:53:23.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-033/08:41:41.8
14908	M1O	04-033/08:54:22.5	43	Acquire D/L: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14909	M1O	04-033/08:54:22.5	45	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14910	M1O	04-033/08:55:40.4		NOTE: Periapsis 9473 ----------		04-033/08:43:59.1
14911	M1O	04-033/08:57:07.5		NOTE: South Pole Crossing 9473		04-033/08:45:26.1
14912	M1O	04-033/08:59:22.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/08:47:40.8
14913	M1O	04-033/08:59:22.1	43	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
14914	M1O	04-033/08:59:22.1	45	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14915	M1O	04-033/08:59:23.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-033/08:47:41.8
14916	M1O	04-033/09:25:00.6		NOTE: Enter Solar Eclipse 9473		04-033/09:13:19.2
14917	M1O	04-033/09:26:27.8		NOTE: Ascending Node Crossing 9473		04-033/09:14:46.3
14918	M1O	04-033/09:30:00.0	63	Begin Pre-Cal		
14919	M1O	04-033/09:30:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
14920	M1O	04-033/09:30:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
14921	M1O	04-033/09:30:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
14922	M1O	04-033/09:30:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
14923	M1O	04-033/09:30:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
14924	M1O	04-033/09:30:00.0	63	Config: RCV: Parms:		
14925	M1O	04-033/09:30:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
14926	M1O	04-033/09:30:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
14927	M1O	04-033/09:30:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
14928	M1O	04-033/09:39:41.5		NOTE: Exit Solar Eclipse 9473		04-033/09:28:00.0
14929	M1O	04-033/09:54:27.0		NOTE: Apoapsis 9473 -		04-033/09:42:45.5
14930	M1O	04-033/09:56:26.9		NOTE: North Pole Crossing 9473		04-033/09:44:45.3
14931	M1O	04-033/10:00:00.0	55	Begin Pre-Cal		
14932	M1O	04-033/10:00:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
14933	M1O	04-033/10:00:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
14934	M1O	04-033/10:00:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
14935	M1O	04-033/10:00:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
14936	M1O	04-033/10:00:00.0	55	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
14937	M1O	04-033/10:00:00.0	55	Config: RCV: Parms:		
14938	M1O	04-033/10:00:00.0	55	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
14939	M1O	04-033/10:00:00.0	55	Config: TGC: BAND=X, SR=221200.000000		
14940	M1O	04-033/10:00:00.0	55	Config: TXL		
14941	M1O	04-033/10:00:00.0	55	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
14942	M1O	04-033/10:00:00.0	55	Config: CMD		
14943	M1O	04-033/10:00:00.0	55	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
14944	M1O	04-033/10:26:22.3		NOTE: Descending Node Crossing 9474		04-033/10:14:40.7
14945	M1O	04-033/10:54:11.2		NOTE: Periapsis 9474 ----------		04-033/10:42:29.5
14946	M1O	04-033/10:55:39.7		NOTE: South Pole Crossing 9474		04-033/10:43:57.9
14947	M1O	04-033/11:10:00.0	45	NOTE: X-Band Transmitter Off in 15 minutes		
14948	M1O	04-033/11:20:00.0	45	Range Modulation Off		
14949	M1O	04-033/11:21:36.2	45	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
14950	M1O	04-033/11:23:35.2		NOTE: Enter Solar Eclipse 9474		04-033/11:11:53.4
14951	M1O	04-033/11:25:00.0	45	X-Band Transmitter Off		
14952	M1O	04-033/11:25:01.0		NOTE: Ascending Node Crossing 9474		04-033/11:13:19.1
14953	M1O	04-033/11:30:00.0	63	Begin Tracking		
14954	M1O	04-033/11:30:00.0	55	Begin Tracking		
14955	M1O	04-033/11:30:00.0	63	Acquire D/L: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14956	M1O	04-033/11:30:00.0	55	Acquire D/L: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14957	M1O	04-033/11:30:28.0	63	NOTE: Above Uplink Interlock Limit		
14958	M1O	04-033/11:30:29.0	55	NOTE: Above Uplink Interlock Limit		
14959	M1O	04-033/11:35:00.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
14960	M1O	04-033/11:36:04.0	45	NOTE: Below Uplink Interlock Limit		
14961	M1O	04-033/11:37:38.0	43	NOTE: Below Uplink Interlock Limit		
14962	M1O	04-033/11:38:08.2		NOTE: Exit Solar Eclipse 9474		04-033/11:26:26.3
14963	M1O	04-033/11:40:00.0	55	Range Modulation On: SUP=3.0dB		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14964	M1O	04-033/11:41:00.0	55	Begin Ranging Acquisition		
14965	M1O	04-033/11:45:00.0	43	End Tracking		
14966	M1O	04-033/11:45:00.0	45	End Tracking		
14967	M1O	04-033/11:47:20.6		SPAWN, Engine = 65535, Parameters = 3, 00:16:00, 1	dpt	04-033/11:35:38.7
14968	M1O	04-033/11:47:22.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/11:35:40.8
14969	M1O	04-033/11:47:22.7	63	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14970	M1O	04-033/11:47:22.7	55	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14971	M1O	04-033/11:47:23.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-033/11:35:41.8
14972	M1O	04-033/11:48:23.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14973	M1O	04-033/11:48:23.7	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14974	M1O	04-033/11:53:13.8		NOTE: Apoapsis 9474 -		04-033/11:41:31.8
14975	M1O	04-033/11:55:01.4		NOTE: North Pole Crossing 9474		04-033/11:43:19.5
14976	M1O	04-033/11:58:23.7	63	Acquire D/L: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14977	M1O	04-033/11:58:23.7	55	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14978	M1O	04-033/12:00:00.0	43	End Post-Cal		
14979	M1O	04-033/12:00:00.0	45	End Post-Cal		
14980	M1O	04-033/12:03:22.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/11:51:40.8
14981	M1O	04-033/12:03:22.7	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14982	M1O	04-033/12:03:22.7	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
14983	M1O	04-033/12:03:23.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-033/11:51:41.8
14984	M1O	04-033/12:15:38.0		SPAWN, Engine = 65535, Parameters = 033, 02, TRUE, 00:16:52, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-033/12:03:56.0
14985	M1O	04-033/12:15:39.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/12:03:57.1
14986	M1O	04-033/12:15:41.1		CALL, Engine = , Parameters = 253	get_cmd_opt	04-033/12:03:59.1
14987	M1O	04-033/12:15:41.4		CALL, Engine = , Parameters = 033, 02, 253	bld_autosw	04-033/12:03:59.4
14988	M1O	04-033/12:15:42.5		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-033/12:04:00.5
14989	M1O	04-033/12:15:43.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:01.6
14990	M1O	04-033/12:15:44.6		Deletes the designated file.: d:/dat/253_doy033_pass02_file01.dat	FILE_DELETE	04-033/12:04:02.6
14991	M1O	04-033/12:15:45.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:03.7
14992	M1O	04-033/12:15:46.7		Deletes the designated file.: d:/dat/253_doy033_pass02_file02.dat	FILE_DELETE	04-033/12:04:04.7
14993	M1O	04-033/12:15:47.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:05.8
14994	M1O	04-033/12:15:48.8		Deletes the designated file.: d:/dat/253_doy033_pass02_file03.dat	FILE_DELETE	04-033/12:04:06.8
14995	M1O	04-033/12:15:49.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:07.9
14996	M1O	04-033/12:15:50.9		Deletes the designated file.: d:/dat/253_doy033_pass02_file04.dat	FILE_DELETE	04-033/12:04:08.9
14997	M1O	04-033/12:15:52.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:10.0
14998	M1O	04-033/12:15:53.0		Deletes the designated file.: d:/dat/253_doy033_pass02_file05.dat	FILE_DELETE	04-033/12:04:11.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
14999	M1O	04-033/12:15:54.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:12.1
15000	M1O	04-033/12:15:55.1		Deletes the designated file.: d:/dat/253_doy033_pass02_file06.dat	FILE_DELETE	04-033/12:04:13.1
15001	M1O	04-033/12:15:56.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:14.2
15002	M1O	04-033/12:15:57.2		Deletes the designated file.: d:/dat/253_doy033_pass02_file07.dat	FILE_DELETE	04-033/12:04:15.2
15003	M1O	04-033/12:15:58.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:16.3
15004	M1O	04-033/12:15:59.3		Deletes the designated file.: d:/dat/253_doy033_pass02_file08.dat	FILE_DELETE	04-033/12:04:17.3
15005	M1O	04-033/12:16:00.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:18.4
15006	M1O	04-033/12:16:01.4		Deletes the designated file.: d:/dat/253_doy033_pass02_file09.dat	FILE_DELETE	04-033/12:04:19.4
15007	M1O	04-033/12:16:02.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:20.5
15008	M1O	04-033/12:16:03.5		Deletes the designated file.: d:/dat/253_doy033_pass02_file10.dat	FILE_DELETE	04-033/12:04:21.5
15009	M1O	04-033/12:16:04.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:22.6
15010	M1O	04-033/12:16:05.6		Deletes the designated file.: d:/dat/253_doy033_pass02_file11.dat	FILE_DELETE	04-033/12:04:23.6
15011	M1O	04-033/12:16:06.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:24.7
15012	M1O	04-033/12:16:07.7		Deletes the designated file.: d:/dat/253_doy033_pass02_file12.dat	FILE_DELETE	04-033/12:04:25.7
15013	M1O	04-033/12:16:08.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:26.8
15014	M1O	04-033/12:16:09.8		Deletes the designated file.: d:/dat/253_doy033_pass02_file13.dat	FILE_DELETE	04-033/12:04:27.8
15015	M1O	04-033/12:16:10.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:28.9
15016	M1O	04-033/12:16:11.9		Deletes the designated file.: d:/dat/253_doy033_pass02_file14.dat	FILE_DELETE	04-033/12:04:29.9
15017	M1O	04-033/12:16:13.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:31.0
15018	M1O	04-033/12:16:14.0		Deletes the designated file.: d:/dat/253_doy033_pass02_file15.dat	FILE_DELETE	04-033/12:04:32.0
15019	M1O	04-033/12:16:15.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:33.1
15020	M1O	04-033/12:16:16.1		Deletes the designated file.: d:/dat/253_doy033_pass02_file16.dat	FILE_DELETE	04-033/12:04:34.1
15021	M1O	04-033/12:16:17.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:35.2
15022	M1O	04-033/12:16:18.2		Deletes the designated file.: d:/dat/253_doy033_pass02_file17.dat	FILE_DELETE	04-033/12:04:36.2
15023	M1O	04-033/12:16:19.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:37.3
15024	M1O	04-033/12:16:20.3		Deletes the designated file.: d:/dat/253_doy033_pass02_file18.dat	FILE_DELETE	04-033/12:04:38.3
15025	M1O	04-033/12:16:21.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy033_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:04:39.4
15026	M1O	04-033/12:16:22.4		Deletes the designated file.: d:/dat/253_doy033_pass02_file19.dat	FILE_DELETE	04-033/12:04:40.4
15027	M1O	04-033/12:16:23.4		CALL, Engine = , Parameters = 253	get_apid	04-033/12:04:41.4
15028	M1O	04-033/12:16:24.5		CALL, Engine = , Parameters = 253	get_rcv_mode	04-033/12:04:42.5
15029	M1O	04-033/12:16:24.7		CALL, Engine = , Parameters = 253	get_dl_rate	04-033/12:04:42.7
15030	M1O	04-033/12:16:25.8		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-033/12:04:43.8
15031	M1O	04-033/12:16:27.1		CALL, Engine = , Parameters = 253	get_coding	04-033/12:04:45.1
15032	M1O	04-033/12:16:28.3		CALL, Engine = , Parameters = 253	get_xmt_mode	04-033/12:04:46.3
15033	M1O	04-033/12:16:29.5		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-033/12:04:47.5
15034	M1O	04-033/12:17:34.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-033/12:05:52.3
15035	M1O	04-033/12:17:35.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-033/12:05:53.3
15036	M1O	04-033/12:17:36.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-033/12:05:54.3
15037	M1O	04-033/12:17:37.3		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-033/12:05:55.3
15038	M1O	04-033/12:17:38.3		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-033/12:05:56.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15039	M1O	04-033/12:17:39.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-033/12:05:57.3
15040	M1O	04-033/12:17:40.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-033/12:05:58.3
15041	M1O	04-033/12:19:30.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/12:07:48.3
15042	M1O	04-033/12:19:30.3	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15043	M1O	04-033/12:19:30.3	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15044	M1O	04-033/12:19:35.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/12:07:53.5
15045	M1O	04-033/12:19:40.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-033/12:07:58.3
15046	M1O	04-033/12:24:58.3		NOTE: Descending Node Crossing 9475		04-033/12:13:16.3
15047	M1O	04-033/12:34:30.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-033/12:22:48.3
15048	M1O	04-033/12:34:31.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-033/12:22:49.4
15049	M1O	04-033/12:34:41.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-033/12:22:59.4
15050	M1O	04-033/12:34:42.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/12:23:00.4
15051	M1O	04-033/12:34:43.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-033/12:23:01.4
15052	M1O	04-033/12:34:43.4	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15053	M1O	04-033/12:34:43.4	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15054	M1O	04-033/12:34:44.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-033/12:23:02.4
15055	M1O	04-033/12:39:43.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/12:28:01.0
15056	M1O	04-033/12:39:43.0	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15057	M1O	04-033/12:39:43.0	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15058	M1O	04-033/12:52:56.3		NOTE: Periapsis 9475 ----------		04-033/12:41:14.2
15059	M1O	04-033/12:54:15.7		NOTE: South Pole Crossing 9475		04-033/12:42:33.5
15060	M1O	04-033/13:07:16.1		SPAWN, Engine = 65535, Parameters = 033, 03, TRUE, 00:19:22, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-033/12:55:34.0
15061	M1O	04-033/13:07:17.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/12:55:35.1
15062	M1O	04-033/13:07:19.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-033/12:55:37.1
15063	M1O	04-033/13:07:19.5		CALL, Engine = , Parameters = 033, 03, 254	bld_autosw	04-033/12:55:37.4
15064	M1O	04-033/13:07:20.6		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-033/12:55:38.5
15065	M1O	04-033/13:07:21.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:55:39.6
15066	M1O	04-033/13:07:22.7		Deletes the designated file.: d:/dat/254_doy033_pass03_file01.dat	FILE_DELETE	04-033/12:55:40.6
15067	M1O	04-033/13:07:23.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:55:41.7
15068	M1O	04-033/13:07:24.8		Deletes the designated file.: d:/dat/254_doy033_pass03_file02.dat	FILE_DELETE	04-033/12:55:42.7
15069	M1O	04-033/13:07:25.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:55:43.8
15070	M1O	04-033/13:07:26.9		Deletes the designated file.: d:/dat/254_doy033_pass03_file03.dat	FILE_DELETE	04-033/12:55:44.8
15071	M1O	04-033/13:07:28.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:55:45.9
15072	M1O	04-033/13:07:29.0		Deletes the designated file.: d:/dat/254_doy033_pass03_file04.dat	FILE_DELETE	04-033/12:55:46.9
15073	M1O	04-033/13:07:30.1		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-033/12:55:48.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy033_pass03_file05.dat, d:/dat/autoswitch.dat		
15074	M1O	04-033/13:07:31.1		Deletes the designated file.: d:/dat/254_doy033_pass03_file05.dat	FILE_DELETE	04-033/12:55:49.0
15075	M1O	04-033/13:07:32.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:55:50.1
15076	M1O	04-033/13:07:33.2		Deletes the designated file.: d:/dat/254_doy033_pass03_file06.dat	FILE_DELETE	04-033/12:55:51.1
15077	M1O	04-033/13:07:34.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:55:52.2
15078	M1O	04-033/13:07:35.3		Deletes the designated file.: d:/dat/254_doy033_pass03_file07.dat	FILE_DELETE	04-033/12:55:53.2
15079	M1O	04-033/13:07:36.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:55:54.3
15080	M1O	04-033/13:07:37.4		Deletes the designated file.: d:/dat/254_doy033_pass03_file08.dat	FILE_DELETE	04-033/12:55:55.3
15081	M1O	04-033/13:07:38.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:55:56.4
15082	M1O	04-033/13:07:39.5		Deletes the designated file.: d:/dat/254_doy033_pass03_file09.dat	FILE_DELETE	04-033/12:55:57.4
15083	M1O	04-033/13:07:40.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:55:58.5
15084	M1O	04-033/13:07:41.6		Deletes the designated file.: d:/dat/254_doy033_pass03_file10.dat	FILE_DELETE	04-033/12:55:59.5
15085	M1O	04-033/13:07:42.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:56:00.6
15086	M1O	04-033/13:07:43.7		Deletes the designated file.: d:/dat/254_doy033_pass03_file11.dat	FILE_DELETE	04-033/12:56:01.6
15087	M1O	04-033/13:07:44.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:56:02.7
15088	M1O	04-033/13:07:45.8		Deletes the designated file.: d:/dat/254_doy033_pass03_file12.dat	FILE_DELETE	04-033/12:56:03.7
15089	M1O	04-033/13:07:46.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:56:04.8
15090	M1O	04-033/13:07:47.9		Deletes the designated file.: d:/dat/254_doy033_pass03_file13.dat	FILE_DELETE	04-033/12:56:05.8
15091	M1O	04-033/13:07:49.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:56:06.9
15092	M1O	04-033/13:07:50.0		Deletes the designated file.: d:/dat/254_doy033_pass03_file14.dat	FILE_DELETE	04-033/12:56:07.9
15093	M1O	04-033/13:07:51.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:56:09.0
15094	M1O	04-033/13:07:52.1		Deletes the designated file.: d:/dat/254_doy033_pass03_file15.dat	FILE_DELETE	04-033/12:56:10.0
15095	M1O	04-033/13:07:53.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:56:11.1
15096	M1O	04-033/13:07:54.2		Deletes the designated file.: d:/dat/254_doy033_pass03_file16.dat	FILE_DELETE	04-033/12:56:12.1
15097	M1O	04-033/13:07:55.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:56:13.2
15098	M1O	04-033/13:07:56.3		Deletes the designated file.: d:/dat/254_doy033_pass03_file17.dat	FILE_DELETE	04-033/12:56:14.2
15099	M1O	04-033/13:07:57.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:56:15.3
15100	M1O	04-033/13:07:58.4		Deletes the designated file.: d:/dat/254_doy033_pass03_file18.dat	FILE_DELETE	04-033/12:56:16.3
15101	M1O	04-033/13:07:59.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy033_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-033/12:56:17.4
15102	M1O	04-033/13:08:00.5		Deletes the designated file.: d:/dat/254_doy033_pass03_file19.dat	FILE_DELETE	04-033/12:56:18.4
15103	M1O	04-033/13:08:01.5		CALL, Engine = , Parameters = 254	get_apid	04-033/12:56:19.4
15104	M1O	04-033/13:08:02.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-033/12:56:20.5
15105	M1O	04-033/13:08:02.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-033/12:56:20.7
15106	M1O	04-033/13:08:03.9		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-033/12:56:21.8
15107	M1O	04-033/13:08:05.2		CALL, Engine = , Parameters = 254	get_coding	04-033/12:56:23.1
15108	M1O	04-033/13:08:06.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-033/12:56:24.3
15109	M1O	04-033/13:08:07.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-033/12:56:25.5
15110	M1O	04-033/13:09:12.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-033/12:57:30.3
15111	M1O	04-033/13:09:13.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-033/12:57:31.3
15112	M1O	04-033/13:09:14.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-033/12:57:32.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15113	M1O	04-033/13:09:15.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-033/12:57:33.3
15114	M1O	04-033/13:09:16.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-033/12:57:34.3
15115	M1O	04-033/13:09:17.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-033/12:57:35.3
15116	M1O	04-033/13:09:18.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-033/12:57:36.3
15117	M1O	04-033/13:09:19.4		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-033/12:57:37.3
15118	M1O	04-033/13:09:20.4		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-033/12:57:38.3
15119	M1O	04-033/13:11:08.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/12:59:26.3
15120	M1O	04-033/13:11:08.4	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15121	M1O	04-033/13:11:08.4	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15122	M1O	04-033/13:11:13.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-033/12:59:31.5
15123	M1O	04-033/13:11:18.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-033/12:59:36.3
15124	M1O	04-033/13:22:10.1		NOTE: Enter Solar Eclipse 9475		04-033/13:10:27.9
15125	M1O	04-033/13:23:36.6		NOTE: Ascending Node Crossing 9475		04-033/13:11:54.4
15126	M1O	04-033/13:28:35.5		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-033/13:16:53.3
15127	M1O	04-033/13:28:36.5		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-033/13:16:54.3
15128	M1O	04-033/13:28:38.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-033/13:16:56.3
15129	M1O	04-033/13:28:39.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-033/13:16:57.4
15130	M1O	04-033/13:28:49.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-033/13:17:07.4
15131	M1O	04-033/13:28:50.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/13:17:08.4
15132	M1O	04-033/13:28:51.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-033/13:17:09.4
15133	M1O	04-033/13:28:51.6	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15134	M1O	04-033/13:28:51.6	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15135	M1O	04-033/13:28:52.6		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-033/13:17:10.4
15136	M1O	04-033/13:33:51.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/13:22:09.0
15137	M1O	04-033/13:33:51.2	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15138	M1O	04-033/13:33:51.2	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15139	M1O	04-033/13:36:39.9		NOTE: Exit Solar Eclipse 9475		04-033/13:24:57.6
15140	M1O	04-033/13:51:48.5		NOTE: Apoapsis 9475 -		04-033/13:40:06.2
15141	M1O	04-033/13:53:37.6		NOTE: North Pole Crossing 9475		04-033/13:41:55.3
15142	M1O	04-033/14:13:05.3		SPAWN, Engine = 65535, Parameters = 033, 03, FALSE, 00:16:44.998, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-033/14:01:23.0
15143	M1O	04-033/14:13:06.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/14:01:24.1
15144	M1O	04-033/14:13:08.4		CALL, Engine = , Parameters = 253	get_cmd_opt	04-033/14:01:26.1
15145	M1O	04-033/14:13:50.6		CALL, Engine = , Parameters = 253	get_apid	04-033/14:02:08.3
15146	M1O	04-033/14:13:51.7		CALL, Engine = , Parameters = 253	get_rcv_mode	04-033/14:02:09.4
15147	M1O	04-033/14:13:51.9		CALL, Engine = , Parameters = 253	get_dl_rate	04-033/14:02:09.6
15148	M1O	04-033/14:13:53.0		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-033/14:02:10.7
15149	M1O	04-033/14:13:54.3		CALL, Engine = , Parameters = 253	get_coding	04-033/14:02:12.0
15150	M1O	04-033/14:13:55.5		CALL, Engine = , Parameters = 253	get_xmt_mode	04-033/14:02:13.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15151	M1O	04-033/14:13:56.7		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-033/14:02:14.4
15152	M1O	04-033/14:15:01.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-033/14:03:19.2
15153	M1O	04-033/14:15:02.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-033/14:03:20.2
15154	M1O	04-033/14:15:03.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-033/14:03:21.2
15155	M1O	04-033/14:15:04.5		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-033/14:03:22.2
15156	M1O	04-033/14:15:05.5		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-033/14:03:23.2
15157	M1O	04-033/14:15:06.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-033/14:03:24.2
15158	M1O	04-033/14:15:07.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-033/14:03:25.2
15159	M1O	04-033/14:23:35.1		NOTE: Descending Node Crossing 9476		04-033/14:11:52.7
15160	M1O	04-033/14:31:48.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-033/14:20:06.1
15161	M1O	04-033/14:31:49.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-033/14:20:07.2
15162	M1O	04-033/14:31:59.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-033/14:20:17.2
15163	M1O	04-033/14:32:00.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/14:20:18.2
15164	M1O	04-033/14:51:30.5		NOTE: Periapsis 9476 ----------		04-033/14:39:48.0
15165	M1O	04-033/14:52:52.4		NOTE: South Pole Crossing 9476		04-033/14:41:09.9
15166	M1O	04-033/15:20:46.7		NOTE: Enter Solar Eclipse 9476		04-033/15:09:04.1
15167	M1O	04-033/15:22:13.1		NOTE: Ascending Node Crossing 9476		04-033/15:10:30.5
15168	M1O	04-033/15:35:16.1		NOTE: Exit Solar Eclipse 9476		04-033/15:23:33.5
15169	M1O	04-033/15:50:04.7		NOTE: Apoapsis 9476 -		04-033/15:38:22.0
15170	M1O	04-033/15:52:13.7		NOTE: North Pole Crossing 9476		04-033/15:40:31.0
15171	M1O	04-033/16:22:10.5		NOTE: Descending Node Crossing 9477		04-033/16:10:27.7
15172	M1O	04-033/16:50:01.6		NOTE: Periapsis 9477 ----------		04-033/16:38:18.7
15173	M1O	04-033/16:51:27.9		NOTE: South Pole Crossing 9477		04-033/16:39:45.0
15174	M1O	04-033/17:19:22.5		NOTE: Enter Solar Eclipse 9477		04-033/17:07:39.5
15175	M1O	04-033/17:20:48.7		NOTE: Ascending Node Crossing 9477		04-033/17:09:05.8
15176	M1O	04-033/17:33:54.9		NOTE: Exit Solar Eclipse 9477		04-033/17:22:11.9
15177	M1O	04-033/17:48:24.8		NOTE: Apoapsis 9477 -		04-033/17:36:41.7
15178	M1O	04-033/17:50:48.1		NOTE: North Pole Crossing 9477		04-033/17:39:05.1
15179	M1O	04-033/18:20:43.5		NOTE: Descending Node Crossing 9478		04-033/18:09:00.4
15180	M1O	04-033/18:48:34.9		NOTE: Periapsis 9478 ----------		04-033/18:36:51.7
15181	M1O	04-033/18:50:00.7		NOTE: South Pole Crossing 9478		04-033/18:38:17.4
15182	M1O	04-033/19:11:27.3		SPAWN, Engine = 65535, Parameters = 033, 04, FALSE, 00:19:26.631, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-033/18:59:44.0
15183	M1O	04-033/19:11:28.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/18:59:45.1
15184	M1O	04-033/19:11:30.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-033/18:59:47.1
15185	M1O	04-033/19:12:12.6		CALL, Engine = , Parameters = 56	get_apid	04-033/19:00:29.3
15186	M1O	04-033/19:12:13.7		CALL, Engine = , Parameters = 56	get_rcv_mode	04-033/19:00:30.4
15187	M1O	04-033/19:12:13.9		CALL, Engine = , Parameters = 56	get_dl_rate	04-033/19:00:30.6
15188	M1O	04-033/19:12:15.0		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-033/19:00:31.7
15189	M1O	04-033/19:12:16.2		CALL, Engine = , Parameters = 56	get_coding	04-033/19:00:32.9
15190	M1O	04-033/19:12:17.4		CALL, Engine = , Parameters = 56	get_xmt_mode	04-033/19:00:34.1
15191	M1O	04-033/19:12:18.6		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-033/19:00:35.3
15192	M1O	04-033/19:13:23.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-033/19:01:40.1
15193	M1O	04-033/19:13:24.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-033/19:01:41.1
15194	M1O	04-033/19:13:25.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-033/19:01:42.1
15195	M1O	04-033/19:13:26.4		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-033/19:01:43.1
15196	M1O	04-033/19:13:27.4		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-033/19:01:44.1
15197	M1O	04-033/19:13:28.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-033/19:01:45.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15198	M1O	04-033/19:13:29.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-033/19:01:46.1
15199	M1O	04-033/19:17:54.4		NOTE: Enter Solar Eclipse 9478		04-033/19:06:11.0
15200	M1O	04-033/19:19:21.3		NOTE: Ascending Node Crossing 9478		04-033/19:07:37.9
15201	M1O	04-033/19:32:30.4		NOTE: Exit Solar Eclipse 9478		04-033/19:20:47.0
15202	M1O	04-033/19:32:52.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-033/19:21:08.7
15203	M1O	04-033/19:32:53.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-033/19:21:09.8
15204	M1O	04-033/19:33:03.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-033/19:21:19.8
15205	M1O	04-033/19:33:04.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-033/19:21:20.8
15206	M1O	04-033/19:47:07.1		NOTE: Apoapsis 9478 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15245	M1O	04-033/22:59:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-033/22:47:17.9
15246	M1O	04-033/23:00:00.0	63	End Tracking		
15247	M1O	04-033/23:00:00.0	55	End Tracking		
15248	M1O	04-033/23:00:00.9		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-033/22:48:16.8
15249	M1O	04-033/23:00:00.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-033/22:48:16.8
15250	M1O	04-033/23:00:00.9	25	D/L Change: X/08, 3-Way/55, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15251	M1O	04-033/23:00:06.9		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-033/22:48:22.8
15252	M1O	04-033/23:00:06.9	25	D/L Change: X/08, 3-Way/55, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15253	M1O	04-033/23:05:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-033/22:53:16.9
15254	M1O	04-033/23:05:01.0	25	D/L Change: X/08, 3-Way/55, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15255	M1O	04-033/23:05:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-033/22:53:17.9
15256	M1O	04-033/23:09:28.0	25	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15257	M1O	04-033/23:15:00.0	63	End Post-Cal		
15258	M1O	04-033/23:15:00.0	55	End Post-Cal		
15259	M1O	04-033/23:15:01.0		NOTE: Enter Solar Eclipse 9480		04-033/23:03:16.9
15260	M1O	04-033/23:16:23.5		NOTE: Ascending Node Crossing 9480		04-033/23:04:39.4
15261	M1O	04-033/23:29:20.8		NOTE: Exit Solar Eclipse 9480		04-033/23:17:36.6
15262	M1O	04-033/23:43:48.7		NOTE: Apoapsis 9480 -		04-033/23:32:04.5
15263	M1O	04-033/23:46:24.1		NOTE: North Pole Crossing 9480		04-033/23:34:39.9
15264	M1O	04-034/00:00:00.0		Light Time: OWLT = 11:44, RTLT = 23:28		
15265	M1O	04-034/00:01:38.0	25	NOTE: X-Band Transmitter Off in 15 minutes		
15266	M1O	04-034/00:11:38.0	25	Range Modulation Off		
15267	M1O	04-034/00:12:27.2		SPAWN, Engine = 65535, Parameters = 034, 01, FALSE, 00:15:05.075, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-034/00:00:43.0
15268	M1O	04-034/00:12:28.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/00:00:44.1
15269	M1O	04-034/00:12:30.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-034/00:00:46.1
15270	M1O	04-034/00:13:12.5		CALL, Engine = , Parameters = 254	get_apid	04-034/00:01:28.3
15271	M1O	04-034/00:13:13.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-034/00:01:29.4
15272	M1O	04-034/00:13:13.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-034/00:01:29.6
15273	M1O	04-034/00:13:14.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-034/00:01:30.7
15274	M1O	04-034/00:13:16.2		CALL, Engine = , Parameters = 254	get_coding	04-034/00:01:32.0
15275	M1O	04-034/00:13:17.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-034/00:01:33.2
15276	M1O	04-034/00:13:18.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-034/00:01:34.4
15277	M1O	04-034/00:14:23.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/00:02:39.2
15278	M1O	04-034/00:14:24.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/00:02:40.2
15279	M1O	04-034/00:14:25.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/00:02:41.2
15280	M1O	04-034/00:14:26.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-034/00:02:42.2
15281	M1O	04-034/00:14:27.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-034/00:02:43.2
15282	M1O	04-034/00:14:28.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-034/00:02:44.2
15283	M1O	04-034/00:14:29.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/00:02:45.2
15284	M1O	04-034/00:16:20.3		NOTE: Descending Node Crossing 9481		04-034/00:04:36.0
15285	M1O	04-034/00:16:38.0	25	X-Band Transmitter Off		
15286	M1O	04-034/00:29:21.3		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-034/00:17:37.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15287	M1O	04-034/00:29:21.4		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-034/00:17:37.1
15288	M1O	04-034/00:29:22.4		Forces a desaturation of the reaction wheels.	RW_DESAT	04-034/00:17:38.1
15289	M1O	04-034/00:29:30.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/00:17:46.2
15290	M1O	04-034/00:29:31.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/00:17:47.3
15291	M1O	04-034/00:29:41.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/00:17:57.3
15292	M1O	04-034/00:29:42.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/00:17:58.3
15293	M1O	04-034/00:30:00.0	14	Begin Pre-Cal		
15294	M1O	04-034/00:30:00.0	14	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
15295	M1O	04-034/00:30:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
15296	M1O	04-034/00:30:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
15297	M1O	04-034/00:30:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
15298	M1O	04-034/00:30:00.0	14	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
15299	M1O	04-034/00:30:00.0	14	Config: RCV: Parms:		
15300	M1O	04-034/00:30:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
15301	M1O	04-034/00:30:00.0	14	Config: TGC: BAND=X, SR=79632.000000		
15302	M1O	04-034/00:30:00.0	14	Config: TXL		
15303	M1O	04-034/00:30:00.0	14	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
15304	M1O	04-034/00:30:00.0	14	Config: CMD		
15305	M1O	04-034/00:30:00.0	14	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
15306	M1O	04-034/00:31:56.3		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-034/00:20:12.0
15307	M1O	04-034/00:32:12.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-032T00:20:12.100, 2004-034T00:20:12.100	PCKTS_RE_TX_TIME	04-034/00:20:27.8
15308	M1O	04-034/00:32:13.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-032T00:20:12.100, 2004-034T00:20:12.100	PCKTS_RE_TX_TIME	04-034/00:20:28.8
15309	M1O	04-034/00:32:14.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-032T00:20:12.100, 2004-034T00:20:12.100	PCKTS_RE_TX_TIME	04-034/00:20:29.8
15310	M1O	04-034/00:32:15.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-032T00:20:12.100, 2004-034T00:20:12.100	PCKTS_RE_TX_TIME	04-034/00:20:30.8
15311	M1O	04-034/00:32:16.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-032T00:20:12.100, 2004-034T00:20:12.100	PCKTS_RE_TX_TIME	04-034/00:20:31.8
15312	M1O	04-034/00:32:17.1		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-032T00:20:12.100, 2004-034T00:20:12.100	PCKTS_RE_TX_TIME	04-034/00:20:32.8
15313	M1O	04-034/00:32:17.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-034/00:20:32.8
15314	M1O	04-034/00:32:17.1	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15315	M1O	04-034/00:36:31.1	25	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
15316	M1O	04-034/00:39:18.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/00:27:33.8
15317	M1O	04-034/00:39:18.1	25	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15318	M1O	04-034/00:39:19.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-034/00:27:34.8
15319	M1O	04-034/00:39:35.1		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-034/00:27:50.8
15320	M1O	04-034/00:39:35.1	25	D/L RF Warning: SC antenna change - expect signal level variation		
15321	M1O	04-034/00:39:36.1		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-034/00:27:51.8
15322	M1O	04-034/00:40:06.6	25	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15323	M1O	04-034/00:40:52.4		CALL, Engine = , Parameters = FALSE	park_hga	04-034/00:29:08.1
15324	M1O	04-034/00:40:52.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/00:29:08.1
15325	M1O	04-034/00:40:53.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-034/00:29:09.1
15326	M1O	04-034/00:40:54.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-034/00:29:10.1
15327	M1O	04-034/00:40:54.4		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-034/00:29:10.1
15328	M1O	04-034/00:40:54.4		NOTE: START HGA PARK		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15329	M1O	04-034/00:40:54.4	25	NOTE: Loss Of X-Band Signal		
15330	M1O	04-034/00:40:55.4		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-034/00:29:11.1
15331	M1O	04-034/00:40:56.4		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-034/00:29:12.1
15332	M1O	04-034/00:43:52.4		NOTE: Periapsis 9481 ----------		04-034/00:32:08.0
15333	M1O	04-034/00:45:26.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-034/00:33:42.1
15334	M1O	04-034/00:45:37.9		NOTE: South Pole Crossing 9481		04-034/00:33:53.5
15335	M1O	04-034/00:48:56.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-034/00:37:12.1
15336	M1O	04-034/00:48:56.5		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-034/00:37:12.1
15337	M1O	04-034/00:59:54.1		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-034/00:48:09.7
15338	M1O	04-034/01:00:00.0	25	End Tracking		
15339	M1O	04-034/01:00:00.0	25	End Post-Cal		
15340	M1O	04-034/01:00:00.0	14	Begin Tracking		
15341	M1O	04-034/01:00:00.1		NOTE: Changing to 70M downlink rate: 110600_BPS		04-034/00:48:15.7
15342	M1O	04-034/01:00:00.1		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-034/00:48:15.7
15343	M1O	04-034/01:03:19.4		SPAWN, Engine = 65535, Parameters = 034, 01, TRUE, 00:18:56, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-034/00:51:35.0
15344	M1O	04-034/01:03:20.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/00:51:36.1
15345	M1O	04-034/01:03:22.5		CALL, Engine = , Parameters = 253	get_cmd_opt	04-034/00:51:38.1
15346	M1O	04-034/01:03:22.8		CALL, Engine = , Parameters = 034, 01, 253	bld_autosw	04-034/00:51:38.4
15347	M1O	04-034/01:03:23.9		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-034/00:51:39.5
15348	M1O	04-034/01:03:25.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:40.6
15349	M1O	04-034/01:03:26.0		Deletes the designated file.: d:/dat/253_doy034_pass01_file01.dat	FILE_DELETE	04-034/00:51:41.6
15350	M1O	04-034/01:03:27.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:42.7
15351	M1O	04-034/01:03:28.1		Deletes the designated file.: d:/dat/253_doy034_pass01_file02.dat	FILE_DELETE	04-034/00:51:43.7
15352	M1O	04-034/01:03:29.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:44.8
15353	M1O	04-034/01:03:30.2		Deletes the designated file.: d:/dat/253_doy034_pass01_file03.dat	FILE_DELETE	04-034/00:51:45.8
15354	M1O	04-034/01:03:31.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:46.9
15355	M1O	04-034/01:03:32.3		Deletes the designated file.: d:/dat/253_doy034_pass01_file04.dat	FILE_DELETE	04-034/00:51:47.9
15356	M1O	04-034/01:03:33.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:49.0
15357	M1O	04-034/01:03:34.4		Deletes the designated file.: d:/dat/253_doy034_pass01_file05.dat	FILE_DELETE	04-034/00:51:50.0
15358	M1O	04-034/01:03:35.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:51.1
15359	M1O	04-034/01:03:36.5		Deletes the designated file.: d:/dat/253_doy034_pass01_file06.dat	FILE_DELETE	04-034/00:51:52.1
15360	M1O	04-034/01:03:37.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:53.2
15361	M1O	04-034/01:03:38.6		Deletes the designated file.: d:/dat/253_doy034_pass01_file07.dat	FILE_DELETE	04-034/00:51:54.2
15362	M1O	04-034/01:03:39.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:55.3
15363	M1O	04-034/01:03:40.7		Deletes the designated file.: d:/dat/253_doy034_pass01_file08.dat	FILE_DELETE	04-034/00:51:56.3
15364	M1O	04-034/01:03:41.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:57.4
15365	M1O	04-034/01:03:42.8		Deletes the designated file.: d:/dat/253_doy034_pass01_file09.dat	FILE_DELETE	04-034/00:51:58.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15366	M1O	04-034/01:03:43.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:51:59.5
15367	M1O	04-034/01:03:44.9		Deletes the designated file.: d:/dat/253_doy034_pass01_file10.dat	FILE_DELETE	04-034/00:52:00.5
15368	M1O	04-034/01:03:46.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:52:01.6
15369	M1O	04-034/01:03:47.0		Deletes the designated file.: d:/dat/253_doy034_pass01_file11.dat	FILE_DELETE	04-034/00:52:02.6
15370	M1O	04-034/01:03:48.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:52:03.7
15371	M1O	04-034/01:03:49.1		Deletes the designated file.: d:/dat/253_doy034_pass01_file12.dat	FILE_DELETE	04-034/00:52:04.7
15372	M1O	04-034/01:03:50.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:52:05.8
15373	M1O	04-034/01:03:51.2		Deletes the designated file.: d:/dat/253_doy034_pass01_file13.dat	FILE_DELETE	04-034/00:52:06.8
15374	M1O	04-034/01:03:52.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:52:07.9
15375	M1O	04-034/01:03:53.3		Deletes the designated file.: d:/dat/253_doy034_pass01_file14.dat	FILE_DELETE	04-034/00:52:08.9
15376	M1O	04-034/01:03:54.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:52:10.0
15377	M1O	04-034/01:03:55.4		Deletes the designated file.: d:/dat/253_doy034_pass01_file15.dat	FILE_DELETE	04-034/00:52:11.0
15378	M1O	04-034/01:03:56.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:52:12.1
15379	M1O	04-034/01:03:57.5		Deletes the designated file.: d:/dat/253_doy034_pass01_file16.dat	FILE_DELETE	04-034/00:52:13.1
15380	M1O	04-034/01:03:58.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:52:14.2
15381	M1O	04-034/01:03:59.6		Deletes the designated file.: d:/dat/253_doy034_pass01_file17.dat	FILE_DELETE	04-034/00:52:15.2
15382	M1O	04-034/01:04:00.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:52:16.3
15383	M1O	04-034/01:04:01.7		Deletes the designated file.: d:/dat/253_doy034_pass01_file18.dat	FILE_DELETE	04-034/00:52:17.3
15384	M1O	04-034/01:04:02.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/00:52:18.4
15385	M1O	04-034/01:04:03.8		Deletes the designated file.: d:/dat/253_doy034_pass01_file19.dat	FILE_DELETE	04-034/00:52:19.4
15386	M1O	04-034/01:04:04.8		CALL, Engine = , Parameters = 253	get_apid	04-034/00:52:20.4
15387	M1O	04-034/01:04:05.9		CALL, Engine = , Parameters = 253	get_rcv_mode	04-034/00:52:21.5
15388	M1O	04-034/01:04:06.1		CALL, Engine = , Parameters = 253	get_dl_rate	04-034/00:52:21.7
15389	M1O	04-034/01:04:07.2		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-034/00:52:22.8
15390	M1O	04-034/01:04:08.5		CALL, Engine = , Parameters = 253	get_coding	04-034/00:52:24.1
15391	M1O	04-034/01:04:09.7		CALL, Engine = , Parameters = 253	get_xmt_mode	04-034/00:52:25.3
15392	M1O	04-034/01:04:10.9		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-034/00:52:26.5
15393	M1O	04-034/01:05:15.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/00:53:31.3
15394	M1O	04-034/01:05:16.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/00:53:32.3
15395	M1O	04-034/01:05:17.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/00:53:33.3
15396	M1O	04-034/01:05:18.7		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-034/00:53:34.3
15397	M1O	04-034/01:05:19.7		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-034/00:53:35.3
15398	M1O	04-034/01:05:20.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-034/00:53:36.3
15399	M1O	04-034/01:05:21.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/00:53:37.3
15400	M1O	04-034/01:07:11.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/00:55:27.3
15401	M1O	04-034/01:07:21.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-034/00:55:37.3
15402	M1O	04-034/01:13:21.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
15403	M1O	04-034/01:13:38.4		NOTE: Enter Solar Eclipse 9481		04-034/01:01:53.9
15404	M1O	04-034/01:14:59.9		NOTE: Ascending Node Crossing 9481		04-034/01:03:15.4
15405	M1O	04-034/01:18:21.0	14	Range Modulation On: SUP=3.0dB		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15406	M1O	04-034/01:18:56.5		GV: GV_DESAT_ACTIVE = 1		04-034/01:07:12.0
15407	M1O	04-034/01:18:57.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-034/01:07:13.0
15408	M1O	04-034/01:18:57.5		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-034/01:07:13.0
15409	M1O	04-034/01:19:21.0	14	Begin Ranging Acquisition		
15410	M1O	04-034/01:24:15.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/01:12:31.3
15411	M1O	04-034/01:24:16.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/01:12:32.4
15412	M1O	04-034/01:24:26.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/01:12:42.4
15413	M1O	04-034/01:24:27.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/01:12:43.4
15414	M1O	04-034/01:24:28.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-034/01:12:44.4
15415	M1O	04-034/01:24:29.9		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-034/01:12:45.4
15416	M1O	04-034/01:27:54.5		NOTE: Exit Solar Eclipse 9481		04-034/01:16:10.0
15417	M1O	04-034/01:28:56.5		GV: GV_DESAT_ACTIVE = 0		04-034/01:17:12.0
15418	M1O	04-034/01:28:57.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-034/01:17:13.0
15419	M1O	04-034/01:28:58.5		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-034/01:17:14.0
15420	M1O	04-034/01:28:59.5		CALL, Engine = , Parameters =	unpark_hga	04-034/01:17:15.0
15421	M1O	04-034/01:28:59.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-034/01:17:15.0
15422	M1O	04-034/01:29:00.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-034/01:17:16.0
15423	M1O	04-034/01:33:30.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-034/01:21:46.0
15424	M1O	04-034/01:33:31.5		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-034/01:21:47.0
15425	M1O	04-034/01:36:24.7		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-034/01:24:40.1
15426	M1O	04-034/01:36:24.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/01:24:40.2
15427	M1O	04-034/01:36:25.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-034/01:24:41.2
15428	M1O	04-034/01:36:26.8		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-034/01:24:42.2
15429	M1O	04-034/01:36:27.8		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-034/01:24:43.2
15430	M1O	04-034/01:36:28.8		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-034/01:24:44.2
15431	M1O	04-034/01:36:38.8		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-034/01:24:54.2
15432	M1O	04-034/01:36:48.8		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-034/01:25:04.2
15433	M1O	04-034/01:37:31.5		NOTE: EXIT HGA PARK		
15434	M1O	04-034/01:37:31.5	14	Acquisition Of X-Band Signal		
15435	M1O	04-034/01:37:31.5	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15436	M1O	04-034/01:41:48.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-034/01:30:04.2
15437	M1O	04-034/01:41:49.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/01:30:05.2
15438	M1O	04-034/01:41:49.8	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15439	M1O	04-034/01:41:50.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/01:30:05.7
15440	M1O	04-034/01:41:50.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15441	M1O	04-034/01:41:50.8		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-034/01:30:06.2
15442	M1O	04-034/01:42:38.5		NOTE: Apoapsis 9481 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15444	M1O	04-034/01:42:49.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15445	M1O	04-034/01:45:00.1		NOTE: North Pole Crossing 9481		04-034/01:33:15.5
15446	M1O	04-034/02:08:14.6		SPAWN, Engine = 65535, Parameters = 034, 02, TRUE, 00:18:02, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-034/01:56:30.0
15447	M1O	04-034/02:08:15.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/01:56:31.1
15448	M1O	04-034/02:08:17.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-034/01:56:33.1
15449	M1O	04-034/02:08:18.0		CALL, Engine = , Parameters = 034, 02, 254	bld_autosw	04-034/01:56:33.4
15450	M1O	04-034/02:08:19.1		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-034/01:56:34.5
15451	M1O	04-034/02:08:20.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:35.6
15452	M1O	04-034/02:08:21.2		Deletes the designated file.: d:/dat/254_doy034_pass02_file01.dat	FILE_DELETE	04-034/01:56:36.6
15453	M1O	04-034/02:08:22.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:37.7
15454	M1O	04-034/02:08:23.3		Deletes the designated file.: d:/dat/254_doy034_pass02_file02.dat	FILE_DELETE	04-034/01:56:38.7
15455	M1O	04-034/02:08:24.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:39.8
15456	M1O	04-034/02:08:25.4		Deletes the designated file.: d:/dat/254_doy034_pass02_file03.dat	FILE_DELETE	04-034/01:56:40.8
15457	M1O	04-034/02:08:26.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:41.9
15458	M1O	04-034/02:08:27.5		Deletes the designated file.: d:/dat/254_doy034_pass02_file04.dat	FILE_DELETE	04-034/01:56:42.9
15459	M1O	04-034/02:08:28.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:44.0
15460	M1O	04-034/02:08:29.6		Deletes the designated file.: d:/dat/254_doy034_pass02_file05.dat	FILE_DELETE	04-034/01:56:45.0
15461	M1O	04-034/02:08:30.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:46.1
15462	M1O	04-034/02:08:31.7		Deletes the designated file.: d:/dat/254_doy034_pass02_file06.dat	FILE_DELETE	04-034/01:56:47.1
15463	M1O	04-034/02:08:32.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:48.2
15464	M1O	04-034/02:08:33.8		Deletes the designated file.: d:/dat/254_doy034_pass02_file07.dat	FILE_DELETE	04-034/01:56:49.2
15465	M1O	04-034/02:08:34.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:50.3
15466	M1O	04-034/02:08:35.9		Deletes the designated file.: d:/dat/254_doy034_pass02_file08.dat	FILE_DELETE	04-034/01:56:51.3
15467	M1O	04-034/02:08:37.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:52.4
15468	M1O	04-034/02:08:38.0		Deletes the designated file.: d:/dat/254_doy034_pass02_file09.dat	FILE_DELETE	04-034/01:56:53.4
15469	M1O	04-034/02:08:39.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:54.5
15470	M1O	04-034/02:08:40.1		Deletes the designated file.: d:/dat/254_doy034_pass02_file10.dat	FILE_DELETE	04-034/01:56:55.5
15471	M1O	04-034/02:08:41.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:56.6
15472	M1O	04-034/02:08:42.2		Deletes the designated file.: d:/dat/254_doy034_pass02_file11.dat	FILE_DELETE	04-034/01:56:57.6
15473	M1O	04-034/02:08:43.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:56:58.7
15474	M1O	04-034/02:08:44.3		Deletes the designated file.: d:/dat/254_doy034_pass02_file12.dat	FILE_DELETE	04-034/01:56:59.7
15475	M1O	04-034/02:08:45.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:57:00.8
15476	M1O	04-034/02:08:46.4		Deletes the designated file.: d:/dat/254_doy034_pass02_file13.dat	FILE_DELETE	04-034/01:57:01.8
15477	M1O	04-034/02:08:47.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:57:02.9
15478	M1O	04-034/02:08:48.5		Deletes the designated file.: d:/dat/254_doy034_pass02_file14.dat	FILE_DELETE	04-034/01:57:03.9
15479	M1O	04-034/02:08:49.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:57:05.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15480	M1O	04-034/02:08:50.6		Deletes the designated file.: d:/dat/254_doy034_pass02_file15.dat	FILE_DELETE	04-034/01:57:06.0
15481	M1O	04-034/02:08:51.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:57:07.1
15482	M1O	04-034/02:08:52.7		Deletes the designated file.: d:/dat/254_doy034_pass02_file16.dat	FILE_DELETE	04-034/01:57:08.1
15483	M1O	04-034/02:08:53.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:57:09.2
15484	M1O	04-034/02:08:54.8		Deletes the designated file.: d:/dat/254_doy034_pass02_file17.dat	FILE_DELETE	04-034/01:57:10.2
15485	M1O	04-034/02:08:55.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:57:11.3
15486	M1O	04-034/02:08:56.9		Deletes the designated file.: d:/dat/254_doy034_pass02_file18.dat	FILE_DELETE	04-034/01:57:12.3
15487	M1O	04-034/02:08:58.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/01:57:13.4
15488	M1O	04-034/02:08:59.0		Deletes the designated file.: d:/dat/254_doy034_pass02_file19.dat	FILE_DELETE	04-034/01:57:14.4
15489	M1O	04-034/02:09:00.0		CALL, Engine = , Parameters = 254	get_apid	04-034/01:57:15.4
15490	M1O	04-034/02:09:01.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-034/01:57:16.5
15491	M1O	04-034/02:09:01.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-034/01:57:16.7
15492	M1O	04-034/02:09:02.4		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-034/01:57:17.8
15493	M1O	04-034/02:09:03.7		CALL, Engine = , Parameters = 254	get_coding	04-034/01:57:19.1
15494	M1O	04-034/02:09:04.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-034/01:57:20.3
15495	M1O	04-034/02:09:06.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-034/01:57:21.5
15496	M1O	04-034/02:10:10.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/01:58:26.3
15497	M1O	04-034/02:10:11.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/01:58:27.3
15498	M1O	04-034/02:10:12.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/01:58:28.3
15499	M1O	04-034/02:10:13.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-034/01:58:29.3
15500	M1O	04-034/02:10:14.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-034/01:58:30.3
15501	M1O	04-034/02:10:15.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-034/01:58:31.3
15502	M1O	04-034/02:10:16.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/01:58:32.3
15503	M1O	04-034/02:12:06.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/02:00:22.3
15504	M1O	04-034/02:12:06.9	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15505	M1O	04-034/02:12:12.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/02:00:27.5
15506	M1O	04-034/02:12:16.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-034/02:00:32.3
15507	M1O	04-034/02:14:56.3		NOTE: Descending Node Crossing 9482		04-034/02:03:11.6
15508	M1O	04-034/02:28:17.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/02:16:32.3
15509	M1O	04-034/02:28:18.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/02:16:33.4
15510	M1O	04-034/02:28:28.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/02:16:43.4
15511	M1O	04-034/02:28:29.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/02:16:44.4
15512	M1O	04-034/02:28:30.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-034/02:16:45.4
15513	M1O	04-034/02:28:30.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15514	M1O	04-034/02:28:31.1		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-034/02:16:46.4
15515	M1O	04-034/02:33:29.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/02:21:45.0
15516	M1O	04-034/02:33:29.7	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15517	M1O	04-034/02:42:53.5		NOTE: Periapsis 9482 ----------		04-034/02:31:08.7
15518	M1O	04-034/02:44:14.7		NOTE: South Pole Crossing 9482		04-034/02:32:29.9
15519	M1O	04-034/03:03:41.8		SPAWN, Engine = 65535, Parameters = 034, 02, FALSE, 00:12:49.636, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-034/02:51:57.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15520	M1O	04-034/03:03:42.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/02:51:58.1
15521	M1O	04-034/03:03:44.9		CALL, Engine = , Parameters = 253	get_cmd_opt	04-034/02:52:00.1
15522	M1O	04-034/03:04:27.1		CALL, Engine = , Parameters = 253	get_apid	04-034/02:52:42.3
15523	M1O	04-034/03:04:28.2		CALL, Engine = , Parameters = 253	get_rcv_mode	04-034/02:52:43.4
15524	M1O	04-034/03:04:28.4		CALL, Engine = , Parameters = 253	get_dl_rate	04-034/02:52:43.6
15525	M1O	04-034/03:04:29.5		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-034/02:52:44.7
15526	M1O	04-034/03:04:30.8		CALL, Engine = , Parameters = 253	get_coding	04-034/02:52:46.0
15527	M1O	04-034/03:04:32.0		CALL, Engine = , Parameters = 253	get_xmt_mode	04-034/02:52:47.2
15528	M1O	04-034/03:04:33.2		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-034/02:52:48.4
15529	M1O	04-034/03:05:38.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/02:53:53.2
15530	M1O	04-034/03:05:39.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/02:53:54.2
15531	M1O	04-034/03:05:40.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/02:53:55.2
15532	M1O	04-034/03:05:41.0		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-034/02:53:56.2
15533	M1O	04-034/03:05:42.0		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-034/02:53:57.2
15534	M1O	04-034/03:05:43.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-034/02:53:58.2
15535	M1O	04-034/03:05:44.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/02:53:59.2
15536	M1O	04-034/03:12:13.1		NOTE: Enter Solar Eclipse 9482		04-034/03:00:28.2
15537	M1O	04-034/03:13:36.6		NOTE: Ascending Node Crossing 9482		04-034/03:01:51.8
15538	M1O	04-034/03:18:29.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/03:06:44.8
15539	M1O	04-034/03:18:30.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/03:06:45.9
15540	M1O	04-034/03:18:40.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/03:06:55.9
15541	M1O	04-034/03:18:41.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/03:06:56.9
15542	M1O	04-034/03:26:31.9		NOTE: Exit Solar Eclipse 9482		04-034/03:14:47.0
15543	M1O	04-034/03:41:45.7		NOTE: Apoapsis 9482 -		04-034/03:30:00.7
15544	M1O	04-034/03:43:36.4		NOTE: North Pole Crossing 9482		04-034/03:31:51.4
15545	M1O	04-034/04:13:32.8		NOTE: Descending Node Crossing 9483		04-034/04:01:47.7
15546	M1O	04-034/04:41:48.5		NOTE: Periapsis 9483 ----------		04-034/04:30:03.3
15547	M1O	04-034/04:42:50.8		NOTE: South Pole Crossing 9483		04-034/04:31:05.6
15548	M1O	04-034/05:00:00.0	43	Begin Pre-Cal		
15549	M1O	04-034/05:00:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
15550	M1O	04-034/05:00:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
15551	M1O	04-034/05:00:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
15552	M1O	04-034/05:00:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
15553	M1O	04-034/05:00:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
15554	M1O	04-034/05:00:00.0	43	Config: RCV: Parms:		
15555	M1O	04-034/05:00:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
15556	M1O	04-034/05:00:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
15557	M1O	04-034/05:00:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
15558	M1O	04-034/05:10:45.2		NOTE: Enter Solar Eclipse 9483		04-034/04:59:00.0
15559	M1O	04-034/05:12:11.7		NOTE: Ascending Node Crossing 9483		04-034/05:00:26.5
15560	M1O	04-034/05:25:09.1		NOTE: Exit Solar Eclipse 9483		04-034/05:13:23.8
15561	M1O	04-034/05:40:30.1		NOTE: Apoapsis 9483 -		04-034/05:28:44.8
15562	M1O	04-034/05:42:11.4		NOTE: North Pole Crossing 9483		04-034/05:30:26.0
15563	M1O	04-034/05:59:29.4		SPAWN, Engine = 65535, Parameters = 034, 01, FALSE, 00:14:31.748, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-034/05:47:44.0
15564	M1O	04-034/05:59:30.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/05:47:45.1
15565	M1O	04-034/05:59:32.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-034/05:47:47.1
15566	M1O	04-034/06:00:14.7		CALL, Engine = , Parameters = 56	get_apid	04-034/05:48:29.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15567	M1O	04-034/06:00:15.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-034/05:48:30.4
15568	M1O	04-034/06:00:16.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-034/05:48:30.6
15569	M1O	04-034/06:00:17.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-034/05:48:31.7
15570	M1O	04-034/06:00:18.3		CALL, Engine = , Parameters = 56	get_coding	04-034/05:48:32.9
15571	M1O	04-034/06:00:19.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-034/05:48:34.1
15572	M1O	04-034/06:00:20.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-034/05:48:35.3
15573	M1O	04-034/06:01:25.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/05:49:40.1
15574	M1O	04-034/06:01:26.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/05:49:41.1
15575	M1O	04-034/06:01:27.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/05:49:42.1
15576	M1O	04-034/06:01:28.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-034/05:49:43.1
15577	M1O	04-034/06:01:29.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-034/05:49:44.1
15578	M1O	04-034/06:01:30.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-034/05:49:45.1
15579	M1O	04-034/06:01:31.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/05:49:46.1
15580	M1O	04-034/06:05:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
15581	M1O	04-034/06:12:07.7		NOTE: Descending Node Crossing 9484		04-034/06:00:22.3
15582	M1O	04-034/06:15:00.0	43	Begin Tracking		
15583	M1O	04-034/06:15:00.0	43	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15584	M1O	04-034/06:15:00.0	14	Range Modulation Off		
15585	M1O	04-034/06:15:59.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/06:04:13.8
15586	M1O	04-034/06:16:00.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/06:04:14.9
15587	M1O	04-034/06:16:10.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/06:04:24.9
15588	M1O	04-034/06:16:11.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/06:04:25.9
15589	M1O	04-034/06:16:29.0	14	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
15590	M1O	04-034/06:20:00.0	14	X-Band Transmitter Off		
15591	M1O	04-034/06:30:59.0	14	NOTE: Below Uplink Interlock Limit		
15592	M1O	04-034/06:37:28.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-034/06:25:43.4
15593	M1O	04-034/06:37:31.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/06:25:45.5
15594	M1O	04-034/06:37:31.0	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15595	M1O	04-034/06:37:31.0	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15596	M1O	04-034/06:37:32.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-034/06:25:46.5
15597	M1O	04-034/06:40:00.0	14	End Tracking		
15598	M1O	04-034/06:40:17.2		NOTE: Periapsis 9484 ----------		04-034/06:28:31.7
15599	M1O	04-034/06:41:24.4		NOTE: South Pole Crossing 9484		04-034/06:29:38.9
15600	M1O	04-034/06:43:30.9	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15601	M1O	04-034/06:43:31.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/06:31:45.5
15602	M1O	04-034/06:43:31.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15603	M1O	04-034/06:43:31.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/06:31:46.0
15604	M1O	04-034/06:43:31.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15605	M1O	04-034/06:43:32.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-034/06:31:46.5
15606	M1O	04-034/06:48:35.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/06:36:50.0
15607	M1O	04-034/06:48:35.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15608	M1O	04-034/06:55:00.0	14	End Post-Cal		
15609	M1O	04-034/07:09:16.3		NOTE: Enter Solar Eclipse 9484		04-034/06:57:30.7
15610	M1O	04-034/07:10:44.3		NOTE: Ascending Node Crossing 9484		04-034/06:58:58.7
15611	M1O	04-034/07:11:45.6		SPAWN, Engine = 65535, Parameters =	scdiag	04-034/07:00:00.0
15612	M1O	04-034/07:11:46.7		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-034/07:00:01.1
15613	M1O	04-034/07:11:47.7		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-034/07:00:02.1
15614	M1O	04-034/07:12:48.6		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-034/07:01:03.0
15615	M1O	04-034/07:12:48.8		NOTE: Start Block fsw_diag		04-034/07:01:03.2
15616	M1O	04-034/07:12:49.8		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-034/07:01:04.2
15617	M1O	04-034/07:12:50.8		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-034/07:01:05.2
15618	M1O	04-034/07:13:01.8		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-034/07:01:16.2
15619	M1O	04-034/07:13:31.8		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-034/07:01:46.2
15620	M1O	04-034/07:13:51.8		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-034/07:02:06.2
15621	M1O	04-034/07:14:01.8		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-034/07:02:16.2
15622	M1O	04-034/07:14:21.8		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-034/07:02:36.2
15623	M1O	04-034/07:14:31.8		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-034/07:02:46.2
15624	M1O	04-034/07:14:36.8		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-034/07:02:51.2
15625	M1O	04-034/07:14:41.8		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-034/07:02:56.2
15626	M1O	04-034/07:14:46.8		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-034/07:03:01.2
15627	M1O	04-034/07:14:51.8		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-034/07:03:06.2
15628	M1O	04-034/07:14:56.8		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-034/07:03:11.2
15629	M1O	04-034/07:15:36.8		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-034/07:03:51.2
15630	M1O	04-034/07:15:41.8		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-034/07:03:56.2
15631	M1O	04-034/07:15:46.8		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-034/07:04:01.2
15632	M1O	04-034/07:15:51.8		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-034/07:04:06.2
15633	M1O	04-034/07:15:56.8		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-034/07:04:11.2
15634	M1O	04-034/07:15:57.8		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-034/07:04:12.2
15635	M1O	04-034/07:15:58.8		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-034/07:04:13.2
15636	M1O	04-034/07:15:59.8		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-034/07:04:14.2
15637	M1O	04-034/07:16:10.8		NOTE: End Block fsw_diag.mod		04-034/07:04:25.2
15638	M1O	04-034/07:23:43.9		NOTE: Exit Solar Eclipse 9484		04-034/07:11:58.2
15639	M1O	04-034/07:38:43.6		NOTE: Apoapsis 9484 -		04-034/07:26:57.9
15640	M1O	04-034/07:40:43.7		NOTE: North Pole Crossing 9484		04-034/07:28:58.0
15641	M1O	04-034/07:54:56.7		SPAWN, Engine = 65535, Parameters = 034, 02, FALSE, 00:18:34.327, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-034/07:43:11.0
15642	M1O	04-034/07:54:57.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/07:43:12.1
15643	M1O	04-034/07:54:59.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-034/07:43:14.1
15644	M1O	04-034/07:55:42.0		CALL, Engine = , Parameters = 56	get_apid	04-034/07:43:56.3
15645	M1O	04-034/07:55:43.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-034/07:43:57.4
15646	M1O	04-034/07:55:43.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-034/07:43:57.6
15647	M1O	04-034/07:55:44.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-034/07:43:58.7
15648	M1O	04-034/07:55:45.6		CALL, Engine = , Parameters = 56	get_coding	04-034/07:43:59.9
15649	M1O	04-034/07:55:46.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-034/07:44:01.1
15650	M1O	04-034/07:55:48.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-034/07:44:02.3
15651	M1O	04-034/07:56:52.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/07:45:07.1
15652	M1O	04-034/07:56:53.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/07:45:08.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15653	M1O	04-034/07:56:54.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/07:45:09.1
15654	M1O	04-034/07:56:55.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-034/07:45:10.1
15655	M1O	04-034/07:56:56.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-034/07:45:11.1
15656	M1O	04-034/07:56:57.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-034/07:45:12.1
15657	M1O	04-034/07:56:58.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/07:45:13.1
15658	M1O	04-034/08:10:39.3		NOTE: Descending Node Crossing 9485		04-034/07:58:53.5
15659	M1O	04-034/08:15:29.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/08:03:43.4
15660	M1O	04-034/08:15:30.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/08:03:44.5
15661	M1O	04-034/08:15:40.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/08:03:54.5
15662	M1O	04-034/08:15:41.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/08:03:55.5
15663	M1O	04-034/08:38:28.1		NOTE: Periapsis 9485 ----------		04-034/08:26:42.2
15664	M1O	04-034/08:39:55.6		NOTE: South Pole Crossing 9485		04-034/08:28:09.6
15665	M1O	04-034/09:00:00.0	45	Begin Pre-Cal		
15666	M1O	04-034/09:00:00.0	45	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
15667	M1O	04-034/09:00:00.0	45	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
15668	M1O	04-034/09:00:00.0	45	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
15669	M1O	04-034/09:00:00.0	45	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
15670	M1O	04-034/09:00:00.0	45	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
15671	M1O	04-034/09:00:00.0	45	Config: RCV: Parms:		
15672	M1O	04-034/09:00:00.0	45	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
15673	M1O	04-034/09:00:00.0	45	Config: TGC: BAND=X, SR=221200.000000		
15674	M1O	04-034/09:00:00.0	45	Config: TXL		
15675	M1O	04-034/09:00:00.0	45	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
15676	M1O	04-034/09:00:00.0	45	Config: CMD		
15677	M1O	04-034/09:00:00.0	45	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
15678	M1O	04-034/09:07:49.2		NOTE: Enter Solar Eclipse 9485		04-034/08:56:03.2
15679	M1O	04-034/09:09:15.6		NOTE: Ascending Node Crossing 9485		04-034/08:57:29.6
15680	M1O	04-034/09:22:14.3		NOTE: Exit Solar Eclipse 9485		04-034/09:10:28.2
15681	M1O	04-034/09:30:00.0	45	Begin Tracking		
15682	M1O	04-034/09:30:00.0	45	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15683	M1O	04-034/09:30:00.0	63	Begin Pre-Cal		
15684	M1O	04-034/09:30:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
15685	M1O	04-034/09:30:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
15686	M1O	04-034/09:30:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
15687	M1O	04-034/09:30:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
15688	M1O	04-034/09:30:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
15689	M1O	04-034/09:30:00.0	63	Config: RCV: Parms:		
15690	M1O	04-034/09:30:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
15691	M1O	04-034/09:30:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
15692	M1O	04-034/09:30:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
15693	M1O	04-034/09:31:00.0	45	Acquire U/L: X/08, PWR=20.0, BR=125.0		
15694	M1O	04-034/09:36:00.0	45	Range Modulation On: SUP=3.0dB		
15695	M1O	04-034/09:37:00.0	45	Begin Ranging Acquisition		
15696	M1O	04-034/09:37:01.5		NOTE: Apoapsis 9485 -		04-034/09:25:15.5
15697	M1O	04-034/09:39:14.5		NOTE: North Pole Crossing 9485		04-034/09:27:28.4
15698	M1O	04-034/09:53:29.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-034/09:41:43.3
15699	M1O	04-034/09:53:31.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/09:41:45.4
15700	M1O	04-034/09:53:31.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15701	M1O	04-034/09:53:31.5	45	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15702	M1O	04-034/09:53:32.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-034/09:41:46.4
15703	M1O	04-034/09:54:32.1	43	Acquire D/L: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15704	M1O	04-034/09:54:32.1	45	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15705	M1O	04-034/09:59:31.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/09:47:45.4
15706	M1O	04-034/09:59:31.5	43	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15707	M1O	04-034/09:59:31.5	45	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15708	M1O	04-034/09:59:32.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-034/09:47:46.4
15709	M1O	04-034/10:09:09.5		NOTE: Descending Node Crossing 9486		04-034/09:57:23.3
15710	M1O	04-034/10:36:49.8		NOTE: Periapsis 9486 ----------		04-034/10:25:03.5
15711	M1O	04-034/10:38:26.5		NOTE: South Pole Crossing 9486		04-034/10:26:40.2
15712	M1O	04-034/11:05:00.0	45	NOTE: X-Band Transmitter Off in 15 minutes		
15713	M1O	04-034/11:06:23.3		NOTE: Enter Solar Eclipse 9486		04-034/10:54:36.9
15714	M1O	04-034/11:07:47.7		NOTE: Ascending Node Crossing 9486		04-034/10:56:01.3
15715	M1O	04-034/11:15:00.0	45	Range Modulation Off		
15716	M1O	04-034/11:16:27.0	45	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
15717	M1O	04-034/11:20:00.0	45	X-Band Transmitter Off		
15718	M1O	04-034/11:20:40.0		NOTE: Exit Solar Eclipse 9486		04-034/11:08:53.6
15719	M1O	04-034/11:30:00.0	63	Begin Tracking		
15720	M1O	04-034/11:30:00.0	63	Acquire D/L: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15721	M1O	04-034/11:33:43.0	45	NOTE: Below Uplink Interlock Limit		
15722	M1O	04-034/11:35:18.0	43	NOTE: Below Uplink Interlock Limit		
15723	M1O	04-034/11:35:49.6		NOTE: Apoapsis 9486 -		04-034/11:24:03.1
15724	M1O	04-034/11:37:47.7		NOTE: North Pole Crossing 9486		04-034/11:26:01.2
15725	M1O	04-034/11:40:00.0	45	End Tracking		
15726	M1O	04-034/11:42:29.8		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-034/11:30:43.3
15727	M1O	04-034/11:42:31.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/11:30:45.4
15728	M1O	04-034/11:42:31.9	43	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15729	M1O	04-034/11:42:31.9	63	D/L Change: X/08, 3-Way/45, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15730	M1O	04-034/11:42:32.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-034/11:30:46.4
15731	M1O	04-034/11:43:32.8	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15732	M1O	04-034/11:43:32.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15733	M1O	04-034/11:45:00.0	43	End Tracking		
15734	M1O	04-034/11:48:31.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/11:36:45.4
15735	M1O	04-034/11:48:31.9	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15736	M1O	04-034/11:48:32.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-034/11:36:46.4
15737	M1O	04-034/11:55:00.0	45	End Post-Cal		
15738	M1O	04-034/12:00:00.0	43	End Post-Cal		
15739	M1O	04-034/12:07:43.9		NOTE: Descending Node Crossing 9487		04-034/11:55:57.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15740	M1O	04-034/12:35:34.6		NOTE: Periapsis 9487 ----------		04-034/12:23:47.9
15741	M1O	04-034/12:37:01.2		NOTE: South Pole Crossing 9487		04-034/12:25:14.5
15742	M1O	04-034/12:51:38.7		SPAWN, Engine = 65535, Parameters = 034, 03, TRUE, 00:16:58, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-034/12:39:52.0
15743	M1O	04-034/12:51:39.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/12:39:53.1
15744	M1O	04-034/12:51:41.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-034/12:39:55.1
15745	M1O	04-034/12:51:42.1		CALL, Engine = , Parameters = 034, 03, 254	bld_autosw	04-034/12:39:55.4
15746	M1O	04-034/12:51:43.2		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-034/12:39:56.5
15747	M1O	04-034/12:51:44.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:39:57.6
15748	M1O	04-034/12:51:45.3		Deletes the designated file.: d:/dat/254_doy034_pass03_file01.dat	FILE_DELETE	04-034/12:39:58.6
15749	M1O	04-034/12:51:46.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:39:59.7
15750	M1O	04-034/12:51:47.4		Deletes the designated file.: d:/dat/254_doy034_pass03_file02.dat	FILE_DELETE	04-034/12:40:00.7
15751	M1O	04-034/12:51:48.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:01.8
15752	M1O	04-034/12:51:49.5		Deletes the designated file.: d:/dat/254_doy034_pass03_file03.dat	FILE_DELETE	04-034/12:40:02.8
15753	M1O	04-034/12:51:50.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:03.9
15754	M1O	04-034/12:51:51.6		Deletes the designated file.: d:/dat/254_doy034_pass03_file04.dat	FILE_DELETE	04-034/12:40:04.9
15755	M1O	04-034/12:51:52.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:06.0
15756	M1O	04-034/12:51:53.7		Deletes the designated file.: d:/dat/254_doy034_pass03_file05.dat	FILE_DELETE	04-034/12:40:07.0
15757	M1O	04-034/12:51:54.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:08.1
15758	M1O	04-034/12:51:55.8		Deletes the designated file.: d:/dat/254_doy034_pass03_file06.dat	FILE_DELETE	04-034/12:40:09.1
15759	M1O	04-034/12:51:56.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:10.2
15760	M1O	04-034/12:51:57.9		Deletes the designated file.: d:/dat/254_doy034_pass03_file07.dat	FILE_DELETE	04-034/12:40:11.2
15761	M1O	04-034/12:51:59.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:12.3
15762	M1O	04-034/12:52:00.0		Deletes the designated file.: d:/dat/254_doy034_pass03_file08.dat	FILE_DELETE	04-034/12:40:13.3
15763	M1O	04-034/12:52:01.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:14.4
15764	M1O	04-034/12:52:02.1		Deletes the designated file.: d:/dat/254_doy034_pass03_file09.dat	FILE_DELETE	04-034/12:40:15.4
15765	M1O	04-034/12:52:03.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:16.5
15766	M1O	04-034/12:52:04.2		Deletes the designated file.: d:/dat/254_doy034_pass03_file10.dat	FILE_DELETE	04-034/12:40:17.5
15767	M1O	04-034/12:52:05.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:18.6
15768	M1O	04-034/12:52:06.3		Deletes the designated file.: d:/dat/254_doy034_pass03_file11.dat	FILE_DELETE	04-034/12:40:19.6
15769	M1O	04-034/12:52:07.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:20.7
15770	M1O	04-034/12:52:08.4		Deletes the designated file.: d:/dat/254_doy034_pass03_file12.dat	FILE_DELETE	04-034/12:40:21.7
15771	M1O	04-034/12:52:09.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:22.8
15772	M1O	04-034/12:52:10.5		Deletes the designated file.: d:/dat/254_doy034_pass03_file13.dat	FILE_DELETE	04-034/12:40:23.8
15773	M1O	04-034/12:52:11.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:24.9
15774	M1O	04-034/12:52:12.6		Deletes the designated file.: d:/dat/254_doy034_pass03_file14.dat	FILE_DELETE	04-034/12:40:25.9
15775	M1O	04-034/12:52:13.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:27.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15776	M1O	04-034/12:52:14.7		Deletes the designated file.: d:/dat/254_doy034_pass03_file15.dat	FILE_DELETE	04-034/12:40:28.0
15777	M1O	04-034/12:52:15.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:29.1
15778	M1O	04-034/12:52:16.8		Deletes the designated file.: d:/dat/254_doy034_pass03_file16.dat	FILE_DELETE	04-034/12:40:30.1
15779	M1O	04-034/12:52:17.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:31.2
15780	M1O	04-034/12:52:18.9		Deletes the designated file.: d:/dat/254_doy034_pass03_file17.dat	FILE_DELETE	04-034/12:40:32.2
15781	M1O	04-034/12:52:20.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:33.3
15782	M1O	04-034/12:52:21.0		Deletes the designated file.: d:/dat/254_doy034_pass03_file18.dat	FILE_DELETE	04-034/12:40:34.3
15783	M1O	04-034/12:52:22.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/12:40:35.4
15784	M1O	04-034/12:52:23.1		Deletes the designated file.: d:/dat/254_doy034_pass03_file19.dat	FILE_DELETE	04-034/12:40:36.4
15785	M1O	04-034/12:52:24.1		CALL, Engine = , Parameters = 254	get_apid	04-034/12:40:37.4
15786	M1O	04-034/12:52:25.2		CALL, Engine = , Parameters = 254	get_rcv_mode	04-034/12:40:38.5
15787	M1O	04-034/12:52:25.4		CALL, Engine = , Parameters = 254	get_dl_rate	04-034/12:40:38.7
15788	M1O	04-034/12:52:26.5		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-034/12:40:39.8
15789	M1O	04-034/12:52:27.8		CALL, Engine = , Parameters = 254	get_coding	04-034/12:40:41.1
15790	M1O	04-034/12:52:29.0		CALL, Engine = , Parameters = 254	get_xmt_mode	04-034/12:40:42.3
15791	M1O	04-034/12:52:30.2		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-034/12:40:43.5
15792	M1O	04-034/12:53:35.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/12:41:48.3
15793	M1O	04-034/12:53:36.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/12:41:49.3
15794	M1O	04-034/12:53:37.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/12:41:50.3
15795	M1O	04-034/12:53:38.0		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-034/12:41:51.3
15796	M1O	04-034/12:53:39.0		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-034/12:41:52.3
15797	M1O	04-034/12:53:40.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-034/12:41:53.3
15798	M1O	04-034/12:53:41.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/12:41:54.3
15799	M1O	04-034/12:53:42.0		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-034/12:41:55.3
15800	M1O	04-034/12:53:43.0		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-034/12:41:56.3
15801	M1O	04-034/12:55:31.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/12:43:44.3
15802	M1O	04-034/12:55:31.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15803	M1O	04-034/12:55:36.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/12:43:49.5
15804	M1O	04-034/12:55:41.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-034/12:43:54.3
15805	M1O	04-034/13:00:00.0	65	Begin Pre-Cal		
15806	M1O	04-034/13:00:00.0	65	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
15807	M1O	04-034/13:00:00.0	65	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
15808	M1O	04-034/13:00:00.0	65	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
15809	M1O	04-034/13:00:00.0	65	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
15810	M1O	04-034/13:00:00.0	65	At BOT: S/C Tlm Mode: BR=0.0, FL=10112, SC=375KHZ, MI=71.7		
15811	M1O	04-034/13:00:00.0	65	Config: RCV: Parms:		
15812	M1O	04-034/13:00:00.0	65	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
15813	M1O	04-034/13:00:00.0	65	Config: TGC: BAND=X, SR=0.000000		
15814	M1O	04-034/13:00:00.0	65	Config: TXL		
15815	M1O	04-034/13:00:00.0	65	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
15816	M1O	04-034/13:00:00.0	65	Config: CMD		
15817	M1O	04-034/13:00:00.0	65	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
15818	M1O	04-034/13:04:57.6		NOTE: Enter Solar Eclipse 9487		04-034/12:53:10.9
15819	M1O	04-034/13:06:22.4		NOTE: Ascending Node Crossing 9487		04-034/12:54:35.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15820	M1O	04-034/13:10:34.0		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-034/12:58:47.3
15821	M1O	04-034/13:10:35.0		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-034/12:58:48.3
15822	M1O	04-034/13:10:37.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/12:58:50.3
15823	M1O	04-034/13:10:38.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/12:58:51.4
15824	M1O	04-034/13:10:48.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/12:59:01.4
15825	M1O	04-034/13:10:49.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/12:59:02.4
15826	M1O	04-034/13:10:50.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-034/12:59:03.4
15827	M1O	04-034/13:10:50.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15828	M1O	04-034/13:10:51.1		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-034/12:59:04.4
15829	M1O	04-034/13:15:49.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/13:04:03.0
15830	M1O	04-034/13:15:49.7	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15831	M1O	04-034/13:19:09.2		NOTE: Exit Solar Eclipse 9487		04-034/13:07:22.4
15832	M1O	04-034/13:34:31.4		NOTE: Apoapsis 9487 -		04-034/13:22:44.5
15833	M1O	04-034/13:36:23.5		NOTE: North Pole Crossing 9487		04-034/13:24:36.6
15834	M1O	04-034/13:55:05.9		SPAWN, Engine = 65535, Parameters = 034, 03, TRUE, 00:19:22, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-034/13:43:19.0
15835	M1O	04-034/13:55:07.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/13:43:20.1
15836	M1O	04-034/13:55:09.0		CALL, Engine = , Parameters = 253	get_cmd_opt	04-034/13:43:22.1
15837	M1O	04-034/13:55:09.3		CALL, Engine = , Parameters = 034, 03, 253	bld_autosw	04-034/13:43:22.4
15838	M1O	04-034/13:55:10.4		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-034/13:43:23.5
15839	M1O	04-034/13:55:11.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:24.6
15840	M1O	04-034/13:55:12.5		Deletes the designated file.: d:/dat/253_doy034_pass03_file01.dat	FILE_DELETE	04-034/13:43:25.6
15841	M1O	04-034/13:55:13.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:26.7
15842	M1O	04-034/13:55:14.6		Deletes the designated file.: d:/dat/253_doy034_pass03_file02.dat	FILE_DELETE	04-034/13:43:27.7
15843	M1O	04-034/13:55:15.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:28.8
15844	M1O	04-034/13:55:16.7		Deletes the designated file.: d:/dat/253_doy034_pass03_file03.dat	FILE_DELETE	04-034/13:43:29.8
15845	M1O	04-034/13:55:17.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:30.9
15846	M1O	04-034/13:55:18.8		Deletes the designated file.: d:/dat/253_doy034_pass03_file04.dat	FILE_DELETE	04-034/13:43:31.9
15847	M1O	04-034/13:55:19.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:33.0
15848	M1O	04-034/13:55:20.9		Deletes the designated file.: d:/dat/253_doy034_pass03_file05.dat	FILE_DELETE	04-034/13:43:34.0
15849	M1O	04-034/13:55:22.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:35.1
15850	M1O	04-034/13:55:23.0		Deletes the designated file.: d:/dat/253_doy034_pass03_file06.dat	FILE_DELETE	04-034/13:43:36.1
15851	M1O	04-034/13:55:24.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:37.2
15852	M1O	04-034/13:55:25.1		Deletes the designated file.: d:/dat/253_doy034_pass03_file07.dat	FILE_DELETE	04-034/13:43:38.2
15853	M1O	04-034/13:55:26.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:39.3
15854	M1O	04-034/13:55:27.2		Deletes the designated file.: d:/dat/253_doy034_pass03_file08.dat	FILE_DELETE	04-034/13:43:40.3
15855	M1O	04-034/13:55:28.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:41.4
15856	M1O	04-034/13:55:29.3		Deletes the designated file.: d:/dat/253_doy034_pass03_file09.dat	FILE_DELETE	04-034/13:43:42.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15857	M1O	04-034/13:55:30.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:43.5
15858	M1O	04-034/13:55:31.4		Deletes the designated file.: d:/dat/253_doy034_pass03_file10.dat	FILE_DELETE	04-034/13:43:44.5
15859	M1O	04-034/13:55:32.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:45.6
15860	M1O	04-034/13:55:33.5		Deletes the designated file.: d:/dat/253_doy034_pass03_file11.dat	FILE_DELETE	04-034/13:43:46.6
15861	M1O	04-034/13:55:34.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:47.7
15862	M1O	04-034/13:55:35.6		Deletes the designated file.: d:/dat/253_doy034_pass03_file12.dat	FILE_DELETE	04-034/13:43:48.7
15863	M1O	04-034/13:55:36.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:49.8
15864	M1O	04-034/13:55:37.7		Deletes the designated file.: d:/dat/253_doy034_pass03_file13.dat	FILE_DELETE	04-034/13:43:50.8
15865	M1O	04-034/13:55:38.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:51.9
15866	M1O	04-034/13:55:39.8		Deletes the designated file.: d:/dat/253_doy034_pass03_file14.dat	FILE_DELETE	04-034/13:43:52.9
15867	M1O	04-034/13:55:40.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:54.0
15868	M1O	04-034/13:55:41.9		Deletes the designated file.: d:/dat/253_doy034_pass03_file15.dat	FILE_DELETE	04-034/13:43:55.0
15869	M1O	04-034/13:55:43.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:56.1
15870	M1O	04-034/13:55:44.0		Deletes the designated file.: d:/dat/253_doy034_pass03_file16.dat	FILE_DELETE	04-034/13:43:57.1
15871	M1O	04-034/13:55:45.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:43:58.2
15872	M1O	04-034/13:55:46.1		Deletes the designated file.: d:/dat/253_doy034_pass03_file17.dat	FILE_DELETE	04-034/13:43:59.2
15873	M1O	04-034/13:55:47.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:44:00.3
15874	M1O	04-034/13:55:48.2		Deletes the designated file.: d:/dat/253_doy034_pass03_file18.dat	FILE_DELETE	04-034/13:44:01.3
15875	M1O	04-034/13:55:49.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy034_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/13:44:02.4
15876	M1O	04-034/13:55:50.3		Deletes the designated file.: d:/dat/253_doy034_pass03_file19.dat	FILE_DELETE	04-034/13:44:03.4
15877	M1O	04-034/13:55:51.3		CALL, Engine = , Parameters = 253	get_apid	04-034/13:44:04.4
15878	M1O	04-034/13:55:52.4		CALL, Engine = , Parameters = 253	get_rcv_mode	04-034/13:44:05.5
15879	M1O	04-034/13:55:52.6		CALL, Engine = , Parameters = 253	get_dl_rate	04-034/13:44:05.7
15880	M1O	04-034/13:55:53.7		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-034/13:44:06.8
15881	M1O	04-034/13:55:55.0		CALL, Engine = , Parameters = 253	get_coding	04-034/13:44:08.1
15882	M1O	04-034/13:55:56.2		CALL, Engine = , Parameters = 253	get_xmt_mode	04-034/13:44:09.3
15883	M1O	04-034/13:55:57.4		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-034/13:44:10.5
15884	M1O	04-034/13:57:02.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/13:45:15.3
15885	M1O	04-034/13:57:03.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/13:45:16.3
15886	M1O	04-034/13:57:04.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/13:45:17.3
15887	M1O	04-034/13:57:05.2		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-034/13:45:18.3
15888	M1O	04-034/13:57:06.2		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-034/13:45:19.3
15889	M1O	04-034/13:57:07.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-034/13:45:20.3
15890	M1O	04-034/13:57:08.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/13:45:21.3
15891	M1O	04-034/13:58:58.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/13:47:11.3
15892	M1O	04-034/13:58:58.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15893	M1O	04-034/13:59:03.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/13:47:16.5
15894	M1O	04-034/13:59:08.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-034/13:47:21.3
15895	M1O	04-034/14:00:00.0	65	Begin Tracking		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15896	M1O	04-034/14:00:00.0	65	Acquire D/L: X/08, 1-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15897	M1O	04-034/14:01:00.0	65	Acquire U/L: X/08, PWR=20.0, BR=125.0		
15898	M1O	04-034/14:06:00.0	65	Range Modulation On: SUP=3.0dB		
15899	M1O	04-034/14:06:20.8		NOTE: Descending Node Crossing 9488		04-034/13:54:33.8
15900	M1O	04-034/14:07:00.0	65	Begin Ranging Acquisition		
15901	M1O	04-034/14:16:28.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/14:04:41.3
15902	M1O	04-034/14:16:29.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/14:04:42.4
15903	M1O	04-034/14:16:39.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/14:04:52.4
15904	M1O	04-034/14:16:40.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/14:04:53.4
15905	M1O	04-034/14:16:41.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-034/14:04:54.4
15906	M1O	04-034/14:16:41.3	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15907	M1O	04-034/14:16:41.3	65	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15908	M1O	04-034/14:16:42.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-034/14:04:55.4
15909	M1O	04-034/14:21:41.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/14:09:54.0
15910	M1O	04-034/14:21:41.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15911	M1O	04-034/14:21:41.0	65	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15912	M1O	04-034/14:23:31.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-034/14:11:44.4
15913	M1O	04-034/14:23:33.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/14:11:46.5
15914	M1O	04-034/14:23:33.5	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15915	M1O	04-034/14:23:33.5	65	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15916	M1O	04-034/14:23:34.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-034/14:11:47.5
15917	M1O	04-034/14:24:33.8	63	Acquire D/L: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15918	M1O	04-034/14:24:33.8	65	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15919	M1O	04-034/14:29:33.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/14:17:46.5
15920	M1O	04-034/14:29:33.5	63	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15921	M1O	04-034/14:29:33.5	65	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15922	M1O	04-034/14:29:34.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-034/14:17:47.5
15923	M1O	04-034/14:34:15.1		NOTE: Periapsis 9488 ----------		04-034/14:22:28.1
15924	M1O	04-034/14:35:38.0		NOTE: South Pole Crossing 9488		04-034/14:23:50.9
15925	M1O	04-034/14:49:05.0		SPAWN, Engine = 65535, Parameters = 034, 04, TRUE, 00:17:00, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-034/14:37:18.0
15926	M1O	04-034/14:49:06.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/14:37:19.1
15927	M1O	04-034/14:49:08.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-034/14:37:21.1
15928	M1O	04-034/14:49:08.4		CALL, Engine = , Parameters = 034, 04, 254	bld_autosw	04-034/14:37:21.4
15929	M1O	04-034/14:49:09.5		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-034/14:37:22.5
15930	M1O	04-034/14:49:10.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:23.6
15931	M1O	04-034/14:49:11.6		Deletes the designated file.: d:/dat/254_doy034_pass04_file01.dat	FILE_DELETE	04-034/14:37:24.6
15932	M1O	04-034/14:49:12.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:25.7
15933	M1O	04-034/14:49:13.7		Deletes the designated file.: d:/dat/254_doy034_pass04_file02.dat	FILE_DELETE	04-034/14:37:26.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15934	M1O	04-034/14:49:14.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:27.8
15935	M1O	04-034/14:49:15.8		Deletes the designated file.: d:/dat/254_doy034_pass04_file03.dat	FILE_DELETE	04-034/14:37:28.8
15936	M1O	04-034/14:49:16.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:29.9
15937	M1O	04-034/14:49:17.9		Deletes the designated file.: d:/dat/254_doy034_pass04_file04.dat	FILE_DELETE	04-034/14:37:30.9
15938	M1O	04-034/14:49:19.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:32.0
15939	M1O	04-034/14:49:20.0		Deletes the designated file.: d:/dat/254_doy034_pass04_file05.dat	FILE_DELETE	04-034/14:37:33.0
15940	M1O	04-034/14:49:21.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:34.1
15941	M1O	04-034/14:49:22.1		Deletes the designated file.: d:/dat/254_doy034_pass04_file06.dat	FILE_DELETE	04-034/14:37:35.1
15942	M1O	04-034/14:49:23.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:36.2
15943	M1O	04-034/14:49:24.2		Deletes the designated file.: d:/dat/254_doy034_pass04_file07.dat	FILE_DELETE	04-034/14:37:37.2
15944	M1O	04-034/14:49:25.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:38.3
15945	M1O	04-034/14:49:26.3		Deletes the designated file.: d:/dat/254_doy034_pass04_file08.dat	FILE_DELETE	04-034/14:37:39.3
15946	M1O	04-034/14:49:27.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:40.4
15947	M1O	04-034/14:49:28.4		Deletes the designated file.: d:/dat/254_doy034_pass04_file09.dat	FILE_DELETE	04-034/14:37:41.4
15948	M1O	04-034/14:49:29.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:42.5
15949	M1O	04-034/14:49:30.5		Deletes the designated file.: d:/dat/254_doy034_pass04_file10.dat	FILE_DELETE	04-034/14:37:43.5
15950	M1O	04-034/14:49:31.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:44.6
15951	M1O	04-034/14:49:32.6		Deletes the designated file.: d:/dat/254_doy034_pass04_file11.dat	FILE_DELETE	04-034/14:37:45.6
15952	M1O	04-034/14:49:33.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:46.7
15953	M1O	04-034/14:49:34.7		Deletes the designated file.: d:/dat/254_doy034_pass04_file12.dat	FILE_DELETE	04-034/14:37:47.7
15954	M1O	04-034/14:49:35.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:48.8
15955	M1O	04-034/14:49:36.8		Deletes the designated file.: d:/dat/254_doy034_pass04_file13.dat	FILE_DELETE	04-034/14:37:49.8
15956	M1O	04-034/14:49:37.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:50.9
15957	M1O	04-034/14:49:38.9		Deletes the designated file.: d:/dat/254_doy034_pass04_file14.dat	FILE_DELETE	04-034/14:37:51.9
15958	M1O	04-034/14:49:40.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:53.0
15959	M1O	04-034/14:49:41.0		Deletes the designated file.: d:/dat/254_doy034_pass04_file15.dat	FILE_DELETE	04-034/14:37:54.0
15960	M1O	04-034/14:49:42.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:55.1
15961	M1O	04-034/14:49:43.1		Deletes the designated file.: d:/dat/254_doy034_pass04_file16.dat	FILE_DELETE	04-034/14:37:56.1
15962	M1O	04-034/14:49:44.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:57.2
15963	M1O	04-034/14:49:45.2		Deletes the designated file.: d:/dat/254_doy034_pass04_file17.dat	FILE_DELETE	04-034/14:37:58.2
15964	M1O	04-034/14:49:46.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:37:59.3
15965	M1O	04-034/14:49:47.3		Deletes the designated file.: d:/dat/254_doy034_pass04_file18.dat	FILE_DELETE	04-034/14:38:00.3
15966	M1O	04-034/14:49:48.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy034_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-034/14:38:01.4
15967	M1O	04-034/14:49:49.4		Deletes the designated file.: d:/dat/254_doy034_pass04_file19.dat	FILE_DELETE	04-034/14:38:02.4
15968	M1O	04-034/14:49:50.4		CALL, Engine = , Parameters = 254	get_apid	04-034/14:38:03.4
15969	M1O	04-034/14:49:51.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-034/14:38:04.5
15970	M1O	04-034/14:49:51.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-034/14:38:04.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
15971	M1O	04-034/14:49:52.8		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-034/14:38:05.8
15972	M1O	04-034/14:49:54.1		CALL, Engine = , Parameters = 254	get_coding	04-034/14:38:07.1
15973	M1O	04-034/14:49:55.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-034/14:38:08.3
15974	M1O	04-034/14:49:56.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-034/14:38:09.5
15975	M1O	04-034/14:51:01.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/14:39:14.3
15976	M1O	04-034/14:51:02.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/14:39:15.3
15977	M1O	04-034/14:51:03.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/14:39:16.3
15978	M1O	04-034/14:51:04.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-034/14:39:17.3
15979	M1O	04-034/14:51:05.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-034/14:39:18.3
15980	M1O	04-034/14:51:06.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-034/14:39:19.3
15981	M1O	04-034/14:51:07.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/14:39:20.3
15982	M1O	04-034/14:51:08.3		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-034/14:39:21.3
15983	M1O	04-034/14:51:09.3		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-034/14:39:22.3
15984	M1O	04-034/14:52:57.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/14:41:10.3
15985	M1O	04-034/14:52:57.4	63	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15986	M1O	04-034/14:52:57.4	65	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15987	M1O	04-034/14:53:02.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/14:41:15.5
15988	M1O	04-034/14:53:07.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-034/14:41:20.3
15989	M1O	04-034/15:03:33.5		NOTE: Enter Solar Eclipse 9488		04-034/14:51:46.4
15990	M1O	04-034/15:04:58.8		NOTE: Ascending Node Crossing 9488		04-034/14:53:11.7
15991	M1O	04-034/15:08:02.4		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-034/14:56:15.3
15992	M1O	04-034/15:08:03.4		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-034/14:56:16.3
15993	M1O	04-034/15:08:05.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/14:56:18.3
15994	M1O	04-034/15:08:06.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/14:56:19.4
15995	M1O	04-034/15:08:16.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/14:56:29.4
15996	M1O	04-034/15:08:17.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/14:56:30.4
15997	M1O	04-034/15:08:18.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-034/14:56:31.4
15998	M1O	04-034/15:08:18.5	63	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
15999	M1O	04-034/15:08:18.5	65	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16000	M1O	04-034/15:08:19.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-034/14:56:32.4
16001	M1O	04-034/15:13:18.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/15:01:31.0
16002	M1O	04-034/15:13:18.1	63	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16003	M1O	04-034/15:13:18.1	65	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16004	M1O	04-034/15:17:43.6		NOTE: Exit Solar Eclipse 9488		04-034/15:05:56.4
16005	M1O	04-034/15:32:56.0		NOTE: Apoapsis 9488 -		04-034/15:21:08.8
16006	M1O	04-034/15:34:59.9		NOTE: North Pole Crossing 9488		04-034/15:23:12.7
16007	M1O	04-034/16:04:57.1		NOTE: Descending Node Crossing 9489		04-034/15:53:09.8
16008	M1O	04-034/16:32:45.2		NOTE: Periapsis 9489 ----------		04-034/16:20:57.8
16009	M1O	04-034/16:34:14.4		NOTE: South Pole Crossing 9489		04-034/16:22:27.0
16010	M1O	04-034/17:02:10.5		NOTE: Enter Solar Eclipse 9489		04-034/16:50:23.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16011	M1O	04-034/17:03:35.3		NOTE: Ascending Node Crossing 9489		04-034/16:51:47.8
16012	M1O	04-034/17:16:21.9		NOTE: Exit Solar Eclipse 9489		04-034/17:04:34.3
16013	M1O	04-034/17:31:09.6		NOTE: Apoapsis 9489 -		04-034/17:19:21.9
16014	M1O	04-034/17:33:35.5		NOTE: North Pole Crossing 9489		04-034/17:21:47.8
16015	M1O	04-034/18:03:31.4		NOTE: Descending Node Crossing 9490		04-034/17:51:43.7
16016	M1O	04-034/18:31:18.5		NOTE: Periapsis 9490 ----------		04-034/18:19:30.7
16017	M1O	04-034/18:32:48.7		NOTE: South Pole Crossing 9490		04-034/18:21:00.9
16018	M1O	04-034/18:55:12.8		SPAWN, Engine = 65535, Parameters = 034, 03, FALSE, 00:18:43.008, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-034/18:43:25.0
16019	M1O	04-034/18:55:13.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/18:43:26.1
16020	M1O	04-034/18:55:15.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-034/18:43:28.1
16021	M1O	04-034/18:55:58.1		CALL, Engine = , Parameters = 56	get_apid	04-034/18:44:10.3
16022	M1O	04-034/18:55:59.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-034/18:44:11.4
16023	M1O	04-034/18:55:59.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-034/18:44:11.6
16024	M1O	04-034/18:56:00.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-034/18:44:12.7
16025	M1O	04-034/18:56:01.7		CALL, Engine = , Parameters = 56	get_coding	04-034/18:44:13.9
16026	M1O	04-034/18:56:02.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-034/18:44:15.1
16027	M1O	04-034/18:56:04.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-034/18:44:16.3
16028	M1O	04-034/18:57:08.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/18:45:21.1
16029	M1O	04-034/18:57:09.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/18:45:22.1
16030	M1O	04-034/18:57:10.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/18:45:23.1
16031	M1O	04-034/18:57:11.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-034/18:45:24.1
16032	M1O	04-034/18:57:12.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-034/18:45:25.1
16033	M1O	04-034/18:57:13.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-034/18:45:26.1
16034	M1O	04-034/18:57:14.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/18:45:27.1
16035	M1O	04-034/19:00:44.4		NOTE: Enter Solar Eclipse 9490		04-034/18:48:56.5
16036	M1O	04-034/19:02:09.5		NOTE: Ascending Node Crossing 9490		04-034/18:50:21.6
16037	M1O	04-034/19:14:59.8		NOTE: Exit Solar Eclipse 9490		04-034/19:03:11.9
16038	M1O	04-034/19:15:54.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/19:04:06.1
16039	M1O	04-034/19:15:55.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/19:04:07.2
16040	M1O	04-034/19:16:05.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/19:04:17.2
16041	M1O	04-034/19:16:06.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/19:04:18.2
16042	M1O	04-034/19:29:44.3		NOTE: Apoapsis 9490 -		04-034/19:17:56.3
16043	M1O	04-034/19:32:08.5		NOTE: North Pole Crossing 9490		04-034/19:20:20.5
16044	M1O	04-034/20:02:03.4		NOTE: Descending Node Crossing 9491		04-034/19:50:15.3
16045	M1O	04-034/20:29:51.1		NOTE: Periapsis 9491 ----------		04-034/20:18:02.9
16046	M1O	04-034/20:31:20.0		NOTE: South Pole Crossing 9491		04-034/20:19:31.8
16047	M1O	04-034/20:54:40.2		SPAWN, Engine = 65535, Parameters = 034, 04, FALSE, 00:14:42.665, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-034/20:42:52.0
16048	M1O	04-034/20:54:41.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/20:42:53.1
16049	M1O	04-034/20:54:43.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-034/20:42:55.1
16050	M1O	04-034/20:55:25.5		CALL, Engine = , Parameters = 56	get_apid	04-034/20:43:37.3
16051	M1O	04-034/20:55:26.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-034/20:43:38.4
16052	M1O	04-034/20:55:26.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-034/20:43:38.6
16053	M1O	04-034/20:55:27.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-034/20:43:39.7
16054	M1O	04-034/20:55:29.1		CALL, Engine = , Parameters = 56	get_coding	04-034/20:43:40.9
16055	M1O	04-034/20:55:30.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-034/20:43:42.1
16056	M1O	04-034/20:55:31.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-034/20:43:43.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16057	M1O	04-034/20:56:36.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-034/20:44:48.1
16058	M1O	04-034/20:56:37.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-034/20:44:49.1
16059	M1O	04-034/20:56:38.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-034/20:44:50.1
16060	M1O	04-034/20:56:39.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-034/20:44:51.1
16061	M1O	04-034/20:56:40.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-034/20:44:52.1
16062	M1O	04-034/20:56:41.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-034/20:44:53.1
16063	M1O	04-034/20:56:42.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-034/20:44:54.1
16064	M1O	04-034/20:59:14.7		NOTE: Enter Solar Eclipse 9491		04-034/20:47:26.5
16065	M1O	04-034/21:00:40.4		NOTE: Ascending Node Crossing 9491		04-034/20:48:52.1
16066	M1O	04-034/21:11:21.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-034/20:59:32.7
16067	M1O	04-034/21:11:22.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-034/20:59:33.8
16068	M1O	04-034/21:11:32.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-034/20:59:43.8
16069	M1O	04-034/21:11:33.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-034/20:59:44.8
16070	M1O	04-034/21:13:30.8		NOTE: Exit Solar Eclipse 9491		04-034/21:01:42.5
16071	M1O	04-034/21:28:21.1		NOTE: Apoapsis 9491 -		04-034/21:16:32.7
16072	M1O	04-034/21:30:39.5		NOTE: North Pole Crossing 9491		04-034/21:18:51.1
16073	M1O	04-034/22:00:34.5		NOTE: Descending Node Crossing 9492		04-034/21:48:46.1
16074	M1O	04-034/22:28:06.3		NOTE: Periapsis 9492 ----------		04-034/22:16:17.7
16075	M1O	04-034/22:29:50.6		NOTE: South Pole Crossing 9492		04-034/22:18:02.0
16076	M1O	04-034/22:30:00.0	14	Begin Pre-Cal		
16077	M1O	04-034/22:30:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
16078	M1O	04-034/22:30:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
16079	M1O	04-034/22:30:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
16080	M1O	04-034/22:30:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
16081	M1O	04-034/22:30:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
16082	M1O	04-034/22:30:00.0	14	Config: RCV: Parms:		
16083	M1O	04-034/22:30:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
16084	M1O	04-034/22:30:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
16085	M1O	04-034/22:30:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
16086	M1O	04-034/22:35:00.0	65	NOTE: X-Band Transmitter Off in 15 minutes		
16087	M1O	04-034/22:36:50.0	63	NOTE: Below Uplink Interlock Limit		
16088	M1O	04-034/22:45:00.0	65	Range Modulation Off		
16089	M1O	04-034/22:50:00.0	65	X-Band Transmitter Off		
16090	M1O	04-034/22:51:22.6	65	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
16091	M1O	04-034/22:57:48.1		NOTE: Enter Solar Eclipse 9492		04-034/22:45:59.5
16092	M1O	04-034/22:59:11.1		NOTE: Ascending Node Crossing 9492		04-034/22:47:22.5
16093	M1O	04-034/23:00:00.0	14	Begin Tracking		
16094	M1O	04-034/23:00:00.0	14	Acquire D/L: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16095	M1O	04-034/23:02:43.0	65	NOTE: Below Uplink Interlock Limit		
16096	M1O	04-034/23:11:54.2		NOTE: Exit Solar Eclipse 9492		04-034/23:00:05.5
16097	M1O	04-034/23:12:34.2		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-034/23:00:45.6
16098	M1O	04-034/23:12:36.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-034/23:00:47.7
16099	M1O	04-034/23:12:36.3	14	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16100	M1O	04-034/23:12:36.3	63	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16101	M1O	04-034/23:12:36.3	65	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16102	M1O	04-034/23:12:37.3		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-034/23:00:48.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_nom.cfg		
16103	M1O	04-034/23:13:37.2	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16104	M1O	04-034/23:13:37.2	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16105	M1O	04-034/23:13:37.2	65	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16106	M1O	04-034/23:15:00.0	63	End Tracking		
16107	M1O	04-034/23:15:00.0	65	End Tracking		
16108	M1O	04-034/23:18:36.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-034/23:06:47.7
16109	M1O	04-034/23:18:36.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16110	M1O	04-034/23:18:37.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-034/23:06:48.7
16111	M1O	04-034/23:26:40.0		NOTE: Apoapsis 9492 -		04-034/23:14:51.3
16112	M1O	04-034/23:29:11.5		NOTE: North Pole Crossing 9492		04-034/23:17:22.8
16113	M1O	04-034/23:30:00.0	63	End Post-Cal		
16114	M1O	04-034/23:30:00.0	65	End Post-Cal		
16115	M1O	04-034/23:45:00.0	15	Begin Pre-Cal		
16116	M1O	04-034/23:45:00.0	15	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
16117	M1O	04-034/23:45:00.0	15	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
16118	M1O	04-034/23:45:00.0	15	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
16119	M1O	04-034/23:45:00.0	15	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
16120	M1O	04-034/23:45:00.0	15	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
16121	M1O	04-034/23:45:00.0	15	Config: RCV: Parms:		
16122	M1O	04-034/23:45:00.0	15	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
16123	M1O	04-034/23:45:00.0	15	Config: TGC: BAND=X, SR=221200.000000		
16124	M1O	04-034/23:45:00.0	15	Config: TXL		
16125	M1O	04-034/23:45:00.0	15	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
16126	M1O	04-034/23:45:00.0	15	Config: CMD		
16127	M1O	04-034/23:45:00.0	15	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
16128	M1O	04-034/23:59:07.4		NOTE: Descending Node Crossing 9493		04-034/23:47:18.6
16129	M1O	04-035/00:00:00.0		Light Time: OWLT = 11:48, RTLT = 23:37		
16130	M1O	04-035/00:12:07.8		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-035/00:00:19.0
16131	M1O	04-035/00:12:07.9		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-035/00:00:19.1
16132	M1O	04-035/00:12:08.9		Forces a desaturation of the reaction wheels.	RW_DESAT	04-035/00:00:20.1
16133	M1O	04-035/00:15:30.8		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-035/00:03:42.0
16134	M1O	04-035/00:15:46.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-033T00:03:42.100, 2004-035T00:03:42.100	PCKTS_RE_TX_TIME	04-035/00:03:57.8
16135	M1O	04-035/00:15:47.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-033T00:03:42.100, 2004-035T00:03:42.100	PCKTS_RE_TX_TIME	04-035/00:03:58.8
16136	M1O	04-035/00:15:48.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-033T00:03:42.100, 2004-035T00:03:42.100	PCKTS_RE_TX_TIME	04-035/00:03:59.8
16137	M1O	04-035/00:15:49.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-033T00:03:42.100, 2004-035T00:03:42.100	PCKTS_RE_TX_TIME	04-035/00:04:00.8
16138	M1O	04-035/00:15:50.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-033T00:03:42.100, 2004-035T00:03:42.100	PCKTS_RE_TX_TIME	04-035/00:04:01.8
16139	M1O	04-035/00:15:51.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-033T00:03:42.100, 2004-035T00:03:42.100	PCKTS_RE_TX_TIME	04-035/00:04:02.8
16140	M1O	04-035/00:15:51.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-035/00:04:02.8
16141	M1O	04-035/00:15:51.7	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16142	M1O	04-035/00:22:52.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/00:11:03.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16143	M1O	04-035/00:22:52.7	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16144	M1O	04-035/00:22:53.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-035/00:11:04.8
16145	M1O	04-035/00:23:09.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-035/00:11:20.8
16146	M1O	04-035/00:23:09.7	14	D/L RF Warning: SC antenna change - expect signal level variation		
16147	M1O	04-035/00:23:10.7		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-035/00:11:21.8
16148	M1O	04-035/00:23:39.0		CALL, Engine = , Parameters = FALSE	park_hga	04-035/00:11:50.1
16149	M1O	04-035/00:23:39.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/00:11:50.1
16150	M1O	04-035/00:23:40.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-035/00:11:51.1
16151	M1O	04-035/00:23:41.0		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-035/00:11:52.1
16152	M1O	04-035/00:23:41.0		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-035/00:11:52.1
16153	M1O	04-035/00:23:41.0		NOTE: START HGA PARK		
16154	M1O	04-035/00:23:41.0	14	NOTE: Loss Of X-Band Signal		
16155	M1O	04-035/00:23:42.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-035/00:11:53.1
16156	M1O	04-035/00:23:43.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-035/00:11:54.1
16157	M1O	04-035/00:26:31.9		NOTE: Periapsis 9493 ----------		04-035/00:14:43.0
16158	M1O	04-035/00:28:13.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-035/00:16:24.1
16159	M1O	04-035/00:28:24.6		NOTE: South Pole Crossing 9493		04-035/00:16:35.7
16160	M1O	04-035/00:30:00.0	15	Begin Tracking		
16161	M1O	04-035/00:31:43.0		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-035/00:19:54.1
16162	M1O	04-035/00:31:43.0		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-035/00:19:54.1
16163	M1O	04-035/00:49:33.0		SPAWN, Engine = 65535, Parameters = 035, 01, FALSE, 00:13:12.310, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-035/00:37:44.0
16164	M1O	04-035/00:49:34.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/00:37:45.1
16165	M1O	04-035/00:49:36.1		CALL, Engine = , Parameters = 253	get_cmd_opt	04-035/00:37:47.1
16166	M1O	04-035/00:50:18.3		CALL, Engine = , Parameters = 253	get_apid	04-035/00:38:29.3
16167	M1O	04-035/00:50:19.4		CALL, Engine = , Parameters = 253	get_rcv_mode	04-035/00:38:30.4
16168	M1O	04-035/00:50:19.6		CALL, Engine = , Parameters = 253	get_dl_rate	04-035/00:38:30.6
16169	M1O	04-035/00:50:20.7		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-035/00:38:31.7
16170	M1O	04-035/00:50:22.0		CALL, Engine = , Parameters = 253	get_coding	04-035/00:38:33.0
16171	M1O	04-035/00:50:23.2		CALL, Engine = , Parameters = 253	get_xmt_mode	04-035/00:38:34.2
16172	M1O	04-035/00:50:24.4		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-035/00:38:35.4
16173	M1O	04-035/00:51:29.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/00:39:40.2
16174	M1O	04-035/00:51:30.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/00:39:41.2
16175	M1O	04-035/00:51:31.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/00:39:42.2
16176	M1O	04-035/00:51:32.2		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-035/00:39:43.2
16177	M1O	04-035/00:51:33.2		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-035/00:39:44.2
16178	M1O	04-035/00:51:34.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-035/00:39:45.2
16179	M1O	04-035/00:51:35.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/00:39:46.2
16180	M1O	04-035/00:56:03.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
16181	M1O	04-035/00:56:26.2		NOTE: Enter Solar Eclipse 9493		04-035/00:44:37.2
16182	M1O	04-035/00:57:46.4		NOTE: Ascending Node Crossing 9493		04-035/00:45:57.4
16183	M1O	04-035/01:01:03.0	15	Range Modulation On: SUP=3.0dB		
16184	M1O	04-035/01:01:43.0		GV: GV_DESAT_ACTIVE = 1		04-035/00:49:54.0
16185	M1O	04-035/01:01:44.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-035/00:49:55.0
16186	M1O	04-035/01:01:44.0		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-035/00:49:55.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16187	M1O	04-035/01:02:03.0	15	Begin Ranging Acquisition		
16188	M1O	04-035/01:04:43.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/00:52:54.5
16189	M1O	04-035/01:04:44.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/00:52:55.6
16190	M1O	04-035/01:04:54.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/00:53:05.6
16191	M1O	04-035/01:04:55.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/00:53:06.6
16192	M1O	04-035/01:10:24.1		NOTE: Exit Solar Eclipse 9493		04-035/00:58:35.1
16193	M1O	04-035/01:11:43.0		GV: GV_DESAT_ACTIVE = 0		04-035/00:59:54.0
16194	M1O	04-035/01:11:44.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-035/00:59:55.0
16195	M1O	04-035/01:11:45.0		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-035/00:59:56.0
16196	M1O	04-035/01:11:46.0		CALL, Engine = , Parameters =	unpark_hga	04-035/00:59:57.0
16197	M1O	04-035/01:11:46.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-035/00:59:57.0
16198	M1O	04-035/01:11:47.0		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-035/00:59:58.0
16199	M1O	04-035/01:16:17.0		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-035/01:04:28.0
16200	M1O	04-035/01:16:18.0		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-035/01:04:29.0
16201	M1O	04-035/01:19:15.8		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-035/01:07:26.7
16202	M1O	04-035/01:19:15.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/01:07:26.8
16203	M1O	04-035/01:19:16.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-035/01:07:27.8
16204	M1O	04-035/01:19:17.9		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-035/01:07:28.8
16205	M1O	04-035/01:19:18.9		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-035/01:07:29.8
16206	M1O	04-035/01:19:19.9		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-035/01:07:30.8
16207	M1O	04-035/01:19:29.9		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-035/01:07:40.8
16208	M1O	04-035/01:19:39.9		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-035/01:07:50.8
16209	M1O	04-035/01:20:18.0		NOTE: EXIT HGA PARK		
16210	M1O	04-035/01:20:18.0	14	Acquisition Of X-Band Signal		
16211	M1O	04-035/01:20:18.0	14	Acquire D/L: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16212	M1O	04-035/01:20:18.0	15	Acquisition Of X-Band Signal		
16213	M1O	04-035/01:20:18.0	15	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16214	M1O	04-035/01:24:39.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-035/01:12:50.8
16215	M1O	04-035/01:24:40.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/01:12:51.8
16216	M1O	04-035/01:24:40.9	14	D/L Change: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16217	M1O	04-035/01:24:40.9	15	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16218	M1O	04-035/01:24:41.9		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-035/01:12:52.8
16219	M1O	04-035/01:25:13.9		NOTE: Apoapsis 9493 -		04-035/01:13:24.8
16220	M1O	04-035/01:27:46.7		NOTE: North Pole Crossing 9493		04-035/01:15:57.6
16221	M1O	04-035/01:50:58.2		SPAWN, Engine = 65535, Parameters = 035, 01, TRUE, 00:19:06, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-035/01:39:09.0
16222	M1O	04-035/01:50:59.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/01:39:10.1
16223	M1O	04-035/01:51:01.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-035/01:39:12.1
16224	M1O	04-035/01:51:01.6		CALL, Engine = , Parameters = 035, 01, 254	bld_autosw	04-035/01:39:12.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16225	M1O	04-035/01:51:02.7		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-035/01:39:13.5
16226	M1O	04-035/01:51:03.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:14.6
16227	M1O	04-035/01:51:04.8		Deletes the designated file.: d:/dat/254_doy035_pass01_file01.dat	FILE_DELETE	04-035/01:39:15.6
16228	M1O	04-035/01:51:05.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:16.7
16229	M1O	04-035/01:51:06.9		Deletes the designated file.: d:/dat/254_doy035_pass01_file02.dat	FILE_DELETE	04-035/01:39:17.7
16230	M1O	04-035/01:51:08.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:18.8
16231	M1O	04-035/01:51:09.0		Deletes the designated file.: d:/dat/254_doy035_pass01_file03.dat	FILE_DELETE	04-035/01:39:19.8
16232	M1O	04-035/01:51:10.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:20.9
16233	M1O	04-035/01:51:11.1		Deletes the designated file.: d:/dat/254_doy035_pass01_file04.dat	FILE_DELETE	04-035/01:39:21.9
16234	M1O	04-035/01:51:12.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:23.0
16235	M1O	04-035/01:51:13.2		Deletes the designated file.: d:/dat/254_doy035_pass01_file05.dat	FILE_DELETE	04-035/01:39:24.0
16236	M1O	04-035/01:51:14.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:25.1
16237	M1O	04-035/01:51:15.3		Deletes the designated file.: d:/dat/254_doy035_pass01_file06.dat	FILE_DELETE	04-035/01:39:26.1
16238	M1O	04-035/01:51:16.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:27.2
16239	M1O	04-035/01:51:17.4		Deletes the designated file.: d:/dat/254_doy035_pass01_file07.dat	FILE_DELETE	04-035/01:39:28.2
16240	M1O	04-035/01:51:18.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:29.3
16241	M1O	04-035/01:51:19.5		Deletes the designated file.: d:/dat/254_doy035_pass01_file08.dat	FILE_DELETE	04-035/01:39:30.3
16242	M1O	04-035/01:51:20.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:31.4
16243	M1O	04-035/01:51:21.6		Deletes the designated file.: d:/dat/254_doy035_pass01_file09.dat	FILE_DELETE	04-035/01:39:32.4
16244	M1O	04-035/01:51:22.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:33.5
16245	M1O	04-035/01:51:23.7		Deletes the designated file.: d:/dat/254_doy035_pass01_file10.dat	FILE_DELETE	04-035/01:39:34.5
16246	M1O	04-035/01:51:24.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:35.6
16247	M1O	04-035/01:51:25.8		Deletes the designated file.: d:/dat/254_doy035_pass01_file11.dat	FILE_DELETE	04-035/01:39:36.6
16248	M1O	04-035/01:51:26.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:37.7
16249	M1O	04-035/01:51:27.9		Deletes the designated file.: d:/dat/254_doy035_pass01_file12.dat	FILE_DELETE	04-035/01:39:38.7
16250	M1O	04-035/01:51:29.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:39.8
16251	M1O	04-035/01:51:30.0		Deletes the designated file.: d:/dat/254_doy035_pass01_file13.dat	FILE_DELETE	04-035/01:39:40.8
16252	M1O	04-035/01:51:31.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:41.9
16253	M1O	04-035/01:51:32.1		Deletes the designated file.: d:/dat/254_doy035_pass01_file14.dat	FILE_DELETE	04-035/01:39:42.9
16254	M1O	04-035/01:51:33.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:44.0
16255	M1O	04-035/01:51:34.2		Deletes the designated file.: d:/dat/254_doy035_pass01_file15.dat	FILE_DELETE	04-035/01:39:45.0
16256	M1O	04-035/01:51:35.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:46.1
16257	M1O	04-035/01:51:36.3		Deletes the designated file.: d:/dat/254_doy035_pass01_file16.dat	FILE_DELETE	04-035/01:39:47.1
16258	M1O	04-035/01:51:37.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:48.2
16259	M1O	04-035/01:51:38.4		Deletes the designated file.: d:/dat/254_doy035_pass01_file17.dat	FILE_DELETE	04-035/01:39:49.2
16260	M1O	04-035/01:51:39.5		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-035/01:39:50.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy035_pass01_file18.dat, d:/dat/autoswitch.dat		
16261	M1O	04-035/01:51:40.5		Deletes the designated file.: d:/dat/254_doy035_pass01_file18.dat	FILE_DELETE	04-035/01:39:51.3
16262	M1O	04-035/01:51:41.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/01:39:52.4
16263	M1O	04-035/01:51:42.6		Deletes the designated file.: d:/dat/254_doy035_pass01_file19.dat	FILE_DELETE	04-035/01:39:53.4
16264	M1O	04-035/01:51:43.6		CALL, Engine = , Parameters = 254	get_apid	04-035/01:39:54.4
16265	M1O	04-035/01:51:44.7		CALL, Engine = , Parameters = 254	get_rcv_mode	04-035/01:39:55.5
16266	M1O	04-035/01:51:44.9		CALL, Engine = , Parameters = 254	get_dl_rate	04-035/01:39:55.7
16267	M1O	04-035/01:51:46.0		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-035/01:39:56.8
16268	M1O	04-035/01:51:47.3		CALL, Engine = , Parameters = 254	get_coding	04-035/01:39:58.1
16269	M1O	04-035/01:51:48.5		CALL, Engine = , Parameters = 254	get_xmt_mode	04-035/01:39:59.3
16270	M1O	04-035/01:51:49.7		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-035/01:40:00.5
16271	M1O	04-035/01:52:54.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/01:41:05.3
16272	M1O	04-035/01:52:55.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/01:41:06.3
16273	M1O	04-035/01:52:56.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/01:41:07.3
16274	M1O	04-035/01:52:57.5		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-035/01:41:08.3
16275	M1O	04-035/01:52:58.5		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-035/01:41:09.3
16276	M1O	04-035/01:52:59.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-035/01:41:10.3
16277	M1O	04-035/01:53:00.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/01:41:11.3
16278	M1O	04-035/01:54:50.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/01:43:01.3
16279	M1O	04-035/01:54:50.5	14	D/L Change: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16280	M1O	04-035/01:54:50.5	15	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16281	M1O	04-035/01:54:55.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/01:43:06.5
16282	M1O	04-035/01:55:00.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-035/01:43:11.3
16283	M1O	04-035/01:57:42.8		NOTE: Descending Node Crossing 9494		04-035/01:45:53.6
16284	M1O	04-035/02:04:59.0	15	NOTE: X-Band Transmitter Off in 15 minutes		
16285	M1O	04-035/02:06:21.4	15	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
16286	M1O	04-035/02:12:04.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/02:00:15.3
16287	M1O	04-035/02:12:05.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/02:00:16.4
16288	M1O	04-035/02:12:15.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/02:00:26.4
16289	M1O	04-035/02:12:16.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/02:00:27.4
16290	M1O	04-035/02:12:17.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-035/02:00:28.4
16291	M1O	04-035/02:12:17.6	14	D/L Change: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16292	M1O	04-035/02:12:17.6	15	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16293	M1O	04-035/02:12:18.6		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-035/02:00:29.4
16294	M1O	04-035/02:14:59.0	15	Range Modulation Off		
16295	M1O	04-035/02:17:17.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/02:05:28.0
16296	M1O	04-035/02:17:17.2	14	D/L Change: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16297	M1O	04-035/02:17:17.2	15	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16298	M1O	04-035/02:19:59.0	15	X-Band Transmitter Off		
16299	M1O	04-035/02:20:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
16300	M1O	04-035/02:25:00.0	14	Range Modulation On: SUP=3.0dB		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16301	M1O	04-035/02:25:27.9		NOTE: Periapsis 9494 ----------		04-035/02:13:38.6
16302	M1O	04-035/02:26:00.0	14	Begin Ranging Acquisition		
16303	M1O	04-035/02:27:01.2		NOTE: South Pole Crossing 9494		04-035/02:15:11.9
16304	M1O	04-035/02:30:00.0	15	End Tracking		
16305	M1O	04-035/02:42:35.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:01, 1	dpt	04-035/02:30:45.7
16306	M1O	04-035/02:42:37.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/02:30:47.8
16307	M1O	04-035/02:42:37.2	14	D/L Change: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16308	M1O	04-035/02:42:38.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-035/02:30:48.8
16309	M1O	04-035/02:43:37.6	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16310	M1O	04-035/02:43:38.6	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16311	M1O	04-035/02:44:08.3		SPAWN, Engine = 65535, Parameters = 035, 02, TRUE, 00:18:50, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-035/02:32:19.0
16312	M1O	04-035/02:44:09.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/02:32:20.1
16313	M1O	04-035/02:44:11.4		CALL, Engine = , Parameters = 253	get_cmd_opt	04-035/02:32:22.1
16314	M1O	04-035/02:44:11.7		CALL, Engine = , Parameters = 035, 02, 253	bld_autosw	04-035/02:32:22.4
16315	M1O	04-035/02:44:12.8		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-035/02:32:23.5
16316	M1O	04-035/02:44:13.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:24.6
16317	M1O	04-035/02:44:14.9		Deletes the designated file.: d:/dat/253_doy035_pass02_file01.dat	FILE_DELETE	04-035/02:32:25.6
16318	M1O	04-035/02:44:16.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:26.7
16319	M1O	04-035/02:44:17.0		Deletes the designated file.: d:/dat/253_doy035_pass02_file02.dat	FILE_DELETE	04-035/02:32:27.7
16320	M1O	04-035/02:44:18.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:28.8
16321	M1O	04-035/02:44:19.1		Deletes the designated file.: d:/dat/253_doy035_pass02_file03.dat	FILE_DELETE	04-035/02:32:29.8
16322	M1O	04-035/02:44:20.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:30.9
16323	M1O	04-035/02:44:21.2		Deletes the designated file.: d:/dat/253_doy035_pass02_file04.dat	FILE_DELETE	04-035/02:32:31.9
16324	M1O	04-035/02:44:22.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:33.0
16325	M1O	04-035/02:44:23.3		Deletes the designated file.: d:/dat/253_doy035_pass02_file05.dat	FILE_DELETE	04-035/02:32:34.0
16326	M1O	04-035/02:44:24.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:35.1
16327	M1O	04-035/02:44:25.4		Deletes the designated file.: d:/dat/253_doy035_pass02_file06.dat	FILE_DELETE	04-035/02:32:36.1
16328	M1O	04-035/02:44:26.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:37.2
16329	M1O	04-035/02:44:27.5		Deletes the designated file.: d:/dat/253_doy035_pass02_file07.dat	FILE_DELETE	04-035/02:32:38.2
16330	M1O	04-035/02:44:28.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:39.3
16331	M1O	04-035/02:44:29.6		Deletes the designated file.: d:/dat/253_doy035_pass02_file08.dat	FILE_DELETE	04-035/02:32:40.3
16332	M1O	04-035/02:44:30.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:41.4
16333	M1O	04-035/02:44:31.7		Deletes the designated file.: d:/dat/253_doy035_pass02_file09.dat	FILE_DELETE	04-035/02:32:42.4
16334	M1O	04-035/02:44:32.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:43.5
16335	M1O	04-035/02:44:33.8		Deletes the designated file.: d:/dat/253_doy035_pass02_file10.dat	FILE_DELETE	04-035/02:32:44.5
16336	M1O	04-035/02:44:34.9		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-035/02:32:45.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy035_pass02_file11.dat, d:/dat/autoswitch.dat		
16337	M1O	04-035/02:44:35.9		Deletes the designated file.: d:/dat/253_doy035_pass02_file11.dat	FILE_DELETE	04-035/02:32:46.6
16338	M1O	04-035/02:44:37.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:47.7
16339	M1O	04-035/02:44:38.0		Deletes the designated file.: d:/dat/253_doy035_pass02_file12.dat	FILE_DELETE	04-035/02:32:48.7
16340	M1O	04-035/02:44:39.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:49.8
16341	M1O	04-035/02:44:40.1		Deletes the designated file.: d:/dat/253_doy035_pass02_file13.dat	FILE_DELETE	04-035/02:32:50.8
16342	M1O	04-035/02:44:41.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:51.9
16343	M1O	04-035/02:44:42.2		Deletes the designated file.: d:/dat/253_doy035_pass02_file14.dat	FILE_DELETE	04-035/02:32:52.9
16344	M1O	04-035/02:44:43.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:54.0
16345	M1O	04-035/02:44:44.3		Deletes the designated file.: d:/dat/253_doy035_pass02_file15.dat	FILE_DELETE	04-035/02:32:55.0
16346	M1O	04-035/02:44:45.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:56.1
16347	M1O	04-035/02:44:46.4		Deletes the designated file.: d:/dat/253_doy035_pass02_file16.dat	FILE_DELETE	04-035/02:32:57.1
16348	M1O	04-035/02:44:47.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:32:58.2
16349	M1O	04-035/02:44:48.5		Deletes the designated file.: d:/dat/253_doy035_pass02_file17.dat	FILE_DELETE	04-035/02:32:59.2
16350	M1O	04-035/02:44:49.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:33:00.3
16351	M1O	04-035/02:44:50.6		Deletes the designated file.: d:/dat/253_doy035_pass02_file18.dat	FILE_DELETE	04-035/02:33:01.3
16352	M1O	04-035/02:44:51.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/02:33:02.4
16353	M1O	04-035/02:44:52.7		Deletes the designated file.: d:/dat/253_doy035_pass02_file19.dat	FILE_DELETE	04-035/02:33:03.4
16354	M1O	04-035/02:44:53.7		CALL, Engine = , Parameters = 253	get_apid	04-035/02:33:04.4
16355	M1O	04-035/02:44:54.8		CALL, Engine = , Parameters = 253	get_rcv_mode	04-035/02:33:05.5
16356	M1O	04-035/02:44:55.0		CALL, Engine = , Parameters = 253	get_dl_rate	04-035/02:33:05.7
16357	M1O	04-035/02:44:56.1		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-035/02:33:06.8
16358	M1O	04-035/02:44:57.4		CALL, Engine = , Parameters = 253	get_coding	04-035/02:33:08.1
16359	M1O	04-035/02:44:58.6		CALL, Engine = , Parameters = 253	get_xmt_mode	04-035/02:33:09.3
16360	M1O	04-035/02:44:59.8		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-035/02:33:10.5
16361	M1O	04-035/02:45:00.0	15	End Post-Cal		
16362	M1O	04-035/02:46:04.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/02:34:15.3
16363	M1O	04-035/02:46:05.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/02:34:16.3
16364	M1O	04-035/02:46:06.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/02:34:17.3
16365	M1O	04-035/02:46:07.6		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-035/02:34:18.3
16366	M1O	04-035/02:46:08.6		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-035/02:34:19.3
16367	M1O	04-035/02:46:09.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-035/02:34:20.3
16368	M1O	04-035/02:46:10.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/02:34:21.3
16369	M1O	04-035/02:48:00.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/02:36:11.3
16370	M1O	04-035/02:48:10.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-035/02:36:21.3
16371	M1O	04-035/02:48:38.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/02:36:48.8
16372	M1O	04-035/02:48:38.2	14	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16373	M1O	04-035/02:48:39.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/02:36:49.8
16374	M1O	04-035/02:48:39.1	14	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16375	M1O	04-035/02:48:39.2		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-035/02:36:49.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_map.cfg		
16376	M1O	04-035/02:55:02.3		NOTE: Enter Solar Eclipse 9494		04-035/02:43:12.9
16377	M1O	04-035/02:56:23.4		NOTE: Ascending Node Crossing 9494		04-035/02:44:34.0
16378	M1O	04-035/03:04:58.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/02:53:09.3
16379	M1O	04-035/03:04:59.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/02:53:10.4
16380	M1O	04-035/03:05:09.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/02:53:20.4
16381	M1O	04-035/03:05:10.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/02:53:21.4
16382	M1O	04-035/03:05:11.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-035/02:53:22.4
16383	M1O	04-035/03:05:11.8	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16384	M1O	04-035/03:05:12.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-035/02:53:23.4
16385	M1O	04-035/03:09:00.7		NOTE: Exit Solar Eclipse 9494		04-035/02:57:11.2
16386	M1O	04-035/03:10:11.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/02:58:22.0
16387	M1O	04-035/03:10:11.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16388	M1O	04-035/03:24:17.9		NOTE: Apoapsis 9494 -		04-035/03:12:28.4
16389	M1O	04-035/03:26:23.2		NOTE: North Pole Crossing 9494		04-035/03:14:33.7
16390	M1O	04-035/03:54:10.5		SPAWN, Engine = 65535, Parameters = 035, 02, FALSE, 00:08:24.366, 254, FALSE, 128_KPS, 00:06:00, 00:00:00	uhf	04-035/03:42:21.0
16391	M1O	04-035/03:54:11.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/03:42:22.1
16392	M1O	04-035/03:54:13.6		CALL, Engine = , Parameters = 254	get_cmd_opt	04-035/03:42:24.1
16393	M1O	04-035/03:54:55.8		CALL, Engine = , Parameters = 254	get_apid	04-035/03:43:06.3
16394	M1O	04-035/03:54:56.9		CALL, Engine = , Parameters = 254	get_rcv_mode	04-035/03:43:07.4
16395	M1O	04-035/03:54:57.1		CALL, Engine = , Parameters = 254	get_dl_rate	04-035/03:43:07.6
16396	M1O	04-035/03:54:58.2		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-035/03:43:08.7
16397	M1O	04-035/03:54:59.5		CALL, Engine = , Parameters = 254	get_coding	04-035/03:43:10.0
16398	M1O	04-035/03:55:00.7		CALL, Engine = , Parameters = 254	get_xmt_mode	04-035/03:43:11.2
16399	M1O	04-035/03:55:01.9		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-035/03:43:12.4
16400	M1O	04-035/03:56:06.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/03:44:17.2
16401	M1O	04-035/03:56:07.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/03:44:18.2
16402	M1O	04-035/03:56:08.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/03:44:19.2
16403	M1O	04-035/03:56:09.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-035/03:44:20.2
16404	M1O	04-035/03:56:10.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-035/03:44:21.2
16405	M1O	04-035/03:56:11.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-035/03:44:22.2
16406	M1O	04-035/03:56:12.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/03:44:23.2
16407	M1O	04-035/03:56:19.3		NOTE: Descending Node Crossing 9495		04-035/03:44:29.7
16408	M1O	04-035/04:04:33.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/03:52:43.5
16409	M1O	04-035/04:04:34.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/03:52:44.6
16410	M1O	04-035/04:04:44.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/03:52:54.6
16411	M1O	04-035/04:04:45.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/03:52:55.6
16412	M1O	04-035/04:24:28.7		NOTE: Periapsis 9495 ----------		04-035/04:12:39.0
16413	M1O	04-035/04:25:37.9		NOTE: South Pole Crossing 9495		04-035/04:13:48.2
16414	M1O	04-035/04:53:35.6		NOTE: Enter Solar Eclipse 9495		04-035/04:41:45.8
16415	M1O	04-035/04:54:59.6		NOTE: Ascending Node Crossing 9495		04-035/04:43:09.8
16416	M1O	04-035/05:07:38.5		NOTE: Exit Solar Eclipse 9495		04-035/04:55:48.7
16417	M1O	04-035/05:23:18.2		NOTE: Apoapsis 9495 -		04-035/05:11:28.3
16418	M1O	04-035/05:24:59.2		NOTE: North Pole Crossing 9495		04-035/05:13:09.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16419	M1O	04-035/05:50:00.0	43	Begin Pre-Cal		
16420	M1O	04-035/05:50:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
16421	M1O	04-035/05:50:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
16422	M1O	04-035/05:50:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
16423	M1O	04-035/05:50:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
16424	M1O	04-035/05:50:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
16425	M1O	04-035/05:50:00.0	43	Config: RCV: Parms:		
16426	M1O	04-035/05:50:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
16427	M1O	04-035/05:50:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
16428	M1O	04-035/05:50:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
16429	M1O	04-035/05:54:55.5		NOTE: Descending Node Crossing 9496		04-035/05:43:05.6
16430	M1O	04-035/06:05:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
16431	M1O	04-035/06:15:00.0	14	Range Modulation Off		
16432	M1O	04-035/06:16:19.8	14	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
16433	M1O	04-035/06:20:00.0	43	Begin Tracking		
16434	M1O	04-035/06:20:00.0	43	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16435	M1O	04-035/06:20:00.0	14	X-Band Transmitter Off		
16436	M1O	04-035/06:23:12.8		NOTE: Periapsis 9496 ----------		04-035/06:11:22.7
16437	M1O	04-035/06:24:13.1		NOTE: South Pole Crossing 9496		04-035/06:12:23.0
16438	M1O	04-035/06:30:07.0	14	NOTE: Below Uplink Interlock Limit		
16439	M1O	04-035/06:40:00.0	14	End Tracking		
16440	M1O	04-035/06:42:38.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-035/06:30:47.8
16441	M1O	04-035/06:42:40.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/06:30:49.9
16442	M1O	04-035/06:42:40.1	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16443	M1O	04-035/06:42:41.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-035/06:30:50.9
16444	M1O	04-035/06:43:40.1	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16445	M1O	04-035/06:48:40.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/06:36:49.9
16446	M1O	04-035/06:48:40.1	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16447	M1O	04-035/06:48:41.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-035/06:36:50.9
16448	M1O	04-035/06:52:06.5		NOTE: Enter Solar Eclipse 9496		04-035/06:40:16.4
16449	M1O	04-035/06:53:33.4		NOTE: Ascending Node Crossing 9496		04-035/06:41:43.3
16450	M1O	04-035/06:55:00.0	14	End Post-Cal		
16451	M1O	04-035/07:06:15.1		NOTE: Exit Solar Eclipse 9496		04-035/06:54:24.9
16452	M1O	04-035/07:11:50.2		SPAWN, Engine = 65535, Parameters =	scdiag	04-035/07:00:00.0
16453	M1O	04-035/07:11:51.3		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-035/07:00:01.1
16454	M1O	04-035/07:11:52.3		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-035/07:00:02.1
16455	M1O	04-035/07:12:53.2		SPAWN, Engine = 65535, Parameters = WEEKLY	fsw_diag	04-035/07:01:03.0
16456	M1O	04-035/07:12:53.4		NOTE: Start Block fsw_diag		04-035/07:01:03.2
16457	M1O	04-035/07:12:54.4		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D53,0x686F7720,0x313B6368,0x65636B53,0x7461636B,0x3B690000,0x0000,0x0000,0x0000, 0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000]	FSW_VX_CMD	04-035/07:01:04.2
16458	M1O	04-035/07:12:55.4		Creates a non-channelized telemetry packet for APID 7.: d:/	FILE_SYS_STATUS	04-035/07:01:05.2
16459	M1O	04-035/07:13:06.4		NOTE: End Block fsw_diag.mod		04-035/07:01:16.2
16460	M1O	04-035/07:14:06.2		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-035/07:02:16.0
16461	M1O	04-035/07:14:06.4		NOTE: Start Block fsw_diag		04-035/07:02:16.2
16462	M1O	04-035/07:14:07.4		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-035/07:02:17.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16463	M1O	04-035/07:14:08.4		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-035/07:02:18.2
16464	M1O	04-035/07:14:19.4		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-035/07:02:29.2
16465	M1O	04-035/07:14:49.4		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-035/07:02:59.2
16466	M1O	04-035/07:15:09.4		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-035/07:03:19.2
16467	M1O	04-035/07:15:19.4		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-035/07:03:29.2
16468	M1O	04-035/07:15:39.4		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-035/07:03:49.2
16469	M1O	04-035/07:15:49.4		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-035/07:03:59.2
16470	M1O	04-035/07:15:54.4		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-035/07:04:04.2
16471	M1O	04-035/07:15:59.4		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-035/07:04:09.2
16472	M1O	04-035/07:16:04.4		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-035/07:04:14.2
16473	M1O	04-035/07:16:09.4		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-035/07:04:19.2
16474	M1O	04-035/07:16:14.4		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-035/07:04:24.2
16475	M1O	04-035/07:16:54.4		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-035/07:05:04.2
16476	M1O	04-035/07:16:59.4		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-035/07:05:09.2
16477	M1O	04-035/07:17:04.4		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-035/07:05:14.2
16478	M1O	04-035/07:17:09.4		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-035/07:05:19.2
16479	M1O	04-035/07:17:14.4		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-035/07:05:24.2
16480	M1O	04-035/07:17:15.4		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-035/07:05:25.2
16481	M1O	04-035/07:17:16.4		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-035/07:05:26.2
16482	M1O	04-035/07:17:17.4		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-035/07:05:27.2
16483	M1O	04-035/07:17:28.4		NOTE: End Block fsw_diag.mod		04-035/07:05:38.2
16484	M1O	04-035/07:21:46.6		NOTE: Apoapsis 9496 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16506	M1O	04-035/07:59:27.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/07:47:36.8
16507	M1O	04-035/07:59:28.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/07:47:37.8
16508	M1O	04-035/08:21:28.7		NOTE: Periapsis 9497 ----------		04-035/08:09:38.2
16509	M1O	04-035/08:22:45.3		NOTE: South Pole Crossing 9497		04-035/08:10:54.9
16510	M1O	04-035/08:50:38.4		NOTE: Enter Solar Eclipse 9497		04-035/08:38:47.9
16511	M1O	04-035/08:52:05.2		NOTE: Ascending Node Crossing 9497		04-035/08:40:14.6
16512	M1O	04-035/09:04:48.3		NOTE: Exit Solar Eclipse 9497		04-035/08:52:57.7
16513	M1O	04-035/09:15:00.0	55	Begin Pre-Cal		
16514	M1O	04-035/09:15:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
16515	M1O	04-035/09:15:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
16516	M1O	04-035/09:15:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
16517	M1O	04-035/09:15:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
16518	M1O	04-035/09:15:00.0	55	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
16519	M1O	04-035/09:15:00.0	55	Config: RCV: Parms:		
16520	M1O	04-035/09:15:00.0	55	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
16521	M1O	04-035/09:15:00.0	55	Config: TGC: BAND=X, SR=221200.000000		
16522	M1O	04-035/09:15:00.0	55	Config: TXL		
16523	M1O	04-035/09:15:00.0	55	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
16524	M1O	04-035/09:15:00.0	55	Config: CMD		
16525	M1O	04-035/09:15:00.0	55	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
16526	M1O	04-035/09:19:52.2		NOTE: Apoapsis 9497 -		04-035/09:08:01.5
16527	M1O	04-035/09:22:04.0		NOTE: North Pole Crossing 9497		04-035/09:10:13.4
16528	M1O	04-035/09:39:08.6		SPAWN, Engine = 65535, Parameters = 035, 02, FALSE, 00:10:54.573, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-035/09:27:18.0
16529	M1O	04-035/09:39:09.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/09:27:19.1
16530	M1O	04-035/09:39:11.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-035/09:27:21.1
16531	M1O	04-035/09:39:54.0		CALL, Engine = , Parameters = 56	get_apid	04-035/09:28:03.3
16532	M1O	04-035/09:39:55.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-035/09:28:04.4
16533	M1O	04-035/09:39:55.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-035/09:28:04.6
16534	M1O	04-035/09:39:56.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-035/09:28:05.7
16535	M1O	04-035/09:39:57.6		CALL, Engine = , Parameters = 56	get_coding	04-035/09:28:06.9
16536	M1O	04-035/09:39:58.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-035/09:28:08.1
16537	M1O	04-035/09:40:00.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-035/09:28:09.3
16538	M1O	04-035/09:41:04.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/09:29:14.1
16539	M1O	04-035/09:41:05.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/09:29:15.1
16540	M1O	04-035/09:41:06.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/09:29:16.1
16541	M1O	04-035/09:41:07.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-035/09:29:17.1
16542	M1O	04-035/09:41:08.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-035/09:29:18.1
16543	M1O	04-035/09:41:09.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-035/09:29:19.1
16544	M1O	04-035/09:41:10.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/09:29:20.1
16545	M1O	04-035/09:51:59.0		NOTE: Descending Node Crossing 9498		04-035/09:40:08.2
16546	M1O	04-035/09:52:01.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/09:40:10.6
16547	M1O	04-035/09:52:02.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/09:40:11.7
16548	M1O	04-035/09:52:12.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/09:40:21.7
16549	M1O	04-035/09:52:13.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/09:40:22.7
16550	M1O	04-035/10:19:40.5		NOTE: Periapsis 9498 ----------		04-035/10:07:49.7
16551	M1O	04-035/10:21:15.7		NOTE: South Pole Crossing 9498		04-035/10:09:24.9
16552	M1O	04-035/10:49:12.2		NOTE: Enter Solar Eclipse 9498		04-035/10:37:21.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16553	M1O	04-035/10:50:36.6		NOTE: Ascending Node Crossing 9498		04-035/10:38:45.6
16554	M1O	04-035/11:03:15.9		NOTE: Exit Solar Eclipse 9498		04-035/10:51:24.9
16555	M1O	04-035/11:15:00.0	55	Begin Tracking		
16556	M1O	04-035/11:15:00.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16557	M1O	04-035/11:18:22.8		NOTE: Apoapsis 9498 -		04-035/11:06:31.8
16558	M1O	04-035/11:20:35.5		NOTE: North Pole Crossing 9498		04-035/11:08:44.5
16559	M1O	04-035/11:25:50.0	55	NOTE: Above Uplink Interlock Limit		
16560	M1O	04-035/11:30:00.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
16561	M1O	04-035/11:32:59.0	43	NOTE: Below Uplink Interlock Limit		
16562	M1O	04-035/11:35:00.0	55	Range Modulation On: SUP=3.0dB		
16563	M1O	04-035/11:36:00.0	55	Begin Ranging Acquisition		
16564	M1O	04-035/11:48:59.0		SPAWN, Engine = 65535, Parameters = 3, 00:09:39.933, 1	dpt	04-035/11:37:07.9
16565	M1O	04-035/11:49:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/11:37:10.0
16566	M1O	04-035/11:49:01.1	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16567	M1O	04-035/11:49:01.1	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16568	M1O	04-035/11:49:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-035/11:37:11.0
16569	M1O	04-035/11:50:00.0	43	End Tracking		
16570	M1O	04-035/11:50:01.0		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-035/11:38:09.9
16571	M1O	04-035/11:50:01.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-035/11:38:09.9
16572	M1O	04-035/11:50:01.0	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16573	M1O	04-035/11:50:07.0		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-035/11:38:15.9
16574	M1O	04-035/11:50:07.0	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16575	M1O	04-035/11:50:30.5		NOTE: Descending Node Crossing 9499		04-035/11:38:39.4
16576	M1O	04-035/11:53:42.1	55	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16577	M1O	04-035/11:58:41.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/11:46:49.9
16578	M1O	04-035/11:58:41.1	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16579	M1O	04-035/11:58:42.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-035/11:46:50.9
16580	M1O	04-035/12:05:00.0	43	End Post-Cal		
16581	M1O	04-035/12:18:11.5		NOTE: Periapsis 9499 ----------		04-035/12:06:20.3
16582	M1O	04-035/12:19:48.1		NOTE: South Pole Crossing 9499		04-035/12:07:56.9
16583	M1O	04-035/12:47:46.9		NOTE: Enter Solar Eclipse 9499		04-035/12:35:55.6
16584	M1O	04-035/12:49:09.8		NOTE: Ascending Node Crossing 9499		04-035/12:37:18.5
16585	M1O	04-035/13:01:42.6		NOTE: Exit Solar Eclipse 9499		04-035/12:49:51.3
16586	M1O	04-035/13:17:10.5		NOTE: Apoapsis 9499 -		04-035/13:05:19.1
16587	M1O	04-035/13:19:10.2		NOTE: North Pole Crossing 9499		04-035/13:07:18.8
16588	M1O	04-035/13:39:30.4		SPAWN, Engine = 65535, Parameters = 035, 03, TRUE, 00:17:17, 253, FALSE, 32_KPS, 00:02:00, 00:00:00	uhf	04-035/13:27:39.0
16589	M1O	04-035/13:39:31.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/13:27:40.1
16590	M1O	04-035/13:39:33.5		CALL, Engine = , Parameters = 253	get_cmd_opt	04-035/13:27:42.1
16591	M1O	04-035/13:39:33.8		CALL, Engine = , Parameters = 035, 03, 253	bld_autosw	04-035/13:27:42.4
16592	M1O	04-035/13:39:34.9		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-035/13:27:43.5
16593	M1O	04-035/13:39:36.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:27:44.6
16594	M1O	04-035/13:39:37.0		Deletes the designated file.: d:/dat/253_doy035_pass03_file01.dat	FILE_DELETE	04-035/13:27:45.6
16595	M1O	04-035/13:39:38.1		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-035/13:27:46.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy035_pass03_file02.dat, d:/dat/autoswitch.dat		
16596	M1O	04-035/13:39:39.1		Deletes the designated file.: d:/dat/253_doy035_pass03_file02.dat	FILE_DELETE	04-035/13:27:47.7
16597	M1O	04-035/13:39:40.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:27:48.8
16598	M1O	04-035/13:39:41.2		Deletes the designated file.: d:/dat/253_doy035_pass03_file03.dat	FILE_DELETE	04-035/13:27:49.8
16599	M1O	04-035/13:39:42.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:27:50.9
16600	M1O	04-035/13:39:43.3		Deletes the designated file.: d:/dat/253_doy035_pass03_file04.dat	FILE_DELETE	04-035/13:27:51.9
16601	M1O	04-035/13:39:44.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:27:53.0
16602	M1O	04-035/13:39:45.4		Deletes the designated file.: d:/dat/253_doy035_pass03_file05.dat	FILE_DELETE	04-035/13:27:54.0
16603	M1O	04-035/13:39:46.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:27:55.1
16604	M1O	04-035/13:39:47.5		Deletes the designated file.: d:/dat/253_doy035_pass03_file06.dat	FILE_DELETE	04-035/13:27:56.1
16605	M1O	04-035/13:39:48.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:27:57.2
16606	M1O	04-035/13:39:49.6		Deletes the designated file.: d:/dat/253_doy035_pass03_file07.dat	FILE_DELETE	04-035/13:27:58.2
16607	M1O	04-035/13:39:50.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:27:59.3
16608	M1O	04-035/13:39:51.7		Deletes the designated file.: d:/dat/253_doy035_pass03_file08.dat	FILE_DELETE	04-035/13:28:00.3
16609	M1O	04-035/13:39:52.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:01.4
16610	M1O	04-035/13:39:53.8		Deletes the designated file.: d:/dat/253_doy035_pass03_file09.dat	FILE_DELETE	04-035/13:28:02.4
16611	M1O	04-035/13:39:54.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:03.5
16612	M1O	04-035/13:39:55.9		Deletes the designated file.: d:/dat/253_doy035_pass03_file10.dat	FILE_DELETE	04-035/13:28:04.5
16613	M1O	04-035/13:39:57.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:05.6
16614	M1O	04-035/13:39:58.0		Deletes the designated file.: d:/dat/253_doy035_pass03_file11.dat	FILE_DELETE	04-035/13:28:06.6
16615	M1O	04-035/13:39:59.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:07.7
16616	M1O	04-035/13:40:00.1		Deletes the designated file.: d:/dat/253_doy035_pass03_file12.dat	FILE_DELETE	04-035/13:28:08.7
16617	M1O	04-035/13:40:01.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:09.8
16618	M1O	04-035/13:40:02.2		Deletes the designated file.: d:/dat/253_doy035_pass03_file13.dat	FILE_DELETE	04-035/13:28:10.8
16619	M1O	04-035/13:40:03.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:11.9
16620	M1O	04-035/13:40:04.3		Deletes the designated file.: d:/dat/253_doy035_pass03_file14.dat	FILE_DELETE	04-035/13:28:12.9
16621	M1O	04-035/13:40:05.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:14.0
16622	M1O	04-035/13:40:06.4		Deletes the designated file.: d:/dat/253_doy035_pass03_file15.dat	FILE_DELETE	04-035/13:28:15.0
16623	M1O	04-035/13:40:07.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:16.1
16624	M1O	04-035/13:40:08.5		Deletes the designated file.: d:/dat/253_doy035_pass03_file16.dat	FILE_DELETE	04-035/13:28:17.1
16625	M1O	04-035/13:40:09.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:18.2
16626	M1O	04-035/13:40:10.6		Deletes the designated file.: d:/dat/253_doy035_pass03_file17.dat	FILE_DELETE	04-035/13:28:19.2
16627	M1O	04-035/13:40:11.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:20.3
16628	M1O	04-035/13:40:12.7		Deletes the designated file.: d:/dat/253_doy035_pass03_file18.dat	FILE_DELETE	04-035/13:28:21.3
16629	M1O	04-035/13:40:13.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy035_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/13:28:22.4
16630	M1O	04-035/13:40:14.8		Deletes the designated file.: d:/dat/253_doy035_pass03_file19.dat	FILE_DELETE	04-035/13:28:23.4
16631	M1O	04-035/13:40:15.8		CALL, Engine = , Parameters = 253	get_apid	04-035/13:28:24.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16632	M1O	04-035/13:40:16.9		CALL, Engine = , Parameters = 253	get_rcv_mode	04-035/13:28:25.5
16633	M1O	04-035/13:40:17.1		CALL, Engine = , Parameters = 253	get_dl_rate	04-035/13:28:25.7
16634	M1O	04-035/13:40:18.2		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-035/13:28:26.8
16635	M1O	04-035/13:40:19.5		CALL, Engine = , Parameters = 253	get_coding	04-035/13:28:28.1
16636	M1O	04-035/13:40:20.7		CALL, Engine = , Parameters = 253	get_xmt_mode	04-035/13:28:29.3
16637	M1O	04-035/13:40:21.9		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-035/13:28:30.5
16638	M1O	04-035/13:41:26.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/13:29:35.3
16639	M1O	04-035/13:41:27.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/13:29:36.3
16640	M1O	04-035/13:41:28.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/13:29:37.3
16641	M1O	04-035/13:41:29.7		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-035/13:29:38.3
16642	M1O	04-035/13:41:30.7		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-035/13:29:39.3
16643	M1O	04-035/13:41:31.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-035/13:29:40.3
16644	M1O	04-035/13:41:32.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/13:29:41.3
16645	M1O	04-035/13:43:22.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/13:31:31.3
16646	M1O	04-035/13:43:22.7	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16647	M1O	04-035/13:43:27.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/13:31:36.5
16648	M1O	04-035/13:43:32.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-035/13:31:41.3
16649	M1O	04-035/13:49:06.6		NOTE: Descending Node Crossing 9500		04-035/13:37:15.1
16650	M1O	04-035/13:58:47.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/13:46:56.3
16651	M1O	04-035/13:58:48.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/13:46:57.4
16652	M1O	04-035/13:58:58.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/13:47:07.4
16653	M1O	04-035/13:58:59.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/13:47:08.4
16654	M1O	04-035/13:59:00.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-035/13:47:09.4
16655	M1O	04-035/13:59:00.9	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16656	M1O	04-035/13:59:01.9		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-035/13:47:10.4
16657	M1O	04-035/14:04:00.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/13:52:09.0
16658	M1O	04-035/14:04:00.5	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16659	M1O	04-035/14:16:57.0		NOTE: Periapsis 9500 ----------		04-035/14:05:05.4
16660	M1O	04-035/14:18:24.1		NOTE: South Pole Crossing 9500		04-035/14:06:32.5
16661	M1O	04-035/14:31:21.6		SPAWN, Engine = 65535, Parameters = 035, 03, TRUE, 00:19:22, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-035/14:19:30.0
16662	M1O	04-035/14:31:22.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/14:19:31.1
16663	M1O	04-035/14:31:24.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-035/14:19:33.1
16664	M1O	04-035/14:31:25.0		CALL, Engine = , Parameters = 035, 03, 254	bld_autosw	04-035/14:19:33.4
16665	M1O	04-035/14:31:26.1		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-035/14:19:34.5
16666	M1O	04-035/14:31:27.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:35.6
16667	M1O	04-035/14:31:28.2		Deletes the designated file.: d:/dat/254_doy035_pass03_file01.dat	FILE_DELETE	04-035/14:19:36.6
16668	M1O	04-035/14:31:29.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:37.7
16669	M1O	04-035/14:31:30.3		Deletes the designated file.: d:/dat/254_doy035_pass03_file02.dat	FILE_DELETE	04-035/14:19:38.7
16670	M1O	04-035/14:31:31.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:39.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16671	M1O	04-035/14:31:32.4		Deletes the designated file.: d:/dat/254_doy035_pass03_file03.dat	FILE_DELETE	04-035/14:19:40.8
16672	M1O	04-035/14:31:33.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:41.9
16673	M1O	04-035/14:31:34.5		Deletes the designated file.: d:/dat/254_doy035_pass03_file04.dat	FILE_DELETE	04-035/14:19:42.9
16674	M1O	04-035/14:31:35.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:44.0
16675	M1O	04-035/14:31:36.6		Deletes the designated file.: d:/dat/254_doy035_pass03_file05.dat	FILE_DELETE	04-035/14:19:45.0
16676	M1O	04-035/14:31:37.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:46.1
16677	M1O	04-035/14:31:38.7		Deletes the designated file.: d:/dat/254_doy035_pass03_file06.dat	FILE_DELETE	04-035/14:19:47.1
16678	M1O	04-035/14:31:39.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:48.2
16679	M1O	04-035/14:31:40.8		Deletes the designated file.: d:/dat/254_doy035_pass03_file07.dat	FILE_DELETE	04-035/14:19:49.2
16680	M1O	04-035/14:31:41.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:50.3
16681	M1O	04-035/14:31:42.9		Deletes the designated file.: d:/dat/254_doy035_pass03_file08.dat	FILE_DELETE	04-035/14:19:51.3
16682	M1O	04-035/14:31:44.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:52.4
16683	M1O	04-035/14:31:45.0		Deletes the designated file.: d:/dat/254_doy035_pass03_file09.dat	FILE_DELETE	04-035/14:19:53.4
16684	M1O	04-035/14:31:46.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:54.5
16685	M1O	04-035/14:31:47.1		Deletes the designated file.: d:/dat/254_doy035_pass03_file10.dat	FILE_DELETE	04-035/14:19:55.5
16686	M1O	04-035/14:31:48.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:56.6
16687	M1O	04-035/14:31:49.2		Deletes the designated file.: d:/dat/254_doy035_pass03_file11.dat	FILE_DELETE	04-035/14:19:57.6
16688	M1O	04-035/14:31:50.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:19:58.7
16689	M1O	04-035/14:31:51.3		Deletes the designated file.: d:/dat/254_doy035_pass03_file12.dat	FILE_DELETE	04-035/14:19:59.7
16690	M1O	04-035/14:31:52.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:20:00.8
16691	M1O	04-035/14:31:53.4		Deletes the designated file.: d:/dat/254_doy035_pass03_file13.dat	FILE_DELETE	04-035/14:20:01.8
16692	M1O	04-035/14:31:54.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:20:02.9
16693	M1O	04-035/14:31:55.5		Deletes the designated file.: d:/dat/254_doy035_pass03_file14.dat	FILE_DELETE	04-035/14:20:03.9
16694	M1O	04-035/14:31:56.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:20:05.0
16695	M1O	04-035/14:31:57.6		Deletes the designated file.: d:/dat/254_doy035_pass03_file15.dat	FILE_DELETE	04-035/14:20:06.0
16696	M1O	04-035/14:31:58.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:20:07.1
16697	M1O	04-035/14:31:59.7		Deletes the designated file.: d:/dat/254_doy035_pass03_file16.dat	FILE_DELETE	04-035/14:20:08.1
16698	M1O	04-035/14:32:00.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:20:09.2
16699	M1O	04-035/14:32:01.8		Deletes the designated file.: d:/dat/254_doy035_pass03_file17.dat	FILE_DELETE	04-035/14:20:10.2
16700	M1O	04-035/14:32:02.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:20:11.3
16701	M1O	04-035/14:32:03.9		Deletes the designated file.: d:/dat/254_doy035_pass03_file18.dat	FILE_DELETE	04-035/14:20:12.3
16702	M1O	04-035/14:32:05.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy035_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-035/14:20:13.4
16703	M1O	04-035/14:32:06.0		Deletes the designated file.: d:/dat/254_doy035_pass03_file19.dat	FILE_DELETE	04-035/14:20:14.4
16704	M1O	04-035/14:32:07.0		CALL, Engine = , Parameters = 254	get_apid	04-035/14:20:15.4
16705	M1O	04-035/14:32:08.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-035/14:20:16.5
16706	M1O	04-035/14:32:08.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-035/14:20:16.7
16707	M1O	04-035/14:32:09.4		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-035/14:20:17.8
16708	M1O	04-035/14:32:10.7		CALL, Engine = , Parameters = 254	get_coding	04-035/14:20:19.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16709	M1O	04-035/14:32:11.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-035/14:20:20.3
16710	M1O	04-035/14:32:13.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-035/14:20:21.5
16711	M1O	04-035/14:33:17.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/14:21:26.3
16712	M1O	04-035/14:33:18.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/14:21:27.3
16713	M1O	04-035/14:33:19.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/14:21:28.3
16714	M1O	04-035/14:33:20.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-035/14:21:29.3
16715	M1O	04-035/14:33:21.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-035/14:21:30.3
16716	M1O	04-035/14:33:22.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-035/14:21:31.3
16717	M1O	04-035/14:33:23.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/14:21:32.3
16718	M1O	04-035/14:33:24.9		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-035/14:21:33.3
16719	M1O	04-035/14:33:25.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-035/14:21:34.3
16720	M1O	04-035/14:35:13.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/14:23:22.3
16721	M1O	04-035/14:35:13.9	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16722	M1O	04-035/14:35:19.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/14:23:27.5
16723	M1O	04-035/14:35:23.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-035/14:23:32.3
16724	M1O	04-035/14:46:21.9		NOTE: Enter Solar Eclipse 9500		04-035/14:34:30.2
16725	M1O	04-035/14:47:45.5		NOTE: Ascending Node Crossing 9500		04-035/14:35:53.8
16726	M1O	04-035/14:52:40.9		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-035/14:40:49.3
16727	M1O	04-035/14:52:41.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-035/14:40:50.3
16728	M1O	04-035/14:52:43.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/14:40:52.3
16729	M1O	04-035/14:52:45.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/14:40:53.4
16730	M1O	04-035/14:52:55.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/14:41:03.4
16731	M1O	04-035/14:52:56.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/14:41:04.4
16732	M1O	04-035/14:52:57.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-035/14:41:05.4
16733	M1O	04-035/14:52:57.0	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16734	M1O	04-035/14:52:58.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-035/14:41:06.4
16735	M1O	04-035/14:57:56.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/14:46:05.0
16736	M1O	04-035/14:57:56.7	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16737	M1O	04-035/15:00:00.0	63	Begin Pre-Cal		
16738	M1O	04-035/15:00:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
16739	M1O	04-035/15:00:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
16740	M1O	04-035/15:00:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
16741	M1O	04-035/15:00:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
16742	M1O	04-035/15:00:00.0	63	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
16743	M1O	04-035/15:00:00.0	63	Config: RCV: Parms:		
16744	M1O	04-035/15:00:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
16745	M1O	04-035/15:00:00.0	63	Config: TGC: BAND=X, SR=79632.000000		
16746	M1O	04-035/15:00:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
16747	M1O	04-035/15:00:14.4		NOTE: Exit Solar Eclipse 9500		04-035/14:48:22.7
16748	M1O	04-035/15:15:45.1		NOTE: Apoapsis 9500 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16751	M1O	04-035/15:37:26.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/15:25:35.1
16752	M1O	04-035/15:37:28.9		CALL, Engine = , Parameters = 253	get_cmd_opt	04-035/15:25:37.1
16753	M1O	04-035/15:38:11.1		CALL, Engine = , Parameters = 253	get_apid	04-035/15:26:19.3
16754	M1O	04-035/15:38:12.2		CALL, Engine = , Parameters = 253	get_rcv_mode	04-035/15:26:20.4
16755	M1O	04-035/15:38:12.4		CALL, Engine = , Parameters = 253	get_dl_rate	04-035/15:26:20.6
16756	M1O	04-035/15:38:13.5		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-035/15:26:21.7
16757	M1O	04-035/15:38:14.8		CALL, Engine = , Parameters = 253	get_coding	04-035/15:26:23.0
16758	M1O	04-035/15:38:16.0		CALL, Engine = , Parameters = 253	get_xmt_mode	04-035/15:26:24.2
16759	M1O	04-035/15:38:17.2		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-035/15:26:25.4
16760	M1O	04-035/15:39:22.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/15:27:30.2
16761	M1O	04-035/15:39:23.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/15:27:31.2
16762	M1O	04-035/15:39:24.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/15:27:32.2
16763	M1O	04-035/15:39:25.0		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-035/15:27:33.2
16764	M1O	04-035/15:39:26.0		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-035/15:27:34.2
16765	M1O	04-035/15:39:27.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-035/15:27:35.2
16766	M1O	04-035/15:39:28.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/15:27:36.2
16767	M1O	04-035/15:47:43.4		NOTE: Descending Node Crossing 9501		04-035/15:35:51.5
16768	M1O	04-035/15:55:38.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/15:43:46.8
16769	M1O	04-035/15:55:39.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/15:43:47.9
16770	M1O	04-035/15:55:49.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/15:43:57.9
16771	M1O	04-035/15:55:50.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/15:43:58.9
16772	M1O	04-035/16:13:58.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-035/16:02:06.8
16773	M1O	04-035/16:14:00.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/16:02:08.9
16774	M1O	04-035/16:14:00.8	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16775	M1O	04-035/16:14:01.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-035/16:02:09.9
16776	M1O	04-035/16:14:54.7		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-035/16:03:02.8
16777	M1O	04-035/16:14:54.7	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16778	M1O	04-035/16:15:00.0	63	Begin Tracking		
16779	M1O	04-035/16:15:00.0	63	Acquire D/L: X/08, 3-Way/55, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16780	M1O	04-035/16:15:00.7		NOTE: Changing to 70M downlink rate: 110600_BPS		04-035/16:03:08.8
16781	M1O	04-035/16:15:00.7		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-035/16:03:08.8
16782	M1O	04-035/16:15:00.7	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16783	M1O	04-035/16:15:00.7	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16784	M1O	04-035/16:15:30.8		NOTE: Periapsis 9501 ----------		04-035/16:03:38.8
16785	M1O	04-035/16:17:00.8		NOTE: South Pole Crossing 9501		04-035/16:05:08.9
16786	M1O	04-035/16:20:00.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/16:08:08.9
16787	M1O	04-035/16:20:00.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16788	M1O	04-035/16:20:00.8	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16789	M1O	04-035/16:20:01.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-035/16:08:09.9
16790	M1O	04-035/16:44:58.5		NOTE: Enter Solar Eclipse 9501		04-035/16:33:06.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16791	M1O	04-035/16:46:22.1		NOTE: Ascending Node Crossing 9501		04-035/16:34:30.0
16792	M1O	04-035/16:58:50.8		NOTE: Exit Solar Eclipse 9501		04-035/16:46:58.7
16793	M1O	04-035/17:05:00.0	14	Begin Pre-Cal		
16794	M1O	04-035/17:05:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
16795	M1O	04-035/17:05:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
16796	M1O	04-035/17:05:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
16797	M1O	04-035/17:05:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
16798	M1O	04-035/17:05:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
16799	M1O	04-035/17:05:00.0	14	Config: RCV: Parms:		
16800	M1O	04-035/17:05:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
16801	M1O	04-035/17:05:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
16802	M1O	04-035/17:05:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
16803	M1O	04-035/17:14:00.6		NOTE: Apoapsis 9501 -		04-035/17:02:08.4
16804	M1O	04-035/17:16:22.4		NOTE: North Pole Crossing 9501		04-035/17:04:30.3
16805	M1O	04-035/17:46:18.6		NOTE: Descending Node Crossing 9502		04-035/17:34:26.4
16806	M1O	04-035/18:14:02.4		NOTE: Periapsis 9502 ----------		04-035/18:02:10.0
16807	M1O	04-035/18:15:36.2		NOTE: South Pole Crossing 9502		04-035/18:03:43.9
16808	M1O	04-035/18:41:15.0	55	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
16809	M1O	04-035/18:42:06.4		SPAWN, Engine = 65535, Parameters = 035, 03, FALSE, 00:12:16.149, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-035/18:30:14.0
16810	M1O	04-035/18:42:07.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/18:30:15.1
16811	M1O	04-035/18:42:09.5		CALL, Engine = , Parameters = 56	get_cmd_opt	04-035/18:30:17.1
16812	M1O	04-035/18:42:51.7		CALL, Engine = , Parameters = 56	get_apid	04-035/18:30:59.3
16813	M1O	04-035/18:42:52.8		CALL, Engine = , Parameters = 56	get_rcv_mode	04-035/18:31:00.4
16814	M1O	04-035/18:42:53.0		CALL, Engine = , Parameters = 56	get_dl_rate	04-035/18:31:00.6
16815	M1O	04-035/18:42:54.1		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-035/18:31:01.7
16816	M1O	04-035/18:42:55.3		CALL, Engine = , Parameters = 56	get_coding	04-035/18:31:02.9
16817	M1O	04-035/18:42:56.5		CALL, Engine = , Parameters = 56	get_xmt_mode	04-035/18:31:04.1
16818	M1O	04-035/18:42:57.7		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-035/18:31:05.3
16819	M1O	04-035/18:43:34.2		NOTE: Enter Solar Eclipse 9502		04-035/18:31:41.8
16820	M1O	04-035/18:44:02.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/18:32:10.1
16821	M1O	04-035/18:44:03.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/18:32:11.1
16822	M1O	04-035/18:44:04.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/18:32:12.1
16823	M1O	04-035/18:44:05.5		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-035/18:32:13.1
16824	M1O	04-035/18:44:06.5		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-035/18:32:14.1
16825	M1O	04-035/18:44:07.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-035/18:32:15.1
16826	M1O	04-035/18:44:08.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/18:32:16.1
16827	M1O	04-035/18:44:57.5		NOTE: Ascending Node Crossing 9502		04-035/18:33:05.1
16828	M1O	04-035/18:45:00.0	55	NOTE: X-Band Transmitter Off in 15 minutes		
16829	M1O	04-035/18:50:00.0	14	Begin Tracking		
16830	M1O	04-035/18:50:00.0	14	Acquire D/L: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16831	M1O	04-035/18:55:00.0	55	Range Modulation Off		
16832	M1O	04-035/18:56:20.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/18:44:28.2
16833	M1O	04-035/18:56:21.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/18:44:29.3
16834	M1O	04-035/18:56:31.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/18:44:39.3
16835	M1O	04-035/18:56:32.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/18:44:40.3
16836	M1O	04-035/18:57:29.5		NOTE: Exit Solar Eclipse 9502		04-035/18:45:37.1
16837	M1O	04-035/18:59:11.0	14	NOTE: Above Uplink Interlock Limit		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16838	M1O	04-035/19:00:00.0	55	X-Band Transmitter Off		
16839	M1O	04-035/19:05:00.0	55	End Tracking		
16840	M1O	04-035/19:12:21.4		NOTE: Apoapsis 9502 -		04-035/19:00:28.9
16841	M1O	04-035/19:14:56.7		NOTE: North Pole Crossing 9502		04-035/19:03:04.2
16842	M1O	04-035/19:20:00.0	55	End Post-Cal		
16843	M1O	04-035/19:22:37.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/19:10:45.0
16844	M1O	04-035/19:22:37.5	14	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16845	M1O	04-035/19:22:37.5	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16846	M1O	04-035/19:23:44.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16847	M1O	04-035/19:23:44.9	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16848	M1O	04-035/19:28:52.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-035/19:17:00.0
16849	M1O	04-035/19:28:52.5	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16850	M1O	04-035/19:28:52.5	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16851	M1O	04-035/19:44:51.6		NOTE: Descending Node Crossing 9503		04-035/19:32:59.0
16852	M1O	04-035/20:12:35.8		NOTE: Periapsis 9503 ----------		04-035/20:00:43.0
16853	M1O	04-035/20:14:08.9		NOTE: South Pole Crossing 9503		04-035/20:02:16.1
16854	M1O	04-035/20:35:36.7		SPAWN, Engine = 65535, Parameters = 035, 04, FALSE, 00:19:19.009, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-035/20:23:44.0
16855	M1O	04-035/20:35:37.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/20:23:45.1
16856	M1O	04-035/20:35:39.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-035/20:23:47.1
16857	M1O	04-035/20:36:22.0		CALL, Engine = , Parameters = 56	get_apid	04-035/20:24:29.3
16858	M1O	04-035/20:36:23.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-035/20:24:30.4
16859	M1O	04-035/20:36:23.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-035/20:24:30.6
16860	M1O	04-035/20:36:24.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-035/20:24:31.7
16861	M1O	04-035/20:36:25.6		CALL, Engine = , Parameters = 56	get_coding	04-035/20:24:32.9
16862	M1O	04-035/20:36:26.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-035/20:24:34.1
16863	M1O	04-035/20:36:28.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-035/20:24:35.3
16864	M1O	04-035/20:37:32.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-035/20:25:40.1
16865	M1O	04-035/20:37:33.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-035/20:25:41.1
16866	M1O	04-035/20:37:34.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-035/20:25:42.1
16867	M1O	04-035/20:37:35.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-035/20:25:43.1
16868	M1O	04-035/20:37:36.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-035/20:25:44.1
16869	M1O	04-035/20:37:37.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-035/20:25:45.1
16870	M1O	04-035/20:37:38.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-035/20:25:46.1
16871	M1O	04-035/20:42:05.9		NOTE: Enter Solar Eclipse 9503		04-035/20:30:13.1
16872	M1O	04-035/20:43:29.9		NOTE: Ascending Node Crossing 9503		04-035/20:31:37.1
16873	M1O	04-035/20:56:04.8		NOTE: Exit Solar Eclipse 9503		04-035/20:44:11.9
16874	M1O	04-035/20:56:53.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-035/20:45:01.1
16875	M1O	04-035/20:56:55.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-035/20:45:02.2
16876	M1O	04-035/20:57:05.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-035/20:45:12.2
16877	M1O	04-035/20:57:06.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-035/20:45:13.2
16878	M1O	04-035/21:11:04.0		NOTE: Apoapsis 9503 -		04-035/20:59:11.1
16879	M1O	04-035/21:13:28.4		NOTE: North Pole Crossing 9503		04-035/21:01:35.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16880	M1O	04-035/21:43:22.8		NOTE: Descending Node Crossing 9504		04-035/21:31:29.8
16881	M1O	04-035/22:11:01.5		NOTE: Periapsis 9504 ----------		04-035/21:59:08.4
16882	M1O	04-035/22:12:39.2		NOTE: South Pole Crossing 9504		04-035/22:00:46.1
16883	M1O	04-035/22:30:00.0	63	End Tracking		
16884	M1O	04-035/22:40:36.7		NOTE: Enter Solar Eclipse 9504		04-035/22:28:43.5
16885	M1O	04-035/22:41:59.7		NOTE: Ascending Node Crossing 9504		04-035/22:30:06.5
16886	M1O	04-035/22:45:00.0	63	End Post-Cal		
16887	M1O	04-035/22:45:00.0	26	Begin Pre-Cal		
16888	M1O	04-035/22:45:00.0	26	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
16889	M1O	04-035/22:45:00.0	26	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
16890	M1O	04-035/22:45:00.0	26	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
16891	M1O	04-035/22:45:00.0	26	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
16892	M1O	04-035/22:45:00.0	26	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
16893	M1O	04-035/22:45:00.0	26	Config: RCV: Parms:		
16894	M1O	04-035/22:45:00.0	26	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
16895	M1O	04-035/22:45:00.0	26	Config: TGC: BAND=X, SR=221200.000000		
16896	M1O	04-035/22:45:00.0	26	Config: TXL		
16897	M1O	04-035/22:45:00.0	26	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
16898	M1O	04-035/22:45:00.0	26	Config: CMD		
16899	M1O	04-035/22:45:00.0	26	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
16900	M1O	04-035/22:54:30.0		NOTE: Exit Solar Eclipse 9504		04-035/22:42:36.8
16901	M1O	04-035/23:09:29.0		NOTE: Apoapsis 9504 -		04-035/22:57:35.7
16902	M1O	04-035/23:11:59.3		NOTE: North Pole Crossing 9504		04-035/23:00:06.0
16903	M1O	04-035/23:30:00.0	26	Begin Tracking		
16904	M1O	04-035/23:30:00.0	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16905	M1O	04-035/23:41:54.4		NOTE: Descending Node Crossing 9505		04-035/23:30:01.0
16906	M1O	04-035/23:54:55.4		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-035/23:43:02.0
16907	M1O	04-035/23:54:55.5		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-035/23:43:02.1
16908	M1O	04-035/23:54:56.5		Forces a desaturation of the reaction wheels.	RW_DESAT	04-035/23:43:03.1
16909	M1O	04-035/23:57:37.4		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, TRUE	cend	04-035/23:45:44.0
16910	M1O	04-035/23:57:53.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-033T23:45:44.100, 2004-035T23:45:44.100	PCKTS_RE_TX_TIME	04-035/23:45:59.8
16911	M1O	04-035/23:57:54.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-033T23:45:44.100, 2004-035T23:45:44.100	PCKTS_RE_TX_TIME	04-035/23:46:00.8
16912	M1O	04-035/23:57:55.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-033T23:45:44.100, 2004-035T23:45:44.100	PCKTS_RE_TX_TIME	04-035/23:46:01.8
16913	M1O	04-035/23:57:56.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-033T23:45:44.100, 2004-035T23:45:44.100	PCKTS_RE_TX_TIME	04-035/23:46:02.8
16914	M1O	04-035/23:57:57.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-033T23:45:44.100, 2004-035T23:45:44.100	PCKTS_RE_TX_TIME	04-035/23:46:03.8
16915	M1O	04-035/23:57:58.2		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-033T23:45:44.100, 2004-035T23:45:44.100	PCKTS_RE_TX_TIME	04-035/23:46:04.8
16916	M1O	04-035/23:57:58.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-035/23:46:04.8
16917	M1O	04-035/23:57:58.2	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16918	M1O	04-035/23:57:58.2	26	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16919	M1O	04-036/00:00:00.0		Light Time: OWLT = 11:53, RTLT = 23:46		
16920	M1O	04-036/00:04:59.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/23:53:05.8
16921	M1O	04-036/00:04:59.2	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16922	M1O	04-036/00:04:59.2	26	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16923	M1O	04-036/00:05:00.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-035/23:53:06.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16924	M1O	04-036/00:05:30.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: OFF	SDST_EXCITER	04-035/23:53:36.8
16925	M1O	04-036/00:05:30.2	14	NOTE: Loss Of X-Band Signal		
16926	M1O	04-036/00:05:30.2	26	NOTE: Loss Of X-Band Signal		
16927	M1O	04-036/00:05:40.2		Turns power OFF or ON to the SSPA assigned as active.: OFF	SSPA_POWER	04-035/23:53:46.8
16928	M1O	04-036/00:05:41.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-035/23:53:47.8
16929	M1O	04-036/00:05:42.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-035/23:53:48.8
16930	M1O	04-036/00:06:26.5		CALL, Engine = , Parameters = FALSE	park_hga	04-035/23:54:33.1
16931	M1O	04-036/00:06:26.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-035/23:54:33.1
16932	M1O	04-036/00:06:27.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-035/23:54:34.1
16933	M1O	04-036/00:06:28.5		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-035/23:54:35.1
16934	M1O	04-036/00:06:28.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-035/23:54:35.1
16935	M1O	04-036/00:06:28.5		NOTE: START HGA PARK		
16936	M1O	04-036/00:06:29.5		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-035/23:54:36.1
16937	M1O	04-036/00:06:30.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-035/23:54:37.1
16938	M1O	04-036/00:09:11.3		NOTE: Periapsis 9505 ----------		04-035/23:57:17.8
16939	M1O	04-036/00:11:00.5		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-035/23:59:07.1
16940	M1O	04-036/00:11:10.9		NOTE: South Pole Crossing 9505		04-035/23:59:17.4
16941	M1O	04-036/00:11:50.4		Loads the disignated sequence block from the file system.: 65535, d:/seq/cz507.abs	VM_LOAD	04-035/23:59:57.0
16942	M1O	04-036/00:11:53.4		Dummy command to mark beg/end of mini sequences: cz507a, 2004-043T00:00:02.000	START_MINI	04-036/00:00:00.0
16943	M1O	04-036/00:12:03.4		Deletes the designated file.: d:/seq/cz507.abs	FILE_DELETE	04-036/00:00:10.0
16944	M1O	04-036/00:14:30.5		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-036/00:02:37.1
16945	M1O	04-036/00:14:30.5		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-036/00:02:37.1
16946	M1O	04-036/00:38:46.0	26	Acquire U/L: X/08, PWR=20.0, BR=125.0		
16947	M1O	04-036/00:39:13.2		NOTE: Enter Solar Eclipse 9505		04-036/00:27:19.7
16948	M1O	04-036/00:40:32.3		NOTE: Ascending Node Crossing 9505		04-036/00:28:38.7
16949	M1O	04-036/00:43:46.0	26	Range Modulation On: SUP=3.0dB		
16950	M1O	04-036/00:44:30.5		GV: GV_DESAT_ACTIVE = 1		04-036/00:32:37.0
16951	M1O	04-036/00:44:31.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-036/00:32:38.0
16952	M1O	04-036/00:44:31.5		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-036/00:32:38.0
16953	M1O	04-036/00:44:46.0	26	Begin Ranging Acquisition		
16954	M1O	04-036/00:52:54.5		NOTE: Exit Solar Eclipse 9505		04-036/00:41:00.8
16955	M1O	04-036/00:54:30.6		GV: GV_DESAT_ACTIVE = 0		04-036/00:42:37.0
16956	M1O	04-036/00:54:31.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-036/00:42:38.0
16957	M1O	04-036/00:54:32.6		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-036/00:42:39.0
16958	M1O	04-036/00:54:33.6		CALL, Engine = , Parameters =	unpark_hga	04-036/00:42:40.0
16959	M1O	04-036/00:54:33.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-036/00:42:40.0
16960	M1O	04-036/00:54:34.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-036/00:42:41.0
16961	M1O	04-036/00:59:04.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-036/00:47:11.0
16962	M1O	04-036/00:59:05.6		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-036/00:47:12.0
16963	M1O	04-036/01:02:07.9		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-036/00:50:14.3
16964	M1O	04-036/01:02:08.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/00:50:14.4
16965	M1O	04-036/01:02:09.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-036/00:50:15.4
16966	M1O	04-036/01:02:10.0		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-036/00:50:16.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
16967	M1O	04-036/01:02:11.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-036/00:50:17.4
16968	M1O	04-036/01:02:12.0		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-036/00:50:18.4
16969	M1O	04-036/01:02:22.0		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-036/00:50:28.4
16970	M1O	04-036/01:02:32.0		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-036/00:50:38.4
16971	M1O	04-036/01:03:05.6		NOTE: EXIT HGA PARK		
16972	M1O	04-036/01:03:05.6	14	Acquisition Of X-Band Signal		
16973	M1O	04-036/01:03:05.6	14	Acquire D/L: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16974	M1O	04-036/01:03:05.6	26	Acquisition Of X-Band Signal		
16975	M1O	04-036/01:03:05.6	26	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16976	M1O	04-036/01:07:32.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-036/00:55:38.4
16977	M1O	04-036/01:07:33.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/00:55:39.4
16978	M1O	04-036/01:07:33.1	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16979	M1O	04-036/01:07:33.1	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
16980	M1O	04-036/01:07:34.1		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-036/00:55:40.4
16981	M1O	04-036/01:07:45.5		NOTE: Apoapsis 9505 -		04-036/00:55:51.9
16982	M1O	04-036/01:10:32.8		NOTE: North Pole Crossing 9505		04-036/00:58:39.1
16983	M1O	04-036/01:36:12.7		SPAWN, Engine = 65535, Parameters = 036, 01, FALSE, 00:15:39.818, 254, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-036/01:24:19.0
16984	M1O	04-036/01:36:13.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/01:24:20.1
16985	M1O	04-036/01:36:15.8		CALL, Engine = , Parameters = 254	get_cmd_opt	04-036/01:24:22.1
16986	M1O	04-036/01:36:58.0		CALL, Engine = , Parameters = 254	get_apid	04-036/01:25:04.3
16987	M1O	04-036/01:36:59.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-036/01:25:05.4
16988	M1O	04-036/01:36:59.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-036/01:25:05.6
16989	M1O	04-036/01:37:00.4		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-036/01:25:06.7
16990	M1O	04-036/01:37:01.7		CALL, Engine = , Parameters = 254	get_coding	04-036/01:25:08.0
16991	M1O	04-036/01:37:02.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-036/01:25:09.2
16992	M1O	04-036/01:37:04.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-036/01:25:10.4
16993	M1O	04-036/01:38:08.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/01:26:15.2
16994	M1O	04-036/01:38:09.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/01:26:16.2
16995	M1O	04-036/01:38:10.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/01:26:17.2
16996	M1O	04-036/01:38:11.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-036/01:26:18.2
16997	M1O	04-036/01:38:12.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-036/01:26:19.2
16998	M1O	04-036/01:38:13.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/01:26:20.2
16999	M1O	04-036/01:38:14.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/01:26:21.2
17000	M1O	04-036/01:40:28.5		NOTE: Descending Node Crossing 9506		04-036/01:28:34.8
17001	M1O	04-036/01:53:50.8		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/01:41:57.0
17002	M1O	04-036/01:53:51.9		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/01:41:58.1
17003	M1O	04-036/01:54:01.9		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/01:42:08.1
17004	M1O	04-036/01:54:02.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/01:42:09.1
17005	M1O	04-036/02:07:53.9		NOTE: Periapsis 9506 ----------		04-036/01:56:00.1
17006	M1O	04-036/02:09:46.4		NOTE: South Pole Crossing 9506		04-036/01:57:52.6
17007	M1O	04-036/02:27:19.9		SPAWN, Engine = 65535, Parameters = 036, 01, TRUE, 00:19:07, 253, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-036/02:15:26.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17008	M1O	04-036/02:27:21.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/02:15:27.1
17009	M1O	04-036/02:27:23.0		CALL, Engine = , Parameters = 253	get_cmd_opt	04-036/02:15:29.1
17010	M1O	04-036/02:27:23.3		CALL, Engine = , Parameters = 036, 01, 253	bld_autosw	04-036/02:15:29.4
17011	M1O	04-036/02:27:24.4		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-036/02:15:30.5
17012	M1O	04-036/02:27:25.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:31.6
17013	M1O	04-036/02:27:26.5		Deletes the designated file.: d:/dat/253_doy036_pass01_file01.dat	FILE_DELETE	04-036/02:15:32.6
17014	M1O	04-036/02:27:27.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:33.7
17015	M1O	04-036/02:27:28.6		Deletes the designated file.: d:/dat/253_doy036_pass01_file02.dat	FILE_DELETE	04-036/02:15:34.7
17016	M1O	04-036/02:27:29.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:35.8
17017	M1O	04-036/02:27:30.7		Deletes the designated file.: d:/dat/253_doy036_pass01_file03.dat	FILE_DELETE	04-036/02:15:36.8
17018	M1O	04-036/02:27:31.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:37.9
17019	M1O	04-036/02:27:32.8		Deletes the designated file.: d:/dat/253_doy036_pass01_file04.dat	FILE_DELETE	04-036/02:15:38.9
17020	M1O	04-036/02:27:33.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:40.0
17021	M1O	04-036/02:27:34.9		Deletes the designated file.: d:/dat/253_doy036_pass01_file05.dat	FILE_DELETE	04-036/02:15:41.0
17022	M1O	04-036/02:27:36.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:42.1
17023	M1O	04-036/02:27:37.0		Deletes the designated file.: d:/dat/253_doy036_pass01_file06.dat	FILE_DELETE	04-036/02:15:43.1
17024	M1O	04-036/02:27:38.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:44.2
17025	M1O	04-036/02:27:39.1		Deletes the designated file.: d:/dat/253_doy036_pass01_file07.dat	FILE_DELETE	04-036/02:15:45.2
17026	M1O	04-036/02:27:40.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:46.3
17027	M1O	04-036/02:27:41.2		Deletes the designated file.: d:/dat/253_doy036_pass01_file08.dat	FILE_DELETE	04-036/02:15:47.3
17028	M1O	04-036/02:27:42.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:48.4
17029	M1O	04-036/02:27:43.3		Deletes the designated file.: d:/dat/253_doy036_pass01_file09.dat	FILE_DELETE	04-036/02:15:49.4
17030	M1O	04-036/02:27:44.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:50.5
17031	M1O	04-036/02:27:45.4		Deletes the designated file.: d:/dat/253_doy036_pass01_file10.dat	FILE_DELETE	04-036/02:15:51.5
17032	M1O	04-036/02:27:46.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:52.6
17033	M1O	04-036/02:27:47.5		Deletes the designated file.: d:/dat/253_doy036_pass01_file11.dat	FILE_DELETE	04-036/02:15:53.6
17034	M1O	04-036/02:27:48.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:54.7
17035	M1O	04-036/02:27:49.6		Deletes the designated file.: d:/dat/253_doy036_pass01_file12.dat	FILE_DELETE	04-036/02:15:55.7
17036	M1O	04-036/02:27:50.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:56.8
17037	M1O	04-036/02:27:51.7		Deletes the designated file.: d:/dat/253_doy036_pass01_file13.dat	FILE_DELETE	04-036/02:15:57.8
17038	M1O	04-036/02:27:52.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:15:58.9
17039	M1O	04-036/02:27:53.8		Deletes the designated file.: d:/dat/253_doy036_pass01_file14.dat	FILE_DELETE	04-036/02:15:59.9
17040	M1O	04-036/02:27:54.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:16:01.0
17041	M1O	04-036/02:27:55.9		Deletes the designated file.: d:/dat/253_doy036_pass01_file15.dat	FILE_DELETE	04-036/02:16:02.0
17042	M1O	04-036/02:27:57.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:16:03.1
17043	M1O	04-036/02:27:58.0		Deletes the designated file.: d:/dat/253_doy036_pass01_file16.dat	FILE_DELETE	04-036/02:16:04.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17044	M1O	04-036/02:27:59.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:16:05.2
17045	M1O	04-036/02:28:00.1		Deletes the designated file.: d:/dat/253_doy036_pass01_file17.dat	FILE_DELETE	04-036/02:16:06.2
17046	M1O	04-036/02:28:01.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:16:07.3
17047	M1O	04-036/02:28:02.2		Deletes the designated file.: d:/dat/253_doy036_pass01_file18.dat	FILE_DELETE	04-036/02:16:08.3
17048	M1O	04-036/02:28:03.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/02:16:09.4
17049	M1O	04-036/02:28:04.3		Deletes the designated file.: d:/dat/253_doy036_pass01_file19.dat	FILE_DELETE	04-036/02:16:10.4
17050	M1O	04-036/02:28:05.3		CALL, Engine = , Parameters = 253	get_apid	04-036/02:16:11.4
17051	M1O	04-036/02:28:06.4		CALL, Engine = , Parameters = 253	get_rcv_mode	04-036/02:16:12.5
17052	M1O	04-036/02:28:06.6		CALL, Engine = , Parameters = 253	get_dl_rate	04-036/02:16:12.7
17053	M1O	04-036/02:28:07.7		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-036/02:16:13.8
17054	M1O	04-036/02:28:09.0		CALL, Engine = , Parameters = 253	get_coding	04-036/02:16:15.1
17055	M1O	04-036/02:28:10.2		CALL, Engine = , Parameters = 253	get_xmt_mode	04-036/02:16:16.3
17056	M1O	04-036/02:28:11.4		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-036/02:16:17.5
17057	M1O	04-036/02:29:16.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/02:17:22.3
17058	M1O	04-036/02:29:17.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/02:17:23.3
17059	M1O	04-036/02:29:18.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/02:17:24.3
17060	M1O	04-036/02:29:19.2		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-036/02:17:25.3
17061	M1O	04-036/02:29:20.2		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-036/02:17:26.3
17062	M1O	04-036/02:29:21.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-036/02:17:27.3
17063	M1O	04-036/02:29:22.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/02:17:28.3
17064	M1O	04-036/02:29:23.2		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-036/02:17:29.3
17065	M1O	04-036/02:29:24.2		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-036/02:17:30.3
17066	M1O	04-036/02:31:12.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/02:19:18.3
17067	M1O	04-036/02:31:12.2	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17068	M1O	04-036/02:31:12.2	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17069	M1O	04-036/02:31:17.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/02:19:23.5
17070	M1O	04-036/02:31:22.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-036/02:19:28.3
17071	M1O	04-036/02:36:12.0	26	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
17072	M1O	04-036/02:37:50.6		NOTE: Enter Solar Eclipse 9506		04-036/02:25:56.7
17073	M1O	04-036/02:39:08.8		NOTE: Ascending Node Crossing 9506		04-036/02:27:14.9
17074	M1O	04-036/02:40:00.0	26	NOTE: X-Band Transmitter Off in 15 minutes		
17075	M1O	04-036/02:48:24.2		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-036/02:36:30.3
17076	M1O	04-036/02:48:25.2		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-036/02:36:31.3
17077	M1O	04-036/02:48:27.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/02:36:33.3
17078	M1O	04-036/02:48:28.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/02:36:34.4
17079	M1O	04-036/02:48:38.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/02:36:44.4
17080	M1O	04-036/02:48:39.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/02:36:45.4
17081	M1O	04-036/02:48:40.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-036/02:36:46.4
17082	M1O	04-036/02:48:40.3	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17083	M1O	04-036/02:48:40.3	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17084	M1O	04-036/02:48:41.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-036/02:36:47.4
17085	M1O	04-036/02:50:00.0	26	Range Modulation Off		
17086	M1O	04-036/02:51:28.4		NOTE: Exit Solar Eclipse 9506		04-036/02:39:34.4
17087	M1O	04-036/02:53:39.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/02:41:46.0
17088	M1O	04-036/02:53:39.9	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17089	M1O	04-036/02:53:39.9	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17090	M1O	04-036/02:55:00.0	26	X-Band Transmitter Off		
17091	M1O	04-036/03:00:00.0	26	End Tracking		
17092	M1O	04-036/03:00:00.0	14	Acquire U/L: X/08, PWR=20.0, BR=125.0		
17093	M1O	04-036/03:05:00.0	14	Range Modulation On: SUP=3.0dB		
17094	M1O	04-036/03:06:00.0	14	Begin Ranging Acquisition		
17095	M1O	04-036/03:06:36.5		NOTE: Apoapsis 9506 -		04-036/02:54:42.5
17096	M1O	04-036/03:09:08.8		NOTE: North Pole Crossing 9506		04-036/02:57:14.8
17097	M1O	04-036/03:15:00.0	26	End Post-Cal		
17098	M1O	04-036/03:17:45.4		SPAWN, Engine = 65535, Parameters = 3, 00:11:00, 1	dpt	04-036/03:05:51.3
17099	M1O	04-036/03:17:47.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/03:05:53.4
17100	M1O	04-036/03:17:47.5	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17101	M1O	04-036/03:17:48.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-036/03:05:54.4
17102	M1O	04-036/03:18:48.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17103	M1O	04-036/03:23:48.0	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17104	M1O	04-036/03:28:47.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/03:16:53.4
17105	M1O	04-036/03:28:47.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17106	M1O	04-036/03:28:48.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-036/03:16:54.4
17107	M1O	04-036/03:32:30.1		SPAWN, Engine = 65535, Parameters = 036, 02, TRUE, 00:17:44, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-036/03:20:36.0
17108	M1O	04-036/03:32:31.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/03:20:37.1
17109	M1O	04-036/03:32:33.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-036/03:20:39.1
17110	M1O	04-036/03:32:33.5		CALL, Engine = , Parameters = 036, 02, 254	bld_autosw	04-036/03:20:39.4
17111	M1O	04-036/03:32:34.6		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-036/03:20:40.5
17112	M1O	04-036/03:32:35.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:20:41.6
17113	M1O	04-036/03:32:36.7		Deletes the designated file.: d:/dat/254_doy036_pass02_file01.dat	FILE_DELETE	04-036/03:20:42.6
17114	M1O	04-036/03:32:37.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:20:43.7
17115	M1O	04-036/03:32:38.8		Deletes the designated file.: d:/dat/254_doy036_pass02_file02.dat	FILE_DELETE	04-036/03:20:44.7
17116	M1O	04-036/03:32:39.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:20:45.8
17117	M1O	04-036/03:32:40.9		Deletes the designated file.: d:/dat/254_doy036_pass02_file03.dat	FILE_DELETE	04-036/03:20:46.8
17118	M1O	04-036/03:32:42.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:20:47.9
17119	M1O	04-036/03:32:43.0		Deletes the designated file.: d:/dat/254_doy036_pass02_file04.dat	FILE_DELETE	04-036/03:20:48.9
17120	M1O	04-036/03:32:44.1		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-036/03:20:50.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy036_pass02_file05.dat, d:/dat/autoswitch.dat		
17121	M1O	04-036/03:32:45.1		Deletes the designated file.: d:/dat/254_doy036_pass02_file05.dat	FILE_DELETE	04-036/03:20:51.0
17122	M1O	04-036/03:32:46.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:20:52.1
17123	M1O	04-036/03:32:47.2		Deletes the designated file.: d:/dat/254_doy036_pass02_file06.dat	FILE_DELETE	04-036/03:20:53.1
17124	M1O	04-036/03:32:48.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:20:54.2
17125	M1O	04-036/03:32:49.3		Deletes the designated file.: d:/dat/254_doy036_pass02_file07.dat	FILE_DELETE	04-036/03:20:55.2
17126	M1O	04-036/03:32:50.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:20:56.3
17127	M1O	04-036/03:32:51.4		Deletes the designated file.: d:/dat/254_doy036_pass02_file08.dat	FILE_DELETE	04-036/03:20:57.3
17128	M1O	04-036/03:32:52.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:20:58.4
17129	M1O	04-036/03:32:53.5		Deletes the designated file.: d:/dat/254_doy036_pass02_file09.dat	FILE_DELETE	04-036/03:20:59.4
17130	M1O	04-036/03:32:54.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:00.5
17131	M1O	04-036/03:32:55.6		Deletes the designated file.: d:/dat/254_doy036_pass02_file10.dat	FILE_DELETE	04-036/03:21:01.5
17132	M1O	04-036/03:32:56.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:02.6
17133	M1O	04-036/03:32:57.7		Deletes the designated file.: d:/dat/254_doy036_pass02_file11.dat	FILE_DELETE	04-036/03:21:03.6
17134	M1O	04-036/03:32:58.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:04.7
17135	M1O	04-036/03:32:59.8		Deletes the designated file.: d:/dat/254_doy036_pass02_file12.dat	FILE_DELETE	04-036/03:21:05.7
17136	M1O	04-036/03:33:00.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:06.8
17137	M1O	04-036/03:33:01.9		Deletes the designated file.: d:/dat/254_doy036_pass02_file13.dat	FILE_DELETE	04-036/03:21:07.8
17138	M1O	04-036/03:33:03.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:08.9
17139	M1O	04-036/03:33:04.0		Deletes the designated file.: d:/dat/254_doy036_pass02_file14.dat	FILE_DELETE	04-036/03:21:09.9
17140	M1O	04-036/03:33:05.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:11.0
17141	M1O	04-036/03:33:06.1		Deletes the designated file.: d:/dat/254_doy036_pass02_file15.dat	FILE_DELETE	04-036/03:21:12.0
17142	M1O	04-036/03:33:07.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:13.1
17143	M1O	04-036/03:33:08.2		Deletes the designated file.: d:/dat/254_doy036_pass02_file16.dat	FILE_DELETE	04-036/03:21:14.1
17144	M1O	04-036/03:33:09.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:15.2
17145	M1O	04-036/03:33:10.3		Deletes the designated file.: d:/dat/254_doy036_pass02_file17.dat	FILE_DELETE	04-036/03:21:16.2
17146	M1O	04-036/03:33:11.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:17.3
17147	M1O	04-036/03:33:12.4		Deletes the designated file.: d:/dat/254_doy036_pass02_file18.dat	FILE_DELETE	04-036/03:21:18.3
17148	M1O	04-036/03:33:13.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/03:21:19.4
17149	M1O	04-036/03:33:14.5		Deletes the designated file.: d:/dat/254_doy036_pass02_file19.dat	FILE_DELETE	04-036/03:21:20.4
17150	M1O	04-036/03:33:15.5		CALL, Engine = , Parameters = 254	get_apid	04-036/03:21:21.4
17151	M1O	04-036/03:33:16.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-036/03:21:22.5
17152	M1O	04-036/03:33:16.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-036/03:21:22.7
17153	M1O	04-036/03:33:17.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-036/03:21:23.8
17154	M1O	04-036/03:33:19.2		CALL, Engine = , Parameters = 254	get_coding	04-036/03:21:25.1
17155	M1O	04-036/03:33:20.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-036/03:21:26.3
17156	M1O	04-036/03:33:21.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-036/03:21:27.5
17157	M1O	04-036/03:34:26.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/03:22:32.3
17158	M1O	04-036/03:34:27.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/03:22:33.3
17159	M1O	04-036/03:34:28.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/03:22:34.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17160	M1O	04-036/03:34:29.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-036/03:22:35.3
17161	M1O	04-036/03:34:30.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-036/03:22:36.3
17162	M1O	04-036/03:34:31.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/03:22:37.3
17163	M1O	04-036/03:34:32.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/03:22:38.3
17164	M1O	04-036/03:36:22.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/03:24:28.3
17165	M1O	04-036/03:36:22.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17166	M1O	04-036/03:36:27.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/03:24:33.5
17167	M1O	04-036/03:36:32.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-036/03:24:38.3
17168	M1O	04-036/03:39:04.6		NOTE: Descending Node Crossing 9507		04-036/03:27:10.4
17169	M1O	04-036/03:52:14.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/03:40:20.3
17170	M1O	04-036/03:52:15.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/03:40:21.4
17171	M1O	04-036/03:52:25.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/03:40:31.4
17172	M1O	04-036/03:52:26.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/03:40:32.4
17173	M1O	04-036/03:52:27.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-036/03:40:33.4
17174	M1O	04-036/03:52:27.5	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17175	M1O	04-036/03:52:28.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-036/03:40:34.4
17176	M1O	04-036/03:57:27.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/03:45:33.0
17177	M1O	04-036/03:57:27.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17178	M1O	04-036/04:06:55.6		NOTE: Periapsis 9507 ----------		04-036/03:55:01.3
17179	M1O	04-036/04:08:23.2		NOTE: South Pole Crossing 9507		04-036/03:56:29.0
17180	M1O	04-036/04:28:18.3		SPAWN, Engine = 65535, Parameters = 036, 02, FALSE, 00:11:45.776, 253, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-036/04:16:24.0
17181	M1O	04-036/04:28:19.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/04:16:25.1
17182	M1O	04-036/04:28:21.4		CALL, Engine = , Parameters = 253	get_cmd_opt	04-036/04:16:27.1
17183	M1O	04-036/04:29:03.6		CALL, Engine = , Parameters = 253	get_apid	04-036/04:17:09.3
17184	M1O	04-036/04:29:04.7		CALL, Engine = , Parameters = 253	get_rcv_mode	04-036/04:17:10.4
17185	M1O	04-036/04:29:04.9		CALL, Engine = , Parameters = 253	get_dl_rate	04-036/04:17:10.6
17186	M1O	04-036/04:29:06.0		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-036/04:17:11.7
17187	M1O	04-036/04:29:07.3		CALL, Engine = , Parameters = 253	get_coding	04-036/04:17:13.0
17188	M1O	04-036/04:29:08.5		CALL, Engine = , Parameters = 253	get_xmt_mode	04-036/04:17:14.2
17189	M1O	04-036/04:29:09.7		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-036/04:17:15.4
17190	M1O	04-036/04:30:14.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/04:18:20.2
17191	M1O	04-036/04:30:15.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/04:18:21.2
17192	M1O	04-036/04:30:16.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/04:18:22.2
17193	M1O	04-036/04:30:17.5		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-036/04:18:23.2
17194	M1O	04-036/04:30:18.5		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-036/04:18:24.2
17195	M1O	04-036/04:30:19.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/04:18:25.2
17196	M1O	04-036/04:30:20.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/04:18:26.2
17197	M1O	04-036/04:36:25.1		NOTE: Enter Solar Eclipse 9507		04-036/04:24:30.8
17198	M1O	04-036/04:37:45.6		NOTE: Ascending Node Crossing 9507		04-036/04:25:51.2
17199	M1O	04-036/04:42:02.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/04:30:07.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17200	M1O	04-036/04:42:03.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/04:30:09.0
17201	M1O	04-036/04:42:13.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/04:30:19.0
17202	M1O	04-036/04:42:14.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/04:30:20.0
17203	M1O	04-036/04:50:06.0		NOTE: Exit Solar Eclipse 9507		04-036/04:38:11.6
17204	M1O	04-036/05:05:44.4		NOTE: Apoapsis 9507 -		04-036/04:53:49.9
17205	M1O	04-036/05:07:45.2		NOTE: North Pole Crossing 9507		04-036/04:55:50.7
17206	M1O	04-036/05:15:00.0	43	Begin Pre-Cal		
17207	M1O	04-036/05:15:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
17208	M1O	04-036/05:15:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
17209	M1O	04-036/05:15:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
17210	M1O	04-036/05:15:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
17211	M1O	04-036/05:15:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
17212	M1O	04-036/05:15:00.0	43	Config: RCV: Parms:		
17213	M1O	04-036/05:15:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
17214	M1O	04-036/05:15:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
17215	M1O	04-036/05:15:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
17216	M1O	04-036/05:37:41.1		NOTE: Descending Node Crossing 9508		04-036/05:25:46.6
17217	M1O	04-036/06:00:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
17218	M1O	04-036/06:05:50.7		NOTE: Periapsis 9508 ----------		04-036/05:53:56.1
17219	M1O	04-036/06:06:59.3		NOTE: South Pole Crossing 9508		04-036/05:55:04.7
17220	M1O	04-036/06:10:00.0	14	Range Modulation Off		
17221	M1O	04-036/06:15:00.0	14	X-Band Transmitter Off		
17222	M1O	04-036/06:16:10.6	14	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
17223	M1O	04-036/06:29:15.0	14	NOTE: Below Uplink Interlock Limit		
17224	M1O	04-036/06:30:00.0	43	Begin Tracking		
17225	M1O	04-036/06:30:00.0	43	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17226	M1O	04-036/06:34:57.1		NOTE: Enter Solar Eclipse 9508		04-036/06:23:02.4
17227	M1O	04-036/06:36:20.6		NOTE: Ascending Node Crossing 9508		04-036/06:24:25.9
17228	M1O	04-036/06:37:47.2		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-036/06:25:52.4
17229	M1O	04-036/06:37:49.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/06:25:54.5
17230	M1O	04-036/06:37:49.3	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17231	M1O	04-036/06:37:49.3	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17232	M1O	04-036/06:37:50.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-036/06:25:55.5
17233	M1O	04-036/06:38:49.2	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17234	M1O	04-036/06:38:49.2	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17235	M1O	04-036/06:40:00.0	14	End Tracking		
17236	M1O	04-036/06:43:49.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/06:31:54.5
17237	M1O	04-036/06:43:49.3	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17238	M1O	04-036/06:43:50.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-036/06:31:55.5
17239	M1O	04-036/06:48:43.4		NOTE: Exit Solar Eclipse 9508		04-036/06:36:48.7
17240	M1O	04-036/06:55:00.0	14	End Post-Cal		
17241	M1O	04-036/07:04:28.3		NOTE: Apoapsis 9508 -		04-036/06:52:33.5
17242	M1O	04-036/07:06:20.1		NOTE: North Pole Crossing 9508		04-036/06:54:25.3
17243	M1O	04-036/07:11:54.8		SPAWN, Engine = 65535, Parameters =	scdiag	04-036/07:00:00.0
17244	M1O	04-036/07:11:55.9		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-036/07:00:01.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17245	M1O	04-036/07:11:56.9		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-036/07:00:02.1
17246	M1O	04-036/07:12:57.8		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-036/07:01:03.0
17247	M1O	04-036/07:12:58.0		NOTE: Start Block fsw_diag		04-036/07:01:03.2
17248	M1O	04-036/07:12:59.0		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-036/07:01:04.2
17249	M1O	04-036/07:13:00.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-036/07:01:05.2
17250	M1O	04-036/07:13:11.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-036/07:01:16.2
17251	M1O	04-036/07:13:41.0		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-036/07:01:46.2
17252	M1O	04-036/07:14:01.0		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-036/07:02:06.2
17253	M1O	04-036/07:14:11.0		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-036/07:02:16.2
17254	M1O	04-036/07:14:31.0		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-036/07:02:36.2
17255	M1O	04-036/07:14:41.0		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-036/07:02:46.2
17256	M1O	04-036/07:14:46.0		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-036/07:02:51.2
17257	M1O	04-036/07:14:51.0		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-036/07:02:56.2
17258	M1O	04-036/07:14:56.0		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-036/07:03:01.2
17259	M1O	04-036/07:15:01.0		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-036/07:03:06.2
17260	M1O	04-036/07:15:06.0		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-036/07:03:11.2
17261	M1O	04-036/07:15:46.0		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-036/07:03:51.2
17262	M1O	04-036/07:15:51.0		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-036/07:03:56.2
17263	M1O	04-036/07:15:56.0		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-036/07:04:01.2
17264	M1O	04-036/07:16:01.0		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-036/07:04:06.2
17265	M1O	04-036/07:16:06.0		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-036/07:04:11.2
17266	M1O	04-036/07:16:07.0		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-036/07:04:12.2
17267	M1O	04-036/07:16:08.0		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-036/07:04:13.2
17268	M1O	04-036/07:16:09.0		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-036/07:04:14.2
17269	M1O	04-036/07:16:20.0		NOTE: End Block fsw_diag.mod		04-036/07:04:25.2
17270	M1O	04-036/07:23:14.8		SPAWN, Engine = 65535, Parameters = 036, 01, FALSE, 00:15:13.505, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-036/07:11:20.0
17271	M1O	04-036/07:23:15.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/07:11:21.1
17272	M1O	04-036/07:23:17.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-036/07:11:23.1
17273	M1O	04-036/07:24:00.1		CALL, Engine = , Parameters = 56	get_apid	04-036/07:12:05.3
17274	M1O	04-036/07:24:01.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-036/07:12:06.4
17275	M1O	04-036/07:24:01.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-036/07:12:06.6
17276	M1O	04-036/07:24:02.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-036/07:12:07.7
17277	M1O	04-036/07:24:03.7		CALL, Engine = , Parameters = 56	get_coding	04-036/07:12:08.9
17278	M1O	04-036/07:24:04.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-036/07:12:10.1
17279	M1O	04-036/07:24:06.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-036/07:12:11.3
17280	M1O	04-036/07:25:10.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/07:13:16.1
17281	M1O	04-036/07:25:11.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/07:13:17.1
17282	M1O	04-036/07:25:12.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/07:13:18.1
17283	M1O	04-036/07:25:13.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-036/07:13:19.1
17284	M1O	04-036/07:25:14.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-036/07:13:20.1
17285	M1O	04-036/07:25:15.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/07:13:21.1
17286	M1O	04-036/07:25:16.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/07:13:22.1
17287	M1O	04-036/07:36:15.9		NOTE: Descending Node Crossing 9509		04-036/07:24:21.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17288	M1O	04-036/07:40:26.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/07:28:31.6
17289	M1O	04-036/07:40:27.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/07:28:32.7
17290	M1O	04-036/07:40:37.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/07:28:42.7
17291	M1O	04-036/07:40:38.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/07:28:43.7
17292	M1O	04-036/08:04:18.5		NOTE: Periapsis 9509 ----------		04-036/07:52:23.5
17293	M1O	04-036/08:05:32.9		NOTE: South Pole Crossing 9509		04-036/07:53:37.9
17294	M1O	04-036/08:33:28.2		NOTE: Enter Solar Eclipse 9509		04-036/08:21:33.2
17295	M1O	04-036/08:34:53.2		NOTE: Ascending Node Crossing 9509		04-036/08:22:58.1
17296	M1O	04-036/08:47:18.1		NOTE: Exit Solar Eclipse 9509		04-036/08:35:23.0
17297	M1O	04-036/09:02:40.7		NOTE: Apoapsis 9509 -		04-036/08:50:45.5
17298	M1O	04-036/09:04:52.3		NOTE: North Pole Crossing 9509		04-036/08:52:57.1
17299	M1O	04-036/09:19:09.2		SPAWN, Engine = 65535, Parameters = 036, 02, FALSE, 00:18:18, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-036/09:07:14.0
17300	M1O	04-036/09:19:10.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/09:07:15.1
17301	M1O	04-036/09:19:12.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-036/09:07:17.1
17302	M1O	04-036/09:19:54.5		CALL, Engine = , Parameters = 56	get_apid	04-036/09:07:59.3
17303	M1O	04-036/09:19:55.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-036/09:08:00.4
17304	M1O	04-036/09:19:55.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-036/09:08:00.6
17305	M1O	04-036/09:19:56.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-036/09:08:01.7
17306	M1O	04-036/09:19:58.1		CALL, Engine = , Parameters = 56	get_coding	04-036/09:08:02.9
17307	M1O	04-036/09:19:59.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-036/09:08:04.1
17308	M1O	04-036/09:20:00.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-036/09:08:05.3
17309	M1O	04-036/09:21:05.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/09:09:10.1
17310	M1O	04-036/09:21:06.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/09:09:11.1
17311	M1O	04-036/09:21:07.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/09:09:12.1
17312	M1O	04-036/09:21:08.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-036/09:09:13.1
17313	M1O	04-036/09:21:09.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-036/09:09:14.1
17314	M1O	04-036/09:21:10.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/09:09:15.1
17315	M1O	04-036/09:21:11.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/09:09:16.1
17316	M1O	04-036/09:30:00.0	63	Begin Pre-Cal		
17317	M1O	04-036/09:30:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
17318	M1O	04-036/09:30:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
17319	M1O	04-036/09:30:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
17320	M1O	04-036/09:30:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
17321	M1O	04-036/09:30:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
17322	M1O	04-036/09:30:00.0	63	Config: RCV: Parms:		
17323	M1O	04-036/09:30:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
17324	M1O	04-036/09:30:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
17325	M1O	04-036/09:30:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
17326	M1O	04-036/09:34:47.5		NOTE: Descending Node Crossing 9510		04-036/09:22:52.2
17327	M1O	04-036/09:39:25.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/09:27:30.1
17328	M1O	04-036/09:39:26.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/09:27:31.2
17329	M1O	04-036/09:39:36.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/09:27:41.2
17330	M1O	04-036/09:39:37.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/09:27:42.2
17331	M1O	04-036/09:50:00.0	55	Begin Pre-Cal		
17332	M1O	04-036/09:50:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
17333	M1O	04-036/09:50:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17334	M1O	04-036/09:50:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
17335	M1O	04-036/09:50:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
17336	M1O	04-036/09:50:00.0	55	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
17337	M1O	04-036/09:50:00.0	55	Config: RCV: Parms:		
17338	M1O	04-036/09:50:00.0	55	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
17339	M1O	04-036/09:50:00.0	55	Config: TGC: BAND=X, SR=221200.000000		
17340	M1O	04-036/09:50:00.0	55	Config: TXL		
17341	M1O	04-036/09:50:00.0	55	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
17342	M1O	04-036/09:50:00.0	55	Config: CMD		
17343	M1O	04-036/09:50:00.0	55	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
17344	M1O	04-036/10:02:29.3		NOTE: Periapsis 9510 ----------		04-036/09:50:34.0
17345	M1O	04-036/10:04:04.0		NOTE: South Pole Crossing 9510		04-036/09:52:08.6
17346	M1O	04-036/10:32:01.3		NOTE: Enter Solar Eclipse 9510		04-036/10:20:05.9
17347	M1O	04-036/10:33:24.5		NOTE: Ascending Node Crossing 9510		04-036/10:21:29.1
17348	M1O	04-036/10:45:48.4		NOTE: Exit Solar Eclipse 9510		04-036/10:33:52.9
17349	M1O	04-036/11:01:00.1		NOTE: Apoapsis 9510 -		04-036/10:49:04.5
17350	M1O	04-036/11:03:23.2		NOTE: North Pole Crossing 9510		04-036/10:51:27.7
17351	M1O	04-036/11:20:00.0	55	Begin Tracking		
17352	M1O	04-036/11:20:00.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17353	M1O	04-036/11:23:32.0	55	NOTE: Above Uplink Interlock Limit		
17354	M1O	04-036/11:25:00.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
17355	M1O	04-036/11:28:59.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-036/11:17:03.3
17356	M1O	04-036/11:29:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/11:17:05.4
17357	M1O	04-036/11:29:01.1	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17358	M1O	04-036/11:29:01.1	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17359	M1O	04-036/11:29:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-036/11:17:06.4
17360	M1O	04-036/11:30:00.0	43	End Tracking		
17361	M1O	04-036/11:30:00.0	63	Begin Tracking		
17362	M1O	04-036/11:30:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17363	M1O	04-036/11:30:00.0	55	Range Modulation On: SUP=3.0dB		
17364	M1O	04-036/11:31:00.0	55	Begin Ranging Acquisition		
17365	M1O	04-036/11:33:17.8		NOTE: Descending Node Crossing 9511		04-036/11:21:22.1
17366	M1O	04-036/11:35:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/11:23:05.4
17367	M1O	04-036/11:35:01.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17368	M1O	04-036/11:35:01.1	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17369	M1O	04-036/11:35:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-036/11:23:06.4
17370	M1O	04-036/11:45:00.0	43	End Post-Cal		
17371	M1O	04-036/11:47:48.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-036/11:35:52.4
17372	M1O	04-036/11:47:50.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/11:35:54.5
17373	M1O	04-036/11:47:50.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17374	M1O	04-036/11:47:50.2	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17375	M1O	04-036/11:47:51.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-036/11:35:55.5
17376	M1O	04-036/11:48:51.2	63	Acquire D/L: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17377	M1O	04-036/11:48:51.2	55	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17378	M1O	04-036/11:53:50.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/11:41:54.5
17379	M1O	04-036/11:53:50.3	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17380	M1O	04-036/11:53:50.3	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17381	M1O	04-036/11:53:51.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-036/11:41:55.5
17382	M1O	04-036/12:00:52.0		NOTE: Periapsis 9511 ----------		04-036/11:48:56.3
17383	M1O	04-036/12:02:35.0		NOTE: South Pole Crossing 9511		04-036/11:50:39.3
17384	M1O	04-036/12:30:35.5		NOTE: Enter Solar Eclipse 9511		04-036/12:18:39.7
17385	M1O	04-036/12:31:56.7		NOTE: Ascending Node Crossing 9511		04-036/12:20:00.9
17386	M1O	04-036/12:44:14.0		NOTE: Exit Solar Eclipse 9511		04-036/12:32:18.1
17387	M1O	04-036/12:59:49.5		NOTE: Apoapsis 9511 -		04-036/12:47:53.5
17388	M1O	04-036/13:01:56.5		NOTE: North Pole Crossing 9511		04-036/12:50:00.6
17389	M1O	04-036/13:31:52.3		NOTE: Descending Node Crossing 9512		04-036/13:19:56.3
17390	M1O	04-036/13:59:37.7		NOTE: Periapsis 9512 ----------		04-036/13:47:41.6
17391	M1O	04-036/14:01:09.9		NOTE: South Pole Crossing 9512		04-036/13:49:13.7
17392	M1O	04-036/14:15:33.1		SPAWN, Engine = 65535, Parameters = 036, 03, TRUE, 00:17:23, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-036/14:03:37.0
17393	M1O	04-036/14:15:34.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/14:03:38.1
17394	M1O	04-036/14:15:36.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-036/14:03:40.1
17395	M1O	04-036/14:15:36.5		CALL, Engine = , Parameters = 036, 03, 254	bld_autosw	04-036/14:03:40.4
17396	M1O	04-036/14:15:37.6		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-036/14:03:41.5
17397	M1O	04-036/14:15:38.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:03:42.6
17398	M1O	04-036/14:15:39.7		Deletes the designated file.: d:/dat/254_doy036_pass03_file01.dat	FILE_DELETE	04-036/14:03:43.6
17399	M1O	04-036/14:15:40.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:03:44.7
17400	M1O	04-036/14:15:41.8		Deletes the designated file.: d:/dat/254_doy036_pass03_file02.dat	FILE_DELETE	04-036/14:03:45.7
17401	M1O	04-036/14:15:42.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:03:46.8
17402	M1O	04-036/14:15:43.9		Deletes the designated file.: d:/dat/254_doy036_pass03_file03.dat	FILE_DELETE	04-036/14:03:47.8
17403	M1O	04-036/14:15:45.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:03:48.9
17404	M1O	04-036/14:15:46.0		Deletes the designated file.: d:/dat/254_doy036_pass03_file04.dat	FILE_DELETE	04-036/14:03:49.9
17405	M1O	04-036/14:15:47.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:03:51.0
17406	M1O	04-036/14:15:48.1		Deletes the designated file.: d:/dat/254_doy036_pass03_file05.dat	FILE_DELETE	04-036/14:03:52.0
17407	M1O	04-036/14:15:49.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:03:53.1
17408	M1O	04-036/14:15:50.2		Deletes the designated file.: d:/dat/254_doy036_pass03_file06.dat	FILE_DELETE	04-036/14:03:54.1
17409	M1O	04-036/14:15:51.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:03:55.2
17410	M1O	04-036/14:15:52.3		Deletes the designated file.: d:/dat/254_doy036_pass03_file07.dat	FILE_DELETE	04-036/14:03:56.2
17411	M1O	04-036/14:15:53.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:03:57.3
17412	M1O	04-036/14:15:54.4		Deletes the designated file.: d:/dat/254_doy036_pass03_file08.dat	FILE_DELETE	04-036/14:03:58.3
17413	M1O	04-036/14:15:55.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:03:59.4
17414	M1O	04-036/14:15:56.5		Deletes the designated file.: d:/dat/254_doy036_pass03_file09.dat	FILE_DELETE	04-036/14:04:00.4
17415	M1O	04-036/14:15:57.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:01.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17416	M1O	04-036/14:15:58.6		Deletes the designated file.: d:/dat/254_doy036_pass03_file10.dat	FILE_DELETE	04-036/14:04:02.5
17417	M1O	04-036/14:15:59.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:03.6
17418	M1O	04-036/14:16:00.7		Deletes the designated file.: d:/dat/254_doy036_pass03_file11.dat	FILE_DELETE	04-036/14:04:04.6
17419	M1O	04-036/14:16:01.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:05.7
17420	M1O	04-036/14:16:02.8		Deletes the designated file.: d:/dat/254_doy036_pass03_file12.dat	FILE_DELETE	04-036/14:04:06.7
17421	M1O	04-036/14:16:03.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:07.8
17422	M1O	04-036/14:16:04.9		Deletes the designated file.: d:/dat/254_doy036_pass03_file13.dat	FILE_DELETE	04-036/14:04:08.8
17423	M1O	04-036/14:16:06.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:09.9
17424	M1O	04-036/14:16:07.0		Deletes the designated file.: d:/dat/254_doy036_pass03_file14.dat	FILE_DELETE	04-036/14:04:10.9
17425	M1O	04-036/14:16:08.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:12.0
17426	M1O	04-036/14:16:09.1		Deletes the designated file.: d:/dat/254_doy036_pass03_file15.dat	FILE_DELETE	04-036/14:04:13.0
17427	M1O	04-036/14:16:10.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:14.1
17428	M1O	04-036/14:16:11.2		Deletes the designated file.: d:/dat/254_doy036_pass03_file16.dat	FILE_DELETE	04-036/14:04:15.1
17429	M1O	04-036/14:16:12.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:16.2
17430	M1O	04-036/14:16:13.3		Deletes the designated file.: d:/dat/254_doy036_pass03_file17.dat	FILE_DELETE	04-036/14:04:17.2
17431	M1O	04-036/14:16:14.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:18.3
17432	M1O	04-036/14:16:15.4		Deletes the designated file.: d:/dat/254_doy036_pass03_file18.dat	FILE_DELETE	04-036/14:04:19.3
17433	M1O	04-036/14:16:16.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/14:04:20.4
17434	M1O	04-036/14:16:17.5		Deletes the designated file.: d:/dat/254_doy036_pass03_file19.dat	FILE_DELETE	04-036/14:04:21.4
17435	M1O	04-036/14:16:18.5		CALL, Engine = , Parameters = 254	get_apid	04-036/14:04:22.4
17436	M1O	04-036/14:16:19.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-036/14:04:23.5
17437	M1O	04-036/14:16:19.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-036/14:04:23.7
17438	M1O	04-036/14:16:20.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-036/14:04:24.8
17439	M1O	04-036/14:16:22.2		CALL, Engine = , Parameters = 254	get_coding	04-036/14:04:26.1
17440	M1O	04-036/14:16:23.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-036/14:04:27.3
17441	M1O	04-036/14:16:24.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-036/14:04:28.5
17442	M1O	04-036/14:17:29.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/14:05:33.3
17443	M1O	04-036/14:17:30.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/14:05:34.3
17444	M1O	04-036/14:17:31.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/14:05:35.3
17445	M1O	04-036/14:17:32.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-036/14:05:36.3
17446	M1O	04-036/14:17:33.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-036/14:05:37.3
17447	M1O	04-036/14:17:34.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/14:05:38.3
17448	M1O	04-036/14:17:35.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/14:05:39.3
17449	M1O	04-036/14:19:25.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/14:07:29.3
17450	M1O	04-036/14:19:25.4	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17451	M1O	04-036/14:19:25.4	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17452	M1O	04-036/14:19:30.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/14:07:34.5
17453	M1O	04-036/14:19:35.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-036/14:07:39.3
17454	M1O	04-036/14:29:09.9		NOTE: Enter Solar Eclipse 9512		04-036/14:17:13.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17455	M1O	04-036/14:30:31.5		NOTE: Ascending Node Crossing 9512		04-036/14:18:35.3
17456	M1O	04-036/14:34:56.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/14:23:00.3
17457	M1O	04-036/14:34:57.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/14:23:01.4
17458	M1O	04-036/14:35:07.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/14:23:11.4
17459	M1O	04-036/14:35:08.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/14:23:12.4
17460	M1O	04-036/14:35:09.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-036/14:23:13.4
17461	M1O	04-036/14:35:09.6	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17462	M1O	04-036/14:35:09.6	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17463	M1O	04-036/14:35:10.6		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-036/14:23:14.4
17464	M1O	04-036/14:40:09.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/14:28:13.0
17465	M1O	04-036/14:40:09.2	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17466	M1O	04-036/14:40:09.2	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17467	M1O	04-036/14:42:43.3		NOTE: Exit Solar Eclipse 9512		04-036/14:30:47.0
17468	M1O	04-036/14:58:31.3		NOTE: Apoapsis 9512 -		04-036/14:46:35.0
17469	M1O	04-036/15:00:32.4		NOTE: North Pole Crossing 9512		04-036/14:48:36.1
17470	M1O	04-036/15:19:12.3		SPAWN, Engine = 65535, Parameters = 036, 04, TRUE, 00:19:20, 253, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-036/15:07:16.0
17471	M1O	04-036/15:19:13.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/15:07:17.1
17472	M1O	04-036/15:19:15.4		CALL, Engine = , Parameters = 253	get_cmd_opt	04-036/15:07:19.1
17473	M1O	04-036/15:19:15.7		CALL, Engine = , Parameters = 036, 04, 253	bld_autosw	04-036/15:07:19.4
17474	M1O	04-036/15:19:16.8		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-036/15:07:20.5
17475	M1O	04-036/15:19:17.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:21.6
17476	M1O	04-036/15:19:18.9		Deletes the designated file.: d:/dat/253_doy036_pass04_file01.dat	FILE_DELETE	04-036/15:07:22.6
17477	M1O	04-036/15:19:20.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:23.7
17478	M1O	04-036/15:19:21.0		Deletes the designated file.: d:/dat/253_doy036_pass04_file02.dat	FILE_DELETE	04-036/15:07:24.7
17479	M1O	04-036/15:19:22.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:25.8
17480	M1O	04-036/15:19:23.1		Deletes the designated file.: d:/dat/253_doy036_pass04_file03.dat	FILE_DELETE	04-036/15:07:26.8
17481	M1O	04-036/15:19:24.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:27.9
17482	M1O	04-036/15:19:25.2		Deletes the designated file.: d:/dat/253_doy036_pass04_file04.dat	FILE_DELETE	04-036/15:07:28.9
17483	M1O	04-036/15:19:26.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:30.0
17484	M1O	04-036/15:19:27.3		Deletes the designated file.: d:/dat/253_doy036_pass04_file05.dat	FILE_DELETE	04-036/15:07:31.0
17485	M1O	04-036/15:19:28.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:32.1
17486	M1O	04-036/15:19:29.4		Deletes the designated file.: d:/dat/253_doy036_pass04_file06.dat	FILE_DELETE	04-036/15:07:33.1
17487	M1O	04-036/15:19:30.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:34.2
17488	M1O	04-036/15:19:31.5		Deletes the designated file.: d:/dat/253_doy036_pass04_file07.dat	FILE_DELETE	04-036/15:07:35.2
17489	M1O	04-036/15:19:32.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:36.3
17490	M1O	04-036/15:19:33.6		Deletes the designated file.: d:/dat/253_doy036_pass04_file08.dat	FILE_DELETE	04-036/15:07:37.3
17491	M1O	04-036/15:19:34.7		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-036/15:07:38.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy036_pass04_file09.dat, d:/dat/autoswitch.dat		
17492	M1O	04-036/15:19:35.7		Deletes the designated file.: d:/dat/253_doy036_pass04_file09.dat	FILE_DELETE	04-036/15:07:39.4
17493	M1O	04-036/15:19:36.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:40.5
17494	M1O	04-036/15:19:37.8		Deletes the designated file.: d:/dat/253_doy036_pass04_file10.dat	FILE_DELETE	04-036/15:07:41.5
17495	M1O	04-036/15:19:38.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:42.6
17496	M1O	04-036/15:19:39.9		Deletes the designated file.: d:/dat/253_doy036_pass04_file11.dat	FILE_DELETE	04-036/15:07:43.6
17497	M1O	04-036/15:19:41.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:44.7
17498	M1O	04-036/15:19:42.0		Deletes the designated file.: d:/dat/253_doy036_pass04_file12.dat	FILE_DELETE	04-036/15:07:45.7
17499	M1O	04-036/15:19:43.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:46.8
17500	M1O	04-036/15:19:44.1		Deletes the designated file.: d:/dat/253_doy036_pass04_file13.dat	FILE_DELETE	04-036/15:07:47.8
17501	M1O	04-036/15:19:45.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:48.9
17502	M1O	04-036/15:19:46.2		Deletes the designated file.: d:/dat/253_doy036_pass04_file14.dat	FILE_DELETE	04-036/15:07:49.9
17503	M1O	04-036/15:19:47.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:51.0
17504	M1O	04-036/15:19:48.3		Deletes the designated file.: d:/dat/253_doy036_pass04_file15.dat	FILE_DELETE	04-036/15:07:52.0
17505	M1O	04-036/15:19:49.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:53.1
17506	M1O	04-036/15:19:50.4		Deletes the designated file.: d:/dat/253_doy036_pass04_file16.dat	FILE_DELETE	04-036/15:07:54.1
17507	M1O	04-036/15:19:51.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:55.2
17508	M1O	04-036/15:19:52.5		Deletes the designated file.: d:/dat/253_doy036_pass04_file17.dat	FILE_DELETE	04-036/15:07:56.2
17509	M1O	04-036/15:19:53.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:57.3
17510	M1O	04-036/15:19:54.6		Deletes the designated file.: d:/dat/253_doy036_pass04_file18.dat	FILE_DELETE	04-036/15:07:58.3
17511	M1O	04-036/15:19:55.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy036_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/15:07:59.4
17512	M1O	04-036/15:19:56.7		Deletes the designated file.: d:/dat/253_doy036_pass04_file19.dat	FILE_DELETE	04-036/15:08:00.4
17513	M1O	04-036/15:19:57.7		CALL, Engine = , Parameters = 253	get_apid	04-036/15:08:01.4
17514	M1O	04-036/15:19:58.8		CALL, Engine = , Parameters = 253	get_rcv_mode	04-036/15:08:02.5
17515	M1O	04-036/15:19:59.0		CALL, Engine = , Parameters = 253	get_dl_rate	04-036/15:08:02.7
17516	M1O	04-036/15:20:00.1		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-036/15:08:03.8
17517	M1O	04-036/15:20:01.4		CALL, Engine = , Parameters = 253	get_coding	04-036/15:08:05.1
17518	M1O	04-036/15:20:02.6		CALL, Engine = , Parameters = 253	get_xmt_mode	04-036/15:08:06.3
17519	M1O	04-036/15:20:03.8		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-036/15:08:07.5
17520	M1O	04-036/15:21:08.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/15:09:12.3
17521	M1O	04-036/15:21:09.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/15:09:13.3
17522	M1O	04-036/15:21:10.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/15:09:14.3
17523	M1O	04-036/15:21:11.6		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-036/15:09:15.3
17524	M1O	04-036/15:21:12.6		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-036/15:09:16.3
17525	M1O	04-036/15:21:13.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/15:09:17.3
17526	M1O	04-036/15:21:14.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/15:09:18.3
17527	M1O	04-036/15:23:04.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/15:11:08.3
17528	M1O	04-036/15:23:04.6	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17529	M1O	04-036/15:23:04.6	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17530	M1O	04-036/15:23:09.8		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-036/15:11:13.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_nom_rt_only.cfg,		
17531	M1O	04-036/15:23:14.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-036/15:11:18.3
17532	M1O	04-036/15:30:29.3		NOTE: Descending Node Crossing 9513		04-036/15:18:32.9
17533	M1O	04-036/15:40:32.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/15:28:36.3
17534	M1O	04-036/15:40:33.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/15:28:37.4
17535	M1O	04-036/15:40:43.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/15:28:47.4
17536	M1O	04-036/15:40:44.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/15:28:48.4
17537	M1O	04-036/15:40:45.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-036/15:28:49.4
17538	M1O	04-036/15:40:45.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17539	M1O	04-036/15:40:45.8	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17540	M1O	04-036/15:40:46.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-036/15:28:50.4
17541	M1O	04-036/15:45:45.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/15:33:49.0
17542	M1O	04-036/15:45:45.4	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17543	M1O	04-036/15:45:45.4	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17544	M1O	04-036/15:58:17.9		NOTE: Periapsis 9513 ----------		04-036/15:46:21.4
17545	M1O	04-036/15:59:46.7		NOTE: South Pole Crossing 9513		04-036/15:47:50.2
17546	M1O	04-036/16:06:06.8	55	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
17547	M1O	04-036/16:10:00.0	55	NOTE: X-Band Transmitter Off in 15 minutes		
17548	M1O	04-036/16:13:22.5		SPAWN, Engine = 65535, Parameters = 036, 04, TRUE, 00:16:34, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-036/16:01:26.0
17549	M1O	04-036/16:13:23.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/16:01:27.1
17550	M1O	04-036/16:13:25.6		CALL, Engine = , Parameters = 254	get_cmd_opt	04-036/16:01:29.1
17551	M1O	04-036/16:13:25.9		CALL, Engine = , Parameters = 036, 04, 254	bld_autosw	04-036/16:01:29.4
17552	M1O	04-036/16:13:27.0		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-036/16:01:30.5
17553	M1O	04-036/16:13:28.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:31.6
17554	M1O	04-036/16:13:29.1		Deletes the designated file.: d:/dat/254_doy036_pass04_file01.dat	FILE_DELETE	04-036/16:01:32.6
17555	M1O	04-036/16:13:30.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:33.7
17556	M1O	04-036/16:13:31.2		Deletes the designated file.: d:/dat/254_doy036_pass04_file02.dat	FILE_DELETE	04-036/16:01:34.7
17557	M1O	04-036/16:13:32.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:35.8
17558	M1O	04-036/16:13:33.3		Deletes the designated file.: d:/dat/254_doy036_pass04_file03.dat	FILE_DELETE	04-036/16:01:36.8
17559	M1O	04-036/16:13:34.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:37.9
17560	M1O	04-036/16:13:35.4		Deletes the designated file.: d:/dat/254_doy036_pass04_file04.dat	FILE_DELETE	04-036/16:01:38.9
17561	M1O	04-036/16:13:36.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:40.0
17562	M1O	04-036/16:13:37.5		Deletes the designated file.: d:/dat/254_doy036_pass04_file05.dat	FILE_DELETE	04-036/16:01:41.0
17563	M1O	04-036/16:13:38.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:42.1
17564	M1O	04-036/16:13:39.6		Deletes the designated file.: d:/dat/254_doy036_pass04_file06.dat	FILE_DELETE	04-036/16:01:43.1
17565	M1O	04-036/16:13:40.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:44.2
17566	M1O	04-036/16:13:41.7		Deletes the designated file.: d:/dat/254_doy036_pass04_file07.dat	FILE_DELETE	04-036/16:01:45.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17567	M1O	04-036/16:13:42.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:46.3
17568	M1O	04-036/16:13:43.8		Deletes the designated file.: d:/dat/254_doy036_pass04_file08.dat	FILE_DELETE	04-036/16:01:47.3
17569	M1O	04-036/16:13:44.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:48.4
17570	M1O	04-036/16:13:45.9		Deletes the designated file.: d:/dat/254_doy036_pass04_file09.dat	FILE_DELETE	04-036/16:01:49.4
17571	M1O	04-036/16:13:47.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:50.5
17572	M1O	04-036/16:13:48.0		Deletes the designated file.: d:/dat/254_doy036_pass04_file10.dat	FILE_DELETE	04-036/16:01:51.5
17573	M1O	04-036/16:13:49.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:52.6
17574	M1O	04-036/16:13:50.1		Deletes the designated file.: d:/dat/254_doy036_pass04_file11.dat	FILE_DELETE	04-036/16:01:53.6
17575	M1O	04-036/16:13:51.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:54.7
17576	M1O	04-036/16:13:52.2		Deletes the designated file.: d:/dat/254_doy036_pass04_file12.dat	FILE_DELETE	04-036/16:01:55.7
17577	M1O	04-036/16:13:53.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:56.8
17578	M1O	04-036/16:13:54.3		Deletes the designated file.: d:/dat/254_doy036_pass04_file13.dat	FILE_DELETE	04-036/16:01:57.8
17579	M1O	04-036/16:13:55.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:01:58.9
17580	M1O	04-036/16:13:56.4		Deletes the designated file.: d:/dat/254_doy036_pass04_file14.dat	FILE_DELETE	04-036/16:01:59.9
17581	M1O	04-036/16:13:57.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:02:01.0
17582	M1O	04-036/16:13:58.5		Deletes the designated file.: d:/dat/254_doy036_pass04_file15.dat	FILE_DELETE	04-036/16:02:02.0
17583	M1O	04-036/16:13:59.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:02:03.1
17584	M1O	04-036/16:14:00.6		Deletes the designated file.: d:/dat/254_doy036_pass04_file16.dat	FILE_DELETE	04-036/16:02:04.1
17585	M1O	04-036/16:14:01.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:02:05.2
17586	M1O	04-036/16:14:02.7		Deletes the designated file.: d:/dat/254_doy036_pass04_file17.dat	FILE_DELETE	04-036/16:02:06.2
17587	M1O	04-036/16:14:03.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:02:07.3
17588	M1O	04-036/16:14:04.8		Deletes the designated file.: d:/dat/254_doy036_pass04_file18.dat	FILE_DELETE	04-036/16:02:08.3
17589	M1O	04-036/16:14:05.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy036_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-036/16:02:09.4
17590	M1O	04-036/16:14:06.9		Deletes the designated file.: d:/dat/254_doy036_pass04_file19.dat	FILE_DELETE	04-036/16:02:10.4
17591	M1O	04-036/16:14:07.9		CALL, Engine = , Parameters = 254	get_apid	04-036/16:02:11.4
17592	M1O	04-036/16:14:09.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-036/16:02:12.5
17593	M1O	04-036/16:14:09.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-036/16:02:12.7
17594	M1O	04-036/16:14:10.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-036/16:02:13.8
17595	M1O	04-036/16:14:11.6		CALL, Engine = , Parameters = 254	get_coding	04-036/16:02:15.1
17596	M1O	04-036/16:14:12.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-036/16:02:16.3
17597	M1O	04-036/16:14:14.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-036/16:02:17.5
17598	M1O	04-036/16:15:18.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/16:03:22.3
17599	M1O	04-036/16:15:19.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/16:03:23.3
17600	M1O	04-036/16:15:20.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/16:03:24.3
17601	M1O	04-036/16:15:21.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-036/16:03:25.3
17602	M1O	04-036/16:15:22.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-036/16:03:26.3
17603	M1O	04-036/16:15:23.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/16:03:27.3
17604	M1O	04-036/16:15:24.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/16:03:28.3
17605	M1O	04-036/16:17:14.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/16:05:18.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17606	M1O	04-036/16:17:14.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17607	M1O	04-036/16:17:14.8	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17608	M1O	04-036/16:17:20.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/16:05:23.5
17609	M1O	04-036/16:17:24.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-036/16:05:28.3
17610	M1O	04-036/16:20:00.0	55	Range Modulation Off		
17611	M1O	04-036/16:25:00.0	55	X-Band Transmitter Off		
17612	M1O	04-036/16:27:45.9		NOTE: Enter Solar Eclipse 9513		04-036/16:15:49.3
17613	M1O	04-036/16:29:08.0		NOTE: Ascending Node Crossing 9513		04-036/16:17:11.4
17614	M1O	04-036/16:30:00.0	55	End Tracking		
17615	M1O	04-036/16:30:00.0	55	End Post-Cal		
17616	M1O	04-036/16:31:56.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/16:20:00.3
17617	M1O	04-036/16:31:58.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/16:20:01.4
17618	M1O	04-036/16:32:08.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/16:20:11.4
17619	M1O	04-036/16:32:09.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/16:20:12.4
17620	M1O	04-036/16:32:10.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-036/16:20:13.4
17621	M1O	04-036/16:32:10.0	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17622	M1O	04-036/16:32:11.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-036/16:20:14.4
17623	M1O	04-036/16:37:09.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/16:25:13.0
17624	M1O	04-036/16:37:09.6	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17625	M1O	04-036/16:41:17.8		NOTE: Exit Solar Eclipse 9513		04-036/16:29:21.2
17626	M1O	04-036/16:47:50.3		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-036/16:35:53.6
17627	M1O	04-036/16:47:52.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/16:35:55.7
17628	M1O	04-036/16:47:52.4	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17629	M1O	04-036/16:47:53.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-036/16:35:56.7
17630	M1O	04-036/16:48:53.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17631	M1O	04-036/16:53:52.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/16:41:55.7
17632	M1O	04-036/16:53:52.4	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17633	M1O	04-036/16:53:53.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-036/16:41:56.7
17634	M1O	04-036/16:56:55.0		NOTE: Apoapsis 9513 -		04-036/16:44:58.3
17635	M1O	04-036/16:59:08.8		NOTE: North Pole Crossing 9513		04-036/16:47:12.1
17636	M1O	04-036/17:29:05.6		NOTE: Descending Node Crossing 9514		04-036/17:17:08.8
17637	M1O	04-036/17:56:47.9		NOTE: Periapsis 9514 ----------		04-036/17:44:51.0
17638	M1O	04-036/17:58:23.1		NOTE: South Pole Crossing 9514		04-036/17:46:26.2
17639	M1O	04-036/18:26:22.9		NOTE: Enter Solar Eclipse 9514		04-036/18:14:25.9
17640	M1O	04-036/18:27:44.5		NOTE: Ascending Node Crossing 9514		04-036/18:15:47.5
17641	M1O	04-036/18:39:56.3		NOTE: Exit Solar Eclipse 9514		04-036/18:27:59.3
17642	M1O	04-036/18:55:07.9		NOTE: Apoapsis 9514 -		04-036/18:43:10.8
17643	M1O	04-036/18:57:44.3		NOTE: North Pole Crossing 9514		04-036/18:45:47.2
17644	M1O	04-036/19:27:39.7		NOTE: Descending Node Crossing 9515		04-036/19:15:42.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17645	M1O	04-036/19:55:20.8		NOTE: Periapsis 9515 ----------		04-036/19:43:23.6
17646	M1O	04-036/19:56:57.2		NOTE: South Pole Crossing 9515		04-036/19:45:00.0
17647	M1O	04-036/20:19:11.3		SPAWN, Engine = 65535, Parameters = 036, 03, FALSE, 00:18:56.777, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-036/20:07:14.0
17648	M1O	04-036/20:19:12.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/20:07:15.1
17649	M1O	04-036/20:19:14.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-036/20:07:17.1
17650	M1O	04-036/20:19:56.6		CALL, Engine = , Parameters = 56	get_apid	04-036/20:07:59.3
17651	M1O	04-036/20:19:57.7		CALL, Engine = , Parameters = 56	get_rcv_mode	04-036/20:08:00.4
17652	M1O	04-036/20:19:57.9		CALL, Engine = , Parameters = 56	get_dl_rate	04-036/20:08:00.6
17653	M1O	04-036/20:19:59.0		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-036/20:08:01.7
17654	M1O	04-036/20:20:00.2		CALL, Engine = , Parameters = 56	get_coding	04-036/20:08:02.9
17655	M1O	04-036/20:20:01.4		CALL, Engine = , Parameters = 56	get_xmt_mode	04-036/20:08:04.1
17656	M1O	04-036/20:20:02.6		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-036/20:08:05.3
17657	M1O	04-036/20:21:07.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/20:09:10.1
17658	M1O	04-036/20:21:08.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/20:09:11.1
17659	M1O	04-036/20:21:09.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/20:09:12.1
17660	M1O	04-036/20:21:10.4		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-036/20:09:13.1
17661	M1O	04-036/20:21:11.4		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-036/20:09:14.1
17662	M1O	04-036/20:21:12.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/20:09:15.1
17663	M1O	04-036/20:21:13.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/20:09:16.1
17664	M1O	04-036/20:24:56.6		NOTE: Enter Solar Eclipse 9515		04-036/20:12:59.3
17665	M1O	04-036/20:26:18.6		NOTE: Ascending Node Crossing 9515		04-036/20:14:21.2
17666	M1O	04-036/20:38:34.2		NOTE: Exit Solar Eclipse 9515		04-036/20:26:36.8
17667	M1O	04-036/20:40:06.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/20:28:08.8
17668	M1O	04-036/20:40:07.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/20:28:09.9
17669	M1O	04-036/20:40:17.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/20:28:19.9
17670	M1O	04-036/20:40:18.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/20:28:20.9
17671	M1O	04-036/20:53:43.3		NOTE: Apoapsis 9515 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17691	M1O	04-036/22:19:58.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-036/22:08:00.6
17692	M1O	04-036/22:19:59.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-036/22:08:01.7
17693	M1O	04-036/22:20:00.6		CALL, Engine = , Parameters = 56	get_coding	04-036/22:08:02.9
17694	M1O	04-036/22:20:01.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-036/22:08:04.1
17695	M1O	04-036/22:20:03.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-036/22:08:05.3
17696	M1O	04-036/22:21:07.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-036/22:09:10.1
17697	M1O	04-036/22:21:08.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-036/22:09:11.1
17698	M1O	04-036/22:21:09.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-036/22:09:12.1
17699	M1O	04-036/22:21:10.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-036/22:09:13.1
17700	M1O	04-036/22:21:11.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-036/22:09:14.1
17701	M1O	04-036/22:21:12.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-036/22:09:15.1
17702	M1O	04-036/22:21:13.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-036/22:09:16.1
17703	M1O	04-036/22:23:26.9		NOTE: Enter Solar Eclipse 9516		04-036/22:11:29.2
17704	M1O	04-036/22:24:49.3		NOTE: Ascending Node Crossing 9516		04-036/22:12:51.5
17705	M1O	04-036/22:31:24.0	63	NOTE: Below Uplink Interlock Limit		
17706	M1O	04-036/22:35:05.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-036/22:23:07.3
17707	M1O	04-036/22:35:06.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-036/22:23:08.4
17708	M1O	04-036/22:35:16.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-036/22:23:18.4
17709	M1O	04-036/22:35:17.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-036/22:23:19.4
17710	M1O	04-036/22:37:04.7		NOTE: Exit Solar Eclipse 9516		04-036/22:25:07.0
17711	M1O	04-036/22:52:19.8		NOTE: Apoapsis 9516 -		04-036/22:40:22.0
17712	M1O	04-036/22:54:48.2		NOTE: North Pole Crossing 9516		04-036/22:42:50.4
17713	M1O	04-036/22:58:58.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-036/22:47:01.0
17714	M1O	04-036/22:59:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/22:47:03.1
17715	M1O	04-036/22:59:01.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17716	M1O	04-036/22:59:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-036/22:47:04.1
17717	M1O	04-036/23:00:00.0	63	End Tracking		
17718	M1O	04-036/23:00:00.0	14	Begin Tracking		
17719	M1O	04-036/23:00:00.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17720	M1O	04-036/23:05:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-036/22:53:03.1
17721	M1O	04-036/23:05:01.0	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17722	M1O	04-036/23:05:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-036/22:53:04.1
17723	M1O	04-036/23:15:00.0	63	End Post-Cal		
17724	M1O	04-036/23:24:42.8		NOTE: Descending Node Crossing 9517		04-036/23:12:44.9
17725	M1O	04-036/23:37:42.9		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-036/23:25:45.0
17726	M1O	04-036/23:37:43.0		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-036/23:25:45.1
17727	M1O	04-036/23:37:44.0		Forces a desaturation of the reaction wheels.	RW_DESAT	04-036/23:25:46.1
17728	M1O	04-036/23:41:05.9		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-036/23:29:08.0
17729	M1O	04-036/23:41:21.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-034T23:29:08.100, 2004-036T23:29:08.100	PCKTS_RE_TX_TIME	04-036/23:29:23.8
17730	M1O	04-036/23:41:22.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-034T23:29:08.100, 2004-036T23:29:08.100	PCKTS_RE_TX_TIME	04-036/23:29:24.8
17731	M1O	04-036/23:41:23.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-034T23:29:08.100, 2004-036T23:29:08.100	PCKTS_RE_TX_TIME	04-036/23:29:25.8
17732	M1O	04-036/23:41:24.7		Queues in the retransmit buffer, by time range, designated packet from the specified	PCKTS_RE_TX_TIME	04-036/23:29:26.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				APID.: 4, 2004-034T23:29:08.100, 2004-036T23:29:08.100		
17733	M1O	04-036/23:41:25.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-034T23:29:08.100, 2004-036T23:29:08.100	PCKTS_RE_TX_TIME	04-036/23:29:27.8
17734	M1O	04-036/23:41:26.7		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-034T23:29:08.100, 2004-036T23:29:08.100	PCKTS_RE_TX_TIME	04-036/23:29:28.8
17735	M1O	04-036/23:41:26.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-036/23:29:28.8
17736	M1O	04-036/23:41:26.7	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17737	M1O	04-036/23:48:27.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/23:36:29.8
17738	M1O	04-036/23:48:27.8	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17739	M1O	04-036/23:48:28.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-036/23:36:30.8
17740	M1O	04-036/23:48:44.8		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-036/23:36:46.8
17741	M1O	04-036/23:48:44.8	14	D/L RF Warning: SC antenna change - expect signal level variation		
17742	M1O	04-036/23:48:45.8		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-036/23:36:47.8
17743	M1O	04-036/23:49:14.1		CALL, Engine = , Parameters = FALSE	park_hga	04-036/23:37:16.1
17744	M1O	04-036/23:49:14.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-036/23:37:16.1
17745	M1O	04-036/23:49:15.1		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-036/23:37:17.1
17746	M1O	04-036/23:49:16.1		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-036/23:37:18.1
17747	M1O	04-036/23:49:16.1		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-036/23:37:18.1
17748	M1O	04-036/23:49:16.1		NOTE: START HGA PARK		
17749	M1O	04-036/23:49:16.1	14	NOTE: Loss Of X-Band Signal		
17750	M1O	04-036/23:49:17.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-036/23:37:19.1
17751	M1O	04-036/23:49:18.1		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-036/23:37:20.1
17752	M1O	04-036/23:52:07.7		NOTE: Periapsis 9517 ----------		04-036/23:40:09.7
17753	M1O	04-036/23:53:48.1		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-036/23:41:50.1
17754	M1O	04-036/23:53:59.1		NOTE: South Pole Crossing 9517		04-036/23:42:01.1
17755	M1O	04-036/23:57:18.1		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-036/23:45:20.1
17756	M1O	04-036/23:57:18.1		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-036/23:45:20.1
17757	M1O	04-037/00:00:00.0		Light Time: OWLT = 11:58, RTLT = 23:56		
17758	M1O	04-037/00:00:00.0	15	Begin Pre-Cal		
17759	M1O	04-037/00:00:00.0	15	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
17760	M1O	04-037/00:00:00.0	15	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
17761	M1O	04-037/00:00:00.0	15	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
17762	M1O	04-037/00:00:00.0	15	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
17763	M1O	04-037/00:00:00.0	15	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
17764	M1O	04-037/00:00:00.0	15	Config: RCV: Parms:		
17765	M1O	04-037/00:00:00.0	15	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
17766	M1O	04-037/00:00:00.0	15	Config: TGC: BAND=X, SR=221200.000000		
17767	M1O	04-037/00:00:00.0	15	Config: TXL		
17768	M1O	04-037/00:00:00.0	15	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
17769	M1O	04-037/00:00:00.0	15	Config: CMD		
17770	M1O	04-037/00:00:00.0	15	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
17771	M1O	04-037/00:22:00.8		NOTE: Enter Solar Eclipse 9517		04-037/00:10:02.7
17772	M1O	04-037/00:23:20.2		NOTE: Ascending Node Crossing 9517		04-037/00:11:22.1
17773	M1O	04-037/00:27:18.1		GV: GV_DESAT_ACTIVE = 1		04-037/00:15:20.0
17774	M1O	04-037/00:27:19.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-037/00:15:21.0
17775	M1O	04-037/00:27:19.1		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-037/00:15:21.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17776	M1O	04-037/00:35:28.0		NOTE: Exit Solar Eclipse 9517		04-037/00:23:29.9
17777	M1O	04-037/00:37:18.1		GV: GV_DESAT_ACTIVE = 0		04-037/00:25:20.0
17778	M1O	04-037/00:37:19.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-037/00:25:21.0
17779	M1O	04-037/00:37:20.1		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-037/00:25:22.0
17780	M1O	04-037/00:37:21.1		CALL, Engine = , Parameters =	unpark_hga	04-037/00:25:23.0
17781	M1O	04-037/00:37:21.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-037/00:25:23.0
17782	M1O	04-037/00:37:22.1		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-037/00:25:24.0
17783	M1O	04-037/00:41:52.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-037/00:29:54.0
17784	M1O	04-037/00:41:53.1		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-037/00:29:55.0
17785	M1O	04-037/00:45:00.0	15	Begin Tracking		
17786	M1O	04-037/00:45:18.1		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-037/00:33:20.0
17787	M1O	04-037/00:45:18.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/00:33:20.1
17788	M1O	04-037/00:45:19.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-037/00:33:21.1
17789	M1O	04-037/00:45:20.2		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-037/00:33:22.1
17790	M1O	04-037/00:45:21.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-037/00:33:23.1
17791	M1O	04-037/00:45:22.2		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-037/00:33:24.1
17792	M1O	04-037/00:45:32.2		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-037/00:33:34.1
17793	M1O	04-037/00:45:42.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-037/00:33:44.1
17794	M1O	04-037/00:45:53.1		NOTE: EXIT HGA PARK		
17795	M1O	04-037/00:45:53.1	14	Acquisition Of X-Band Signal		
17796	M1O	04-037/00:45:53.1	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17797	M1O	04-037/00:45:53.1	15	Acquisition Of X-Band Signal		
17798	M1O	04-037/00:45:53.1	15	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17799	M1O	04-037/00:46:00.0	15	Acquire U/L: X/08, PWR=20.0, BR=125.0		
17800	M1O	04-037/00:50:38.3		NOTE: Apoapsis 9517 -		04-037/00:38:40.1
17801	M1O	04-037/00:50:42.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-037/00:38:44.1
17802	M1O	04-037/00:50:43.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-037/00:38:45.1
17803	M1O	04-037/00:50:43.3	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17804	M1O	04-037/00:50:43.3	15	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17805	M1O	04-037/00:50:44.3		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-037/00:38:46.1
17806	M1O	04-037/00:51:00.0	15	Range Modulation On: SUP=3.0dB		
17807	M1O	04-037/00:52:00.0	15	Begin Ranging Acquisition		
17808	M1O	04-037/00:53:20.3		NOTE: North Pole Crossing 9517		04-037/00:41:22.1
17809	M1O	04-037/01:08:54.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-037/00:56:55.9
17810	M1O	04-037/01:08:56.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/00:56:58.0
17811	M1O	04-037/01:08:56.2	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17812	M1O	04-037/01:08:56.2	15	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17813	M1O	04-037/01:08:57.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-037/00:56:59.0
17814	M1O	04-037/01:09:56.3	14	Acquire D/L: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17815	M1O	04-037/01:09:56.3	15	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
17816	M1O	04-037/01:14:56.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-037/01:02:58.0
17817	M1O	04-037/01:14:56.3	14	D/L Change: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17818	M1O	04-037/01:14:56.3	15	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17819	M1O	04-037/01:14:57.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-037/01:02:59.0
17820	M1O	04-037/01:23:15.8		NOTE: Descending Node Crossing 9518		04-037/01:11:17.5
17821	M1O	04-037/01:50:34.8		NOTE: Periapsis 9518 ----------		04-037/01:38:36.4
17822	M1O	04-037/01:52:33.3		NOTE: South Pole Crossing 9518		04-037/01:40:34.9
17823	M1O	04-037/02:13:12.4		SPAWN, Engine = 65535, Parameters = 037, 01, FALSE, 00:14:05.360, 253, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-037/02:01:14.0
17824	M1O	04-037/02:13:13.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/02:01:15.1
17825	M1O	04-037/02:13:15.5		CALL, Engine = , Parameters = 253	get_cmd_opt	04-037/02:01:17.1
17826	M1O	04-037/02:13:57.7		CALL, Engine = , Parameters = 253	get_apid	04-037/02:01:59.3
17827	M1O	04-037/02:13:58.8		CALL, Engine = , Parameters = 253	get_rcv_mode	04-037/02:02:00.4
17828	M1O	04-037/02:13:59.0		CALL, Engine = , Parameters = 253	get_dl_rate	04-037/02:02:00.6
17829	M1O	04-037/02:14:00.1		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-037/02:02:01.7
17830	M1O	04-037/02:14:01.4		CALL, Engine = , Parameters = 253	get_coding	04-037/02:02:03.0
17831	M1O	04-037/02:14:02.6		CALL, Engine = , Parameters = 253	get_xmt_mode	04-037/02:02:04.2
17832	M1O	04-037/02:14:03.8		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-037/02:02:05.4
17833	M1O	04-037/02:15:08.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-037/02:03:10.2
17834	M1O	04-037/02:15:09.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-037/02:03:11.2
17835	M1O	04-037/02:15:10.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-037/02:03:12.2
17836	M1O	04-037/02:15:11.6		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-037/02:03:13.2
17837	M1O	04-037/02:15:12.6		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-037/02:03:14.2
17838	M1O	04-037/02:15:13.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-037/02:03:15.2
17839	M1O	04-037/02:15:14.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-037/02:03:16.2
17840	M1O	04-037/02:20:39.1		NOTE: Enter Solar Eclipse 9518		04-037/02:08:40.6
17841	M1O	04-037/02:21:55.6		NOTE: Ascending Node Crossing 9518		04-037/02:09:57.1
17842	M1O	04-037/02:29:16.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-037/02:17:17.5
17843	M1O	04-037/02:29:17.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-037/02:17:18.6
17844	M1O	04-037/02:29:27.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-037/02:17:28.6
17845	M1O	04-037/02:29:28.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/02:17:29.6
17846	M1O	04-037/02:33:58.1		NOTE: Exit Solar Eclipse 9518		04-037/02:21:59.6
17847	M1O	04-037/02:49:13.6		NOTE: Apoapsis 9518 -		04-037/02:37:15.1
17848	M1O	04-037/02:51:55.7		NOTE: North Pole Crossing 9518		04-037/02:39:57.1
17849	M1O	04-037/03:15:01.6		SPAWN, Engine = 65535, Parameters = 037, 01, TRUE, 00:19:11, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-037/03:03:03.0
17850	M1O	04-037/03:15:02.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/03:03:04.1
17851	M1O	04-037/03:15:04.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-037/03:03:06.1
17852	M1O	04-037/03:15:05.0		CALL, Engine = , Parameters = 037, 01, 254	bld_autosw	04-037/03:03:06.4
17853	M1O	04-037/03:15:06.1		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-037/03:03:07.5
17854	M1O	04-037/03:15:07.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:08.6
17855	M1O	04-037/03:15:08.2		Deletes the designated file.: d:/dat/254_doy037_pass01_file01.dat	FILE_DELETE	04-037/03:03:09.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17856	M1O	04-037/03:15:09.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:10.7
17857	M1O	04-037/03:15:10.3		Deletes the designated file.: d:/dat/254_doy037_pass01_file02.dat	FILE_DELETE	04-037/03:03:11.7
17858	M1O	04-037/03:15:11.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:12.8
17859	M1O	04-037/03:15:12.4		Deletes the designated file.: d:/dat/254_doy037_pass01_file03.dat	FILE_DELETE	04-037/03:03:13.8
17860	M1O	04-037/03:15:13.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:14.9
17861	M1O	04-037/03:15:14.5		Deletes the designated file.: d:/dat/254_doy037_pass01_file04.dat	FILE_DELETE	04-037/03:03:15.9
17862	M1O	04-037/03:15:15.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:17.0
17863	M1O	04-037/03:15:16.6		Deletes the designated file.: d:/dat/254_doy037_pass01_file05.dat	FILE_DELETE	04-037/03:03:18.0
17864	M1O	04-037/03:15:17.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:19.1
17865	M1O	04-037/03:15:18.7		Deletes the designated file.: d:/dat/254_doy037_pass01_file06.dat	FILE_DELETE	04-037/03:03:20.1
17866	M1O	04-037/03:15:19.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:21.2
17867	M1O	04-037/03:15:20.8		Deletes the designated file.: d:/dat/254_doy037_pass01_file07.dat	FILE_DELETE	04-037/03:03:22.2
17868	M1O	04-037/03:15:21.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:23.3
17869	M1O	04-037/03:15:22.9		Deletes the designated file.: d:/dat/254_doy037_pass01_file08.dat	FILE_DELETE	04-037/03:03:24.3
17870	M1O	04-037/03:15:24.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:25.4
17871	M1O	04-037/03:15:25.0		Deletes the designated file.: d:/dat/254_doy037_pass01_file09.dat	FILE_DELETE	04-037/03:03:26.4
17872	M1O	04-037/03:15:26.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:27.5
17873	M1O	04-037/03:15:27.1		Deletes the designated file.: d:/dat/254_doy037_pass01_file10.dat	FILE_DELETE	04-037/03:03:28.5
17874	M1O	04-037/03:15:28.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:29.6
17875	M1O	04-037/03:15:29.2		Deletes the designated file.: d:/dat/254_doy037_pass01_file11.dat	FILE_DELETE	04-037/03:03:30.6
17876	M1O	04-037/03:15:30.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:31.7
17877	M1O	04-037/03:15:31.3		Deletes the designated file.: d:/dat/254_doy037_pass01_file12.dat	FILE_DELETE	04-037/03:03:32.7
17878	M1O	04-037/03:15:32.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:33.8
17879	M1O	04-037/03:15:33.4		Deletes the designated file.: d:/dat/254_doy037_pass01_file13.dat	FILE_DELETE	04-037/03:03:34.8
17880	M1O	04-037/03:15:34.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:35.9
17881	M1O	04-037/03:15:35.5		Deletes the designated file.: d:/dat/254_doy037_pass01_file14.dat	FILE_DELETE	04-037/03:03:36.9
17882	M1O	04-037/03:15:36.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:38.0
17883	M1O	04-037/03:15:37.6		Deletes the designated file.: d:/dat/254_doy037_pass01_file15.dat	FILE_DELETE	04-037/03:03:39.0
17884	M1O	04-037/03:15:38.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:40.1
17885	M1O	04-037/03:15:39.7		Deletes the designated file.: d:/dat/254_doy037_pass01_file16.dat	FILE_DELETE	04-037/03:03:41.1
17886	M1O	04-037/03:15:40.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:42.2
17887	M1O	04-037/03:15:41.8		Deletes the designated file.: d:/dat/254_doy037_pass01_file17.dat	FILE_DELETE	04-037/03:03:43.2
17888	M1O	04-037/03:15:42.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:44.3
17889	M1O	04-037/03:15:43.9		Deletes the designated file.: d:/dat/254_doy037_pass01_file18.dat	FILE_DELETE	04-037/03:03:45.3
17890	M1O	04-037/03:15:45.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:03:46.4
17891	M1O	04-037/03:15:46.0		Deletes the designated file.: d:/dat/254_doy037_pass01_file19.dat	FILE_DELETE	04-037/03:03:47.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17892	M1O	04-037/03:15:47.0		CALL, Engine = , Parameters = 254	get_apid	04-037/03:03:48.4
17893	M1O	04-037/03:15:48.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-037/03:03:49.5
17894	M1O	04-037/03:15:48.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-037/03:03:49.7
17895	M1O	04-037/03:15:49.4		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-037/03:03:50.8
17896	M1O	04-037/03:15:50.7		CALL, Engine = , Parameters = 254	get_coding	04-037/03:03:52.1
17897	M1O	04-037/03:15:51.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-037/03:03:53.3
17898	M1O	04-037/03:15:53.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-037/03:03:54.5
17899	M1O	04-037/03:16:57.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-037/03:04:59.3
17900	M1O	04-037/03:16:58.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-037/03:05:00.3
17901	M1O	04-037/03:16:59.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-037/03:05:01.3
17902	M1O	04-037/03:17:00.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-037/03:05:02.3
17903	M1O	04-037/03:17:01.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-037/03:05:03.3
17904	M1O	04-037/03:17:02.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-037/03:05:04.3
17905	M1O	04-037/03:17:03.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-037/03:05:05.3
17906	M1O	04-037/03:18:53.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/03:06:55.3
17907	M1O	04-037/03:18:53.9	14	D/L Change: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17908	M1O	04-037/03:18:53.9	15	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17909	M1O	04-037/03:18:59.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/03:07:00.5
17910	M1O	04-037/03:19:03.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-037/03:07:05.3
17911	M1O	04-037/03:21:02.5	15	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
17912	M1O	04-037/03:21:51.2		NOTE: Descending Node Crossing 9519		04-037/03:09:52.6
17913	M1O	04-037/03:35:00.0	15	Range Modulation Off		
17914	M1O	04-037/03:36:13.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-037/03:24:14.3
17915	M1O	04-037/03:36:14.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-037/03:24:15.4
17916	M1O	04-037/03:36:24.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-037/03:24:25.4
17917	M1O	04-037/03:36:25.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/03:24:26.4
17918	M1O	04-037/03:36:26.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-037/03:24:27.4
17919	M1O	04-037/03:36:26.1	14	D/L Change: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17920	M1O	04-037/03:36:26.1	15	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17921	M1O	04-037/03:36:27.1		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-037/03:24:28.4
17922	M1O	04-037/03:40:00.0	14	U/L Transfer From DSS-15 to DSS-14: PWR=20.0, BR=125.0		
17923	M1O	04-037/03:41:25.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-037/03:29:27.0
17924	M1O	04-037/03:41:25.7	14	D/L Change: X/08, 3-Way/15, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17925	M1O	04-037/03:41:25.7	15	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17926	M1O	04-037/03:45:00.0	15	End Tracking		
17927	M1O	04-037/03:45:00.0	14	Range Modulation On: SUP=3.0dB		
17928	M1O	04-037/03:46:00.0	14	Begin Ranging Acquisition		
17929	M1O	04-037/03:49:31.8		NOTE: Periapsis 9519 ----------		04-037/03:37:33.0
17930	M1O	04-037/03:51:10.0		NOTE: South Pole Crossing 9519		04-037/03:39:11.2
17931	M1O	04-037/04:00:00.0	15	End Post-Cal		
17932	M1O	04-037/04:03:57.4	14	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
17933	M1O	04-037/04:08:21.8		SPAWN, Engine = 65535, Parameters = 037, 02, TRUE, 00:18:37, 253, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-037/03:56:23.0
17934	M1O	04-037/04:08:22.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/03:56:24.1
17935	M1O	04-037/04:08:24.9		CALL, Engine = , Parameters = 253	get_cmd_opt	04-037/03:56:26.1
17936	M1O	04-037/04:08:25.2		CALL, Engine = , Parameters = 037, 02, 253	bld_autosw	04-037/03:56:26.4
17937	M1O	04-037/04:08:26.3		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-037/03:56:27.5
17938	M1O	04-037/04:08:27.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:28.6
17939	M1O	04-037/04:08:28.4		Deletes the designated file.: d:/dat/253_doy037_pass02_file01.dat	FILE_DELETE	04-037/03:56:29.6
17940	M1O	04-037/04:08:29.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:30.7
17941	M1O	04-037/04:08:30.5		Deletes the designated file.: d:/dat/253_doy037_pass02_file02.dat	FILE_DELETE	04-037/03:56:31.7
17942	M1O	04-037/04:08:31.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:32.8
17943	M1O	04-037/04:08:32.6		Deletes the designated file.: d:/dat/253_doy037_pass02_file03.dat	FILE_DELETE	04-037/03:56:33.8
17944	M1O	04-037/04:08:33.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:34.9
17945	M1O	04-037/04:08:34.7		Deletes the designated file.: d:/dat/253_doy037_pass02_file04.dat	FILE_DELETE	04-037/03:56:35.9
17946	M1O	04-037/04:08:35.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:37.0
17947	M1O	04-037/04:08:36.8		Deletes the designated file.: d:/dat/253_doy037_pass02_file05.dat	FILE_DELETE	04-037/03:56:38.0
17948	M1O	04-037/04:08:37.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:39.1
17949	M1O	04-037/04:08:38.9		Deletes the designated file.: d:/dat/253_doy037_pass02_file06.dat	FILE_DELETE	04-037/03:56:40.1
17950	M1O	04-037/04:08:40.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:41.2
17951	M1O	04-037/04:08:41.0		Deletes the designated file.: d:/dat/253_doy037_pass02_file07.dat	FILE_DELETE	04-037/03:56:42.2
17952	M1O	04-037/04:08:42.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:43.3
17953	M1O	04-037/04:08:43.1		Deletes the designated file.: d:/dat/253_doy037_pass02_file08.dat	FILE_DELETE	04-037/03:56:44.3
17954	M1O	04-037/04:08:44.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:45.4
17955	M1O	04-037/04:08:45.2		Deletes the designated file.: d:/dat/253_doy037_pass02_file09.dat	FILE_DELETE	04-037/03:56:46.4
17956	M1O	04-037/04:08:46.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:47.5
17957	M1O	04-037/04:08:47.3		Deletes the designated file.: d:/dat/253_doy037_pass02_file10.dat	FILE_DELETE	04-037/03:56:48.5
17958	M1O	04-037/04:08:48.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:49.6
17959	M1O	04-037/04:08:49.4		Deletes the designated file.: d:/dat/253_doy037_pass02_file11.dat	FILE_DELETE	04-037/03:56:50.6
17960	M1O	04-037/04:08:50.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:51.7
17961	M1O	04-037/04:08:51.5		Deletes the designated file.: d:/dat/253_doy037_pass02_file12.dat	FILE_DELETE	04-037/03:56:52.7
17962	M1O	04-037/04:08:52.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:53.8
17963	M1O	04-037/04:08:53.6		Deletes the designated file.: d:/dat/253_doy037_pass02_file13.dat	FILE_DELETE	04-037/03:56:54.8
17964	M1O	04-037/04:08:54.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:55.9
17965	M1O	04-037/04:08:55.7		Deletes the designated file.: d:/dat/253_doy037_pass02_file14.dat	FILE_DELETE	04-037/03:56:56.9
17966	M1O	04-037/04:08:56.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:56:58.0
17967	M1O	04-037/04:08:57.8		Deletes the designated file.: d:/dat/253_doy037_pass02_file15.dat	FILE_DELETE	04-037/03:56:59.0
17968	M1O	04-037/04:08:58.9		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-037/03:57:00.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy037_pass02_file16.dat, d:/dat/autoswitch.dat		
17969	M1O	04-037/04:08:59.9		Deletes the designated file.: d:/dat/253_doy037_pass02_file16.dat	FILE_DELETE	04-037/03:57:01.1
17970	M1O	04-037/04:09:01.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:57:02.2
17971	M1O	04-037/04:09:02.0		Deletes the designated file.: d:/dat/253_doy037_pass02_file17.dat	FILE_DELETE	04-037/03:57:03.2
17972	M1O	04-037/04:09:03.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:57:04.3
17973	M1O	04-037/04:09:04.1		Deletes the designated file.: d:/dat/253_doy037_pass02_file18.dat	FILE_DELETE	04-037/03:57:05.3
17974	M1O	04-037/04:09:05.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/03:57:06.4
17975	M1O	04-037/04:09:06.2		Deletes the designated file.: d:/dat/253_doy037_pass02_file19.dat	FILE_DELETE	04-037/03:57:07.4
17976	M1O	04-037/04:09:07.2		CALL, Engine = , Parameters = 253	get_apid	04-037/03:57:08.4
17977	M1O	04-037/04:09:08.3		CALL, Engine = , Parameters = 253	get_rcv_mode	04-037/03:57:09.5
17978	M1O	04-037/04:09:08.5		CALL, Engine = , Parameters = 253	get_dl_rate	04-037/03:57:09.7
17979	M1O	04-037/04:09:09.6		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-037/03:57:10.8
17980	M1O	04-037/04:09:10.9		CALL, Engine = , Parameters = 253	get_coding	04-037/03:57:12.1
17981	M1O	04-037/04:09:12.1		CALL, Engine = , Parameters = 253	get_xmt_mode	04-037/03:57:13.3
17982	M1O	04-037/04:09:13.3		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-037/03:57:14.5
17983	M1O	04-037/04:10:18.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-037/03:58:19.3
17984	M1O	04-037/04:10:19.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-037/03:58:20.3
17985	M1O	04-037/04:10:20.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-037/03:58:21.3
17986	M1O	04-037/04:10:21.1		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-037/03:58:22.3
17987	M1O	04-037/04:10:22.1		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-037/03:58:23.3
17988	M1O	04-037/04:10:23.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-037/03:58:24.3
17989	M1O	04-037/04:10:24.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-037/03:58:25.3
17990	M1O	04-037/04:10:25.1		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-037/03:58:26.3
17991	M1O	04-037/04:10:26.1		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-037/03:58:27.3
17992	M1O	04-037/04:12:14.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/04:00:15.3
17993	M1O	04-037/04:12:14.1	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
17994	M1O	04-037/04:12:19.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/04:00:20.5
17995	M1O	04-037/04:12:24.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-037/04:00:25.3
17996	M1O	04-037/04:19:15.0		NOTE: Enter Solar Eclipse 9519		04-037/04:07:16.1
17997	M1O	04-037/04:20:32.7		NOTE: Ascending Node Crossing 9519		04-037/04:08:33.8
17998	M1O	04-037/04:28:56.1		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-037/04:16:57.3
17999	M1O	04-037/04:28:57.1		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-037/04:16:58.3
18000	M1O	04-037/04:28:59.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-037/04:17:00.3
18001	M1O	04-037/04:29:00.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-037/04:17:01.4
18002	M1O	04-037/04:29:10.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-037/04:17:11.4
18003	M1O	04-037/04:29:11.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/04:17:12.4
18004	M1O	04-037/04:29:12.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-037/04:17:13.4
18005	M1O	04-037/04:29:12.2	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18006	M1O	04-037/04:29:13.2		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-037/04:17:14.4
18007	M1O	04-037/04:32:34.8		NOTE: Exit Solar Eclipse 9519		04-037/04:20:35.9
18008	M1O	04-037/04:34:11.9		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-037/04:22:13.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_sci.cfg,		
18009	M1O	04-037/04:34:11.9	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18010	M1O	04-037/04:48:19.1		NOTE: Apoapsis 9519 -		04-037/04:36:20.1
18011	M1O	04-037/04:50:32.1		NOTE: North Pole Crossing 9519		04-037/04:38:33.1
18012	M1O	04-037/05:05:00.0	43	Begin Pre-Cal		
18013	M1O	04-037/05:05:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
18014	M1O	04-037/05:05:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
18015	M1O	04-037/05:05:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
18016	M1O	04-037/05:05:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
18017	M1O	04-037/05:05:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
18018	M1O	04-037/05:05:00.0	43	Config: RCV: Parms:		
18019	M1O	04-037/05:05:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
18020	M1O	04-037/05:05:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
18021	M1O	04-037/05:05:00.0	43	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
18022	M1O	04-037/05:20:27.8		NOTE: Descending Node Crossing 9520		04-037/05:08:28.7
18023	M1O	04-037/05:48:32.9		NOTE: Periapsis 9520 ----------		04-037/05:36:33.7
18024	M1O	04-037/05:49:46.6		NOTE: South Pole Crossing 9520		04-037/05:37:47.5
18025	M1O	04-037/06:00:00.0	14	NOTE: X-Band Transmitter Off in 15 minutes		
18026	M1O	04-037/06:10:00.0	14	Range Modulation Off		
18027	M1O	04-037/06:15:00.0	14	X-Band Transmitter Off		
18028	M1O	04-037/06:16:01.4	14	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
18029	M1O	04-037/06:17:48.0		NOTE: Enter Solar Eclipse 9520		04-037/06:05:48.8
18030	M1O	04-037/06:19:08.7		NOTE: Ascending Node Crossing 9520		04-037/06:07:09.4
18031	M1O	04-037/06:20:00.0	43	Begin Tracking		
18032	M1O	04-037/06:20:00.0	43	Acquire D/L: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18033	M1O	04-037/06:28:23.0	14	NOTE: Below Uplink Interlock Limit		
18034	M1O	04-037/06:31:12.8		NOTE: Exit Solar Eclipse 9520		04-037/06:19:13.5
18035	M1O	04-037/06:37:56.3		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-037/06:25:57.0
18036	M1O	04-037/06:37:58.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/06:25:59.1
18037	M1O	04-037/06:37:58.4	14	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18038	M1O	04-037/06:37:58.4	43	D/L Change: X/08, 3-Way/14, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18039	M1O	04-037/06:37:59.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-037/06:26:00.1
18040	M1O	04-037/06:38:58.4	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18041	M1O	04-037/06:38:58.4	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18042	M1O	04-037/06:40:00.0	14	End Tracking		
18043	M1O	04-037/06:43:58.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-037/06:31:59.1
18044	M1O	04-037/06:43:58.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18045	M1O	04-037/06:43:59.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-037/06:32:00.1
18046	M1O	04-037/06:47:19.4		NOTE: Apoapsis 9520 -		04-037/06:35:20.0
18047	M1O	04-037/06:49:08.0		NOTE: North Pole Crossing 9520		04-037/06:37:08.7
18048	M1O	04-037/06:55:00.0	14	End Post-Cal		
18049	M1O	04-037/07:11:59.4		SPAWN, Engine = 65535, Parameters =	scdiag	04-037/07:00:00.0
18050	M1O	04-037/07:12:00.5		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-037/07:00:01.1
18051	M1O	04-037/07:12:01.5		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-037/07:00:02.1
18052	M1O	04-037/07:13:02.4		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-037/07:01:03.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18053	M1O	04-037/07:13:02.6		NOTE: Start Block fsw_diag		04-037/07:01:03.2
18054	M1O	04-037/07:13:03.6		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-037/07:01:04.2
18055	M1O	04-037/07:13:04.6		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-037/07:01:05.2
18056	M1O	04-037/07:13:15.6		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-037/07:01:16.2
18057	M1O	04-037/07:13:45.6		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-037/07:01:46.2
18058	M1O	04-037/07:14:05.6		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-037/07:02:06.2
18059	M1O	04-037/07:14:15.6		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-037/07:02:16.2
18060	M1O	04-037/07:14:35.6		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-037/07:02:36.2
18061	M1O	04-037/07:14:45.6		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-037/07:02:46.2
18062	M1O	04-037/07:14:50.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-037/07:02:51.2
18063	M1O	04-037/07:14:55.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-037/07:02:56.2
18064	M1O	04-037/07:15:00.6		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-037/07:03:01.2
18065	M1O	04-037/07:15:05.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-037/07:03:06.2
18066	M1O	04-037/07:15:10.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-037/07:03:11.2
18067	M1O	04-037/07:15:50.6		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-037/07:03:51.2
18068	M1O	04-037/07:15:55.6		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-037/07:03:56.2
18069	M1O	04-037/07:16:00.6		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-037/07:04:01.2
18070	M1O	04-037/07:16:05.6		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-037/07:04:06.2
18071	M1O	04-037/07:16:10.6		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-037/07:04:11.2
18072	M1O	04-037/07:16:11.6		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-037/07:04:12.2
18073	M1O	04-037/07:16:12.6		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-037/07:04:13.2
18074	M1O	04-037/07:16:13.6		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-037/07:04:14.2
18075	M1O	04-037/07:16:24.6		NOTE: End Block fsw_diag.mod		04-037/07:04:25.2
18076	M1O	04-037/07:19:03.9		NOTE: Descending Node Crossing 9521		04-037/07:07:04.5
18077	M1O	04-037/07:47:16.2		NOTE: Periapsis 9521 ----------		04-037/07:35:16.7
18078	M1O	04-037/07:48:21.7		NOTE: South Pole Crossing 9521		04-037/07:36:22.1
18079	M1O	04-037/08:16:18.7		NOTE: Enter Solar Eclipse 9521		04-037/08:04:19.1
18080	M1O	04-037/08:17:42.4		NOTE: Ascending Node Crossing 9521		04-037/08:05:42.8
18081	M1O	04-037/08:29:49.3		NOTE: Exit Solar Eclipse 9521		04-037/08:17:49.6
18082	M1O	04-037/08:45:46.3		NOTE: Apoapsis 9521 -		04-037/08:33:46.6
18083	M1O	04-037/08:47:41.6		NOTE: North Pole Crossing 9521		04-037/08:35:41.9
18084	M1O	04-037/09:02:02.7		SPAWN, Engine = 65535, Parameters = 037, 01, FALSE, 00:19:24.223, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-037/08:50:03.0
18085	M1O	04-037/09:02:03.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/08:50:04.1
18086	M1O	04-037/09:02:05.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-037/08:50:06.1
18087	M1O	04-037/09:02:48.0		CALL, Engine = , Parameters = 56	get_apid	04-037/08:50:48.3
18088	M1O	04-037/09:02:49.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-037/08:50:49.4
18089	M1O	04-037/09:02:49.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-037/08:50:49.6
18090	M1O	04-037/09:02:50.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-037/08:50:50.7
18091	M1O	04-037/09:02:51.6		CALL, Engine = , Parameters = 56	get_coding	04-037/08:50:51.9
18092	M1O	04-037/09:02:52.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-037/08:50:53.1
18093	M1O	04-037/09:02:54.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-037/08:50:54.3
18094	M1O	04-037/09:03:58.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-037/08:51:59.1
18095	M1O	04-037/09:03:59.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-037/08:52:00.1
18096	M1O	04-037/09:04:00.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-037/08:52:01.1
18097	M1O	04-037/09:04:01.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-037/08:52:02.1
18098	M1O	04-037/09:04:02.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-037/08:52:03.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18099	M1O	04-037/09:04:03.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-037/08:52:04.1
18100	M1O	04-037/09:04:04.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-037/08:52:05.1
18101	M1O	04-037/09:17:37.1		NOTE: Descending Node Crossing 9522		04-037/09:05:37.3
18102	M1O	04-037/09:23:25.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-037/09:11:25.3
18103	M1O	04-037/09:23:26.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-037/09:11:26.4
18104	M1O	04-037/09:23:36.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-037/09:11:36.4
18105	M1O	04-037/09:23:37.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/09:11:37.4
18106	M1O	04-037/09:45:00.0	63	Begin Pre-Cal		
18107	M1O	04-037/09:45:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
18108	M1O	04-037/09:45:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
18109	M1O	04-037/09:45:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
18110	M1O	04-037/09:45:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
18111	M1O	04-037/09:45:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
18112	M1O	04-037/09:45:00.0	63	Config: RCV: Parms:		
18113	M1O	04-037/09:45:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
18114	M1O	04-037/09:45:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
18115	M1O	04-037/09:45:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
18116	M1O	04-037/09:45:31.2		NOTE: Periapsis 9522 ----------		04-037/09:33:31.3
18117	M1O	04-037/09:46:53.8		NOTE: South Pole Crossing 9522		04-037/09:34:53.9
18118	M1O	04-037/10:14:50.7		NOTE: Enter Solar Eclipse 9522		04-037/10:02:50.7
18119	M1O	04-037/10:16:14.1		NOTE: Ascending Node Crossing 9522		04-037/10:04:14.1
18120	M1O	04-037/10:28:22.2		NOTE: Exit Solar Eclipse 9522		04-037/10:16:22.2
18121	M1O	04-037/10:43:51.2		NOTE: Apoapsis 9522 -		04-037/10:31:51.1
18122	M1O	04-037/10:46:12.6		NOTE: North Pole Crossing 9522		04-037/10:34:12.5
18123	M1O	04-037/11:16:07.1		NOTE: Descending Node Crossing 9523		04-037/11:04:06.9
18124	M1O	04-037/11:28:20.0	43	NOTE: Below Uplink Interlock Limit		
18125	M1O	04-037/11:28:59.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-037/11:16:58.7
18126	M1O	04-037/11:29:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/11:17:00.8
18127	M1O	04-037/11:29:01.1	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18128	M1O	04-037/11:29:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-037/11:17:01.8
18129	M1O	04-037/11:30:00.0	43	End Tracking		
18130	M1O	04-037/11:30:00.0	63	Begin Tracking		
18131	M1O	04-037/11:30:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18132	M1O	04-037/11:35:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-037/11:23:00.8
18133	M1O	04-037/11:35:01.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18134	M1O	04-037/11:35:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-037/11:23:01.8
18135	M1O	04-037/11:43:43.0		NOTE: Periapsis 9523 ----------		04-037/11:31:42.7
18136	M1O	04-037/11:45:00.0	43	End Post-Cal		
18137	M1O	04-037/11:45:24.2		NOTE: South Pole Crossing 9523		04-037/11:33:23.9
18138	M1O	04-037/12:13:24.8		NOTE: Enter Solar Eclipse 9523		04-037/12:01:24.4
18139	M1O	04-037/12:14:45.5		NOTE: Ascending Node Crossing 9523		04-037/12:02:45.1
18140	M1O	04-037/12:26:49.5		NOTE: Exit Solar Eclipse 9523		04-037/12:14:49.0
18141	M1O	04-037/12:42:22.4		NOTE: Apoapsis 9523 -		04-037/12:30:21.9
18142	M1O	04-037/12:44:44.2		NOTE: North Pole Crossing 9523		04-037/12:32:43.8
18143	M1O	04-037/13:14:38.8		NOTE: Descending Node Crossing 9524		04-037/13:02:38.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18144	M1O	04-037/13:42:14.8		NOTE: Periapsis 9524 ----------		04-037/13:30:14.1
18145	M1O	04-037/13:43:56.7		NOTE: South Pole Crossing 9524		04-037/13:31:56.0
18146	M1O	04-037/14:11:59.6		NOTE: Enter Solar Eclipse 9524		04-037/13:59:58.9
18147	M1O	04-037/14:13:18.9		NOTE: Ascending Node Crossing 9524		04-037/14:01:18.2
18148	M1O	04-037/14:25:16.2		NOTE: Exit Solar Eclipse 9524		04-037/14:13:15.4
18149	M1O	04-037/14:41:10.9		NOTE: Apoapsis 9524 -		04-037/14:29:10.1
18150	M1O	04-037/14:43:19.0		NOTE: North Pole Crossing 9524		04-037/14:31:18.1
18151	M1O	04-037/15:03:23.9		SPAWN, Engine = 65535, Parameters = 037, 03, TRUE, 00:17:40, 253, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-037/14:51:23.0
18152	M1O	04-037/15:03:25.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/14:51:24.1
18153	M1O	04-037/15:03:27.0		CALL, Engine = , Parameters = 253	get_cmd_opt	04-037/14:51:26.1
18154	M1O	04-037/15:03:27.3		CALL, Engine = , Parameters = 037, 03, 253	bld_autosw	04-037/14:51:26.4
18155	M1O	04-037/15:03:28.4		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-037/14:51:27.5
18156	M1O	04-037/15:03:29.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:28.6
18157	M1O	04-037/15:03:30.5		Deletes the designated file.: d:/dat/253_doy037_pass03_file01.dat	FILE_DELETE	04-037/14:51:29.6
18158	M1O	04-037/15:03:31.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:30.7
18159	M1O	04-037/15:03:32.6		Deletes the designated file.: d:/dat/253_doy037_pass03_file02.dat	FILE_DELETE	04-037/14:51:31.7
18160	M1O	04-037/15:03:33.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:32.8
18161	M1O	04-037/15:03:34.7		Deletes the designated file.: d:/dat/253_doy037_pass03_file03.dat	FILE_DELETE	04-037/14:51:33.8
18162	M1O	04-037/15:03:35.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:34.9
18163	M1O	04-037/15:03:36.8		Deletes the designated file.: d:/dat/253_doy037_pass03_file04.dat	FILE_DELETE	04-037/14:51:35.9
18164	M1O	04-037/15:03:37.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:37.0
18165	M1O	04-037/15:03:38.9		Deletes the designated file.: d:/dat/253_doy037_pass03_file05.dat	FILE_DELETE	04-037/14:51:38.0
18166	M1O	04-037/15:03:40.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:39.1
18167	M1O	04-037/15:03:41.0		Deletes the designated file.: d:/dat/253_doy037_pass03_file06.dat	FILE_DELETE	04-037/14:51:40.1
18168	M1O	04-037/15:03:42.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:41.2
18169	M1O	04-037/15:03:43.1		Deletes the designated file.: d:/dat/253_doy037_pass03_file07.dat	FILE_DELETE	04-037/14:51:42.2
18170	M1O	04-037/15:03:44.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:43.3
18171	M1O	04-037/15:03:45.2		Deletes the designated file.: d:/dat/253_doy037_pass03_file08.dat	FILE_DELETE	04-037/14:51:44.3
18172	M1O	04-037/15:03:46.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:45.4
18173	M1O	04-037/15:03:47.3		Deletes the designated file.: d:/dat/253_doy037_pass03_file09.dat	FILE_DELETE	04-037/14:51:46.4
18174	M1O	04-037/15:03:48.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:47.5
18175	M1O	04-037/15:03:49.4		Deletes the designated file.: d:/dat/253_doy037_pass03_file10.dat	FILE_DELETE	04-037/14:51:48.5
18176	M1O	04-037/15:03:50.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:49.6
18177	M1O	04-037/15:03:51.5		Deletes the designated file.: d:/dat/253_doy037_pass03_file11.dat	FILE_DELETE	04-037/14:51:50.6
18178	M1O	04-037/15:03:52.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:51.7
18179	M1O	04-037/15:03:53.6		Deletes the designated file.: d:/dat/253_doy037_pass03_file12.dat	FILE_DELETE	04-037/14:51:52.7
18180	M1O	04-037/15:03:54.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:53.8
18181	M1O	04-037/15:03:55.7		Deletes the designated file.: d:/dat/253_doy037_pass03_file13.dat	FILE_DELETE	04-037/14:51:54.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18182	M1O	04-037/15:03:56.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:55.9
18183	M1O	04-037/15:03:57.8		Deletes the designated file.: d:/dat/253_doy037_pass03_file14.dat	FILE_DELETE	04-037/14:51:56.9
18184	M1O	04-037/15:03:58.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:51:58.0
18185	M1O	04-037/15:03:59.9		Deletes the designated file.: d:/dat/253_doy037_pass03_file15.dat	FILE_DELETE	04-037/14:51:59.0
18186	M1O	04-037/15:04:01.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:52:00.1
18187	M1O	04-037/15:04:02.0		Deletes the designated file.: d:/dat/253_doy037_pass03_file16.dat	FILE_DELETE	04-037/14:52:01.1
18188	M1O	04-037/15:04:03.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:52:02.2
18189	M1O	04-037/15:04:04.1		Deletes the designated file.: d:/dat/253_doy037_pass03_file17.dat	FILE_DELETE	04-037/14:52:03.2
18190	M1O	04-037/15:04:05.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:52:04.3
18191	M1O	04-037/15:04:06.2		Deletes the designated file.: d:/dat/253_doy037_pass03_file18.dat	FILE_DELETE	04-037/14:52:05.3
18192	M1O	04-037/15:04:07.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy037_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/14:52:06.4
18193	M1O	04-037/15:04:08.3		Deletes the designated file.: d:/dat/253_doy037_pass03_file19.dat	FILE_DELETE	04-037/14:52:07.4
18194	M1O	04-037/15:04:09.3		CALL, Engine = , Parameters = 253	get_apid	04-037/14:52:08.4
18195	M1O	04-037/15:04:10.4		CALL, Engine = , Parameters = 253	get_rcv_mode	04-037/14:52:09.5
18196	M1O	04-037/15:04:10.6		CALL, Engine = , Parameters = 253	get_dl_rate	04-037/14:52:09.7
18197	M1O	04-037/15:04:11.7		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-037/14:52:10.8
18198	M1O	04-037/15:04:13.0		CALL, Engine = , Parameters = 253	get_coding	04-037/14:52:12.1
18199	M1O	04-037/15:04:14.2		CALL, Engine = , Parameters = 253	get_xmt_mode	04-037/14:52:13.3
18200	M1O	04-037/15:04:15.4		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-037/14:52:14.5
18201	M1O	04-037/15:05:20.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-037/14:53:19.3
18202	M1O	04-037/15:05:21.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-037/14:53:20.3
18203	M1O	04-037/15:05:22.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-037/14:53:21.3
18204	M1O	04-037/15:05:23.2		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-037/14:53:22.3
18205	M1O	04-037/15:05:24.2		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-037/14:53:23.3
18206	M1O	04-037/15:05:25.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-037/14:53:24.3
18207	M1O	04-037/15:05:26.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-037/14:53:25.3
18208	M1O	04-037/15:07:16.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/14:55:15.3
18209	M1O	04-037/15:07:16.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18210	M1O	04-037/15:07:21.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/14:55:20.5
18211	M1O	04-037/15:07:26.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-037/14:55:25.3
18212	M1O	04-037/15:13:15.0		NOTE: Descending Node Crossing 9525		04-037/15:01:14.0
18213	M1O	04-037/15:23:04.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-037/15:11:03.3
18214	M1O	04-037/15:23:05.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-037/15:11:04.4
18215	M1O	04-037/15:23:15.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-037/15:11:14.4
18216	M1O	04-037/15:23:16.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/15:11:15.4
18217	M1O	04-037/15:23:17.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-037/15:11:16.4
18218	M1O	04-037/15:23:17.3	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18219	M1O	04-037/15:23:18.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-037/15:11:17.4
18220	M1O	04-037/15:28:17.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-037/15:16:16.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18221	M1O	04-037/15:28:17.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18222	M1O	04-037/15:40:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
18223	M1O	04-037/15:40:00.0	63	U/L Transfer From DSS-63 to DSS-63: PWR=20.0, BR=125.0		
18224	M1O	04-037/15:41:00.5		NOTE: Periapsis 9525 ----------		04-037/15:28:59.5
18225	M1O	04-037/15:42:32.8		NOTE: South Pole Crossing 9525		04-037/15:30:31.8
18226	M1O	04-037/15:45:00.0	63	Range Modulation On: SUP=3.0dB		
18227	M1O	04-037/15:46:00.0	63	Begin Ranging Acquisition		
18228	M1O	04-037/15:55:28.0		SPAWN, Engine = 65535, Parameters = 037, 04, TRUE, 00:19:21, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-037/15:43:27.0
18229	M1O	04-037/15:55:29.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/15:43:28.1
18230	M1O	04-037/15:55:31.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-037/15:43:30.1
18231	M1O	04-037/15:55:31.4		CALL, Engine = , Parameters = 037, 04, 254	bld_autosw	04-037/15:43:30.4
18232	M1O	04-037/15:55:32.5		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-037/15:43:31.5
18233	M1O	04-037/15:55:33.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:32.6
18234	M1O	04-037/15:55:34.6		Deletes the designated file.: d:/dat/254_doy037_pass04_file01.dat	FILE_DELETE	04-037/15:43:33.6
18235	M1O	04-037/15:55:35.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:34.7
18236	M1O	04-037/15:55:36.7		Deletes the designated file.: d:/dat/254_doy037_pass04_file02.dat	FILE_DELETE	04-037/15:43:35.7
18237	M1O	04-037/15:55:37.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:36.8
18238	M1O	04-037/15:55:38.8		Deletes the designated file.: d:/dat/254_doy037_pass04_file03.dat	FILE_DELETE	04-037/15:43:37.8
18239	M1O	04-037/15:55:39.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:38.9
18240	M1O	04-037/15:55:40.9		Deletes the designated file.: d:/dat/254_doy037_pass04_file04.dat	FILE_DELETE	04-037/15:43:39.9
18241	M1O	04-037/15:55:42.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:41.0
18242	M1O	04-037/15:55:43.0		Deletes the designated file.: d:/dat/254_doy037_pass04_file05.dat	FILE_DELETE	04-037/15:43:42.0
18243	M1O	04-037/15:55:44.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:43.1
18244	M1O	04-037/15:55:45.1		Deletes the designated file.: d:/dat/254_doy037_pass04_file06.dat	FILE_DELETE	04-037/15:43:44.1
18245	M1O	04-037/15:55:46.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:45.2
18246	M1O	04-037/15:55:47.2		Deletes the designated file.: d:/dat/254_doy037_pass04_file07.dat	FILE_DELETE	04-037/15:43:46.2
18247	M1O	04-037/15:55:48.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:47.3
18248	M1O	04-037/15:55:49.3		Deletes the designated file.: d:/dat/254_doy037_pass04_file08.dat	FILE_DELETE	04-037/15:43:48.3
18249	M1O	04-037/15:55:50.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:49.4
18250	M1O	04-037/15:55:51.4		Deletes the designated file.: d:/dat/254_doy037_pass04_file09.dat	FILE_DELETE	04-037/15:43:50.4
18251	M1O	04-037/15:55:52.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:51.5
18252	M1O	04-037/15:55:53.5		Deletes the designated file.: d:/dat/254_doy037_pass04_file10.dat	FILE_DELETE	04-037/15:43:52.5
18253	M1O	04-037/15:55:54.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:53.6
18254	M1O	04-037/15:55:55.6		Deletes the designated file.: d:/dat/254_doy037_pass04_file11.dat	FILE_DELETE	04-037/15:43:54.6
18255	M1O	04-037/15:55:56.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:55.7
18256	M1O	04-037/15:55:57.7		Deletes the designated file.: d:/dat/254_doy037_pass04_file12.dat	FILE_DELETE	04-037/15:43:56.7
18257	M1O	04-037/15:55:58.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:57.8
18258	M1O	04-037/15:55:59.8		Deletes the designated file.: d:/dat/254_doy037_pass04_file13.dat	FILE_DELETE	04-037/15:43:58.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18259	M1O	04-037/15:56:00.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:43:59.9
18260	M1O	04-037/15:56:01.9		Deletes the designated file.: d:/dat/254_doy037_pass04_file14.dat	FILE_DELETE	04-037/15:44:00.9
18261	M1O	04-037/15:56:03.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:44:02.0
18262	M1O	04-037/15:56:04.0		Deletes the designated file.: d:/dat/254_doy037_pass04_file15.dat	FILE_DELETE	04-037/15:44:03.0
18263	M1O	04-037/15:56:05.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:44:04.1
18264	M1O	04-037/15:56:06.1		Deletes the designated file.: d:/dat/254_doy037_pass04_file16.dat	FILE_DELETE	04-037/15:44:05.1
18265	M1O	04-037/15:56:07.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:44:06.2
18266	M1O	04-037/15:56:08.2		Deletes the designated file.: d:/dat/254_doy037_pass04_file17.dat	FILE_DELETE	04-037/15:44:07.2
18267	M1O	04-037/15:56:09.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:44:08.3
18268	M1O	04-037/15:56:10.3		Deletes the designated file.: d:/dat/254_doy037_pass04_file18.dat	FILE_DELETE	04-037/15:44:09.3
18269	M1O	04-037/15:56:11.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy037_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-037/15:44:10.4
18270	M1O	04-037/15:56:12.4		Deletes the designated file.: d:/dat/254_doy037_pass04_file19.dat	FILE_DELETE	04-037/15:44:11.4
18271	M1O	04-037/15:56:13.4		CALL, Engine = , Parameters = 254	get_apid	04-037/15:44:12.4
18272	M1O	04-037/15:56:14.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-037/15:44:13.5
18273	M1O	04-037/15:56:14.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-037/15:44:13.7
18274	M1O	04-037/15:56:15.8		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-037/15:44:14.8
18275	M1O	04-037/15:56:17.1		CALL, Engine = , Parameters = 254	get_coding	04-037/15:44:16.1
18276	M1O	04-037/15:56:18.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-037/15:44:17.3
18277	M1O	04-037/15:56:19.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-037/15:44:18.5
18278	M1O	04-037/15:57:24.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-037/15:45:23.3
18279	M1O	04-037/15:57:25.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-037/15:45:24.3
18280	M1O	04-037/15:57:26.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-037/15:45:25.3
18281	M1O	04-037/15:57:27.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-037/15:45:26.3
18282	M1O	04-037/15:57:28.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-037/15:45:27.3
18283	M1O	04-037/15:57:29.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-037/15:45:28.3
18284	M1O	04-037/15:57:30.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-037/15:45:29.3
18285	M1O	04-037/15:57:31.3		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-037/15:45:30.3
18286	M1O	04-037/15:57:32.3		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-037/15:45:31.3
18287	M1O	04-037/15:59:20.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/15:47:19.3
18288	M1O	04-037/15:59:20.4	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18289	M1O	04-037/15:59:25.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/15:47:24.5
18290	M1O	04-037/15:59:30.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-037/15:47:29.3
18291	M1O	04-037/16:02:59.3		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-037/15:50:58.2
18292	M1O	04-037/16:03:01.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/15:51:00.3
18293	M1O	04-037/16:03:02.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-037/15:51:01.3
18294	M1O	04-037/16:04:02.0	63	Acquire D/L: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18295	M1O	04-037/16:09:01.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-037/15:57:00.3
18296	M1O	04-037/16:09:01.4	63	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18297	M1O	04-037/16:09:02.4		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-037/15:57:01.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_nom_rt_only.cfg,		
18298	M1O	04-037/16:09:02.4	63	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18299	M1O	04-037/16:09:02.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-037/15:57:01.3
18300	M1O	04-037/16:10:34.7		NOTE: Enter Solar Eclipse 9525		04-037/15:58:33.5
18301	M1O	04-037/16:11:54.7		NOTE: Ascending Node Crossing 9525		04-037/15:59:53.5
18302	M1O	04-037/16:16:46.4		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-037/16:04:45.3
18303	M1O	04-037/16:16:47.4		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-037/16:04:46.3
18304	M1O	04-037/16:16:49.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-037/16:04:48.3
18305	M1O	04-037/16:16:50.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-037/16:04:49.4
18306	M1O	04-037/16:17:00.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-037/16:04:59.4
18307	M1O	04-037/16:17:01.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/16:05:00.4
18308	M1O	04-037/16:17:02.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-037/16:05:01.4
18309	M1O	04-037/16:17:02.5	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18310	M1O	04-037/16:17:03.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-037/16:05:02.4
18311	M1O	04-037/16:22:02.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-037/16:10:01.0
18312	M1O	04-037/16:22:02.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18313	M1O	04-037/16:23:48.2		NOTE: Exit Solar Eclipse 9525		04-037/16:11:47.0
18314	M1O	04-037/16:39:45.3		NOTE: Apoapsis 9525 -		04-037/16:27:44.1
18315	M1O	04-037/16:41:55.2		NOTE: North Pole Crossing 9525		04-037/16:29:54.0
18316	M1O	04-037/17:01:48.3		SPAWN, Engine = 65535, Parameters = 037, 04, FALSE, 00:15:40.662, 253, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-037/16:49:47.0
18317	M1O	04-037/17:01:49.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/16:49:48.1
18318	M1O	04-037/17:01:51.4		CALL, Engine = , Parameters = 253	get_cmd_opt	04-037/16:49:50.1
18319	M1O	04-037/17:02:33.6		CALL, Engine = , Parameters = 253	get_apid	04-037/16:50:32.3
18320	M1O	04-037/17:02:34.7		CALL, Engine = , Parameters = 253	get_rcv_mode	04-037/16:50:33.4
18321	M1O	04-037/17:02:34.9		CALL, Engine = , Parameters = 253	get_dl_rate	04-037/16:50:33.6
18322	M1O	04-037/17:02:36.0		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-037/16:50:34.7
18323	M1O	04-037/17:02:37.3		CALL, Engine = , Parameters = 253	get_coding	04-037/16:50:36.0
18324	M1O	04-037/17:02:38.5		CALL, Engine = , Parameters = 253	get_xmt_mode	04-037/16:50:37.2
18325	M1O	04-037/17:02:39.7		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-037/16:50:38.4
18326	M1O	04-037/17:03:44.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-037/16:51:43.2
18327	M1O	04-037/17:03:45.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-037/16:51:44.2
18328	M1O	04-037/17:03:46.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-037/16:51:45.2
18329	M1O	04-037/17:03:47.5		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-037/16:51:46.2
18330	M1O	04-037/17:03:48.5		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-037/16:51:47.2
18331	M1O	04-037/17:03:49.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-037/16:51:48.2
18332	M1O	04-037/17:03:50.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-037/16:51:49.2
18333	M1O	04-037/17:11:51.8		NOTE: Descending Node Crossing 9526		04-037/16:59:50.4
18334	M1O	04-037/17:19:27.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-037/17:07:25.8
18335	M1O	04-037/17:19:28.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-037/17:07:26.9
18336	M1O	04-037/17:19:38.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-037/17:07:36.9
18337	M1O	04-037/17:19:39.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/17:07:37.9
18338	M1O	04-037/17:39:34.0		NOTE: Periapsis 9526 ----------		04-037/17:27:32.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18339	M1O	04-037/17:41:09.6		NOTE: South Pole Crossing 9526		04-037/17:29:08.1
18340	M1O	04-037/18:09:11.4		NOTE: Enter Solar Eclipse 9526		04-037/17:57:09.9
18341	M1O	04-037/18:10:31.3		NOTE: Ascending Node Crossing 9526		04-037/17:58:29.7
18342	M1O	04-037/18:22:24.7		NOTE: Exit Solar Eclipse 9526		04-037/18:10:23.1
18343	M1O	04-037/18:38:00.2		NOTE: Apoapsis 9526 -		04-037/18:25:58.6
18344	M1O	04-037/18:40:31.3		NOTE: North Pole Crossing 9526		04-037/18:28:29.7
18345	M1O	04-037/19:10:27.0		NOTE: Descending Node Crossing 9527		04-037/18:58:25.3
18346	M1O	04-037/19:38:06.2		NOTE: Periapsis 9527 ----------		04-037/19:26:04.4
18347	M1O	04-037/19:39:44.9		NOTE: South Pole Crossing 9527		04-037/19:27:43.1
18348	M1O	04-037/20:05:40.8		SPAWN, Engine = 65535, Parameters = 037, 03, FALSE, 00:13:14.516, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-037/19:53:39.0
18349	M1O	04-037/20:05:41.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/19:53:40.1
18350	M1O	04-037/20:05:43.9		CALL, Engine = , Parameters = 56	get_cmd_opt	04-037/19:53:42.1
18351	M1O	04-037/20:06:26.1		CALL, Engine = , Parameters = 56	get_apid	04-037/19:54:24.3
18352	M1O	04-037/20:06:27.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-037/19:54:25.4
18353	M1O	04-037/20:06:27.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-037/19:54:25.6
18354	M1O	04-037/20:06:28.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-037/19:54:26.7
18355	M1O	04-037/20:06:29.7		CALL, Engine = , Parameters = 56	get_coding	04-037/19:54:27.9
18356	M1O	04-037/20:06:30.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-037/19:54:29.1
18357	M1O	04-037/20:06:32.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-037/19:54:30.3
18358	M1O	04-037/20:07:36.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-037/19:55:35.1
18359	M1O	04-037/20:07:37.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-037/19:55:36.1
18360	M1O	04-037/20:07:38.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-037/19:55:37.1
18361	M1O	04-037/20:07:39.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-037/19:55:38.1
18362	M1O	04-037/20:07:40.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-037/19:55:39.1
18363	M1O	04-037/20:07:41.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-037/19:55:40.1
18364	M1O	04-037/20:07:42.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-037/19:55:41.1
18365	M1O	04-037/20:07:46.9		NOTE: Enter Solar Eclipse 9527		04-037/19:55:45.0
18366	M1O	04-037/20:09:06.7		NOTE: Ascending Node Crossing 9527		04-037/19:57:04.8
18367	M1O	04-037/20:20:53.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-037/20:08:51.6
18368	M1O	04-037/20:20:54.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-037/20:08:52.7
18369	M1O	04-037/20:21:03.5		NOTE: Exit Solar Eclipse 9527		04-037/20:09:01.6
18370	M1O	04-037/20:21:04.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-037/20:09:02.7
18371	M1O	04-037/20:21:05.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/20:09:03.7
18372	M1O	04-037/20:36:22.0		NOTE: Apoapsis 9527 -		04-037/20:24:20.0
18373	M1O	04-037/20:39:05.5		NOTE: North Pole Crossing 9527		04-037/20:27:03.5
18374	M1O	04-037/21:08:59.9		NOTE: Descending Node Crossing 9528		04-037/20:56:57.8
18375	M1O	04-037/21:36:39.7		NOTE: Periapsis 9528 ----------		04-037/21:24:37.6
18376	M1O	04-037/21:38:17.5		NOTE: South Pole Crossing 9528		04-037/21:26:15.3
18377	M1O	04-037/21:59:48.2		SPAWN, Engine = 65535, Parameters = 037, 04, FALSE, 00:19:09.299, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-037/21:47:46.0
18378	M1O	04-037/21:59:49.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/21:47:47.1
18379	M1O	04-037/21:59:51.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-037/21:47:49.1
18380	M1O	04-037/22:00:00.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
18381	M1O	04-037/22:00:33.5		CALL, Engine = , Parameters = 56	get_apid	04-037/21:48:31.3
18382	M1O	04-037/22:00:34.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-037/21:48:32.4
18383	M1O	04-037/22:00:34.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-037/21:48:32.6
18384	M1O	04-037/22:00:35.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-037/21:48:33.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18385	M1O	04-037/22:00:37.1		CALL, Engine = , Parameters = 56	get_coding	04-037/21:48:34.9
18386	M1O	04-037/22:00:38.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-037/21:48:36.1
18387	M1O	04-037/22:00:39.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-037/21:48:37.3
18388	M1O	04-037/22:01:44.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-037/21:49:42.1
18389	M1O	04-037/22:01:45.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-037/21:49:43.1
18390	M1O	04-037/22:01:46.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-037/21:49:44.1
18391	M1O	04-037/22:01:47.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-037/21:49:45.1
18392	M1O	04-037/22:01:48.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-037/21:49:46.1
18393	M1O	04-037/22:01:49.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-037/21:49:47.1
18394	M1O	04-037/22:01:50.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-037/21:49:48.1
18395	M1O	04-037/22:06:18.4		NOTE: Enter Solar Eclipse 9528		04-037/21:54:16.2
18396	M1O	04-037/22:07:38.9		NOTE: Ascending Node Crossing 9528		04-037/21:55:36.6
18397	M1O	04-037/22:10:00.0	63	Range Modulation Off		
18398	M1O	04-037/22:15:00.0	63	X-Band Transmitter Off		
18399	M1O	04-037/22:15:00.0	14	Begin Pre-Cal		
18400	M1O	04-037/22:15:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
18401	M1O	04-037/22:15:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
18402	M1O	04-037/22:15:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
18403	M1O	04-037/22:15:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
18404	M1O	04-037/22:15:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
18405	M1O	04-037/22:15:00.0	14	Config: RCV: Parms:		
18406	M1O	04-037/22:15:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
18407	M1O	04-037/22:15:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
18408	M1O	04-037/22:15:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
18409	M1O	04-037/22:19:38.5		NOTE: Exit Solar Eclipse 9528		04-037/22:07:36.1
18410	M1O	04-037/22:20:55.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-037/22:08:53.3
18411	M1O	04-037/22:20:56.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-037/22:08:54.4
18412	M1O	04-037/22:21:06.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-037/22:09:04.4
18413	M1O	04-037/22:21:07.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-037/22:09:05.4
18414	M1O	04-037/22:28:42.0	63	NOTE: Below Uplink Interlock Limit		
18415	M1O	04-037/22:35:05.1		NOTE: Apoapsis 9528 -		04-037/22:23:02.8
18416	M1O	04-037/22:35:55.1	63	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
18417	M1O	04-037/22:37:37.1		NOTE: North Pole Crossing 9528		04-037/22:25:34.8
18418	M1O	04-037/22:38:01.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-037/22:25:59.3
18419	M1O	04-037/22:38:03.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/22:26:01.4
18420	M1O	04-037/22:38:03.8	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18421	M1O	04-037/22:38:04.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-037/22:26:02.4
18422	M1O	04-037/22:39:04.6	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18423	M1O	04-037/22:44:03.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-037/22:32:01.4
18424	M1O	04-037/22:44:03.8	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18425	M1O	04-037/22:44:04.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-037/22:32:02.4
18426	M1O	04-037/22:45:00.0	14	Begin Tracking		
18427	M1O	04-037/22:45:00.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18428	M1O	04-037/23:00:00.0	63	End Tracking		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18429	M1O	04-037/23:07:31.1		NOTE: Descending Node Crossing 9529		04-037/22:55:28.7
18430	M1O	04-037/23:15:00.0	63	End Post-Cal		
18431	M1O	04-037/23:20:31.5		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-037/23:08:29.0
18432	M1O	04-037/23:20:31.6		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-037/23:08:29.1
18433	M1O	04-037/23:20:32.6		Forces a desaturation of the reaction wheels.	RW_DESAT	04-037/23:08:30.1
18434	M1O	04-037/23:23:54.5		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-037/23:11:52.0
18435	M1O	04-037/23:24:10.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-035T23:11:52.100, 2004-037T23:11:52.100	PCKTS_RE_TX_TIME	04-037/23:12:07.8
18436	M1O	04-037/23:24:11.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-035T23:11:52.100, 2004-037T23:11:52.100	PCKTS_RE_TX_TIME	04-037/23:12:08.8
18437	M1O	04-037/23:24:12.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-035T23:11:52.100, 2004-037T23:11:52.100	PCKTS_RE_TX_TIME	04-037/23:12:09.8
18438	M1O	04-037/23:24:13.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-035T23:11:52.100, 2004-037T23:11:52.100	PCKTS_RE_TX_TIME	04-037/23:12:10.8
18439	M1O	04-037/23:24:14.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-035T23:11:52.100, 2004-037T23:11:52.100	PCKTS_RE_TX_TIME	04-037/23:12:11.8
18440	M1O	04-037/23:24:15.3		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-035T23:11:52.100, 2004-037T23:11:52.100	PCKTS_RE_TX_TIME	04-037/23:12:12.8
18441	M1O	04-037/23:24:15.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-037/23:12:12.8
18442	M1O	04-037/23:24:15.3	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18443	M1O	04-037/23:31:16.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/23:19:13.8
18444	M1O	04-037/23:31:16.3	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18445	M1O	04-037/23:31:17.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-037/23:19:14.8
18446	M1O	04-037/23:31:33.3		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-037/23:19:30.8
18447	M1O	04-037/23:31:33.3	14	D/L RF Warning: SC antenna change - expect signal level variation		
18448	M1O	04-037/23:31:34.3		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-037/23:19:31.8
18449	M1O	04-037/23:32:02.6		CALL, Engine = , Parameters = FALSE	park_hga	04-037/23:20:00.1
18450	M1O	04-037/23:32:02.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-037/23:20:00.1
18451	M1O	04-037/23:32:03.6		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-037/23:20:01.1
18452	M1O	04-037/23:32:04.6		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-037/23:20:02.1
18453	M1O	04-037/23:32:04.6		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-037/23:20:02.1
18454	M1O	04-037/23:32:04.6		NOTE: START HGA PARK		
18455	M1O	04-037/23:32:04.6	14	NOTE: Loss Of X-Band Signal		
18456	M1O	04-037/23:32:05.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-037/23:20:03.1
18457	M1O	04-037/23:32:06.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-037/23:20:04.1
18458	M1O	04-037/23:35:05.1		NOTE: Periapsis 9529 ----------		04-037/23:23:02.6
18459	M1O	04-037/23:36:36.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-037/23:24:34.1
18460	M1O	04-037/23:36:47.8		NOTE: South Pole Crossing 9529		04-037/23:24:45.2
18461	M1O	04-037/23:40:06.6		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-037/23:28:04.1
18462	M1O	04-037/23:40:06.6		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-037/23:28:04.1
18463	M1O	04-038/00:00:00.0		Light Time: OWLT = 12:02, RTLT = 24:05		
18464	M1O	04-038/00:04:49.5		NOTE: Enter Solar Eclipse 9529		04-037/23:52:46.8
18465	M1O	04-038/00:06:08.8		NOTE: Ascending Node Crossing 9529		04-037/23:54:06.1
18466	M1O	04-038/00:10:06.6		GV: GV_DESAT_ACTIVE = 1		04-037/23:58:04.0
18467	M1O	04-038/00:10:07.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-037/23:58:05.0
18468	M1O	04-038/00:10:07.6		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-037/23:58:05.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18469	M1O	04-038/00:18:03.3		NOTE: Exit Solar Eclipse 9529		04-038/00:06:00.6
18470	M1O	04-038/00:20:06.6		GV: GV_DESAT_ACTIVE = 0		04-038/00:08:04.0
18471	M1O	04-038/00:20:07.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-038/00:08:05.0
18472	M1O	04-038/00:20:08.6		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-038/00:08:06.0
18473	M1O	04-038/00:20:09.6		CALL, Engine = , Parameters =	unpark_hga	04-038/00:08:07.0
18474	M1O	04-038/00:20:09.6		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-038/00:08:07.0
18475	M1O	04-038/00:20:10.6		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-038/00:08:08.0
18476	M1O	04-038/00:24:40.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-038/00:12:38.0
18477	M1O	04-038/00:24:41.7		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-038/00:12:39.0
18478	M1O	04-038/00:28:06.7		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-038/00:16:04.0
18479	M1O	04-038/00:28:06.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/00:16:04.1
18480	M1O	04-038/00:28:07.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-038/00:16:05.1
18481	M1O	04-038/00:28:08.8		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-038/00:16:06.1
18482	M1O	04-038/00:28:09.8		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-038/00:16:07.1
18483	M1O	04-038/00:28:10.8		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-038/00:16:08.1
18484	M1O	04-038/00:28:20.8		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-038/00:16:18.1
18485	M1O	04-038/00:28:30.8		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-038/00:16:28.1
18486	M1O	04-038/00:28:41.7		NOTE: EXIT HGA PARK		
18487	M1O	04-038/00:28:41.7	14	Acquisition Of X-Band Signal		
18488	M1O	04-038/00:28:41.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18489	M1O	04-038/00:33:30.0		NOTE: Apoapsis 9529 -		04-038/00:21:27.3
18490	M1O	04-038/00:33:30.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-038/00:21:28.1
18491	M1O	04-038/00:33:31.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-038/00:21:29.1
18492	M1O	04-038/00:33:31.8	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18493	M1O	04-038/00:33:32.8		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-038/00:21:30.1
18494	M1O	04-038/00:36:08.1		NOTE: North Pole Crossing 9529		04-038/00:24:05.3
18495	M1O	04-038/00:45:00.0	43	Begin Pre-Cal		
18496	M1O	04-038/00:45:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
18497	M1O	04-038/00:45:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
18498	M1O	04-038/00:45:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
18499	M1O	04-038/00:45:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
18500	M1O	04-038/00:45:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
18501	M1O	04-038/00:45:00.0	43	Config: RCV: Parms:		
18502	M1O	04-038/00:45:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
18503	M1O	04-038/00:45:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
18504	M1O	04-038/00:45:00.0	43	Config: TXL		
18505	M1O	04-038/00:45:00.0	43	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
18506	M1O	04-038/00:45:00.0	43	Config: CMD		
18507	M1O	04-038/00:45:00.0	43	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
18508	M1O	04-038/01:06:02.8		NOTE: Descending Node Crossing 9530		04-038/00:54:00.0
18509	M1O	04-038/01:33:15.1		NOTE: Periapsis 9530 ----------		04-038/01:21:12.1
18510	M1O	04-038/01:35:19.7		NOTE: South Pole Crossing 9530		04-038/01:23:16.7
18511	M1O	04-038/02:03:26.6		NOTE: Enter Solar Eclipse 9530		04-038/01:51:23.6
18512	M1O	04-038/02:04:41.6		NOTE: Ascending Node Crossing 9530		04-038/01:52:38.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18513	M1O	04-038/02:16:27.6		NOTE: Exit Solar Eclipse 9530		04-038/02:04:24.6
18514	M1O	04-038/02:30:00.0	43	Begin Tracking		
18515	M1O	04-038/02:30:00.0	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18516	M1O	04-038/02:31:00.0	43	Acquire U/L: X/08, PWR=20.0, BR=125.0		
18517	M1O	04-038/02:31:46.7		NOTE: Apoapsis 9530 -		04-038/02:19:43.6
18518	M1O	04-038/02:34:41.8		NOTE: North Pole Crossing 9530		04-038/02:22:38.7
18519	M1O	04-038/02:36:00.0	43	Range Modulation On: SUP=3.0dB		
18520	M1O	04-038/02:37:00.0	43	Begin Ranging Acquisition		
18521	M1O	04-038/02:54:03.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-038/02:42:00.5
18522	M1O	04-038/02:54:05.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/02:42:02.6
18523	M1O	04-038/02:54:05.8	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18524	M1O	04-038/02:54:05.8	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18525	M1O	04-038/02:54:06.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-038/02:42:03.6
18526	M1O	04-038/02:55:06.2	14	Acquire D/L: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18527	M1O	04-038/02:55:06.2	43	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18528	M1O	04-038/03:00:01.2		SPAWN, Engine = 65535, Parameters = 038, 01, FALSE, 00:16:11.228, 254, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-038/02:47:58.0
18529	M1O	04-038/03:00:02.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/02:47:59.1
18530	M1O	04-038/03:00:04.3		CALL, Engine = , Parameters = 254	get_cmd_opt	04-038/02:48:01.1
18531	M1O	04-038/03:00:05.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-038/02:48:02.6
18532	M1O	04-038/03:00:05.8	14	D/L Change: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18533	M1O	04-038/03:00:05.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18534	M1O	04-038/03:00:06.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-038/02:48:03.6
18535	M1O	04-038/03:00:46.5		CALL, Engine = , Parameters = 254	get_apid	04-038/02:48:43.3
18536	M1O	04-038/03:00:47.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-038/02:48:44.4
18537	M1O	04-038/03:00:47.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-038/02:48:44.6
18538	M1O	04-038/03:00:48.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-038/02:48:45.7
18539	M1O	04-038/03:00:50.2		CALL, Engine = , Parameters = 254	get_coding	04-038/02:48:47.0
18540	M1O	04-038/03:00:51.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-038/02:48:48.2
18541	M1O	04-038/03:00:52.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-038/02:48:49.4
18542	M1O	04-038/03:01:57.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/02:49:54.2
18543	M1O	04-038/03:01:58.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/02:49:55.2
18544	M1O	04-038/03:01:59.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/02:49:56.2
18545	M1O	04-038/03:02:00.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-038/02:49:57.2
18546	M1O	04-038/03:02:01.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-038/02:49:58.2
18547	M1O	04-038/03:02:02.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-038/02:49:59.2
18548	M1O	04-038/03:02:03.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/02:50:00.2
18549	M1O	04-038/03:04:37.1		NOTE: Descending Node Crossing 9531		04-038/02:52:33.9
18550	M1O	04-038/03:18:10.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/03:06:07.4
18551	M1O	04-038/03:18:11.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/03:06:08.5
18552	M1O	04-038/03:18:21.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/03:06:18.5
18553	M1O	04-038/03:18:22.7		Passes the specified amount of data, data size parameter, through the PACI interface.:	GRS_PASS_THROUGH	04-038/03:06:19.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000		
18554	M1O	04-038/03:31:59.1		NOTE: Periapsis 9531 ----------		04-038/03:19:55.8
18555	M1O	04-038/03:33:55.4		NOTE: South Pole Crossing 9531		04-038/03:21:52.1
18556	M1O	04-038/03:50:00.0	14	End Tracking		
18557	M1O	04-038/03:51:21.3		SPAWN, Engine = 65535, Parameters = 038, 01, TRUE, 00:19:16, 253, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-038/03:39:18.0
18558	M1O	04-038/03:51:22.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/03:39:19.1
18559	M1O	04-038/03:51:24.4		CALL, Engine = , Parameters = 253	get_cmd_opt	04-038/03:39:21.1
18560	M1O	04-038/03:51:24.7		CALL, Engine = , Parameters = 038, 01, 253	bld_autosw	04-038/03:39:21.4
18561	M1O	04-038/03:51:25.8		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-038/03:39:22.5
18562	M1O	04-038/03:51:26.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:23.6
18563	M1O	04-038/03:51:27.9		Deletes the designated file.: d:/dat/253_doy038_pass01_file01.dat	FILE_DELETE	04-038/03:39:24.6
18564	M1O	04-038/03:51:29.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:25.7
18565	M1O	04-038/03:51:30.0		Deletes the designated file.: d:/dat/253_doy038_pass01_file02.dat	FILE_DELETE	04-038/03:39:26.7
18566	M1O	04-038/03:51:31.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:27.8
18567	M1O	04-038/03:51:32.1		Deletes the designated file.: d:/dat/253_doy038_pass01_file03.dat	FILE_DELETE	04-038/03:39:28.8
18568	M1O	04-038/03:51:33.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:29.9
18569	M1O	04-038/03:51:34.2		Deletes the designated file.: d:/dat/253_doy038_pass01_file04.dat	FILE_DELETE	04-038/03:39:30.9
18570	M1O	04-038/03:51:35.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:32.0
18571	M1O	04-038/03:51:36.3		Deletes the designated file.: d:/dat/253_doy038_pass01_file05.dat	FILE_DELETE	04-038/03:39:33.0
18572	M1O	04-038/03:51:37.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:34.1
18573	M1O	04-038/03:51:38.4		Deletes the designated file.: d:/dat/253_doy038_pass01_file06.dat	FILE_DELETE	04-038/03:39:35.1
18574	M1O	04-038/03:51:39.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:36.2
18575	M1O	04-038/03:51:40.5		Deletes the designated file.: d:/dat/253_doy038_pass01_file07.dat	FILE_DELETE	04-038/03:39:37.2
18576	M1O	04-038/03:51:41.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:38.3
18577	M1O	04-038/03:51:42.6		Deletes the designated file.: d:/dat/253_doy038_pass01_file08.dat	FILE_DELETE	04-038/03:39:39.3
18578	M1O	04-038/03:51:43.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:40.4
18579	M1O	04-038/03:51:44.7		Deletes the designated file.: d:/dat/253_doy038_pass01_file09.dat	FILE_DELETE	04-038/03:39:41.4
18580	M1O	04-038/03:51:45.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:42.5
18581	M1O	04-038/03:51:46.8		Deletes the designated file.: d:/dat/253_doy038_pass01_file10.dat	FILE_DELETE	04-038/03:39:43.5
18582	M1O	04-038/03:51:47.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:44.6
18583	M1O	04-038/03:51:48.9		Deletes the designated file.: d:/dat/253_doy038_pass01_file11.dat	FILE_DELETE	04-038/03:39:45.6
18584	M1O	04-038/03:51:50.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:46.7
18585	M1O	04-038/03:51:51.0		Deletes the designated file.: d:/dat/253_doy038_pass01_file12.dat	FILE_DELETE	04-038/03:39:47.7
18586	M1O	04-038/03:51:52.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:48.8
18587	M1O	04-038/03:51:53.1		Deletes the designated file.: d:/dat/253_doy038_pass01_file13.dat	FILE_DELETE	04-038/03:39:49.8
18588	M1O	04-038/03:51:54.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:50.9
18589	M1O	04-038/03:51:55.2		Deletes the designated file.: d:/dat/253_doy038_pass01_file14.dat	FILE_DELETE	04-038/03:39:51.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18590	M1O	04-038/03:51:56.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:53.0
18591	M1O	04-038/03:51:57.3		Deletes the designated file.: d:/dat/253_doy038_pass01_file15.dat	FILE_DELETE	04-038/03:39:54.0
18592	M1O	04-038/03:51:58.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:55.1
18593	M1O	04-038/03:51:59.4		Deletes the designated file.: d:/dat/253_doy038_pass01_file16.dat	FILE_DELETE	04-038/03:39:56.1
18594	M1O	04-038/03:52:00.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:57.2
18595	M1O	04-038/03:52:01.5		Deletes the designated file.: d:/dat/253_doy038_pass01_file17.dat	FILE_DELETE	04-038/03:39:58.2
18596	M1O	04-038/03:52:02.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:39:59.3
18597	M1O	04-038/03:52:03.6		Deletes the designated file.: d:/dat/253_doy038_pass01_file18.dat	FILE_DELETE	04-038/03:40:00.3
18598	M1O	04-038/03:52:04.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/03:40:01.4
18599	M1O	04-038/03:52:05.7		Deletes the designated file.: d:/dat/253_doy038_pass01_file19.dat	FILE_DELETE	04-038/03:40:02.4
18600	M1O	04-038/03:52:06.7		CALL, Engine = , Parameters = 253	get_apid	04-038/03:40:03.4
18601	M1O	04-038/03:52:07.8		CALL, Engine = , Parameters = 253	get_rcv_mode	04-038/03:40:04.5
18602	M1O	04-038/03:52:08.0		CALL, Engine = , Parameters = 253	get_dl_rate	04-038/03:40:04.7
18603	M1O	04-038/03:52:09.1		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-038/03:40:05.8
18604	M1O	04-038/03:52:10.4		CALL, Engine = , Parameters = 253	get_coding	04-038/03:40:07.1
18605	M1O	04-038/03:52:11.6		CALL, Engine = , Parameters = 253	get_xmt_mode	04-038/03:40:08.3
18606	M1O	04-038/03:52:12.8		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-038/03:40:09.5
18607	M1O	04-038/03:53:17.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/03:41:14.3
18608	M1O	04-038/03:53:18.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/03:41:15.3
18609	M1O	04-038/03:53:19.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/03:41:16.3
18610	M1O	04-038/03:53:20.6		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-038/03:41:17.3
18611	M1O	04-038/03:53:21.6		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-038/03:41:18.3
18612	M1O	04-038/03:53:22.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-038/03:41:19.3
18613	M1O	04-038/03:53:23.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/03:41:20.3
18614	M1O	04-038/03:53:24.6		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-038/03:41:21.3
18615	M1O	04-038/03:53:25.6		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-038/03:41:22.3
18616	M1O	04-038/03:55:13.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/03:43:10.3
18617	M1O	04-038/03:55:13.6	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18618	M1O	04-038/03:55:18.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/03:43:15.5
18619	M1O	04-038/03:55:23.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-038/03:43:20.3
18620	M1O	04-038/04:02:04.0		NOTE: Enter Solar Eclipse 9531		04-038/03:50:00.6
18621	M1O	04-038/04:03:18.3		NOTE: Ascending Node Crossing 9531		04-038/03:51:14.9
18622	M1O	04-038/04:05:00.0	14	End Post-Cal		
18623	M1O	04-038/04:12:34.7		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-038/04:00:31.3
18624	M1O	04-038/04:12:35.7		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-038/04:00:32.3
18625	M1O	04-038/04:12:37.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/04:00:34.3
18626	M1O	04-038/04:12:38.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/04:00:35.4
18627	M1O	04-038/04:12:48.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/04:00:45.4
18628	M1O	04-038/04:12:49.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/04:00:46.4
18629	M1O	04-038/04:12:50.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data	DOWNLINK_MODE	04-038/04:00:47.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				stream.: NOM_TLM		
18630	M1O	04-038/04:12:50.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18631	M1O	04-038/04:12:51.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-038/04:00:48.4
18632	M1O	04-038/04:15:01.9		NOTE: Exit Solar Eclipse 9531		04-038/04:02:58.4
18633	M1O	04-038/04:17:50.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-038/04:05:47.0
18634	M1O	04-038/04:17:50.4	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18635	M1O	04-038/04:30:39.3		NOTE: Apoapsis 9531 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy038_pass02_file13.dat, d:/dat/autoswitch.dat		
18667	M1O	04-038/04:57:20.3		Deletes the designated file.: d:/dat/254_doy038_pass02_file13.dat	FILE_DELETE	04-038/04:45:16.8
18668	M1O	04-038/04:57:21.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/04:45:17.9
18669	M1O	04-038/04:57:22.4		Deletes the designated file.: d:/dat/254_doy038_pass02_file14.dat	FILE_DELETE	04-038/04:45:18.9
18670	M1O	04-038/04:57:23.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/04:45:20.0
18671	M1O	04-038/04:57:24.5		Deletes the designated file.: d:/dat/254_doy038_pass02_file15.dat	FILE_DELETE	04-038/04:45:21.0
18672	M1O	04-038/04:57:25.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/04:45:22.1
18673	M1O	04-038/04:57:26.6		Deletes the designated file.: d:/dat/254_doy038_pass02_file16.dat	FILE_DELETE	04-038/04:45:23.1
18674	M1O	04-038/04:57:27.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/04:45:24.2
18675	M1O	04-038/04:57:28.7		Deletes the designated file.: d:/dat/254_doy038_pass02_file17.dat	FILE_DELETE	04-038/04:45:25.2
18676	M1O	04-038/04:57:29.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/04:45:26.3
18677	M1O	04-038/04:57:30.8		Deletes the designated file.: d:/dat/254_doy038_pass02_file18.dat	FILE_DELETE	04-038/04:45:27.3
18678	M1O	04-038/04:57:31.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/04:45:28.4
18679	M1O	04-038/04:57:32.9		Deletes the designated file.: d:/dat/254_doy038_pass02_file19.dat	FILE_DELETE	04-038/04:45:29.4
18680	M1O	04-038/04:57:33.9		CALL, Engine = , Parameters = 254	get_apid	04-038/04:45:30.4
18681	M1O	04-038/04:57:35.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-038/04:45:31.5
18682	M1O	04-038/04:57:35.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-038/04:45:31.7
18683	M1O	04-038/04:57:36.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-038/04:45:32.8
18684	M1O	04-038/04:57:37.6		CALL, Engine = , Parameters = 254	get_coding	04-038/04:45:34.1
18685	M1O	04-038/04:57:38.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-038/04:45:35.3
18686	M1O	04-038/04:57:40.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-038/04:45:36.5
18687	M1O	04-038/04:58:44.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/04:46:41.3
18688	M1O	04-038/04:58:45.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/04:46:42.3
18689	M1O	04-038/04:58:46.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/04:46:43.3
18690	M1O	04-038/04:58:47.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-038/04:46:44.3
18691	M1O	04-038/04:58:48.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-038/04:46:45.3
18692	M1O	04-038/04:58:49.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-038/04:46:46.3
18693	M1O	04-038/04:58:50.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/04:46:47.3
18694	M1O	04-038/05:00:40.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/04:48:37.3
18695	M1O	04-038/05:00:40.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18696	M1O	04-038/05:00:46.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/04:48:42.5
18697	M1O	04-038/05:00:50.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-038/04:48:47.3
18698	M1O	04-038/05:03:13.3		NOTE: Descending Node Crossing 9532		04-038/04:51:09.7
18699	M1O	04-038/05:16:11.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/05:04:08.3
18700	M1O	04-038/05:16:13.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/05:04:09.4
18701	M1O	04-038/05:16:23.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/05:04:19.4
18702	M1O	04-038/05:16:24.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/05:04:20.4
18703	M1O	04-038/05:16:25.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-038/05:04:21.4
18704	M1O	04-038/05:16:25.0	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18705	M1O	04-038/05:16:26.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-038/05:04:22.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18706	M1O	04-038/05:21:24.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-038/05:09:21.0
18707	M1O	04-038/05:21:24.6	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18708	M1O	04-038/05:31:01.5		NOTE: Periapsis 9532 ----------		04-038/05:18:57.8
18709	M1O	04-038/05:32:32.3		NOTE: South Pole Crossing 9532		04-038/05:20:28.6
18710	M1O	04-038/06:00:38.4		NOTE: Enter Solar Eclipse 9532		04-038/05:48:34.6
18711	M1O	04-038/06:01:55.0		NOTE: Ascending Node Crossing 9532		04-038/05:49:51.2
18712	M1O	04-038/06:13:39.7		NOTE: Exit Solar Eclipse 9532		04-038/06:01:35.9
18713	M1O	04-038/06:29:48.0		NOTE: Apoapsis 9532 -		04-038/06:17:44.1
18714	M1O	04-038/06:31:54.3		NOTE: North Pole Crossing 9532		04-038/06:19:50.4
18715	M1O	04-038/06:59:59.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
18716	M1O	04-038/07:01:49.9		NOTE: Descending Node Crossing 9533		04-038/06:49:45.9
18717	M1O	04-038/07:09:59.0	43	Range Modulation Off		
18718	M1O	04-038/07:12:04.0		SPAWN, Engine = 65535, Parameters =	scdiag	04-038/07:00:00.0
18719	M1O	04-038/07:12:05.1		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-038/07:00:01.1
18720	M1O	04-038/07:12:06.1		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-038/07:00:02.1
18721	M1O	04-038/07:13:07.0		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-038/07:01:03.0
18722	M1O	04-038/07:13:07.2		NOTE: Start Block fsw_diag		04-038/07:01:03.2
18723	M1O	04-038/07:13:08.2		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-038/07:01:04.2
18724	M1O	04-038/07:13:09.2		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-038/07:01:05.2
18725	M1O	04-038/07:13:20.2		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-038/07:01:16.2
18726	M1O	04-038/07:13:50.2		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-038/07:01:46.2
18727	M1O	04-038/07:14:10.2		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-038/07:02:06.2
18728	M1O	04-038/07:14:20.2		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-038/07:02:16.2
18729	M1O	04-038/07:14:40.2		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-038/07:02:36.2
18730	M1O	04-038/07:14:50.2		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-038/07:02:46.2
18731	M1O	04-038/07:14:55.2		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-038/07:02:51.2
18732	M1O	04-038/07:14:59.0	43	X-Band Transmitter Off		
18733	M1O	04-038/07:15:00.2		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-038/07:02:56.2
18734	M1O	04-038/07:15:05.2		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-038/07:03:01.2
18735	M1O	04-038/07:15:10.2		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-038/07:03:06.2
18736	M1O	04-038/07:15:15.2		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-038/07:03:11.2
18737	M1O	04-038/07:15:55.2		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-038/07:03:51.2
18738	M1O	04-038/07:16:00.2		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-038/07:03:56.2
18739	M1O	04-038/07:16:05.2		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-038/07:04:01.2
18740	M1O	04-038/07:16:10.2		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-038/07:04:06.2
18741	M1O	04-038/07:16:15.2		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-038/07:04:11.2
18742	M1O	04-038/07:16:16.2		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-038/07:04:12.2
18743	M1O	04-038/07:16:17.2		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-038/07:04:13.2
18744	M1O	04-038/07:16:18.2		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-038/07:04:14.2
18745	M1O	04-038/07:16:29.2		NOTE: End Block fsw_diag.mod		04-038/07:04:25.2
18746	M1O	04-038/07:29:56.8		NOTE: Periapsis 9533 ----------		04-038/07:17:52.8
18747	M1O	04-038/07:31:08.4		NOTE: South Pole Crossing 9533		04-038/07:19:04.3
18748	M1O	04-038/07:38:04.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-038/07:26:00.6
18749	M1O	04-038/07:38:06.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/07:26:02.7
18750	M1O	04-038/07:38:06.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18751	M1O	04-038/07:38:07.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-038/07:26:03.7
18752	M1O	04-038/07:39:07.0	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18753	M1O	04-038/07:44:06.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-038/07:32:02.7
18754	M1O	04-038/07:44:06.8	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18755	M1O	04-038/07:44:07.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-038/07:32:03.7
18756	M1O	04-038/07:59:10.2		NOTE: Enter Solar Eclipse 9533		04-038/07:47:06.0
18757	M1O	04-038/08:00:30.1		NOTE: Ascending Node Crossing 9533		04-038/07:48:25.9
18758	M1O	04-038/08:12:17.4		NOTE: Exit Solar Eclipse 9533		04-038/08:00:13.2
18759	M1O	04-038/08:28:31.5		NOTE: Apoapsis 9533 -		04-038/08:16:27.2
18760	M1O	04-038/08:30:29.2		NOTE: North Pole Crossing 9533		04-038/08:18:24.9
18761	M1O	04-038/08:47:03.3		SPAWN, Engine = 65535, Parameters = 038, 01, FALSE, 00:15:50.667, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-038/08:34:59.0
18762	M1O	04-038/08:47:04.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/08:35:00.1
18763	M1O	04-038/08:47:06.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-038/08:35:02.1
18764	M1O	04-038/08:47:48.6		CALL, Engine = , Parameters = 56	get_apid	04-038/08:35:44.3
18765	M1O	04-038/08:47:49.7		CALL, Engine = , Parameters = 56	get_rcv_mode	04-038/08:35:45.4
18766	M1O	04-038/08:47:49.9		CALL, Engine = , Parameters = 56	get_dl_rate	04-038/08:35:45.6
18767	M1O	04-038/08:47:51.0		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-038/08:35:46.7
18768	M1O	04-038/08:47:52.2		CALL, Engine = , Parameters = 56	get_coding	04-038/08:35:47.9
18769	M1O	04-038/08:47:53.4		CALL, Engine = , Parameters = 56	get_xmt_mode	04-038/08:35:49.1
18770	M1O	04-038/08:47:54.6		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-038/08:35:50.3
18771	M1O	04-038/08:48:59.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/08:36:55.1
18772	M1O	04-038/08:49:00.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/08:36:56.1
18773	M1O	04-038/08:49:01.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/08:36:57.1
18774	M1O	04-038/08:49:02.4		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-038/08:36:58.1
18775	M1O	04-038/08:49:03.4		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-038/08:36:59.1
18776	M1O	04-038/08:49:04.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-038/08:37:00.1
18777	M1O	04-038/08:49:05.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/08:37:01.1
18778	M1O	04-038/09:00:24.6		NOTE: Descending Node Crossing 9534		04-038/08:48:20.3
18779	M1O	04-038/09:04:52.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/08:52:47.7
18780	M1O	04-038/09:04:53.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/08:52:48.8
18781	M1O	04-038/09:05:03.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/08:52:58.8
18782	M1O	04-038/09:05:04.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/08:52:59.8
18783	M1O	04-038/09:28:23.6		NOTE: Periapsis 9534 ----------		04-038/09:16:19.1
18784	M1O	04-038/09:29:41.9		NOTE: South Pole Crossing 9534		04-038/09:17:37.4
18785	M1O	04-038/09:30:00.0	63	Begin Pre-Cal		
18786	M1O	04-038/09:30:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
18787	M1O	04-038/09:30:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
18788	M1O	04-038/09:30:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
18789	M1O	04-038/09:30:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
18790	M1O	04-038/09:30:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
18791	M1O	04-038/09:30:00.0	63	Config: RCV: Parms:		
18792	M1O	04-038/09:30:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
18793	M1O	04-038/09:30:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
18794	M1O	04-038/09:30:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18795	M1O	04-038/09:57:41.4		NOTE: Enter Solar Eclipse 9534		04-038/09:45:36.8
18796	M1O	04-038/09:59:02.6		NOTE: Ascending Node Crossing 9534		04-038/09:46:58.1
18797	M1O	04-038/10:05:00.0	55	Begin Pre-Cal		
18798	M1O	04-038/10:05:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
18799	M1O	04-038/10:05:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
18800	M1O	04-038/10:05:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
18801	M1O	04-038/10:05:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
18802	M1O	04-038/10:05:00.0	55	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
18803	M1O	04-038/10:05:00.0	55	Config: RCV: Parms:		
18804	M1O	04-038/10:05:00.0	55	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
18805	M1O	04-038/10:05:00.0	55	Config: TGC: BAND=X, SR=221200.000000		
18806	M1O	04-038/10:05:00.0	55	Config: TXL		
18807	M1O	04-038/10:05:00.0	55	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
18808	M1O	04-038/10:05:00.0	55	Config: CMD		
18809	M1O	04-038/10:05:00.0	55	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
18810	M1O	04-038/10:10:52.1		NOTE: Exit Solar Eclipse 9534		04-038/09:58:47.5
18811	M1O	04-038/10:26:42.6		NOTE: Apoapsis 9534 -		04-038/10:14:38.0
18812	M1O	04-038/10:29:01.4		NOTE: North Pole Crossing 9534		04-038/10:16:56.8
18813	M1O	04-038/10:43:23.6		SPAWN, Engine = 65535, Parameters = 038, 02, FALSE, 00:17:59.564, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-038/10:31:19.0
18814	M1O	04-038/10:43:24.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/10:31:20.1
18815	M1O	04-038/10:43:26.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-038/10:31:22.1
18816	M1O	04-038/10:44:08.9		CALL, Engine = , Parameters = 56	get_apid	04-038/10:32:04.3
18817	M1O	04-038/10:44:10.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-038/10:32:05.4
18818	M1O	04-038/10:44:10.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-038/10:32:05.6
18819	M1O	04-038/10:44:11.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-038/10:32:06.7
18820	M1O	04-038/10:44:12.5		CALL, Engine = , Parameters = 56	get_coding	04-038/10:32:07.9
18821	M1O	04-038/10:44:13.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-038/10:32:09.1
18822	M1O	04-038/10:44:14.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-038/10:32:10.3
18823	M1O	04-038/10:45:19.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/10:33:15.1
18824	M1O	04-038/10:45:20.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/10:33:16.1
18825	M1O	04-038/10:45:21.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/10:33:17.1
18826	M1O	04-038/10:45:22.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-038/10:33:18.1
18827	M1O	04-038/10:45:23.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-038/10:33:19.1
18828	M1O	04-038/10:45:24.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-038/10:33:20.1
18829	M1O	04-038/10:45:25.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/10:33:21.1
18830	M1O	04-038/10:58:56.1		NOTE: Descending Node Crossing 9535		04-038/10:46:51.3
18831	M1O	04-038/11:03:21.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/10:51:16.6
18832	M1O	04-038/11:03:22.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/10:51:17.7
18833	M1O	04-038/11:03:32.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/10:51:27.7
18834	M1O	04-038/11:03:33.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/10:51:28.7
18835	M1O	04-038/11:15:00.0	63	Begin Tracking		
18836	M1O	04-038/11:15:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18837	M1O	04-038/11:18:55.0	63	NOTE: Above Uplink Interlock Limit		
18838	M1O	04-038/11:26:02.0	43	NOTE: Below Uplink Interlock Limit		
18839	M1O	04-038/11:26:34.3		NOTE: Periapsis 9535 ----------		04-038/11:14:29.4
18840	M1O	04-038/11:28:13.0		NOTE: South Pole Crossing 9535		04-038/11:16:08.1
18841	M1O	04-038/11:30:00.0	43	End Tracking		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18842	M1O	04-038/11:35:00.0	55	Begin Tracking		
18843	M1O	04-038/11:35:00.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18844	M1O	04-038/11:36:00.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
18845	M1O	04-038/11:41:00.0	55	Range Modulation On: SUP=3.0dB		
18846	M1O	04-038/11:42:00.0	55	Begin Ranging Acquisition		
18847	M1O	04-038/11:45:00.0	43	End Post-Cal		
18848	M1O	04-038/11:56:14.6		NOTE: Enter Solar Eclipse 9535		04-038/11:44:09.7
18849	M1O	04-038/11:57:34.0		NOTE: Ascending Node Crossing 9535		04-038/11:45:29.1
18850	M1O	04-038/11:59:05.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-038/11:47:00.5
18851	M1O	04-038/11:59:07.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/11:47:02.6
18852	M1O	04-038/11:59:07.5	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18853	M1O	04-038/11:59:07.5	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18854	M1O	04-038/11:59:08.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-038/11:47:03.6
18855	M1O	04-038/12:00:09.7	63	Acquire D/L: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18856	M1O	04-038/12:00:09.7	55	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18857	M1O	04-038/12:05:07.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-038/11:53:02.6
18858	M1O	04-038/12:05:07.5	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18859	M1O	04-038/12:05:07.5	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18860	M1O	04-038/12:05:08.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-038/11:53:03.6
18861	M1O	04-038/12:09:22.2		NOTE: Exit Solar Eclipse 9535		04-038/11:57:17.3
18862	M1O	04-038/12:25:03.8		NOTE: Apoapsis 9535 -		04-038/12:12:58.8
18863	M1O	04-038/12:27:32.4		NOTE: North Pole Crossing 9535		04-038/12:15:27.4
18864	M1O	04-038/12:57:26.5		NOTE: Descending Node Crossing 9536		04-038/12:45:21.4
18865	M1O	04-038/13:24:58.1		NOTE: Periapsis 9536 ----------		04-038/13:12:52.9
18866	M1O	04-038/13:26:44.2		NOTE: South Pole Crossing 9536		04-038/13:14:39.0
18867	M1O	04-038/13:54:49.0		NOTE: Enter Solar Eclipse 9536		04-038/13:42:43.7
18868	M1O	04-038/13:56:06.3		NOTE: Ascending Node Crossing 9536		04-038/13:44:01.0
18869	M1O	04-038/14:07:47.7		NOTE: Exit Solar Eclipse 9536		04-038/13:55:42.4
18870	M1O	04-038/14:23:54.3		NOTE: Apoapsis 9536 -		04-038/14:11:48.9
18871	M1O	04-038/14:26:05.8		NOTE: North Pole Crossing 9536		04-038/14:14:00.4
18872	M1O	04-038/14:56:01.3		NOTE: Descending Node Crossing 9537		04-038/14:43:55.8
18873	M1O	04-038/15:23:44.6		NOTE: Periapsis 9537 ----------		04-038/15:11:39.0
18874	M1O	04-038/15:25:19.2		NOTE: South Pole Crossing 9537		04-038/15:13:13.6
18875	M1O	04-038/15:39:29.6		SPAWN, Engine = 65535, Parameters = 038, 03, TRUE, 00:17:45, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-038/15:27:24.0
18876	M1O	04-038/15:39:30.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/15:27:25.1
18877	M1O	04-038/15:39:32.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-038/15:27:27.1
18878	M1O	04-038/15:39:33.0		CALL, Engine = , Parameters = 038, 03, 254	bld_autosw	04-038/15:27:27.4
18879	M1O	04-038/15:39:34.1		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-038/15:27:28.5
18880	M1O	04-038/15:39:35.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:29.6
18881	M1O	04-038/15:39:36.2		Deletes the designated file.: d:/dat/254_doy038_pass03_file01.dat	FILE_DELETE	04-038/15:27:30.6
18882	M1O	04-038/15:39:37.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:31.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18883	M1O	04-038/15:39:38.3		Deletes the designated file.: d:/dat/254_doy038_pass03_file02.dat	FILE_DELETE	04-038/15:27:32.7
18884	M1O	04-038/15:39:39.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:33.8
18885	M1O	04-038/15:39:40.4		Deletes the designated file.: d:/dat/254_doy038_pass03_file03.dat	FILE_DELETE	04-038/15:27:34.8
18886	M1O	04-038/15:39:41.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:35.9
18887	M1O	04-038/15:39:42.5		Deletes the designated file.: d:/dat/254_doy038_pass03_file04.dat	FILE_DELETE	04-038/15:27:36.9
18888	M1O	04-038/15:39:43.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:38.0
18889	M1O	04-038/15:39:44.6		Deletes the designated file.: d:/dat/254_doy038_pass03_file05.dat	FILE_DELETE	04-038/15:27:39.0
18890	M1O	04-038/15:39:45.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:40.1
18891	M1O	04-038/15:39:46.7		Deletes the designated file.: d:/dat/254_doy038_pass03_file06.dat	FILE_DELETE	04-038/15:27:41.1
18892	M1O	04-038/15:39:47.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:42.2
18893	M1O	04-038/15:39:48.8		Deletes the designated file.: d:/dat/254_doy038_pass03_file07.dat	FILE_DELETE	04-038/15:27:43.2
18894	M1O	04-038/15:39:49.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:44.3
18895	M1O	04-038/15:39:50.9		Deletes the designated file.: d:/dat/254_doy038_pass03_file08.dat	FILE_DELETE	04-038/15:27:45.3
18896	M1O	04-038/15:39:52.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:46.4
18897	M1O	04-038/15:39:53.0		Deletes the designated file.: d:/dat/254_doy038_pass03_file09.dat	FILE_DELETE	04-038/15:27:47.4
18898	M1O	04-038/15:39:54.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:48.5
18899	M1O	04-038/15:39:55.1		Deletes the designated file.: d:/dat/254_doy038_pass03_file10.dat	FILE_DELETE	04-038/15:27:49.5
18900	M1O	04-038/15:39:56.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:50.6
18901	M1O	04-038/15:39:57.2		Deletes the designated file.: d:/dat/254_doy038_pass03_file11.dat	FILE_DELETE	04-038/15:27:51.6
18902	M1O	04-038/15:39:58.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:52.7
18903	M1O	04-038/15:39:59.3		Deletes the designated file.: d:/dat/254_doy038_pass03_file12.dat	FILE_DELETE	04-038/15:27:53.7
18904	M1O	04-038/15:40:00.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:54.8
18905	M1O	04-038/15:40:01.4		Deletes the designated file.: d:/dat/254_doy038_pass03_file13.dat	FILE_DELETE	04-038/15:27:55.8
18906	M1O	04-038/15:40:02.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:56.9
18907	M1O	04-038/15:40:03.5		Deletes the designated file.: d:/dat/254_doy038_pass03_file14.dat	FILE_DELETE	04-038/15:27:57.9
18908	M1O	04-038/15:40:04.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:27:59.0
18909	M1O	04-038/15:40:05.6		Deletes the designated file.: d:/dat/254_doy038_pass03_file15.dat	FILE_DELETE	04-038/15:28:00.0
18910	M1O	04-038/15:40:06.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:28:01.1
18911	M1O	04-038/15:40:07.7		Deletes the designated file.: d:/dat/254_doy038_pass03_file16.dat	FILE_DELETE	04-038/15:28:02.1
18912	M1O	04-038/15:40:08.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:28:03.2
18913	M1O	04-038/15:40:09.8		Deletes the designated file.: d:/dat/254_doy038_pass03_file17.dat	FILE_DELETE	04-038/15:28:04.2
18914	M1O	04-038/15:40:10.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:28:05.3
18915	M1O	04-038/15:40:11.9		Deletes the designated file.: d:/dat/254_doy038_pass03_file18.dat	FILE_DELETE	04-038/15:28:06.3
18916	M1O	04-038/15:40:13.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy038_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/15:28:07.4
18917	M1O	04-038/15:40:14.0		Deletes the designated file.: d:/dat/254_doy038_pass03_file19.dat	FILE_DELETE	04-038/15:28:08.4
18918	M1O	04-038/15:40:15.0		CALL, Engine = , Parameters = 254	get_apid	04-038/15:28:09.4
18919	M1O	04-038/15:40:16.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-038/15:28:10.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18920	M1O	04-038/15:40:16.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-038/15:28:10.7
18921	M1O	04-038/15:40:17.4		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-038/15:28:11.8
18922	M1O	04-038/15:40:18.7		CALL, Engine = , Parameters = 254	get_coding	04-038/15:28:13.1
18923	M1O	04-038/15:40:19.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-038/15:28:14.3
18924	M1O	04-038/15:40:21.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-038/15:28:15.5
18925	M1O	04-038/15:41:25.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/15:29:20.3
18926	M1O	04-038/15:41:26.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/15:29:21.3
18927	M1O	04-038/15:41:27.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/15:29:22.3
18928	M1O	04-038/15:41:28.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-038/15:29:23.3
18929	M1O	04-038/15:41:29.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-038/15:29:24.3
18930	M1O	04-038/15:41:30.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-038/15:29:25.3
18931	M1O	04-038/15:41:31.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/15:29:26.3
18932	M1O	04-038/15:41:32.9		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-038/15:29:27.3
18933	M1O	04-038/15:41:33.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-038/15:29:28.3
18934	M1O	04-038/15:43:21.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/15:31:16.3
18935	M1O	04-038/15:43:21.9	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18936	M1O	04-038/15:43:21.9	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18937	M1O	04-038/15:43:27.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/15:31:21.5
18938	M1O	04-038/15:43:31.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-038/15:31:26.3
18939	M1O	04-038/15:53:23.5		NOTE: Enter Solar Eclipse 9537		04-038/15:41:17.9
18940	M1O	04-038/15:54:41.3		NOTE: Ascending Node Crossing 9537		04-038/15:42:35.6
18941	M1O	04-038/15:59:11.9		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-038/15:47:06.3
18942	M1O	04-038/15:59:12.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-038/15:47:07.3
18943	M1O	04-038/15:59:14.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/15:47:09.3
18944	M1O	04-038/15:59:16.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/15:47:10.4
18945	M1O	04-038/15:59:26.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/15:47:20.4
18946	M1O	04-038/15:59:27.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/15:47:21.4
18947	M1O	04-038/15:59:28.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-038/15:47:22.4
18948	M1O	04-038/15:59:28.0	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18949	M1O	04-038/15:59:28.0	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18950	M1O	04-038/15:59:29.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-038/15:47:23.4
18951	M1O	04-038/16:04:27.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-038/15:52:22.0
18952	M1O	04-038/16:04:27.7	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18953	M1O	04-038/16:04:27.7	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18954	M1O	04-038/16:05:48.4	55	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
18955	M1O	04-038/16:06:17.1		NOTE: Exit Solar Eclipse 9537		04-038/15:54:11.4
18956	M1O	04-038/16:10:00.0	55	Range Modulation Off		
18957	M1O	04-038/16:15:00.0	63	U/L Transfer From DSS-55 to DSS-63: PWR=20.0, BR=125.0		
18958	M1O	04-038/16:20:00.0	63	Range Modulation On: SUP=3.0dB		
18959	M1O	04-038/16:21:00.0	63	Begin Ranging Acquisition		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
18960	M1O	04-038/16:22:36.1		NOTE: Apoapsis 9537 -		04-038/16:10:30.4
18961	M1O	04-038/16:24:41.8		NOTE: North Pole Crossing 9537		04-038/16:12:36.0
18962	M1O	04-038/16:30:00.0	55	End Tracking		
18963	M1O	04-038/16:30:00.0	55	End Post-Cal		
18964	M1O	04-038/16:39:11.5	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
18965	M1O	04-038/16:43:20.8		SPAWN, Engine = 65535, Parameters = 038, 04, TRUE, 00:19:16, 253, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-038/16:31:15.0
18966	M1O	04-038/16:43:21.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/16:31:16.1
18967	M1O	04-038/16:43:23.9		CALL, Engine = , Parameters = 253	get_cmd_opt	04-038/16:31:18.1
18968	M1O	04-038/16:43:24.2		CALL, Engine = , Parameters = 038, 04, 253	bld_autosw	04-038/16:31:18.4
18969	M1O	04-038/16:43:25.3		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-038/16:31:19.5
18970	M1O	04-038/16:43:26.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:20.6
18971	M1O	04-038/16:43:27.4		Deletes the designated file.: d:/dat/253_doy038_pass04_file01.dat	FILE_DELETE	04-038/16:31:21.6
18972	M1O	04-038/16:43:28.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:22.7
18973	M1O	04-038/16:43:29.5		Deletes the designated file.: d:/dat/253_doy038_pass04_file02.dat	FILE_DELETE	04-038/16:31:23.7
18974	M1O	04-038/16:43:30.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:24.8
18975	M1O	04-038/16:43:31.6		Deletes the designated file.: d:/dat/253_doy038_pass04_file03.dat	FILE_DELETE	04-038/16:31:25.8
18976	M1O	04-038/16:43:32.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:26.9
18977	M1O	04-038/16:43:33.7		Deletes the designated file.: d:/dat/253_doy038_pass04_file04.dat	FILE_DELETE	04-038/16:31:27.9
18978	M1O	04-038/16:43:34.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:29.0
18979	M1O	04-038/16:43:35.8		Deletes the designated file.: d:/dat/253_doy038_pass04_file05.dat	FILE_DELETE	04-038/16:31:30.0
18980	M1O	04-038/16:43:36.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:31.1
18981	M1O	04-038/16:43:37.9		Deletes the designated file.: d:/dat/253_doy038_pass04_file06.dat	FILE_DELETE	04-038/16:31:32.1
18982	M1O	04-038/16:43:39.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:33.2
18983	M1O	04-038/16:43:40.0		Deletes the designated file.: d:/dat/253_doy038_pass04_file07.dat	FILE_DELETE	04-038/16:31:34.2
18984	M1O	04-038/16:43:41.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:35.3
18985	M1O	04-038/16:43:42.1		Deletes the designated file.: d:/dat/253_doy038_pass04_file08.dat	FILE_DELETE	04-038/16:31:36.3
18986	M1O	04-038/16:43:43.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:37.4
18987	M1O	04-038/16:43:44.2		Deletes the designated file.: d:/dat/253_doy038_pass04_file09.dat	FILE_DELETE	04-038/16:31:38.4
18988	M1O	04-038/16:43:45.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:39.5
18989	M1O	04-038/16:43:46.3		Deletes the designated file.: d:/dat/253_doy038_pass04_file10.dat	FILE_DELETE	04-038/16:31:40.5
18990	M1O	04-038/16:43:47.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:41.6
18991	M1O	04-038/16:43:48.4		Deletes the designated file.: d:/dat/253_doy038_pass04_file11.dat	FILE_DELETE	04-038/16:31:42.6
18992	M1O	04-038/16:43:49.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:43.7
18993	M1O	04-038/16:43:50.5		Deletes the designated file.: d:/dat/253_doy038_pass04_file12.dat	FILE_DELETE	04-038/16:31:44.7
18994	M1O	04-038/16:43:51.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:45.8
18995	M1O	04-038/16:43:52.6		Deletes the designated file.: d:/dat/253_doy038_pass04_file13.dat	FILE_DELETE	04-038/16:31:46.8
18996	M1O	04-038/16:43:53.7		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-038/16:31:47.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy038_pass04_file14.dat, d:/dat/autoswitch.dat		
18997	M1O	04-038/16:43:54.7		Deletes the designated file.: d:/dat/253_doy038_pass04_file14.dat	FILE_DELETE	04-038/16:31:48.9
18998	M1O	04-038/16:43:55.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:50.0
18999	M1O	04-038/16:43:56.8		Deletes the designated file.: d:/dat/253_doy038_pass04_file15.dat	FILE_DELETE	04-038/16:31:51.0
19000	M1O	04-038/16:43:57.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:52.1
19001	M1O	04-038/16:43:58.9		Deletes the designated file.: d:/dat/253_doy038_pass04_file16.dat	FILE_DELETE	04-038/16:31:53.1
19002	M1O	04-038/16:44:00.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:54.2
19003	M1O	04-038/16:44:01.0		Deletes the designated file.: d:/dat/253_doy038_pass04_file17.dat	FILE_DELETE	04-038/16:31:55.2
19004	M1O	04-038/16:44:02.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:56.3
19005	M1O	04-038/16:44:03.1		Deletes the designated file.: d:/dat/253_doy038_pass04_file18.dat	FILE_DELETE	04-038/16:31:57.3
19006	M1O	04-038/16:44:04.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy038_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-038/16:31:58.4
19007	M1O	04-038/16:44:05.2		Deletes the designated file.: d:/dat/253_doy038_pass04_file19.dat	FILE_DELETE	04-038/16:31:59.4
19008	M1O	04-038/16:44:06.2		CALL, Engine = , Parameters = 253	get_apid	04-038/16:32:00.4
19009	M1O	04-038/16:44:07.3		CALL, Engine = , Parameters = 253	get_rcv_mode	04-038/16:32:01.5
19010	M1O	04-038/16:44:07.5		CALL, Engine = , Parameters = 253	get_dl_rate	04-038/16:32:01.7
19011	M1O	04-038/16:44:08.6		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-038/16:32:02.8
19012	M1O	04-038/16:44:09.9		CALL, Engine = , Parameters = 253	get_coding	04-038/16:32:04.1
19013	M1O	04-038/16:44:11.1		CALL, Engine = , Parameters = 253	get_xmt_mode	04-038/16:32:05.3
19014	M1O	04-038/16:44:12.3		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-038/16:32:06.5
19015	M1O	04-038/16:45:17.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/16:33:11.3
19016	M1O	04-038/16:45:18.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/16:33:12.3
19017	M1O	04-038/16:45:19.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/16:33:13.3
19018	M1O	04-038/16:45:20.1		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-038/16:33:14.3
19019	M1O	04-038/16:45:21.1		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-038/16:33:15.3
19020	M1O	04-038/16:45:22.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-038/16:33:16.3
19021	M1O	04-038/16:45:23.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/16:33:17.3
19022	M1O	04-038/16:47:13.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/16:35:07.3
19023	M1O	04-038/16:47:13.1	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19024	M1O	04-038/16:47:18.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/16:35:12.5
19025	M1O	04-038/16:47:23.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-038/16:35:17.3
19026	M1O	04-038/16:54:38.3		NOTE: Descending Node Crossing 9538		04-038/16:42:32.4
19027	M1O	04-038/17:04:37.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/16:52:31.3
19028	M1O	04-038/17:04:38.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/16:52:32.4
19029	M1O	04-038/17:04:48.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/16:52:42.4
19030	M1O	04-038/17:04:49.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/16:52:43.4
19031	M1O	04-038/17:04:50.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-038/16:52:44.4
19032	M1O	04-038/17:04:50.3	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19033	M1O	04-038/17:04:51.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-038/16:52:45.4
19034	M1O	04-038/17:09:49.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-038/16:57:44.0
19035	M1O	04-038/17:09:49.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19036	M1O	04-038/17:22:24.5		NOTE: Periapsis 9538 ----------		04-038/17:10:18.6
19037	M1O	04-038/17:23:56.1		NOTE: South Pole Crossing 9538		04-038/17:11:50.1
19038	M1O	04-038/17:37:42.0		SPAWN, Engine = 65535, Parameters = 038, 04, FALSE, 00:16:05.375, 254, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-038/17:25:36.0
19039	M1O	04-038/17:37:43.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/17:25:37.1
19040	M1O	04-038/17:37:45.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-038/17:25:39.1
19041	M1O	04-038/17:38:27.3		CALL, Engine = , Parameters = 254	get_apid	04-038/17:26:21.3
19042	M1O	04-038/17:38:28.4		CALL, Engine = , Parameters = 254	get_rcv_mode	04-038/17:26:22.4
19043	M1O	04-038/17:38:28.6		CALL, Engine = , Parameters = 254	get_dl_rate	04-038/17:26:22.6
19044	M1O	04-038/17:38:29.7		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-038/17:26:23.7
19045	M1O	04-038/17:38:31.0		CALL, Engine = , Parameters = 254	get_coding	04-038/17:26:25.0
19046	M1O	04-038/17:38:32.2		CALL, Engine = , Parameters = 254	get_xmt_mode	04-038/17:26:26.2
19047	M1O	04-038/17:38:33.4		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-038/17:26:27.4
19048	M1O	04-038/17:39:38.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/17:27:32.2
19049	M1O	04-038/17:39:39.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/17:27:33.2
19050	M1O	04-038/17:39:40.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/17:27:34.2
19051	M1O	04-038/17:39:41.2		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-038/17:27:35.2
19052	M1O	04-038/17:39:42.2		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-038/17:27:36.2
19053	M1O	04-038/17:39:43.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-038/17:27:37.2
19054	M1O	04-038/17:39:44.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/17:27:38.2
19055	M1O	04-038/17:51:59.6		NOTE: Enter Solar Eclipse 9538		04-038/17:39:53.6
19056	M1O	04-038/17:53:17.8		NOTE: Ascending Node Crossing 9538		04-038/17:41:11.7
19057	M1O	04-038/17:55:45.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/17:43:39.5
19058	M1O	04-038/17:55:46.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/17:43:40.6
19059	M1O	04-038/17:55:56.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/17:43:50.6
19060	M1O	04-038/17:55:57.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/17:43:51.6
19061	M1O	04-038/18:04:51.8		NOTE: Exit Solar Eclipse 9538		04-038/17:52:45.7
19062	M1O	04-038/18:20:58.7		NOTE: Apoapsis 9538 -		04-038/18:08:52.6
19063	M1O	04-038/18:23:18.2		NOTE: North Pole Crossing 9538		04-038/18:11:12.1
19064	M1O	04-038/18:53:14.5		NOTE: Descending Node Crossing 9539		04-038/18:41:08.3
19065	M1O	04-038/19:20:54.4		NOTE: Periapsis 9539 ----------		04-038/19:08:48.1
19066	M1O	04-038/19:22:32.5		NOTE: South Pole Crossing 9539		04-038/19:10:26.1
19067	M1O	04-038/19:50:36.6		NOTE: Enter Solar Eclipse 9539		04-038/19:38:30.2
19068	M1O	04-038/19:51:54.2		NOTE: Ascending Node Crossing 9539		04-038/19:39:47.8
19069	M1O	04-038/20:03:30.4		NOTE: Exit Solar Eclipse 9539		04-038/19:51:23.9
19070	M1O	04-038/20:19:11.1		NOTE: Apoapsis 9539 -		04-038/20:07:04.6
19071	M1O	04-038/20:21:53.6		NOTE: North Pole Crossing 9539		04-038/20:09:47.1
19072	M1O	04-038/20:51:48.6		NOTE: Descending Node Crossing 9540		04-038/20:39:42.0
19073	M1O	04-038/21:19:27.1		NOTE: Periapsis 9540 ----------		04-038/21:07:20.4
19074	M1O	04-038/21:21:06.5		NOTE: South Pole Crossing 9540		04-038/21:08:59.8
19075	M1O	04-038/21:43:11.7		SPAWN, Engine = 65535, Parameters = 038, 03, FALSE, 00:19:08.366, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-038/21:31:05.0
19076	M1O	04-038/21:43:12.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/21:31:06.1
19077	M1O	04-038/21:43:14.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-038/21:31:08.1
19078	M1O	04-038/21:43:57.0		CALL, Engine = , Parameters = 56	get_apid	04-038/21:31:50.3
19079	M1O	04-038/21:43:58.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-038/21:31:51.4
19080	M1O	04-038/21:43:58.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-038/21:31:51.6
19081	M1O	04-038/21:43:59.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-038/21:31:52.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19082	M1O	04-038/21:44:00.6		CALL, Engine = , Parameters = 56	get_coding	04-038/21:31:53.9
19083	M1O	04-038/21:44:01.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-038/21:31:55.1
19084	M1O	04-038/21:44:03.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-038/21:31:56.3
19085	M1O	04-038/21:45:07.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/21:33:01.1
19086	M1O	04-038/21:45:08.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/21:33:02.1
19087	M1O	04-038/21:45:09.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/21:33:03.1
19088	M1O	04-038/21:45:10.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-038/21:33:04.1
19089	M1O	04-038/21:45:11.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-038/21:33:05.1
19090	M1O	04-038/21:45:12.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-038/21:33:06.1
19091	M1O	04-038/21:45:13.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/21:33:07.1
19092	M1O	04-038/21:49:10.2		NOTE: Enter Solar Eclipse 9540		04-038/21:37:03.4
19093	M1O	04-038/21:50:28.2		NOTE: Ascending Node Crossing 9540		04-038/21:38:21.4
19094	M1O	04-038/22:00:00.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
19095	M1O	04-038/22:02:08.3		NOTE: Exit Solar Eclipse 9540		04-038/21:50:01.4
19096	M1O	04-038/22:04:18.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/21:52:11.4
19097	M1O	04-038/22:04:19.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/21:52:12.5
19098	M1O	04-038/22:04:29.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/21:52:22.5
19099	M1O	04-038/22:04:30.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/21:52:23.5
19100	M1O	04-038/22:10:00.0	63	Range Modulation Off		
19101	M1O	04-038/22:15:00.0	63	X-Band Transmitter Off		
19102	M1O	04-038/22:15:00.0	14	Begin Pre-Cal		
19103	M1O	04-038/22:15:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
19104	M1O	04-038/22:15:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
19105	M1O	04-038/22:15:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
19106	M1O	04-038/22:15:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
19107	M1O	04-038/22:15:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
19108	M1O	04-038/22:15:00.0	14	Config: RCV: Parms:		
19109	M1O	04-038/22:15:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
19110	M1O	04-038/22:15:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
19111	M1O	04-038/22:15:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
19112	M1O	04-038/22:17:47.4		NOTE: Apoapsis 9540 -		04-038/22:05:40.5
19113	M1O	04-038/22:20:26.5		NOTE: North Pole Crossing 9540		04-038/22:08:19.6
19114	M1O	04-038/22:26:03.0	63	NOTE: Below Uplink Interlock Limit		
19115	M1O	04-038/22:35:45.9	63	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
19116	M1O	04-038/22:38:10.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-038/22:26:03.9
19117	M1O	04-038/22:38:13.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/22:26:06.0
19118	M1O	04-038/22:38:13.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19119	M1O	04-038/22:38:14.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-038/22:26:07.0
19120	M1O	04-038/22:39:13.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19121	M1O	04-038/22:44:13.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-038/22:32:06.0
19122	M1O	04-038/22:44:13.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19123	M1O	04-038/22:44:14.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-038/22:32:07.0
19124	M1O	04-038/22:45:00.0	14	Begin Tracking		
19125	M1O	04-038/22:45:00.0	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19126	M1O	04-038/22:50:20.5		NOTE: Descending Node Crossing 9541		04-038/22:38:13.5
19127	M1O	04-038/23:00:00.0	63	End Tracking		
19128	M1O	04-038/23:03:21.0		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-038/22:51:14.0
19129	M1O	04-038/23:03:21.1		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-038/22:51:14.1
19130	M1O	04-038/23:03:22.1		Forces a desaturation of the reaction wheels.	RW_DESAT	04-038/22:51:15.1
19131	M1O	04-038/23:06:44.0		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-038/22:54:37.0
19132	M1O	04-038/23:06:59.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-036T22:54:37.100, 2004-038T22:54:37.100	PCKTS_RE_TX_TIME	04-038/22:54:52.8
19133	M1O	04-038/23:07:00.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-036T22:54:37.100, 2004-038T22:54:37.100	PCKTS_RE_TX_TIME	04-038/22:54:53.8
19134	M1O	04-038/23:07:01.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-036T22:54:37.100, 2004-038T22:54:37.100	PCKTS_RE_TX_TIME	04-038/22:54:54.8
19135	M1O	04-038/23:07:02.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-036T22:54:37.100, 2004-038T22:54:37.100	PCKTS_RE_TX_TIME	04-038/22:54:55.8
19136	M1O	04-038/23:07:03.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-036T22:54:37.100, 2004-038T22:54:37.100	PCKTS_RE_TX_TIME	04-038/22:54:56.8
19137	M1O	04-038/23:07:04.8		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-036T22:54:37.100, 2004-038T22:54:37.100	PCKTS_RE_TX_TIME	04-038/22:54:57.8
19138	M1O	04-038/23:07:04.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-038/22:54:57.8
19139	M1O	04-038/23:07:04.8	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19140	M1O	04-038/23:14:05.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/23:01:58.8
19141	M1O	04-038/23:14:05.8	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19142	M1O	04-038/23:14:06.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-038/23:01:59.8
19143	M1O	04-038/23:14:22.8		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-038/23:02:15.8
19144	M1O	04-038/23:14:22.8	14	D/L RF Warning: SC antenna change - expect signal level variation		
19145	M1O	04-038/23:14:23.8		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-038/23:02:16.8
19146	M1O	04-038/23:14:52.1		CALL, Engine = , Parameters = FALSE	park_hga	04-038/23:02:45.1
19147	M1O	04-038/23:14:52.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/23:02:45.1
19148	M1O	04-038/23:14:53.1		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-038/23:02:46.1
19149	M1O	04-038/23:14:54.1		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-038/23:02:47.1
19150	M1O	04-038/23:14:54.1		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-038/23:02:47.1
19151	M1O	04-038/23:14:54.1		NOTE: START HGA PARK		
19152	M1O	04-038/23:14:54.1	14	NOTE: Loss Of X-Band Signal		
19153	M1O	04-038/23:14:55.1		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-038/23:02:48.1
19154	M1O	04-038/23:14:56.1		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-038/23:02:49.1
19155	M1O	04-038/23:15:00.0	63	End Post-Cal		
19156	M1O	04-038/23:17:59.8		NOTE: Periapsis 9541 ----------		04-038/23:05:52.8
19157	M1O	04-038/23:19:26.2		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-038/23:07:19.1
19158	M1O	04-038/23:19:37.7		NOTE: South Pole Crossing 9541		04-038/23:07:30.6
19159	M1O	04-038/23:22:56.2		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-038/23:10:49.1
19160	M1O	04-038/23:22:56.2		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-038/23:10:49.1
19161	M1O	04-038/23:43:46.1		SPAWN, Engine = 65535, Parameters = 038, 04, FALSE, 00:13:00.203, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-038/23:31:39.0
19162	M1O	04-038/23:43:47.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/23:31:40.1
19163	M1O	04-038/23:43:49.2		CALL, Engine = , Parameters = 56	get_cmd_opt	04-038/23:31:42.1
19164	M1O	04-038/23:44:31.4		CALL, Engine = , Parameters = 56	get_apid	04-038/23:32:24.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19165	M1O	04-038/23:44:32.5		CALL, Engine = , Parameters = 56	get_rcv_mode	04-038/23:32:25.4
19166	M1O	04-038/23:44:32.7		CALL, Engine = , Parameters = 56	get_dl_rate	04-038/23:32:25.6
19167	M1O	04-038/23:44:33.8		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-038/23:32:26.7
19168	M1O	04-038/23:44:35.0		CALL, Engine = , Parameters = 56	get_coding	04-038/23:32:27.9
19169	M1O	04-038/23:44:36.2		CALL, Engine = , Parameters = 56	get_xmt_mode	04-038/23:32:29.1
19170	M1O	04-038/23:44:37.4		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-038/23:32:30.3
19171	M1O	04-038/23:45:42.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-038/23:33:35.1
19172	M1O	04-038/23:45:43.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-038/23:33:36.1
19173	M1O	04-038/23:45:44.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-038/23:33:37.1
19174	M1O	04-038/23:45:45.2		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-038/23:33:38.1
19175	M1O	04-038/23:45:46.2		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-038/23:33:39.1
19176	M1O	04-038/23:45:47.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-038/23:33:40.1
19177	M1O	04-038/23:45:48.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-038/23:33:41.1
19178	M1O	04-038/23:47:40.4		NOTE: Enter Solar Eclipse 9541		04-038/23:35:33.2
19179	M1O	04-038/23:48:58.9		NOTE: Ascending Node Crossing 9541		04-038/23:36:51.7
19180	M1O	04-038/23:52:56.2		GV: GV_DESAT_ACTIVE = 1		04-038/23:40:49.0
19181	M1O	04-038/23:52:57.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-038/23:40:50.0
19182	M1O	04-038/23:52:57.2		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-038/23:40:50.0
19183	M1O	04-038/23:58:44.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-038/23:46:37.3
19184	M1O	04-038/23:58:45.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-038/23:46:38.4
19185	M1O	04-038/23:58:55.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-038/23:46:48.4
19186	M1O	04-038/23:58:56.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-038/23:46:49.4
19187	M1O	04-039/00:00:00.0		Light Time: OWLT = 12:07, RTLT = 24:14		
19188	M1O	04-039/00:00:38.4		NOTE: Exit Solar Eclipse 9541		04-038/23:48:31.2
19189	M1O	04-039/00:02:56.2		GV: GV_DESAT_ACTIVE = 0		04-038/23:50:49.0
19190	M1O	04-039/00:02:57.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-038/23:50:50.0
19191	M1O	04-039/00:02:58.2		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-038/23:50:51.0
19192	M1O	04-039/00:02:59.2		CALL, Engine = , Parameters =	unpark_hga	04-038/23:50:52.0
19193	M1O	04-039/00:02:59.2		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-038/23:50:52.0
19194	M1O	04-039/00:03:00.2		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-038/23:50:53.0
19195	M1O	04-039/00:07:30.2		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-038/23:55:23.0
19196	M1O	04-039/00:07:31.2		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-038/23:55:24.0
19197	M1O	04-039/00:10:55.1		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-038/23:58:47.8
19198	M1O	04-039/00:10:55.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-038/23:58:47.9
19199	M1O	04-039/00:10:56.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-038/23:58:48.9
19200	M1O	04-039/00:10:57.2		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-038/23:58:49.9
19201	M1O	04-039/00:10:58.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-038/23:58:50.9
19202	M1O	04-039/00:10:59.2		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-038/23:58:51.9
19203	M1O	04-039/00:11:09.2		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-038/23:59:01.9
19204	M1O	04-039/00:11:19.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-038/23:59:11.9
19205	M1O	04-039/00:11:31.2		NOTE: EXIT HGA PARK		
19206	M1O	04-039/00:11:31.2	14	Acquisition Of X-Band Signal		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19207	M1O	04-039/00:11:31.2	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19208	M1O	04-039/00:15:00.0	26	Begin Pre-Cal		
19209	M1O	04-039/00:15:00.0	26	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
19210	M1O	04-039/00:15:00.0	26	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
19211	M1O	04-039/00:15:00.0	26	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
19212	M1O	04-039/00:15:00.0	26	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
19213	M1O	04-039/00:15:00.0	26	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
19214	M1O	04-039/00:15:00.0	26	Config: RCV: Parms:		
19215	M1O	04-039/00:15:00.0	26	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
19216	M1O	04-039/00:15:00.0	26	Config: TGC: BAND=X, SR=221200.000000		
19217	M1O	04-039/00:15:00.0	26	Config: TXL		
19218	M1O	04-039/00:15:00.0	26	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
19219	M1O	04-039/00:15:00.0	26	Config: CMD		
19220	M1O	04-039/00:15:00.0	26	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
19221	M1O	04-039/00:16:19.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-039/00:04:11.9
19222	M1O	04-039/00:16:20.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/00:04:12.9
19223	M1O	04-039/00:16:20.2	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19224	M1O	04-039/00:16:21.2		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-039/00:04:13.9
19225	M1O	04-039/00:16:23.8		NOTE: Apoapsis 9541 -		04-039/00:04:16.5
19226	M1O	04-039/00:18:57.4		NOTE: North Pole Crossing 9541		04-039/00:06:50.2
19227	M1O	04-039/00:48:51.7		NOTE: Descending Node Crossing 9542		04-039/00:36:44.3
19228	M1O	04-039/01:00:00.0	26	Begin Tracking		
19229	M1O	04-039/01:00:00.0	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19230	M1O	04-039/01:01:00.0	26	Acquire U/L: X/08, PWR=20.0, BR=125.0		
19231	M1O	04-039/01:06:00.0	26	Range Modulation On: SUP=3.0dB		
19232	M1O	04-039/01:07:00.0	26	Begin Ranging Acquisition		
19233	M1O	04-039/01:16:13.2		NOTE: Periapsis 9542 ----------		04-039/01:04:05.7
19234	M1O	04-039/01:18:08.4		NOTE: South Pole Crossing 9542		04-039/01:06:01.0
19235	M1O	04-039/01:24:12.6		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-039/01:12:05.1
19236	M1O	04-039/01:24:14.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/01:12:07.2
19237	M1O	04-039/01:24:14.7	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19238	M1O	04-039/01:24:14.7	26	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19239	M1O	04-039/01:24:15.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-039/01:12:08.2
19240	M1O	04-039/01:25:14.8	14	Acquire D/L: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19241	M1O	04-039/01:25:14.8	26	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19242	M1O	04-039/01:30:14.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/01:18:07.2
19243	M1O	04-039/01:30:14.7	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19244	M1O	04-039/01:30:14.7	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19245	M1O	04-039/01:30:15.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-039/01:18:08.2
19246	M1O	04-039/01:46:14.9		NOTE: Enter Solar Eclipse 9542		04-039/01:34:07.4
19247	M1O	04-039/01:47:30.0		NOTE: Ascending Node Crossing 9542		04-039/01:35:22.4
19248	M1O	04-039/01:59:01.6		NOTE: Exit Solar Eclipse 9542		04-039/01:46:54.0
19249	M1O	04-039/02:14:41.7		NOTE: Apoapsis 9542 -		04-039/02:02:34.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19250	M1O	04-039/02:17:29.8		NOTE: North Pole Crossing 9542		04-039/02:05:22.1
19251	M1O	04-039/02:47:24.8		NOTE: Descending Node Crossing 9543		04-039/02:35:17.0
19252	M1O	04-039/03:14:41.7		NOTE: Periapsis 9543 ----------		04-039/03:02:33.9
19253	M1O	04-039/03:16:42.8		NOTE: South Pole Crossing 9543		04-039/03:04:34.9
19254	M1O	04-039/03:36:55.9		SPAWN, Engine = 65535, Parameters = 039, 01, FALSE, 00:14:51.549, 253, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-039/03:24:48.0
19255	M1O	04-039/03:36:57.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/03:24:49.1
19256	M1O	04-039/03:36:59.0		CALL, Engine = , Parameters = 253	get_cmd_opt	04-039/03:24:51.1
19257	M1O	04-039/03:37:41.2		CALL, Engine = , Parameters = 253	get_apid	04-039/03:25:33.3
19258	M1O	04-039/03:37:42.3		CALL, Engine = , Parameters = 253	get_rcv_mode	04-039/03:25:34.4
19259	M1O	04-039/03:37:42.5		CALL, Engine = , Parameters = 253	get_dl_rate	04-039/03:25:34.6
19260	M1O	04-039/03:37:43.6		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-039/03:25:35.7
19261	M1O	04-039/03:37:44.9		CALL, Engine = , Parameters = 253	get_coding	04-039/03:25:37.0
19262	M1O	04-039/03:37:46.1		CALL, Engine = , Parameters = 253	get_xmt_mode	04-039/03:25:38.2
19263	M1O	04-039/03:37:47.3		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-039/03:25:39.4
19264	M1O	04-039/03:38:52.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-039/03:26:44.2
19265	M1O	04-039/03:38:53.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-039/03:26:45.2
19266	M1O	04-039/03:38:54.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-039/03:26:46.2
19267	M1O	04-039/03:38:55.1		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-039/03:26:47.2
19268	M1O	04-039/03:38:56.1		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-039/03:26:48.2
19269	M1O	04-039/03:38:57.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-039/03:26:49.2
19270	M1O	04-039/03:38:58.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-039/03:26:50.2
19271	M1O	04-039/03:44:53.3		NOTE: Enter Solar Eclipse 9543		04-039/03:32:45.3
19272	M1O	04-039/03:46:05.6		NOTE: Ascending Node Crossing 9543		04-039/03:33:57.6
19273	M1O	04-039/03:53:45.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-039/03:41:37.7
19274	M1O	04-039/03:53:46.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-039/03:41:38.8
19275	M1O	04-039/03:53:56.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-039/03:41:48.8
19276	M1O	04-039/03:53:57.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/03:41:49.8
19277	M1O	04-039/03:57:31.9		NOTE: Exit Solar Eclipse 9543		04-039/03:45:23.9
19278	M1O	04-039/04:13:18.7		NOTE: Apoapsis 9543 -		04-039/04:01:10.6
19279	M1O	04-039/04:15:00.0	43	Begin Pre-Cal		
19280	M1O	04-039/04:15:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
19281	M1O	04-039/04:15:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
19282	M1O	04-039/04:15:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
19283	M1O	04-039/04:15:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
19284	M1O	04-039/04:15:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
19285	M1O	04-039/04:15:00.0	43	Config: RCV: Parms:		
19286	M1O	04-039/04:15:00.0	43	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
19287	M1O	04-039/04:15:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
19288	M1O	04-039/04:15:00.0	43	Config: TXL		
19289	M1O	04-039/04:15:00.0	43	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
19290	M1O	04-039/04:15:00.0	43	Config: CMD		
19291	M1O	04-039/04:15:00.0	43	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
19292	M1O	04-039/04:16:05.2		NOTE: North Pole Crossing 9543		04-039/04:03:57.1
19293	M1O	04-039/04:39:06.1		SPAWN, Engine = 65535, Parameters = 039, 01, TRUE, 00:19:13, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-039/04:26:58.0
19294	M1O	04-039/04:39:07.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/04:26:59.1
19295	M1O	04-039/04:39:09.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-039/04:27:01.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19296	M1O	04-039/04:39:09.5		CALL, Engine = , Parameters = 039, 01, 254	bld_autosw	04-039/04:27:01.4
19297	M1O	04-039/04:39:10.6		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-039/04:27:02.5
19298	M1O	04-039/04:39:11.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:03.6
19299	M1O	04-039/04:39:12.7		Deletes the designated file.: d:/dat/254_doy039_pass01_file01.dat	FILE_DELETE	04-039/04:27:04.6
19300	M1O	04-039/04:39:13.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:05.7
19301	M1O	04-039/04:39:14.8		Deletes the designated file.: d:/dat/254_doy039_pass01_file02.dat	FILE_DELETE	04-039/04:27:06.7
19302	M1O	04-039/04:39:15.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:07.8
19303	M1O	04-039/04:39:16.9		Deletes the designated file.: d:/dat/254_doy039_pass01_file03.dat	FILE_DELETE	04-039/04:27:08.8
19304	M1O	04-039/04:39:18.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:09.9
19305	M1O	04-039/04:39:19.0		Deletes the designated file.: d:/dat/254_doy039_pass01_file04.dat	FILE_DELETE	04-039/04:27:10.9
19306	M1O	04-039/04:39:20.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:12.0
19307	M1O	04-039/04:39:21.1		Deletes the designated file.: d:/dat/254_doy039_pass01_file05.dat	FILE_DELETE	04-039/04:27:13.0
19308	M1O	04-039/04:39:22.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:14.1
19309	M1O	04-039/04:39:23.2		Deletes the designated file.: d:/dat/254_doy039_pass01_file06.dat	FILE_DELETE	04-039/04:27:15.1
19310	M1O	04-039/04:39:24.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:16.2
19311	M1O	04-039/04:39:25.3		Deletes the designated file.: d:/dat/254_doy039_pass01_file07.dat	FILE_DELETE	04-039/04:27:17.2
19312	M1O	04-039/04:39:26.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:18.3
19313	M1O	04-039/04:39:27.4		Deletes the designated file.: d:/dat/254_doy039_pass01_file08.dat	FILE_DELETE	04-039/04:27:19.3
19314	M1O	04-039/04:39:28.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:20.4
19315	M1O	04-039/04:39:29.5		Deletes the designated file.: d:/dat/254_doy039_pass01_file09.dat	FILE_DELETE	04-039/04:27:21.4
19316	M1O	04-039/04:39:30.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:22.5
19317	M1O	04-039/04:39:31.6		Deletes the designated file.: d:/dat/254_doy039_pass01_file10.dat	FILE_DELETE	04-039/04:27:23.5
19318	M1O	04-039/04:39:32.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:24.6
19319	M1O	04-039/04:39:33.7		Deletes the designated file.: d:/dat/254_doy039_pass01_file11.dat	FILE_DELETE	04-039/04:27:25.6
19320	M1O	04-039/04:39:34.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:26.7
19321	M1O	04-039/04:39:35.8		Deletes the designated file.: d:/dat/254_doy039_pass01_file12.dat	FILE_DELETE	04-039/04:27:27.7
19322	M1O	04-039/04:39:36.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:28.8
19323	M1O	04-039/04:39:37.9		Deletes the designated file.: d:/dat/254_doy039_pass01_file13.dat	FILE_DELETE	04-039/04:27:29.8
19324	M1O	04-039/04:39:39.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:30.9
19325	M1O	04-039/04:39:40.0		Deletes the designated file.: d:/dat/254_doy039_pass01_file14.dat	FILE_DELETE	04-039/04:27:31.9
19326	M1O	04-039/04:39:41.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:33.0
19327	M1O	04-039/04:39:42.1		Deletes the designated file.: d:/dat/254_doy039_pass01_file15.dat	FILE_DELETE	04-039/04:27:34.0
19328	M1O	04-039/04:39:43.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:35.1
19329	M1O	04-039/04:39:44.2		Deletes the designated file.: d:/dat/254_doy039_pass01_file16.dat	FILE_DELETE	04-039/04:27:36.1
19330	M1O	04-039/04:39:45.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:37.2
19331	M1O	04-039/04:39:46.3		Deletes the designated file.: d:/dat/254_doy039_pass01_file17.dat	FILE_DELETE	04-039/04:27:38.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19332	M1O	04-039/04:39:47.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:39.3
19333	M1O	04-039/04:39:48.4		Deletes the designated file.: d:/dat/254_doy039_pass01_file18.dat	FILE_DELETE	04-039/04:27:40.3
19334	M1O	04-039/04:39:49.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/04:27:41.4
19335	M1O	04-039/04:39:50.5		Deletes the designated file.: d:/dat/254_doy039_pass01_file19.dat	FILE_DELETE	04-039/04:27:42.4
19336	M1O	04-039/04:39:51.5		CALL, Engine = , Parameters = 254	get_apid	04-039/04:27:43.4
19337	M1O	04-039/04:39:52.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-039/04:27:44.5
19338	M1O	04-039/04:39:52.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-039/04:27:44.7
19339	M1O	04-039/04:39:53.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-039/04:27:45.8
19340	M1O	04-039/04:39:55.2		CALL, Engine = , Parameters = 254	get_coding	04-039/04:27:47.1
19341	M1O	04-039/04:39:56.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-039/04:27:48.3
19342	M1O	04-039/04:39:57.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-039/04:27:49.5
19343	M1O	04-039/04:41:02.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-039/04:28:54.3
19344	M1O	04-039/04:41:03.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-039/04:28:55.3
19345	M1O	04-039/04:41:04.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-039/04:28:56.3
19346	M1O	04-039/04:41:05.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-039/04:28:57.3
19347	M1O	04-039/04:41:06.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-039/04:28:58.3
19348	M1O	04-039/04:41:07.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-039/04:28:59.3
19349	M1O	04-039/04:41:08.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-039/04:29:00.3
19350	M1O	04-039/04:42:58.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/04:30:50.3
19351	M1O	04-039/04:42:58.4	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19352	M1O	04-039/04:42:58.4	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19353	M1O	04-039/04:43:03.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/04:30:55.5
19354	M1O	04-039/04:43:08.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-039/04:31:00.3
19355	M1O	04-039/04:46:00.3		NOTE: Descending Node Crossing 9544		04-039/04:33:52.2
19356	M1O	04-039/05:00:19.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-039/04:48:11.3
19357	M1O	04-039/05:00:20.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-039/04:48:12.4
19358	M1O	04-039/05:00:30.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-039/04:48:22.4
19359	M1O	04-039/05:00:31.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/04:48:23.4
19360	M1O	04-039/05:00:32.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-039/04:48:24.4
19361	M1O	04-039/05:00:32.5	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19362	M1O	04-039/05:00:32.5	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19363	M1O	04-039/05:00:33.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-039/04:48:25.4
19364	M1O	04-039/05:05:32.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/04:53:24.0
19365	M1O	04-039/05:05:32.2	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19366	M1O	04-039/05:05:32.2	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19367	M1O	04-039/05:13:40.0		NOTE: Periapsis 9544 ----------		04-039/05:01:31.8
19368	M1O	04-039/05:15:19.5		NOTE: South Pole Crossing 9544		04-039/05:03:11.3
19369	M1O	04-039/05:32:36.2		SPAWN, Engine = 65535, Parameters = 039, 02, TRUE, 00:18:21, 253, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-039/05:20:28.0
19370	M1O	04-039/05:32:37.3		Passes the specified amount of data, data size parameter, through the PACI interface.:	GRS_PASS_THROUGH	04-039/05:20:29.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000		
19371	M1O	04-039/05:32:39.3		CALL, Engine = , Parameters = 253	get_cmd_opt	04-039/05:20:31.1
19372	M1O	04-039/05:32:39.6		CALL, Engine = , Parameters = 039, 02, 253	bld_autosw	04-039/05:20:31.4
19373	M1O	04-039/05:32:40.7		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-039/05:20:32.5
19374	M1O	04-039/05:32:41.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:33.6
19375	M1O	04-039/05:32:42.8		Deletes the designated file.: d:/dat/253_doy039_pass02_file01.dat	FILE_DELETE	04-039/05:20:34.6
19376	M1O	04-039/05:32:43.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:35.7
19377	M1O	04-039/05:32:44.9		Deletes the designated file.: d:/dat/253_doy039_pass02_file02.dat	FILE_DELETE	04-039/05:20:36.7
19378	M1O	04-039/05:32:46.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:37.8
19379	M1O	04-039/05:32:47.0		Deletes the designated file.: d:/dat/253_doy039_pass02_file03.dat	FILE_DELETE	04-039/05:20:38.8
19380	M1O	04-039/05:32:48.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:39.9
19381	M1O	04-039/05:32:49.1		Deletes the designated file.: d:/dat/253_doy039_pass02_file04.dat	FILE_DELETE	04-039/05:20:40.9
19382	M1O	04-039/05:32:50.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:42.0
19383	M1O	04-039/05:32:51.2		Deletes the designated file.: d:/dat/253_doy039_pass02_file05.dat	FILE_DELETE	04-039/05:20:43.0
19384	M1O	04-039/05:32:52.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:44.1
19385	M1O	04-039/05:32:53.3		Deletes the designated file.: d:/dat/253_doy039_pass02_file06.dat	FILE_DELETE	04-039/05:20:45.1
19386	M1O	04-039/05:32:54.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:46.2
19387	M1O	04-039/05:32:55.4		Deletes the designated file.: d:/dat/253_doy039_pass02_file07.dat	FILE_DELETE	04-039/05:20:47.2
19388	M1O	04-039/05:32:56.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:48.3
19389	M1O	04-039/05:32:57.5		Deletes the designated file.: d:/dat/253_doy039_pass02_file08.dat	FILE_DELETE	04-039/05:20:49.3
19390	M1O	04-039/05:32:58.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:50.4
19391	M1O	04-039/05:32:59.6		Deletes the designated file.: d:/dat/253_doy039_pass02_file09.dat	FILE_DELETE	04-039/05:20:51.4
19392	M1O	04-039/05:33:00.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:52.5
19393	M1O	04-039/05:33:01.7		Deletes the designated file.: d:/dat/253_doy039_pass02_file10.dat	FILE_DELETE	04-039/05:20:53.5
19394	M1O	04-039/05:33:02.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:54.6
19395	M1O	04-039/05:33:03.8		Deletes the designated file.: d:/dat/253_doy039_pass02_file11.dat	FILE_DELETE	04-039/05:20:55.6
19396	M1O	04-039/05:33:04.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:56.7
19397	M1O	04-039/05:33:05.9		Deletes the designated file.: d:/dat/253_doy039_pass02_file12.dat	FILE_DELETE	04-039/05:20:57.7
19398	M1O	04-039/05:33:07.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:20:58.8
19399	M1O	04-039/05:33:08.0		Deletes the designated file.: d:/dat/253_doy039_pass02_file13.dat	FILE_DELETE	04-039/05:20:59.8
19400	M1O	04-039/05:33:09.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:21:00.9
19401	M1O	04-039/05:33:10.1		Deletes the designated file.: d:/dat/253_doy039_pass02_file14.dat	FILE_DELETE	04-039/05:21:01.9
19402	M1O	04-039/05:33:11.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:21:03.0
19403	M1O	04-039/05:33:12.2		Deletes the designated file.: d:/dat/253_doy039_pass02_file15.dat	FILE_DELETE	04-039/05:21:04.0
19404	M1O	04-039/05:33:13.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:21:05.1
19405	M1O	04-039/05:33:14.3		Deletes the designated file.: d:/dat/253_doy039_pass02_file16.dat	FILE_DELETE	04-039/05:21:06.1
19406	M1O	04-039/05:33:15.4		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-039/05:21:07.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy039_pass02_file17.dat, d:/dat/autoswitch.dat		
19407	M1O	04-039/05:33:16.4		Deletes the designated file.: d:/dat/253_doy039_pass02_file17.dat	FILE_DELETE	04-039/05:21:08.2
19408	M1O	04-039/05:33:17.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:21:09.3
19409	M1O	04-039/05:33:18.5		Deletes the designated file.: d:/dat/253_doy039_pass02_file18.dat	FILE_DELETE	04-039/05:21:10.3
19410	M1O	04-039/05:33:19.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/05:21:11.4
19411	M1O	04-039/05:33:20.6		Deletes the designated file.: d:/dat/253_doy039_pass02_file19.dat	FILE_DELETE	04-039/05:21:12.4
19412	M1O	04-039/05:33:21.6		CALL, Engine = , Parameters = 253	get_apid	04-039/05:21:13.4
19413	M1O	04-039/05:33:22.7		CALL, Engine = , Parameters = 253	get_rcv_mode	04-039/05:21:14.5
19414	M1O	04-039/05:33:22.9		CALL, Engine = , Parameters = 253	get_dl_rate	04-039/05:21:14.7
19415	M1O	04-039/05:33:24.0		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-039/05:21:15.8
19416	M1O	04-039/05:33:25.3		CALL, Engine = , Parameters = 253	get_coding	04-039/05:21:17.1
19417	M1O	04-039/05:33:26.5		CALL, Engine = , Parameters = 253	get_xmt_mode	04-039/05:21:18.3
19418	M1O	04-039/05:33:27.7		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-039/05:21:19.5
19419	M1O	04-039/05:34:32.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-039/05:22:24.3
19420	M1O	04-039/05:34:33.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-039/05:22:25.3
19421	M1O	04-039/05:34:34.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-039/05:22:26.3
19422	M1O	04-039/05:34:35.5		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-039/05:22:27.3
19423	M1O	04-039/05:34:36.5		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-039/05:22:28.3
19424	M1O	04-039/05:34:37.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-039/05:22:29.3
19425	M1O	04-039/05:34:38.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-039/05:22:30.3
19426	M1O	04-039/05:34:39.5		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-039/05:22:31.3
19427	M1O	04-039/05:34:40.5		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-039/05:22:32.3
19428	M1O	04-039/05:36:28.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/05:24:20.3
19429	M1O	04-039/05:36:28.6	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19430	M1O	04-039/05:36:28.6	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19431	M1O	04-039/05:36:33.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/05:24:25.5
19432	M1O	04-039/05:36:38.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-039/05:24:30.3
19433	M1O	04-039/05:40:43.2	26	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
19434	M1O	04-039/05:43:29.0		NOTE: Enter Solar Eclipse 9544		04-039/05:31:20.7
19435	M1O	04-039/05:44:42.6		NOTE: Ascending Node Crossing 9544		04-039/05:32:34.3
19436	M1O	04-039/05:45:00.0	26	NOTE: X-Band Transmitter Off in 15 minutes		
19437	M1O	04-039/05:52:54.6		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-039/05:40:46.3
19438	M1O	04-039/05:52:55.6		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-039/05:40:47.3
19439	M1O	04-039/05:52:57.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-039/05:40:49.3
19440	M1O	04-039/05:52:58.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-039/05:40:50.4
19441	M1O	04-039/05:53:08.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-039/05:41:00.4
19442	M1O	04-039/05:53:09.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/05:41:01.4
19443	M1O	04-039/05:53:10.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-039/05:41:02.4
19444	M1O	04-039/05:53:10.7	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19445	M1O	04-039/05:53:10.7	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19446	M1O	04-039/05:53:11.7		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-039/05:41:03.4
19447	M1O	04-039/05:55:00.0	26	Range Modulation Off		
19448	M1O	04-039/05:56:08.8		NOTE: Exit Solar Eclipse 9544		04-039/05:44:00.5
19449	M1O	04-039/05:58:10.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/05:46:02.0
19450	M1O	04-039/05:58:10.3	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19451	M1O	04-039/05:58:10.3	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19452	M1O	04-039/06:00:00.0	43	Begin Tracking		
19453	M1O	04-039/06:00:00.0	43	Acquire D/L: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19454	M1O	04-039/06:00:00.0	26	X-Band Transmitter Off		
19455	M1O	04-039/06:01:00.0	43	Acquire U/L: X/08, PWR=20.0, BR=125.0		
19456	M1O	04-039/06:05:00.0	26	End Tracking		
19457	M1O	04-039/06:06:00.0	43	Range Modulation On: SUP=3.0dB		
19458	M1O	04-039/06:07:00.0	43	Begin Ranging Acquisition		
19459	M1O	04-039/06:12:25.8		NOTE: Apoapsis 9544 -		04-039/06:00:17.4
19460	M1O	04-039/06:14:41.6		NOTE: North Pole Crossing 9544		04-039/06:02:33.2
19461	M1O	04-039/06:20:00.0	14	End Tracking		
19462	M1O	04-039/06:20:00.0	26	End Post-Cal		
19463	M1O	04-039/06:23:14.7		SPAWN, Engine = 65535, Parameters = 3, 00:07:00, 1	dpt	04-039/06:11:06.2
19464	M1O	04-039/06:23:16.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/06:11:08.3
19465	M1O	04-039/06:23:16.8	43	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19466	M1O	04-039/06:23:17.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-039/06:11:09.3
19467	M1O	04-039/06:24:16.7	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19468	M1O	04-039/06:25:16.7	43	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19469	M1O	04-039/06:30:16.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/06:18:08.3
19470	M1O	04-039/06:30:16.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19471	M1O	04-039/06:30:17.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-039/06:18:09.3
19472	M1O	04-039/06:35:00.0	14	End Post-Cal		
19473	M1O	04-039/06:44:36.9		NOTE: Descending Node Crossing 9545		04-039/06:32:28.4
19474	M1O	04-039/07:12:08.6		SPAWN, Engine = 65535, Parameters =	scdiag	04-039/07:00:00.0
19475	M1O	04-039/07:12:09.7		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-039/07:00:01.1
19476	M1O	04-039/07:12:10.7		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-039/07:00:02.1
19477	M1O	04-039/07:12:41.4		NOTE: Periapsis 9545 ----------		04-039/07:00:32.8
19478	M1O	04-039/07:13:11.6		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-039/07:01:03.0
19479	M1O	04-039/07:13:11.8		NOTE: Start Block fsw_diag		04-039/07:01:03.2
19480	M1O	04-039/07:13:12.8		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-039/07:01:04.2
19481	M1O	04-039/07:13:13.8		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-039/07:01:05.2
19482	M1O	04-039/07:13:24.8		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-039/07:01:16.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19483	M1O	04-039/07:13:54.8		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-039/07:01:46.2
19484	M1O	04-039/07:13:56.1		NOTE: South Pole Crossing 9545		04-039/07:01:47.5
19485	M1O	04-039/07:14:14.8		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-039/07:02:06.2
19486	M1O	04-039/07:14:24.8		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-039/07:02:16.2
19487	M1O	04-039/07:14:44.8		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-039/07:02:36.2
19488	M1O	04-039/07:14:54.8		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-039/07:02:46.2
19489	M1O	04-039/07:14:59.8		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-039/07:02:51.2
19490	M1O	04-039/07:15:04.8		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-039/07:02:56.2
19491	M1O	04-039/07:15:09.8		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-039/07:03:01.2
19492	M1O	04-039/07:15:14.8		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-039/07:03:06.2
19493	M1O	04-039/07:15:19.8		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-039/07:03:11.2
19494	M1O	04-039/07:15:59.8		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-039/07:03:51.2
19495	M1O	04-039/07:16:04.8		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-039/07:03:56.2
19496	M1O	04-039/07:16:09.8		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-039/07:04:01.2
19497	M1O	04-039/07:16:14.8		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-039/07:04:06.2
19498	M1O	04-039/07:16:19.8		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-039/07:04:11.2
19499	M1O	04-039/07:16:20.8		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-039/07:04:12.2
19500	M1O	04-039/07:16:21.8		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-039/07:04:13.2
19501	M1O	04-039/07:16:22.8		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-039/07:04:14.2
19502	M1O	04-039/07:16:33.8		NOTE: End Block fsw_diag.mod		04-039/07:04:25.2
19503	M1O	04-039/07:42:01.8		NOTE: Enter Solar Eclipse 9545		04-039/07:29:53.1
19504	M1O	04-039/07:43:18.6		NOTE: Ascending Node Crossing 9545		04-039/07:31:09.8
19505	M1O	04-039/07:44:59.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
19506	M1O	04-039/07:54:46.8		NOTE: Exit Solar Eclipse 9545		04-039/07:42:38.1
19507	M1O	04-039/07:54:59.0	43	Range Modulation Off		
19508	M1O	04-039/07:59:59.0	43	X-Band Transmitter Off		
19509	M1O	04-039/08:11:26.1		NOTE: Apoapsis 9545 -		04-039/07:59:17.3
19510	M1O	04-039/08:13:17.5		NOTE: North Pole Crossing 9545		04-039/08:01:08.7
19511	M1O	04-039/08:23:14.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-039/08:11:05.2
19512	M1O	04-039/08:23:16.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/08:11:07.3
19513	M1O	04-039/08:23:16.2	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19514	M1O	04-039/08:23:17.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-039/08:11:08.3
19515	M1O	04-039/08:24:16.5	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19516	M1O	04-039/08:29:16.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/08:17:07.3
19517	M1O	04-039/08:29:16.2	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19518	M1O	04-039/08:29:17.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-039/08:17:08.3
19519	M1O	04-039/08:43:12.9		NOTE: Descending Node Crossing 9546		04-039/08:31:04.0
19520	M1O	04-039/09:11:23.9		NOTE: Periapsis 9546 ----------		04-039/08:59:14.9
19521	M1O	04-039/09:12:31.1		NOTE: South Pole Crossing 9546		04-039/09:00:22.1
19522	M1O	04-039/09:30:00.0	63	Begin Pre-Cal		
19523	M1O	04-039/09:30:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
19524	M1O	04-039/09:30:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
19525	M1O	04-039/09:30:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
19526	M1O	04-039/09:30:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
19527	M1O	04-039/09:30:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
19528	M1O	04-039/09:30:00.0	63	Config: RCV: Parms:		
19529	M1O	04-039/09:30:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
19530	M1O	04-039/09:30:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
19531	M1O	04-039/09:30:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19532	M1O	04-039/09:40:32.3		NOTE: Enter Solar Eclipse 9546		04-039/09:28:23.3
19533	M1O	04-039/09:41:52.2		NOTE: Ascending Node Crossing 9546		04-039/09:29:43.1
19534	M1O	04-039/09:53:23.4		NOTE: Exit Solar Eclipse 9546		04-039/09:41:14.2
19535	M1O	04-039/10:09:51.3		NOTE: Apoapsis 9546 -		04-039/09:57:42.2
19536	M1O	04-039/10:11:51.0		NOTE: North Pole Crossing 9546		04-039/09:59:41.8
19537	M1O	04-039/10:26:07.2		SPAWN, Engine = 65535, Parameters = 039, 01, FALSE, 00:19:28.148, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-039/10:13:58.0
19538	M1O	04-039/10:26:08.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/10:13:59.1
19539	M1O	04-039/10:26:10.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-039/10:14:01.1
19540	M1O	04-039/10:26:52.5		CALL, Engine = , Parameters = 56	get_apid	04-039/10:14:43.3
19541	M1O	04-039/10:26:53.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-039/10:14:44.4
19542	M1O	04-039/10:26:53.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-039/10:14:44.6
19543	M1O	04-039/10:26:54.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-039/10:14:45.7
19544	M1O	04-039/10:26:56.1		CALL, Engine = , Parameters = 56	get_coding	04-039/10:14:46.9
19545	M1O	04-039/10:26:57.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-039/10:14:48.1
19546	M1O	04-039/10:26:58.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-039/10:14:49.3
19547	M1O	04-039/10:28:03.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-039/10:15:54.1
19548	M1O	04-039/10:28:04.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-039/10:15:55.1
19549	M1O	04-039/10:28:05.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-039/10:15:56.1
19550	M1O	04-039/10:28:06.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-039/10:15:57.1
19551	M1O	04-039/10:28:07.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-039/10:15:58.1
19552	M1O	04-039/10:28:08.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-039/10:15:59.1
19553	M1O	04-039/10:28:09.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-039/10:16:00.1
19554	M1O	04-039/10:30:00.0	55	Begin Pre-Cal		
19555	M1O	04-039/10:30:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
19556	M1O	04-039/10:30:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
19557	M1O	04-039/10:30:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
19558	M1O	04-039/10:30:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
19559	M1O	04-039/10:30:00.0	55	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
19560	M1O	04-039/10:30:00.0	55	Config: RCV: Parms:		
19561	M1O	04-039/10:30:00.0	55	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
19562	M1O	04-039/10:30:00.0	55	Config: TGC: BAND=X, SR=221200.000000		
19563	M1O	04-039/10:30:00.0	55	Config: TXL		
19564	M1O	04-039/10:30:00.0	55	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
19565	M1O	04-039/10:30:00.0	55	Config: CMD		
19566	M1O	04-039/10:30:00.0	55	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
19567	M1O	04-039/10:41:46.0		NOTE: Descending Node Crossing 9547		04-039/10:29:36.7
19568	M1O	04-039/10:47:33.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-039/10:35:24.2
19569	M1O	04-039/10:47:34.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-039/10:35:25.3
19570	M1O	04-039/10:47:44.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-039/10:35:35.3
19571	M1O	04-039/10:47:45.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/10:35:36.3
19572	M1O	04-039/11:09:37.8		NOTE: Periapsis 9547 ----------		04-039/10:57:28.4
19573	M1O	04-039/11:11:03.1		NOTE: South Pole Crossing 9547		04-039/10:58:53.7
19574	M1O	04-039/11:15:00.0	63	Begin Tracking		
19575	M1O	04-039/11:15:00.0	55	Begin Tracking		
19576	M1O	04-039/11:15:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19577	M1O	04-039/11:15:00.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19578	M1O	04-039/11:16:39.0	63	NOTE: Above Uplink Interlock Limit		
19579	M1O	04-039/11:16:40.0	55	NOTE: Above Uplink Interlock Limit		
19580	M1O	04-039/11:20:00.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
19581	M1O	04-039/11:23:44.0	43	NOTE: Below Uplink Interlock Limit		
19582	M1O	04-039/11:25:00.0	55	Range Modulation On: SUP=3.0dB		
19583	M1O	04-039/11:26:00.0	55	Begin Ranging Acquisition		
19584	M1O	04-039/11:30:00.0	43	End Tracking		
19585	M1O	04-039/11:39:04.5		NOTE: Enter Solar Eclipse 9547		04-039/11:26:55.0
19586	M1O	04-039/11:40:23.8		NOTE: Ascending Node Crossing 9547		04-039/11:28:14.3
19587	M1O	04-039/11:43:15.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-039/11:31:06.2
19588	M1O	04-039/11:43:17.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/11:31:08.3
19589	M1O	04-039/11:43:17.8	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19590	M1O	04-039/11:43:17.8	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19591	M1O	04-039/11:43:18.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-039/11:31:09.3
19592	M1O	04-039/11:44:18.8	63	Acquire D/L: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19593	M1O	04-039/11:44:18.8	55	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19594	M1O	04-039/11:45:00.0	43	End Post-Cal		
19595	M1O	04-039/11:49:17.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/11:37:08.3
19596	M1O	04-039/11:49:17.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19597	M1O	04-039/11:49:17.8	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19598	M1O	04-039/11:49:18.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-039/11:37:09.3
19599	M1O	04-039/11:51:56.0		NOTE: Exit Solar Eclipse 9547		04-039/11:39:46.5
19600	M1O	04-039/12:07:55.9		NOTE: Apoapsis 9547 -		04-039/11:55:46.4
19601	M1O	04-039/12:10:21.9		NOTE: North Pole Crossing 9547		04-039/11:58:12.3
19602	M1O	04-039/12:40:15.9		NOTE: Descending Node Crossing 9548		04-039/12:28:06.3
19603	M1O	04-039/13:07:49.9		NOTE: Periapsis 9548 ----------		04-039/12:55:40.2
19604	M1O	04-039/13:09:33.4		NOTE: South Pole Crossing 9548		04-039/12:57:23.7
19605	M1O	04-039/13:37:38.8		NOTE: Enter Solar Eclipse 9548		04-039/13:25:28.9
19606	M1O	04-039/13:38:55.3		NOTE: Ascending Node Crossing 9548		04-039/13:26:45.4
19607	M1O	04-039/13:50:22.9		NOTE: Exit Solar Eclipse 9548		04-039/13:38:13.0
19608	M1O	04-039/14:06:28.5		NOTE: Apoapsis 9548 -		04-039/13:54:18.5
19609	M1O	04-039/14:08:53.6		NOTE: North Pole Crossing 9548		04-039/13:56:43.7
19610	M1O	04-039/14:38:47.8		NOTE: Descending Node Crossing 9549		04-039/14:26:37.8
19611	M1O	04-039/15:06:22.9		NOTE: Periapsis 9549 ----------		04-039/14:54:12.7
19612	M1O	04-039/15:08:06.2		NOTE: South Pole Crossing 9549		04-039/14:55:56.0
19613	M1O	04-039/15:36:13.7		NOTE: Enter Solar Eclipse 9549		04-039/15:24:03.5
19614	M1O	04-039/15:37:28.8		NOTE: Ascending Node Crossing 9549		04-039/15:25:18.6
19615	M1O	04-039/15:48:49.7		NOTE: Exit Solar Eclipse 9549		04-039/15:36:39.4
19616	M1O	04-039/16:05:17.7		NOTE: Apoapsis 9549 -		04-039/15:53:07.4
19617	M1O	04-039/16:07:28.5		NOTE: North Pole Crossing 9549		04-039/15:55:18.2
19618	M1O	04-039/16:27:20.3		SPAWN, Engine = 65535, Parameters = 039, 03, TRUE, 00:18:00, 253, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-039/16:15:10.0
19619	M1O	04-039/16:27:21.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/16:15:11.1
19620	M1O	04-039/16:27:23.4		CALL, Engine = , Parameters = 253	get_cmd_opt	04-039/16:15:13.1
19621	M1O	04-039/16:27:23.7		CALL, Engine = , Parameters = 039, 03, 253	bld_autosw	04-039/16:15:13.4
19622	M1O	04-039/16:27:24.8		Copies the file designated in the source_path to the target_path.:	FILE_COPY	04-039/16:15:14.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE		
19623	M1O	04-039/16:27:25.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:15.6
19624	M1O	04-039/16:27:26.9		Deletes the designated file.: d:/dat/253_doy039_pass03_file01.dat	FILE_DELETE	04-039/16:15:16.6
19625	M1O	04-039/16:27:28.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:17.7
19626	M1O	04-039/16:27:29.0		Deletes the designated file.: d:/dat/253_doy039_pass03_file02.dat	FILE_DELETE	04-039/16:15:18.7
19627	M1O	04-039/16:27:30.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:19.8
19628	M1O	04-039/16:27:31.1		Deletes the designated file.: d:/dat/253_doy039_pass03_file03.dat	FILE_DELETE	04-039/16:15:20.8
19629	M1O	04-039/16:27:32.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:21.9
19630	M1O	04-039/16:27:33.2		Deletes the designated file.: d:/dat/253_doy039_pass03_file04.dat	FILE_DELETE	04-039/16:15:22.9
19631	M1O	04-039/16:27:34.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:24.0
19632	M1O	04-039/16:27:35.3		Deletes the designated file.: d:/dat/253_doy039_pass03_file05.dat	FILE_DELETE	04-039/16:15:25.0
19633	M1O	04-039/16:27:36.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:26.1
19634	M1O	04-039/16:27:37.4		Deletes the designated file.: d:/dat/253_doy039_pass03_file06.dat	FILE_DELETE	04-039/16:15:27.1
19635	M1O	04-039/16:27:38.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:28.2
19636	M1O	04-039/16:27:39.5		Deletes the designated file.: d:/dat/253_doy039_pass03_file07.dat	FILE_DELETE	04-039/16:15:29.2
19637	M1O	04-039/16:27:40.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:30.3
19638	M1O	04-039/16:27:41.6		Deletes the designated file.: d:/dat/253_doy039_pass03_file08.dat	FILE_DELETE	04-039/16:15:31.3
19639	M1O	04-039/16:27:42.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:32.4
19640	M1O	04-039/16:27:43.7		Deletes the designated file.: d:/dat/253_doy039_pass03_file09.dat	FILE_DELETE	04-039/16:15:33.4
19641	M1O	04-039/16:27:44.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:34.5
19642	M1O	04-039/16:27:45.8		Deletes the designated file.: d:/dat/253_doy039_pass03_file10.dat	FILE_DELETE	04-039/16:15:35.5
19643	M1O	04-039/16:27:46.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:36.6
19644	M1O	04-039/16:27:47.9		Deletes the designated file.: d:/dat/253_doy039_pass03_file11.dat	FILE_DELETE	04-039/16:15:37.6
19645	M1O	04-039/16:27:49.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:38.7
19646	M1O	04-039/16:27:50.0		Deletes the designated file.: d:/dat/253_doy039_pass03_file12.dat	FILE_DELETE	04-039/16:15:39.7
19647	M1O	04-039/16:27:51.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:40.8
19648	M1O	04-039/16:27:52.1		Deletes the designated file.: d:/dat/253_doy039_pass03_file13.dat	FILE_DELETE	04-039/16:15:41.8
19649	M1O	04-039/16:27:53.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:42.9
19650	M1O	04-039/16:27:54.2		Deletes the designated file.: d:/dat/253_doy039_pass03_file14.dat	FILE_DELETE	04-039/16:15:43.9
19651	M1O	04-039/16:27:55.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:45.0
19652	M1O	04-039/16:27:56.3		Deletes the designated file.: d:/dat/253_doy039_pass03_file15.dat	FILE_DELETE	04-039/16:15:46.0
19653	M1O	04-039/16:27:57.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:47.1
19654	M1O	04-039/16:27:58.4		Deletes the designated file.: d:/dat/253_doy039_pass03_file16.dat	FILE_DELETE	04-039/16:15:48.1
19655	M1O	04-039/16:27:59.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:49.2
19656	M1O	04-039/16:28:00.5		Deletes the designated file.: d:/dat/253_doy039_pass03_file17.dat	FILE_DELETE	04-039/16:15:50.2
19657	M1O	04-039/16:28:01.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:51.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19658	M1O	04-039/16:28:02.6		Deletes the designated file.: d:/dat/253_doy039_pass03_file18.dat	FILE_DELETE	04-039/16:15:52.3
19659	M1O	04-039/16:28:03.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy039_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/16:15:53.4
19660	M1O	04-039/16:28:04.7		Deletes the designated file.: d:/dat/253_doy039_pass03_file19.dat	FILE_DELETE	04-039/16:15:54.4
19661	M1O	04-039/16:28:05.7		CALL, Engine = , Parameters = 253	get_apid	04-039/16:15:55.4
19662	M1O	04-039/16:28:06.8		CALL, Engine = , Parameters = 253	get_rcv_mode	04-039/16:15:56.5
19663	M1O	04-039/16:28:07.0		CALL, Engine = , Parameters = 253	get_dl_rate	04-039/16:15:56.7
19664	M1O	04-039/16:28:08.1		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-039/16:15:57.8
19665	M1O	04-039/16:28:09.4		CALL, Engine = , Parameters = 253	get_coding	04-039/16:15:59.1
19666	M1O	04-039/16:28:10.6		CALL, Engine = , Parameters = 253	get_xmt_mode	04-039/16:16:00.3
19667	M1O	04-039/16:28:11.8		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-039/16:16:01.5
19668	M1O	04-039/16:29:16.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-039/16:17:06.3
19669	M1O	04-039/16:29:17.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-039/16:17:07.3
19670	M1O	04-039/16:29:18.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-039/16:17:08.3
19671	M1O	04-039/16:29:19.6		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-039/16:17:09.3
19672	M1O	04-039/16:29:20.6		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-039/16:17:10.3
19673	M1O	04-039/16:29:21.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-039/16:17:11.3
19674	M1O	04-039/16:29:22.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-039/16:17:12.3
19675	M1O	04-039/16:31:12.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/16:19:02.3
19676	M1O	04-039/16:31:12.6	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19677	M1O	04-039/16:31:12.6	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19678	M1O	04-039/16:31:17.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/16:19:07.5
19679	M1O	04-039/16:31:22.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-039/16:19:12.3
19680	M1O	04-039/16:37:24.2		NOTE: Descending Node Crossing 9550		04-039/16:25:13.7
19681	M1O	04-039/16:45:39.0	55	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
19682	M1O	04-039/16:47:20.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-039/16:35:10.3
19683	M1O	04-039/16:47:21.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-039/16:35:11.4
19684	M1O	04-039/16:47:31.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-039/16:35:21.4
19685	M1O	04-039/16:47:32.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/16:35:22.4
19686	M1O	04-039/16:47:33.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-039/16:35:23.4
19687	M1O	04-039/16:47:33.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19688	M1O	04-039/16:47:33.8	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19689	M1O	04-039/16:47:34.8		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-039/16:35:24.4
19690	M1O	04-039/16:52:33.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/16:40:23.0
19691	M1O	04-039/16:52:33.4	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19692	M1O	04-039/16:52:33.4	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19693	M1O	04-039/16:55:00.0	55	Range Modulation Off		
19694	M1O	04-039/17:00:00.0	63	U/L Transfer From DSS-55 to DSS-63: PWR=20.0, BR=125.0		
19695	M1O	04-039/17:05:00.0	63	Range Modulation On: SUP=3.0dB		
19696	M1O	04-039/17:05:08.9		NOTE: Periapsis 9550 ----------		04-039/16:52:58.4
19697	M1O	04-039/17:06:00.0	63	Begin Ranging Acquisition		
19698	M1O	04-039/17:06:42.4		NOTE: South Pole Crossing 9550		04-039/16:54:31.9

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19699	M1O	04-039/17:10:00.0	55	End Tracking		
19700	M1O	04-039/17:19:36.5		SPAWN, Engine = 65535, Parameters = 039, 03, TRUE, 00:19:18, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-039/17:07:26.0
19701	M1O	04-039/17:19:37.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/17:07:27.1
19702	M1O	04-039/17:19:39.6		CALL, Engine = , Parameters = 254	get_cmd_opt	04-039/17:07:29.1
19703	M1O	04-039/17:19:39.9		CALL, Engine = , Parameters = 039, 03, 254	bld_autosw	04-039/17:07:29.4
19704	M1O	04-039/17:19:41.0		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-039/17:07:30.5
19705	M1O	04-039/17:19:42.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:31.6
19706	M1O	04-039/17:19:43.1		Deletes the designated file.: d:/dat/254_doy039_pass03_file01.dat	FILE_DELETE	04-039/17:07:32.6
19707	M1O	04-039/17:19:44.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:33.7
19708	M1O	04-039/17:19:45.2		Deletes the designated file.: d:/dat/254_doy039_pass03_file02.dat	FILE_DELETE	04-039/17:07:34.7
19709	M1O	04-039/17:19:46.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:35.8
19710	M1O	04-039/17:19:47.3		Deletes the designated file.: d:/dat/254_doy039_pass03_file03.dat	FILE_DELETE	04-039/17:07:36.8
19711	M1O	04-039/17:19:48.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:37.9
19712	M1O	04-039/17:19:49.4		Deletes the designated file.: d:/dat/254_doy039_pass03_file04.dat	FILE_DELETE	04-039/17:07:38.9
19713	M1O	04-039/17:19:50.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:40.0
19714	M1O	04-039/17:19:51.5		Deletes the designated file.: d:/dat/254_doy039_pass03_file05.dat	FILE_DELETE	04-039/17:07:41.0
19715	M1O	04-039/17:19:52.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:42.1
19716	M1O	04-039/17:19:53.6		Deletes the designated file.: d:/dat/254_doy039_pass03_file06.dat	FILE_DELETE	04-039/17:07:43.1
19717	M1O	04-039/17:19:54.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:44.2
19718	M1O	04-039/17:19:55.7		Deletes the designated file.: d:/dat/254_doy039_pass03_file07.dat	FILE_DELETE	04-039/17:07:45.2
19719	M1O	04-039/17:19:56.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:46.3
19720	M1O	04-039/17:19:57.8		Deletes the designated file.: d:/dat/254_doy039_pass03_file08.dat	FILE_DELETE	04-039/17:07:47.3
19721	M1O	04-039/17:19:58.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:48.4
19722	M1O	04-039/17:19:59.9		Deletes the designated file.: d:/dat/254_doy039_pass03_file09.dat	FILE_DELETE	04-039/17:07:49.4
19723	M1O	04-039/17:20:01.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:50.5
19724	M1O	04-039/17:20:02.0		Deletes the designated file.: d:/dat/254_doy039_pass03_file10.dat	FILE_DELETE	04-039/17:07:51.5
19725	M1O	04-039/17:20:03.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:52.6
19726	M1O	04-039/17:20:04.1		Deletes the designated file.: d:/dat/254_doy039_pass03_file11.dat	FILE_DELETE	04-039/17:07:53.6
19727	M1O	04-039/17:20:05.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:54.7
19728	M1O	04-039/17:20:06.2		Deletes the designated file.: d:/dat/254_doy039_pass03_file12.dat	FILE_DELETE	04-039/17:07:55.7
19729	M1O	04-039/17:20:07.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:56.8
19730	M1O	04-039/17:20:08.3		Deletes the designated file.: d:/dat/254_doy039_pass03_file13.dat	FILE_DELETE	04-039/17:07:57.8
19731	M1O	04-039/17:20:09.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:07:58.9
19732	M1O	04-039/17:20:10.4		Deletes the designated file.: d:/dat/254_doy039_pass03_file14.dat	FILE_DELETE	04-039/17:07:59.9
19733	M1O	04-039/17:20:11.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:08:01.0
19734	M1O	04-039/17:20:12.5		Deletes the designated file.: d:/dat/254_doy039_pass03_file15.dat	FILE_DELETE	04-039/17:08:02.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19735	M1O	04-039/17:20:13.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:08:03.1
19736	M1O	04-039/17:20:14.6		Deletes the designated file.: d:/dat/254_doy039_pass03_file16.dat	FILE_DELETE	04-039/17:08:04.1
19737	M1O	04-039/17:20:15.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:08:05.2
19738	M1O	04-039/17:20:16.7		Deletes the designated file.: d:/dat/254_doy039_pass03_file17.dat	FILE_DELETE	04-039/17:08:06.2
19739	M1O	04-039/17:20:17.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:08:07.3
19740	M1O	04-039/17:20:18.8		Deletes the designated file.: d:/dat/254_doy039_pass03_file18.dat	FILE_DELETE	04-039/17:08:08.3
19741	M1O	04-039/17:20:19.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy039_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-039/17:08:09.4
19742	M1O	04-039/17:20:20.9		Deletes the designated file.: d:/dat/254_doy039_pass03_file19.dat	FILE_DELETE	04-039/17:08:10.4
19743	M1O	04-039/17:20:21.9		CALL, Engine = , Parameters = 254	get_apid	04-039/17:08:11.4
19744	M1O	04-039/17:20:23.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-039/17:08:12.5
19745	M1O	04-039/17:20:23.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-039/17:08:12.7
19746	M1O	04-039/17:20:24.3		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-039/17:08:13.8
19747	M1O	04-039/17:20:25.6		CALL, Engine = , Parameters = 254	get_coding	04-039/17:08:15.1
19748	M1O	04-039/17:20:26.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-039/17:08:16.3
19749	M1O	04-039/17:20:28.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-039/17:08:17.5
19750	M1O	04-039/17:21:32.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-039/17:09:22.3
19751	M1O	04-039/17:21:33.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-039/17:09:23.3
19752	M1O	04-039/17:21:34.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-039/17:09:24.3
19753	M1O	04-039/17:21:35.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-039/17:09:25.3
19754	M1O	04-039/17:21:36.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-039/17:09:26.3
19755	M1O	04-039/17:21:37.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-039/17:09:27.3
19756	M1O	04-039/17:21:38.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-039/17:09:28.3
19757	M1O	04-039/17:21:39.8		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-039/17:09:29.3
19758	M1O	04-039/17:21:40.8		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-039/17:09:30.3
19759	M1O	04-039/17:23:28.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/17:11:18.3
19760	M1O	04-039/17:23:28.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19761	M1O	04-039/17:23:34.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/17:11:23.5
19762	M1O	04-039/17:23:38.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-039/17:11:28.3
19763	M1O	04-039/17:24:20.9	63	Acquire D/L: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19764	M1O	04-039/17:25:00.0	55	End Post-Cal		
19765	M1O	04-039/17:34:48.9		NOTE: Enter Solar Eclipse 9550		04-039/17:22:38.3
19766	M1O	04-039/17:36:04.7		NOTE: Ascending Node Crossing 9550		04-039/17:23:54.1
19767	M1O	04-039/17:40:51.9		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-039/17:28:41.3
19768	M1O	04-039/17:40:52.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-039/17:28:42.3
19769	M1O	04-039/17:40:54.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-039/17:28:44.3
19770	M1O	04-039/17:40:56.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-039/17:28:45.4
19771	M1O	04-039/17:41:06.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-039/17:28:55.4
19772	M1O	04-039/17:41:07.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/17:28:56.4
19773	M1O	04-039/17:41:08.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-039/17:28:57.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19774	M1O	04-039/17:41:08.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19775	M1O	04-039/17:41:09.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-039/17:28:58.4
19776	M1O	04-039/17:46:07.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/17:33:57.0
19777	M1O	04-039/17:46:07.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19778	M1O	04-039/17:47:21.8		NOTE: Exit Solar Eclipse 9550		04-039/17:35:11.2
19779	M1O	04-039/18:03:51.7		NOTE: Apoapsis 9550 -		04-039/17:51:41.0
19780	M1O	04-039/18:06:04.8		NOTE: North Pole Crossing 9550		04-039/17:53:54.2
19781	M1O	04-039/18:26:13.7		SPAWN, Engine = 65535, Parameters = 039, 04, FALSE, 00:15:02.463, 253, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-039/18:14:03.0
19782	M1O	04-039/18:26:14.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/18:14:04.1
19783	M1O	04-039/18:26:16.8		CALL, Engine = , Parameters = 253	get_cmd_opt	04-039/18:14:06.1
19784	M1O	04-039/18:26:59.0		CALL, Engine = , Parameters = 253	get_apid	04-039/18:14:48.3
19785	M1O	04-039/18:27:00.1		CALL, Engine = , Parameters = 253	get_rcv_mode	04-039/18:14:49.4
19786	M1O	04-039/18:27:00.3		CALL, Engine = , Parameters = 253	get_dl_rate	04-039/18:14:49.6
19787	M1O	04-039/18:27:01.4		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-039/18:14:50.7
19788	M1O	04-039/18:27:02.7		CALL, Engine = , Parameters = 253	get_coding	04-039/18:14:52.0
19789	M1O	04-039/18:27:03.9		CALL, Engine = , Parameters = 253	get_xmt_mode	04-039/18:14:53.2
19790	M1O	04-039/18:27:05.1		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-039/18:14:54.4
19791	M1O	04-039/18:28:09.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-039/18:15:59.2
19792	M1O	04-039/18:28:10.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-039/18:16:00.2
19793	M1O	04-039/18:28:11.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-039/18:16:01.2
19794	M1O	04-039/18:28:12.9		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-039/18:16:02.2
19795	M1O	04-039/18:28:13.9		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-039/18:16:03.2
19796	M1O	04-039/18:28:14.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-039/18:16:04.2
19797	M1O	04-039/18:28:15.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-039/18:16:05.2
19798	M1O	04-039/18:36:01.0		NOTE: Descending Node Crossing 9551		04-039/18:23:50.2
19799	M1O	04-039/18:43:14.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-039/18:31:03.6
19800	M1O	04-039/18:43:15.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-039/18:31:04.7
19801	M1O	04-039/18:43:25.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-039/18:31:14.7
19802	M1O	04-039/18:43:26.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/18:31:15.7
19803	M1O	04-039/19:03:42.0		NOTE: Periapsis 9551 ----------		04-039/18:51:31.1
19804	M1O	04-039/19:05:19.2		NOTE: South Pole Crossing 9551		04-039/18:53:08.3
19805	M1O	04-039/19:33:25.8		NOTE: Enter Solar Eclipse 9551		04-039/19:21:14.8
19806	M1O	04-039/19:34:41.3		NOTE: Ascending Node Crossing 9551		04-039/19:22:30.4
19807	M1O	04-039/19:45:58.5		NOTE: Exit Solar Eclipse 9551		04-039/19:33:47.5
19808	M1O	04-039/20:02:05.9		NOTE: Apoapsis 9551 -		04-039/19:49:54.9
19809	M1O	04-039/20:04:40.9		NOTE: North Pole Crossing 9551		04-039/19:52:29.8
19810	M1O	04-039/20:34:36.2		NOTE: Descending Node Crossing 9552		04-039/20:22:25.0
19811	M1O	04-039/21:02:15.0		NOTE: Periapsis 9552 ----------		04-039/20:50:03.8
19812	M1O	04-039/21:03:54.5		NOTE: South Pole Crossing 9552		04-039/20:51:43.3
19813	M1O	04-039/21:29:20.3		SPAWN, Engine = 65535, Parameters = 039, 03, FALSE, 00:14:05.092, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-039/21:17:09.0
19814	M1O	04-039/21:29:21.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/21:17:10.1
19815	M1O	04-039/21:29:23.4		CALL, Engine = , Parameters = 56	get_cmd_opt	04-039/21:17:12.1
19816	M1O	04-039/21:30:00.0	14	Begin Pre-Cal		
19817	M1O	04-039/21:30:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
19818	M1O	04-039/21:30:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19819	M1O	04-039/21:30:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
19820	M1O	04-039/21:30:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
19821	M1O	04-039/21:30:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
19822	M1O	04-039/21:30:00.0	14	Config: RCV: Parms:		
19823	M1O	04-039/21:30:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
19824	M1O	04-039/21:30:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
19825	M1O	04-039/21:30:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
19826	M1O	04-039/21:30:05.6		CALL, Engine = , Parameters = 56	get_apid	04-039/21:17:54.3
19827	M1O	04-039/21:30:06.7		CALL, Engine = , Parameters = 56	get_rcv_mode	04-039/21:17:55.4
19828	M1O	04-039/21:30:06.9		CALL, Engine = , Parameters = 56	get_dl_rate	04-039/21:17:55.6
19829	M1O	04-039/21:30:08.0		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-039/21:17:56.7
19830	M1O	04-039/21:30:09.2		CALL, Engine = , Parameters = 56	get_coding	04-039/21:17:57.9
19831	M1O	04-039/21:30:10.4		CALL, Engine = , Parameters = 56	get_xmt_mode	04-039/21:17:59.1
19832	M1O	04-039/21:30:11.6		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-039/21:18:00.3
19833	M1O	04-039/21:31:16.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-039/21:19:05.1
19834	M1O	04-039/21:31:17.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-039/21:19:06.1
19835	M1O	04-039/21:31:18.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-039/21:19:07.1
19836	M1O	04-039/21:31:19.4		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-039/21:19:08.1
19837	M1O	04-039/21:31:20.4		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-039/21:19:09.1
19838	M1O	04-039/21:31:21.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-039/21:19:10.1
19839	M1O	04-039/21:31:22.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-039/21:19:11.1
19840	M1O	04-039/21:32:01.1		NOTE: Enter Solar Eclipse 9552		04-039/21:19:49.8
19841	M1O	04-039/21:33:16.7		NOTE: Ascending Node Crossing 9552		04-039/21:21:05.3
19842	M1O	04-039/21:44:37.4		NOTE: Exit Solar Eclipse 9552		04-039/21:32:26.0
19843	M1O	04-039/21:45:23.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-039/21:33:12.1
19844	M1O	04-039/21:45:24.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-039/21:33:13.2
19845	M1O	04-039/21:45:34.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-039/21:33:23.2
19846	M1O	04-039/21:45:35.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/21:33:24.2
19847	M1O	04-039/21:55:00.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
19848	M1O	04-039/22:00:00.0	14	Begin Tracking		
19849	M1O	04-039/22:00:00.0	14	Acquire D/L: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19850	M1O	04-039/22:00:29.1		NOTE: Apoapsis 9552 -		04-039/21:48:17.7
19851	M1O	04-039/22:03:15.0		NOTE: North Pole Crossing 9552		04-039/21:51:03.6
19852	M1O	04-039/22:05:00.0	63	Range Modulation Off		
19853	M1O	04-039/22:10:00.0	63	X-Band Transmitter Off		
19854	M1O	04-039/22:23:21.0	63	NOTE: Below Uplink Interlock Limit		
19855	M1O	04-039/22:33:09.0		NOTE: Descending Node Crossing 9553		04-039/22:20:57.5
19856	M1O	04-039/22:33:20.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-039/22:21:08.5
19857	M1O	04-039/22:33:22.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/22:21:10.6
19858	M1O	04-039/22:33:22.2	14	D/L Change: X/08, 3-Way/63, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19859	M1O	04-039/22:33:22.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19860	M1O	04-039/22:33:23.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-039/22:21:11.6
19861	M1O	04-039/22:34:22.9	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19862	M1O	04-039/22:34:22.9	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19863	M1O	04-039/22:39:22.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/22:27:10.6
19864	M1O	04-039/22:39:22.2	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19865	M1O	04-039/22:39:22.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19866	M1O	04-039/22:39:23.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-039/22:27:11.6
19867	M1O	04-039/22:46:09.5		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-039/22:33:58.0
19868	M1O	04-039/22:46:09.6		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-039/22:33:58.1
19869	M1O	04-039/22:46:10.6		Forces a desaturation of the reaction wheels.	RW_DESAT	04-039/22:33:59.1
19870	M1O	04-039/22:49:32.5		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-039/22:37:21.0
19871	M1O	04-039/22:49:48.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-037T22:37:21.100, 2004-039T22:37:21.100	PCKTS_RE_TX_TIME	04-039/22:37:36.8
19872	M1O	04-039/22:49:49.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-037T22:37:21.100, 2004-039T22:37:21.100	PCKTS_RE_TX_TIME	04-039/22:37:37.8
19873	M1O	04-039/22:49:50.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-037T22:37:21.100, 2004-039T22:37:21.100	PCKTS_RE_TX_TIME	04-039/22:37:38.8
19874	M1O	04-039/22:49:51.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-037T22:37:21.100, 2004-039T22:37:21.100	PCKTS_RE_TX_TIME	04-039/22:37:39.8
19875	M1O	04-039/22:49:52.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-037T22:37:21.100, 2004-039T22:37:21.100	PCKTS_RE_TX_TIME	04-039/22:37:40.8
19876	M1O	04-039/22:49:53.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-037T22:37:21.100, 2004-039T22:37:21.100	PCKTS_RE_TX_TIME	04-039/22:37:41.8
19877	M1O	04-039/22:49:53.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-039/22:37:41.8
19878	M1O	04-039/22:49:53.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19879	M1O	04-039/22:49:53.4	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19880	M1O	04-039/22:56:54.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/22:44:42.8
19881	M1O	04-039/22:56:54.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19882	M1O	04-039/22:56:54.4	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19883	M1O	04-039/22:56:55.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-039/22:44:43.8
19884	M1O	04-039/22:57:11.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-039/22:44:59.8
19885	M1O	04-039/22:57:11.4	14	D/L RF Warning: SC antenna change - expect signal level variation		
19886	M1O	04-039/22:57:11.4	63	D/L RF Warning: SC antenna change - expect signal level variation		
19887	M1O	04-039/22:57:12.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-039/22:45:00.8
19888	M1O	04-039/22:57:40.7		CALL, Engine = , Parameters = FALSE	park_hga	04-039/22:45:29.1
19889	M1O	04-039/22:57:40.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/22:45:29.1
19890	M1O	04-039/22:57:41.7		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-039/22:45:30.1
19891	M1O	04-039/22:57:42.7		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-039/22:45:31.1
19892	M1O	04-039/22:57:42.7		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-039/22:45:31.1
19893	M1O	04-039/22:57:42.7		NOTE: START HGA PARK		
19894	M1O	04-039/22:57:42.7	14	NOTE: Loss Of X-Band Signal		
19895	M1O	04-039/22:57:42.7	63	NOTE: Loss Of X-Band Signal		
19896	M1O	04-039/22:57:43.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-039/22:45:32.1
19897	M1O	04-039/22:57:44.7		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-039/22:45:33.1
19898	M1O	04-039/23:00:00.0	63	End Tracking		
19899	M1O	04-039/23:00:48.7		NOTE: Periapsis 9553 ----------		04-039/22:48:37.0
19900	M1O	04-039/23:02:14.7		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-039/22:50:03.1
19901	M1O	04-039/23:02:27.0		NOTE: South Pole Crossing 9553		04-039/22:50:15.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19902	M1O	04-039/23:05:44.7		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-039/22:53:33.1
19903	M1O	04-039/23:05:44.7		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-039/22:53:33.1
19904	M1O	04-039/23:15:00.0	63	End Post-Cal		
19905	M1O	04-039/23:24:01.7		SPAWN, Engine = 65535, Parameters = 039, 04, FALSE, 00:18:57.329, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-039/23:11:50.0
19906	M1O	04-039/23:24:02.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/23:11:51.1
19907	M1O	04-039/23:24:04.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-039/23:11:53.1
19908	M1O	04-039/23:24:47.0		CALL, Engine = , Parameters = 56	get_apid	04-039/23:12:35.3
19909	M1O	04-039/23:24:48.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-039/23:12:36.4
19910	M1O	04-039/23:24:48.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-039/23:12:36.6
19911	M1O	04-039/23:24:49.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-039/23:12:37.7
19912	M1O	04-039/23:24:50.6		CALL, Engine = , Parameters = 56	get_coding	04-039/23:12:38.9
19913	M1O	04-039/23:24:51.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-039/23:12:40.1
19914	M1O	04-039/23:24:53.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-039/23:12:41.3
19915	M1O	04-039/23:25:57.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-039/23:13:46.1
19916	M1O	04-039/23:25:58.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-039/23:13:47.1
19917	M1O	04-039/23:25:59.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-039/23:13:48.1
19918	M1O	04-039/23:26:00.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-039/23:13:49.1
19919	M1O	04-039/23:26:01.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-039/23:13:50.1
19920	M1O	04-039/23:26:02.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-039/23:13:51.1
19921	M1O	04-039/23:26:03.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-039/23:13:52.1
19922	M1O	04-039/23:30:32.5		NOTE: Enter Solar Eclipse 9553		04-039/23:18:20.8
19923	M1O	04-039/23:31:48.8		NOTE: Ascending Node Crossing 9553		04-039/23:19:37.1
19924	M1O	04-039/23:35:44.7		GV: GV_DESAT_ACTIVE = 1		04-039/23:23:33.0
19925	M1O	04-039/23:35:45.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-039/23:23:34.0
19926	M1O	04-039/23:35:45.7		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-039/23:23:34.0
19927	M1O	04-039/23:43:12.1		NOTE: Exit Solar Eclipse 9553		04-039/23:31:00.3
19928	M1O	04-039/23:44:57.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-039/23:32:45.4
19929	M1O	04-039/23:44:58.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-039/23:32:46.5
19930	M1O	04-039/23:45:08.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-039/23:32:56.5
19931	M1O	04-039/23:45:09.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-039/23:32:57.5
19932	M1O	04-039/23:45:44.7		GV: GV_DESAT_ACTIVE = 0		04-039/23:33:33.0
19933	M1O	04-039/23:45:45.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-039/23:33:34.0
19934	M1O	04-039/23:45:46.7		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-039/23:33:35.0
19935	M1O	04-039/23:45:47.7		CALL, Engine = , Parameters =	unpark_hga	04-039/23:33:36.0
19936	M1O	04-039/23:45:47.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-039/23:33:36.0
19937	M1O	04-039/23:45:48.7		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-039/23:33:37.0
19938	M1O	04-039/23:50:18.7		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-039/23:38:07.0
19939	M1O	04-039/23:50:19.7		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-039/23:38:08.0
19940	M1O	04-039/23:53:44.8		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-039/23:41:33.0
19941	M1O	04-039/23:53:44.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-039/23:41:33.1
19942	M1O	04-039/23:53:45.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-039/23:41:34.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19943	M1O	04-039/23:53:46.9		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-039/23:41:35.1
19944	M1O	04-039/23:53:47.9		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-039/23:41:36.1
19945	M1O	04-039/23:53:48.9		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-039/23:41:37.1
19946	M1O	04-039/23:53:58.9		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-039/23:41:47.1
19947	M1O	04-039/23:54:08.9		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-039/23:41:57.1
19948	M1O	04-039/23:54:19.7		NOTE: EXIT HGA PARK		
19949	M1O	04-039/23:54:19.7	14	Acquisition Of X-Band Signal		
19950	M1O	04-039/23:54:19.7	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19951	M1O	04-039/23:59:08.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-039/23:46:57.1
19952	M1O	04-039/23:59:09.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-039/23:46:58.1
19953	M1O	04-039/23:59:09.9	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19954	M1O	04-039/23:59:10.9		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-039/23:46:59.1
19955	M1O	04-039/23:59:12.8		NOTE: Apoapsis 9553 -		04-039/23:47:00.9
19956	M1O	04-040/00:00:00.0		Light Time: OWLT = 12:11, RTLT = 24:23		
19957	M1O	04-040/00:01:46.7		NOTE: North Pole Crossing 9553		04-039/23:49:34.8
19958	M1O	04-040/00:31:40.3		NOTE: Descending Node Crossing 9554		04-040/00:19:28.4
19959	M1O	04-040/00:55:00.0	43	Begin Pre-Cal		
19960	M1O	04-040/00:55:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
19961	M1O	04-040/00:55:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
19962	M1O	04-040/00:55:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
19963	M1O	04-040/00:55:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
19964	M1O	04-040/00:55:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
19965	M1O	04-040/00:55:00.0	43	Config: RCV: Parms:		
19966	M1O	04-040/00:55:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
19967	M1O	04-040/00:55:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
19968	M1O	04-040/00:55:00.0	43	Config: TXL		
19969	M1O	04-040/00:55:00.0	43	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
19970	M1O	04-040/00:55:00.0	43	Config: CMD		
19971	M1O	04-040/00:55:00.0	43	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
19972	M1O	04-040/00:59:13.6		NOTE: Periapsis 9554 ----------		04-040/00:47:01.6
19973	M1O	04-040/01:00:57.4		NOTE: South Pole Crossing 9554		04-040/00:48:45.3
19974	M1O	04-040/01:29:03.8		NOTE: Enter Solar Eclipse 9554		04-040/01:16:51.7
19975	M1O	04-040/01:30:18.8		NOTE: Ascending Node Crossing 9554		04-040/01:18:06.6
19976	M1O	04-040/01:41:36.5		NOTE: Exit Solar Eclipse 9554		04-040/01:29:24.4
19977	M1O	04-040/01:57:37.5		NOTE: Apoapsis 9554 -		04-040/01:45:25.3
19978	M1O	04-040/02:00:17.7		NOTE: North Pole Crossing 9554		04-040/01:48:05.5
19979	M1O	04-040/02:30:12.2		NOTE: Descending Node Crossing 9555		04-040/02:17:59.9
19980	M1O	04-040/02:40:00.0	43	Begin Tracking		
19981	M1O	04-040/02:40:00.0	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19982	M1O	04-040/02:41:00.0	43	Acquire U/L: X/08, PWR=20.0, BR=125.0		
19983	M1O	04-040/02:46:00.0	43	Range Modulation On: SUP=3.0dB		
19984	M1O	04-040/02:47:00.0	43	Begin Ranging Acquisition		
19985	M1O	04-040/02:57:24.0		NOTE: Periapsis 9555 ----------		04-040/02:45:11.6
19986	M1O	04-040/02:59:29.5		NOTE: South Pole Crossing 9555		04-040/02:47:17.1
19987	M1O	04-040/03:00:00.0	14	End Tracking		
19988	M1O	04-040/03:00:00.0	14	End Post-Cal		
19989	M1O	04-040/03:04:22.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-040/02:52:09.7
19990	M1O	04-040/03:04:24.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/02:52:11.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
19991	M1O	04-040/03:04:24.2	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19992	M1O	04-040/03:04:25.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-040/02:52:12.8
19993	M1O	04-040/03:05:24.6	43	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19994	M1O	04-040/03:10:24.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/02:58:11.8
19995	M1O	04-040/03:10:24.2	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
19996	M1O	04-040/03:10:25.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-040/02:58:12.8
19997	M1O	04-040/03:27:41.7		NOTE: Enter Solar Eclipse 9555		04-040/03:15:29.2
19998	M1O	04-040/03:28:51.9		NOTE: Ascending Node Crossing 9555		04-040/03:16:39.4
19999	M1O	04-040/03:40:00.8		NOTE: Exit Solar Eclipse 9555		04-040/03:27:48.3
20000	M1O	04-040/03:55:54.7		NOTE: Apoapsis 9555 -		04-040/03:43:42.1
20001	M1O	04-040/03:58:51.6		NOTE: North Pole Crossing 9555		04-040/03:46:39.1
20002	M1O	04-040/04:23:52.6		SPAWN, Engine = 65535, Parameters = 040, 01, TRUE, 00:16:39, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-040/04:11:40.0
20003	M1O	04-040/04:23:53.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/04:11:41.1
20004	M1O	04-040/04:23:55.7		CALL, Engine = , Parameters = 254	get_cmd_opt	04-040/04:11:43.1
20005	M1O	04-040/04:23:56.0		CALL, Engine = , Parameters = 040, 01, 254	bld_autosw	04-040/04:11:43.4
20006	M1O	04-040/04:23:57.1		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-040/04:11:44.5
20007	M1O	04-040/04:23:58.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:11:45.6
20008	M1O	04-040/04:23:59.2		Deletes the designated file.: d:/dat/254_doy040_pass01_file01.dat	FILE_DELETE	04-040/04:11:46.6
20009	M1O	04-040/04:24:00.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:11:47.7
20010	M1O	04-040/04:24:01.3		Deletes the designated file.: d:/dat/254_doy040_pass01_file02.dat	FILE_DELETE	04-040/04:11:48.7
20011	M1O	04-040/04:24:02.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:11:49.8
20012	M1O	04-040/04:24:03.4		Deletes the designated file.: d:/dat/254_doy040_pass01_file03.dat	FILE_DELETE	04-040/04:11:50.8
20013	M1O	04-040/04:24:04.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:11:51.9
20014	M1O	04-040/04:24:05.5		Deletes the designated file.: d:/dat/254_doy040_pass01_file04.dat	FILE_DELETE	04-040/04:11:52.9
20015	M1O	04-040/04:24:06.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:11:54.0
20016	M1O	04-040/04:24:07.6		Deletes the designated file.: d:/dat/254_doy040_pass01_file05.dat	FILE_DELETE	04-040/04:11:55.0
20017	M1O	04-040/04:24:08.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:11:56.1
20018	M1O	04-040/04:24:09.7		Deletes the designated file.: d:/dat/254_doy040_pass01_file06.dat	FILE_DELETE	04-040/04:11:57.1
20019	M1O	04-040/04:24:10.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:11:58.2
20020	M1O	04-040/04:24:11.8		Deletes the designated file.: d:/dat/254_doy040_pass01_file07.dat	FILE_DELETE	04-040/04:11:59.2
20021	M1O	04-040/04:24:12.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:00.3
20022	M1O	04-040/04:24:13.9		Deletes the designated file.: d:/dat/254_doy040_pass01_file08.dat	FILE_DELETE	04-040/04:12:01.3
20023	M1O	04-040/04:24:15.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:02.4
20024	M1O	04-040/04:24:16.0		Deletes the designated file.: d:/dat/254_doy040_pass01_file09.dat	FILE_DELETE	04-040/04:12:03.4
20025	M1O	04-040/04:24:17.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:04.5
20026	M1O	04-040/04:24:18.1		Deletes the designated file.: d:/dat/254_doy040_pass01_file10.dat	FILE_DELETE	04-040/04:12:05.5
20027	M1O	04-040/04:24:19.2		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-040/04:12:06.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy040_pass01_file11.dat, d:/dat/autoswitch.dat		
20028	M1O	04-040/04:24:20.2		Deletes the designated file.: d:/dat/254_doy040_pass01_file11.dat	FILE_DELETE	04-040/04:12:07.6
20029	M1O	04-040/04:24:21.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:08.7
20030	M1O	04-040/04:24:22.3		Deletes the designated file.: d:/dat/254_doy040_pass01_file12.dat	FILE_DELETE	04-040/04:12:09.7
20031	M1O	04-040/04:24:23.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:10.8
20032	M1O	04-040/04:24:24.4		Deletes the designated file.: d:/dat/254_doy040_pass01_file13.dat	FILE_DELETE	04-040/04:12:11.8
20033	M1O	04-040/04:24:25.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:12.9
20034	M1O	04-040/04:24:26.5		Deletes the designated file.: d:/dat/254_doy040_pass01_file14.dat	FILE_DELETE	04-040/04:12:13.9
20035	M1O	04-040/04:24:27.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:15.0
20036	M1O	04-040/04:24:28.6		Deletes the designated file.: d:/dat/254_doy040_pass01_file15.dat	FILE_DELETE	04-040/04:12:16.0
20037	M1O	04-040/04:24:29.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:17.1
20038	M1O	04-040/04:24:30.7		Deletes the designated file.: d:/dat/254_doy040_pass01_file16.dat	FILE_DELETE	04-040/04:12:18.1
20039	M1O	04-040/04:24:31.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:19.2
20040	M1O	04-040/04:24:32.8		Deletes the designated file.: d:/dat/254_doy040_pass01_file17.dat	FILE_DELETE	04-040/04:12:20.2
20041	M1O	04-040/04:24:33.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:21.3
20042	M1O	04-040/04:24:34.9		Deletes the designated file.: d:/dat/254_doy040_pass01_file18.dat	FILE_DELETE	04-040/04:12:22.3
20043	M1O	04-040/04:24:36.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/04:12:23.4
20044	M1O	04-040/04:24:37.0		Deletes the designated file.: d:/dat/254_doy040_pass01_file19.dat	FILE_DELETE	04-040/04:12:24.4
20045	M1O	04-040/04:24:38.0		CALL, Engine = , Parameters = 254	get_apid	04-040/04:12:25.4
20046	M1O	04-040/04:24:39.1		CALL, Engine = , Parameters = 254	get_rcv_mode	04-040/04:12:26.5
20047	M1O	04-040/04:24:39.3		CALL, Engine = , Parameters = 254	get_dl_rate	04-040/04:12:26.7
20048	M1O	04-040/04:24:40.4		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-040/04:12:27.8
20049	M1O	04-040/04:24:41.7		CALL, Engine = , Parameters = 254	get_coding	04-040/04:12:29.1
20050	M1O	04-040/04:24:42.9		CALL, Engine = , Parameters = 254	get_xmt_mode	04-040/04:12:30.3
20051	M1O	04-040/04:24:44.1		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-040/04:12:31.5
20052	M1O	04-040/04:25:48.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-040/04:13:36.3
20053	M1O	04-040/04:25:49.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-040/04:13:37.3
20054	M1O	04-040/04:25:50.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-040/04:13:38.3
20055	M1O	04-040/04:25:51.9		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-040/04:13:39.3
20056	M1O	04-040/04:25:52.9		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-040/04:13:40.3
20057	M1O	04-040/04:25:53.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-040/04:13:41.3
20058	M1O	04-040/04:25:54.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-040/04:13:42.3
20059	M1O	04-040/04:27:44.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/04:15:32.3
20060	M1O	04-040/04:27:44.9	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20061	M1O	04-040/04:27:50.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/04:15:37.5
20062	M1O	04-040/04:27:54.9		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-040/04:15:42.3
20063	M1O	04-040/04:28:46.6		NOTE: Descending Node Crossing 9556		04-040/04:16:33.9
20064	M1O	04-040/04:42:32.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-040/04:30:19.3
20065	M1O	04-040/04:42:33.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-040/04:30:20.4
20066	M1O	04-040/04:42:43.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-040/04:30:30.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20067	M1O	04-040/04:42:44.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/04:30:31.4
20068	M1O	04-040/04:42:45.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-040/04:30:32.4
20069	M1O	04-040/04:42:45.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20070	M1O	04-040/04:42:46.1		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-040/04:30:33.4
20071	M1O	04-040/04:47:44.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/04:35:32.0
20072	M1O	04-040/04:47:44.7	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20073	M1O	04-040/04:56:09.7		NOTE: Periapsis 9556 ----------		04-040/04:43:56.9
20074	M1O	04-040/04:58:05.4		NOTE: South Pole Crossing 9556		04-040/04:45:52.6
20075	M1O	04-040/05:15:25.8		SPAWN, Engine = 65535, Parameters = 040, 01, TRUE, 00:19:23, 253, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-040/05:03:13.0
20076	M1O	04-040/05:15:26.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/05:03:14.1
20077	M1O	04-040/05:15:28.9		CALL, Engine = , Parameters = 253	get_cmd_opt	04-040/05:03:16.1
20078	M1O	04-040/05:15:29.2		CALL, Engine = , Parameters = 040, 01, 253	bld_autosw	04-040/05:03:16.4
20079	M1O	04-040/05:15:30.3		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-040/05:03:17.5
20080	M1O	04-040/05:15:31.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:18.6
20081	M1O	04-040/05:15:32.4		Deletes the designated file.: d:/dat/253_doy040_pass01_file01.dat	FILE_DELETE	04-040/05:03:19.6
20082	M1O	04-040/05:15:33.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:20.7
20083	M1O	04-040/05:15:34.5		Deletes the designated file.: d:/dat/253_doy040_pass01_file02.dat	FILE_DELETE	04-040/05:03:21.7
20084	M1O	04-040/05:15:35.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:22.8
20085	M1O	04-040/05:15:36.6		Deletes the designated file.: d:/dat/253_doy040_pass01_file03.dat	FILE_DELETE	04-040/05:03:23.8
20086	M1O	04-040/05:15:37.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:24.9
20087	M1O	04-040/05:15:38.7		Deletes the designated file.: d:/dat/253_doy040_pass01_file04.dat	FILE_DELETE	04-040/05:03:25.9
20088	M1O	04-040/05:15:39.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:27.0
20089	M1O	04-040/05:15:40.8		Deletes the designated file.: d:/dat/253_doy040_pass01_file05.dat	FILE_DELETE	04-040/05:03:28.0
20090	M1O	04-040/05:15:41.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:29.1
20091	M1O	04-040/05:15:42.9		Deletes the designated file.: d:/dat/253_doy040_pass01_file06.dat	FILE_DELETE	04-040/05:03:30.1
20092	M1O	04-040/05:15:44.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:31.2
20093	M1O	04-040/05:15:45.0		Deletes the designated file.: d:/dat/253_doy040_pass01_file07.dat	FILE_DELETE	04-040/05:03:32.2
20094	M1O	04-040/05:15:46.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:33.3
20095	M1O	04-040/05:15:47.1		Deletes the designated file.: d:/dat/253_doy040_pass01_file08.dat	FILE_DELETE	04-040/05:03:34.3
20096	M1O	04-040/05:15:48.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:35.4
20097	M1O	04-040/05:15:49.2		Deletes the designated file.: d:/dat/253_doy040_pass01_file09.dat	FILE_DELETE	04-040/05:03:36.4
20098	M1O	04-040/05:15:50.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:37.5
20099	M1O	04-040/05:15:51.3		Deletes the designated file.: d:/dat/253_doy040_pass01_file10.dat	FILE_DELETE	04-040/05:03:38.5
20100	M1O	04-040/05:15:52.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:39.6
20101	M1O	04-040/05:15:53.4		Deletes the designated file.: d:/dat/253_doy040_pass01_file11.dat	FILE_DELETE	04-040/05:03:40.6
20102	M1O	04-040/05:15:54.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:41.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20103	M1O	04-040/05:15:55.5		Deletes the designated file.: d:/dat/253_doy040_pass01_file12.dat	FILE_DELETE	04-040/05:03:42.7
20104	M1O	04-040/05:15:56.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:43.8
20105	M1O	04-040/05:15:57.6		Deletes the designated file.: d:/dat/253_doy040_pass01_file13.dat	FILE_DELETE	04-040/05:03:44.8
20106	M1O	04-040/05:15:58.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:45.9
20107	M1O	04-040/05:15:59.7		Deletes the designated file.: d:/dat/253_doy040_pass01_file14.dat	FILE_DELETE	04-040/05:03:46.9
20108	M1O	04-040/05:16:00.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:48.0
20109	M1O	04-040/05:16:01.8		Deletes the designated file.: d:/dat/253_doy040_pass01_file15.dat	FILE_DELETE	04-040/05:03:49.0
20110	M1O	04-040/05:16:02.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:50.1
20111	M1O	04-040/05:16:03.9		Deletes the designated file.: d:/dat/253_doy040_pass01_file16.dat	FILE_DELETE	04-040/05:03:51.1
20112	M1O	04-040/05:16:05.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:52.2
20113	M1O	04-040/05:16:06.0		Deletes the designated file.: d:/dat/253_doy040_pass01_file17.dat	FILE_DELETE	04-040/05:03:53.2
20114	M1O	04-040/05:16:07.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:54.3
20115	M1O	04-040/05:16:08.1		Deletes the designated file.: d:/dat/253_doy040_pass01_file18.dat	FILE_DELETE	04-040/05:03:55.3
20116	M1O	04-040/05:16:09.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/05:03:56.4
20117	M1O	04-040/05:16:10.2		Deletes the designated file.: d:/dat/253_doy040_pass01_file19.dat	FILE_DELETE	04-040/05:03:57.4
20118	M1O	04-040/05:16:11.2		CALL, Engine = , Parameters = 253	get_apid	04-040/05:03:58.4
20119	M1O	04-040/05:16:12.3		CALL, Engine = , Parameters = 253	get_rcv_mode	04-040/05:03:59.5
20120	M1O	04-040/05:16:12.5		CALL, Engine = , Parameters = 253	get_dl_rate	04-040/05:03:59.7
20121	M1O	04-040/05:16:13.6		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-040/05:04:00.8
20122	M1O	04-040/05:16:14.9		CALL, Engine = , Parameters = 253	get_coding	04-040/05:04:02.1
20123	M1O	04-040/05:16:16.1		CALL, Engine = , Parameters = 253	get_xmt_mode	04-040/05:04:03.3
20124	M1O	04-040/05:16:17.3		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-040/05:04:04.5
20125	M1O	04-040/05:17:22.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-040/05:05:09.3
20126	M1O	04-040/05:17:23.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-040/05:05:10.3
20127	M1O	04-040/05:17:24.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-040/05:05:11.3
20128	M1O	04-040/05:17:25.1		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-040/05:05:12.3
20129	M1O	04-040/05:17:26.1		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-040/05:05:13.3
20130	M1O	04-040/05:17:27.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-040/05:05:14.3
20131	M1O	04-040/05:17:28.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-040/05:05:15.3
20132	M1O	04-040/05:17:29.1		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-040/05:05:16.3
20133	M1O	04-040/05:17:30.1		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-040/05:05:17.3
20134	M1O	04-040/05:19:18.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/05:07:05.3
20135	M1O	04-040/05:19:18.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20136	M1O	04-040/05:19:23.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/05:07:10.5
20137	M1O	04-040/05:19:28.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-040/05:07:15.3
20138	M1O	04-040/05:26:19.1		NOTE: Enter Solar Eclipse 9556		04-040/05:14:06.2
20139	M1O	04-040/05:27:28.7		NOTE: Ascending Node Crossing 9556		04-040/05:15:15.8
20140	M1O	04-040/05:36:46.1		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-040/05:24:33.3
20141	M1O	04-040/05:36:47.1		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-040/05:24:34.3
20142	M1O	04-040/05:36:49.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-040/05:24:36.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
20143	M1O	04-040/05:36:50.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-040/05:24:37.4
20144	M1O	04-040/05:37:00.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-040/05:24:47.4
20145	M1O	04-040/05:37:01.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/05:24:48.4
20146	M1O	04-040/05:37:02.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-040/05:24:49.4
20147	M1O	04-040/05:37:02.2	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20148	M1O	04-040/05:37:03.2		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-040/05:24:50.4
20149	M1O	04-040/05:38:35.4		NOTE: Exit Solar Eclipse 9556		04-040/05:26:22.5
20150	M1O	04-040/05:42:01.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/05:29:49.0
20151	M1O	04-040/05:42:01.9	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20152	M1O	04-040/05:54:49.2		NOTE: Apoapsis 9556 -		04-040/05:42:36.2
20153	M1O	04-040/05:57:27.9		NOTE: North Pole Crossing 9556		04-040/05:45:14.9
20154	M1O	04-040/06:21:08.0		SPAWN, Engine = 65535, Parameters = 040, 02, TRUE, 00:17:00, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-040/06:08:55.0
20155	M1O	04-040/06:21:09.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/06:08:56.1
20156	M1O	04-040/06:21:11.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-040/06:08:58.1
20157	M1O	04-040/06:21:11.4		CALL, Engine = , Parameters = 040, 02, 254	bld_autosw	04-040/06:08:58.4
20158	M1O	04-040/06:21:12.5		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-040/06:08:59.5
20159	M1O	04-040/06:21:13.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:00.6
20160	M1O	04-040/06:21:14.6		Deletes the designated file.: d:/dat/254_doy040_pass02_file01.dat	FILE_DELETE	04-040/06:09:01.6
20161	M1O	04-040/06:21:15.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:02.7
20162	M1O	04-040/06:21:16.7		Deletes the designated file.: d:/dat/254_doy040_pass02_file02.dat	FILE_DELETE	04-040/06:09:03.7
20163	M1O	04-040/06:21:17.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:04.8
20164	M1O	04-040/06:21:18.8		Deletes the designated file.: d:/dat/254_doy040_pass02_file03.dat	FILE_DELETE	04-040/06:09:05.8
20165	M1O	04-040/06:21:19.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:06.9
20166	M1O	04-040/06:21:20.9		Deletes the designated file.: d:/dat/254_doy040_pass02_file04.dat	FILE_DELETE	04-040/06:09:07.9
20167	M1O	04-040/06:21:22.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:09.0
20168	M1O	04-040/06:21:23.0		Deletes the designated file.: d:/dat/254_doy040_pass02_file05.dat	FILE_DELETE	04-040/06:09:10.0
20169	M1O	04-040/06:21:24.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:11.1
20170	M1O	04-040/06:21:25.1		Deletes the designated file.: d:/dat/254_doy040_pass02_file06.dat	FILE_DELETE	04-040/06:09:12.1
20171	M1O	04-040/06:21:26.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:13.2
20172	M1O	04-040/06:21:27.2		Deletes the designated file.: d:/dat/254_doy040_pass02_file07.dat	FILE_DELETE	04-040/06:09:14.2
20173	M1O	04-040/06:21:28.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:15.3
20174	M1O	04-040/06:21:29.3		Deletes the designated file.: d:/dat/254_doy040_pass02_file08.dat	FILE_DELETE	04-040/06:09:16.3
20175	M1O	04-040/06:21:30.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:17.4
20176	M1O	04-040/06:21:31.4		Deletes the designated file.: d:/dat/254_doy040_pass02_file09.dat	FILE_DELETE	04-040/06:09:18.4
20177	M1O	04-040/06:21:32.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:19.5
20178	M1O	04-040/06:21:33.5		Deletes the designated file.: d:/dat/254_doy040_pass02_file10.dat	FILE_DELETE	04-040/06:09:20.5
20179	M1O	04-040/06:21:34.6		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-040/06:09:21.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy040_pass02_file11.dat, d:/dat/autoswitch.dat		
20180	M1O	04-040/06:21:35.6		Deletes the designated file.: d:/dat/254_doy040_pass02_file11.dat	FILE_DELETE	04-040/06:09:22.6
20181	M1O	04-040/06:21:36.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:23.7
20182	M1O	04-040/06:21:37.7		Deletes the designated file.: d:/dat/254_doy040_pass02_file12.dat	FILE_DELETE	04-040/06:09:24.7
20183	M1O	04-040/06:21:38.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:25.8
20184	M1O	04-040/06:21:39.8		Deletes the designated file.: d:/dat/254_doy040_pass02_file13.dat	FILE_DELETE	04-040/06:09:26.8
20185	M1O	04-040/06:21:40.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:27.9
20186	M1O	04-040/06:21:41.9		Deletes the designated file.: d:/dat/254_doy040_pass02_file14.dat	FILE_DELETE	04-040/06:09:28.9
20187	M1O	04-040/06:21:43.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:30.0
20188	M1O	04-040/06:21:44.0		Deletes the designated file.: d:/dat/254_doy040_pass02_file15.dat	FILE_DELETE	04-040/06:09:31.0
20189	M1O	04-040/06:21:45.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:32.1
20190	M1O	04-040/06:21:46.1		Deletes the designated file.: d:/dat/254_doy040_pass02_file16.dat	FILE_DELETE	04-040/06:09:33.1
20191	M1O	04-040/06:21:47.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:34.2
20192	M1O	04-040/06:21:48.2		Deletes the designated file.: d:/dat/254_doy040_pass02_file17.dat	FILE_DELETE	04-040/06:09:35.2
20193	M1O	04-040/06:21:49.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:36.3
20194	M1O	04-040/06:21:50.3		Deletes the designated file.: d:/dat/254_doy040_pass02_file18.dat	FILE_DELETE	04-040/06:09:37.3
20195	M1O	04-040/06:21:51.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/06:09:38.4
20196	M1O	04-040/06:21:52.4		Deletes the designated file.: d:/dat/254_doy040_pass02_file19.dat	FILE_DELETE	04-040/06:09:39.4
20197	M1O	04-040/06:21:53.4		CALL, Engine = , Parameters = 254	get_apid	04-040/06:09:40.4
20198	M1O	04-040/06:21:54.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-040/06:09:41.5
20199	M1O	04-040/06:21:54.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-040/06:09:41.7
20200	M1O	04-040/06:21:55.8		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-040/06:09:42.8
20201	M1O	04-040/06:21:57.1		CALL, Engine = , Parameters = 254	get_coding	04-040/06:09:44.1
20202	M1O	04-040/06:21:58.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-040/06:09:45.3
20203	M1O	04-040/06:21:59.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-040/06:09:46.5
20204	M1O	04-040/06:23:04.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-040/06:10:51.3
20205	M1O	04-040/06:23:05.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-040/06:10:52.3
20206	M1O	04-040/06:23:06.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-040/06:10:53.3
20207	M1O	04-040/06:23:07.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-040/06:10:54.3
20208	M1O	04-040/06:23:08.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-040/06:10:55.3
20209	M1O	04-040/06:23:09.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-040/06:10:56.3
20210	M1O	04-040/06:23:10.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-040/06:10:57.3
20211	M1O	04-040/06:25:00.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/06:12:47.3
20212	M1O	04-040/06:25:00.3	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20213	M1O	04-040/06:25:05.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/06:12:52.5
20214	M1O	04-040/06:25:10.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-040/06:12:57.3
20215	M1O	04-040/06:27:22.9		NOTE: Descending Node Crossing 9557		04-040/06:15:09.8
20216	M1O	04-040/06:40:08.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-040/06:27:55.3
20217	M1O	04-040/06:40:09.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-040/06:27:56.4
20218	M1O	04-040/06:40:19.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-040/06:28:06.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20219	M1O	04-040/06:40:20.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/06:28:07.4
20220	M1O	04-040/06:40:21.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-040/06:28:08.4
20221	M1O	04-040/06:40:21.5	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20222	M1O	04-040/06:40:22.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-040/06:28:09.4
20223	M1O	04-040/06:45:21.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/06:33:08.0
20224	M1O	04-040/06:45:21.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20225	M1O	04-040/06:55:12.9		NOTE: Periapsis 9557 ----------		04-040/06:42:59.8
20226	M1O	04-040/06:56:42.4		NOTE: South Pole Crossing 9557		04-040/06:44:29.2
20227	M1O	04-040/07:12:13.2		SPAWN, Engine = 65535, Parameters =	scdiag	04-040/07:00:00.0
20228	M1O	04-040/07:12:14.3		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-040/07:00:01.1
20229	M1O	04-040/07:12:15.3		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-040/07:00:02.1
20230	M1O	04-040/07:13:16.2		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-040/07:01:03.0
20231	M1O	04-040/07:13:16.4		NOTE: Start Block fsw_diag		04-040/07:01:03.2
20232	M1O	04-040/07:13:17.4		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-040/07:01:04.2
20233	M1O	04-040/07:13:18.4		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-040/07:01:05.2
20234	M1O	04-040/07:13:29.4		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-040/07:01:16.2
20235	M1O	04-040/07:13:59.4		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-040/07:01:46.2
20236	M1O	04-040/07:14:19.4		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-040/07:02:06.2
20237	M1O	04-040/07:14:29.4		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-040/07:02:16.2
20238	M1O	04-040/07:14:49.4		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-040/07:02:36.2
20239	M1O	04-040/07:14:59.4		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-040/07:02:46.2
20240	M1O	04-040/07:15:04.4		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-040/07:02:51.2
20241	M1O	04-040/07:15:09.4		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-040/07:02:56.2
20242	M1O	04-040/07:15:14.4		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-040/07:03:01.2
20243	M1O	04-040/07:15:19.4		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-040/07:03:06.2
20244	M1O	04-040/07:15:24.4		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-040/07:03:11.2
20245	M1O	04-040/07:16:04.4		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-040/07:03:51.2
20246	M1O	04-040/07:16:09.4		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-040/07:03:56.2
20247	M1O	04-040/07:16:14.4		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-040/07:04:01.2
20248	M1O	04-040/07:16:19.4		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-040/07:04:06.2
20249	M1O	04-040/07:16:24.4		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-040/07:04:11.2
20250	M1O	04-040/07:16:25.4		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-040/07:04:12.2
20251	M1O	04-040/07:16:26.4		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-040/07:04:13.2
20252	M1O	04-040/07:16:27.4		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-040/07:04:14.2
20253	M1O	04-040/07:16:38.4		NOTE: End Block fsw_diag.mod		04-040/07:04:25.2
20254	M1O	04-040/07:24:53.3		NOTE: Enter Solar Eclipse 9557		04-040/07:12:40.0
20255	M1O	04-040/07:26:05.5		NOTE: Ascending Node Crossing 9557		04-040/07:13:52.2
20256	M1O	04-040/07:37:13.5		NOTE: Exit Solar Eclipse 9557		04-040/07:25:00.2
20257	M1O	04-040/07:53:58.8		NOTE: Apoapsis 9557 -		04-040/07:41:45.5
20258	M1O	04-040/07:56:04.3		NOTE: North Pole Crossing 9557		04-040/07:43:51.0
20259	M1O	04-040/08:24:59.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
20260	M1O	04-040/08:25:59.5		NOTE: Descending Node Crossing 9558		04-040/08:13:46.1
20261	M1O	04-040/08:34:59.0	43	Range Modulation Off		
20262	M1O	04-040/08:39:59.0	43	X-Band Transmitter Off		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20263	M1O	04-040/08:54:08.4		NOTE: Periapsis 9558 ----------		04-040/08:41:54.8
20264	M1O	04-040/08:55:18.5		NOTE: South Pole Crossing 9558		04-040/08:43:05.0
20265	M1O	04-040/09:03:23.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-040/08:51:09.8
20266	M1O	04-040/09:03:25.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/08:51:11.9
20267	M1O	04-040/09:03:25.5	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20268	M1O	04-040/09:03:26.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-040/08:51:12.9
20269	M1O	04-040/09:04:25.9	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20270	M1O	04-040/09:09:25.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/08:57:11.9
20271	M1O	04-040/09:09:25.5	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20272	M1O	04-040/09:09:26.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-040/08:57:12.9
20273	M1O	04-040/09:23:24.8		NOTE: Enter Solar Eclipse 9558		04-040/09:11:11.2
20274	M1O	04-040/09:24:40.5		NOTE: Ascending Node Crossing 9558		04-040/09:12:26.9
20275	M1O	04-040/09:25:00.0	63	Begin Pre-Cal		
20276	M1O	04-040/09:25:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
20277	M1O	04-040/09:25:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
20278	M1O	04-040/09:25:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
20279	M1O	04-040/09:25:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
20280	M1O	04-040/09:25:00.0	63	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
20281	M1O	04-040/09:25:00.0	63	Config: RCV: Parms:		
20282	M1O	04-040/09:25:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
20283	M1O	04-040/09:25:00.0	63	Config: TGC: BAND=X, SR=221200.000000		
20284	M1O	04-040/09:25:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
20285	M1O	04-040/09:35:51.4		NOTE: Exit Solar Eclipse 9558		04-040/09:23:37.8
20286	M1O	04-040/09:52:41.7		NOTE: Apoapsis 9558 -		04-040/09:40:28.0
20287	M1O	04-040/09:54:39.2		NOTE: North Pole Crossing 9558		04-040/09:42:25.5
20288	M1O	04-040/10:05:00.0	65	Begin Pre-Cal		
20289	M1O	04-040/10:05:00.0	65	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
20290	M1O	04-040/10:05:00.0	65	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
20291	M1O	04-040/10:05:00.0	65	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
20292	M1O	04-040/10:05:00.0	65	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
20293	M1O	04-040/10:05:00.0	65	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
20294	M1O	04-040/10:05:00.0	65	Config: RCV: Parms:		
20295	M1O	04-040/10:05:00.0	65	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
20296	M1O	04-040/10:05:00.0	65	Config: TGC: BAND=X, SR=221200.000000		
20297	M1O	04-040/10:05:00.0	65	Config: TXL		
20298	M1O	04-040/10:05:00.0	65	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
20299	M1O	04-040/10:05:00.0	65	Config: CMD		
20300	M1O	04-040/10:05:00.0	65	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
20301	M1O	04-040/10:10:54.7		SPAWN, Engine = 65535, Parameters = 040, 01, FALSE, 00:16:24.001, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-040/09:58:41.0
20302	M1O	04-040/10:10:55.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/09:58:42.1
20303	M1O	04-040/10:10:57.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-040/09:58:44.1
20304	M1O	04-040/10:11:40.0		CALL, Engine = , Parameters = 56	get_apid	04-040/09:59:26.3
20305	M1O	04-040/10:11:41.1		CALL, Engine = , Parameters = 56	get_rcv_mode	04-040/09:59:27.4
20306	M1O	04-040/10:11:41.3		CALL, Engine = , Parameters = 56	get_dl_rate	04-040/09:59:27.6
20307	M1O	04-040/10:11:42.4		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-040/09:59:28.7
20308	M1O	04-040/10:11:43.6		CALL, Engine = , Parameters = 56	get_coding	04-040/09:59:29.9
20309	M1O	04-040/10:11:44.8		CALL, Engine = , Parameters = 56	get_xmt_mode	04-040/09:59:31.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20310	M1O	04-040/10:11:46.0		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-040/09:59:32.3
20311	M1O	04-040/10:12:50.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-040/10:00:37.1
20312	M1O	04-040/10:12:51.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-040/10:00:38.1
20313	M1O	04-040/10:12:52.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-040/10:00:39.1
20314	M1O	04-040/10:12:53.8		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-040/10:00:40.1
20315	M1O	04-040/10:12:54.8		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-040/10:00:41.1
20316	M1O	04-040/10:12:55.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-040/10:00:42.1
20317	M1O	04-040/10:12:56.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-040/10:00:43.1
20318	M1O	04-040/10:24:34.2		NOTE: Descending Node Crossing 9559		04-040/10:12:20.4
20319	M1O	04-040/10:29:16.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-040/10:17:03.1
20320	M1O	04-040/10:29:18.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-040/10:17:04.2
20321	M1O	04-040/10:29:28.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-040/10:17:14.2
20322	M1O	04-040/10:29:29.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/10:17:15.2
20323	M1O	04-040/10:52:34.0		NOTE: Periapsis 9559 ----------		04-040/10:40:20.1
20324	M1O	04-040/10:53:51.9		NOTE: South Pole Crossing 9559		04-040/10:41:38.0
20325	M1O	04-040/11:10:00.0	63	Begin Tracking		
20326	M1O	04-040/11:10:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20327	M1O	04-040/11:14:23.0	63	NOTE: Above Uplink Interlock Limit		
20328	M1O	04-040/11:21:27.0	43	NOTE: Below Uplink Interlock Limit		
20329	M1O	04-040/11:21:56.1		NOTE: Enter Solar Eclipse 9559		04-040/11:09:42.1
20330	M1O	04-040/11:23:13.0		NOTE: Ascending Node Crossing 9559		04-040/11:10:59.0
20331	M1O	04-040/11:30:00.0	43	End Tracking		
20332	M1O	04-040/11:34:26.1		NOTE: Exit Solar Eclipse 9559		04-040/11:22:12.1
20333	M1O	04-040/11:35:00.0	65	Begin Tracking		
20334	M1O	04-040/11:35:00.0	65	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20335	M1O	04-040/11:36:00.0	65	Acquire U/L: X/08, PWR=20.0, BR=125.0		
20336	M1O	04-040/11:41:00.0	65	Range Modulation On: SUP=3.0dB		
20337	M1O	04-040/11:42:00.0	65	Begin Ranging Acquisition		
20338	M1O	04-040/11:45:00.0	43	End Post-Cal		
20339	M1O	04-040/11:50:51.7		NOTE: Apoapsis 9559 -		04-040/11:38:37.6
20340	M1O	04-040/11:53:11.4		NOTE: North Pole Crossing 9559		04-040/11:40:57.3
20341	M1O	04-040/11:59:23.8		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-040/11:47:09.7
20342	M1O	04-040/11:59:25.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/11:47:11.8
20343	M1O	04-040/11:59:25.9	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20344	M1O	04-040/11:59:25.9	65	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20345	M1O	04-040/11:59:26.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-040/11:47:12.8
20346	M1O	04-040/12:00:28.1	63	Acquire D/L: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20347	M1O	04-040/12:00:28.1	65	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20348	M1O	04-040/12:05:25.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/11:53:11.8
20349	M1O	04-040/12:05:25.9	63	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20350	M1O	04-040/12:05:25.9	65	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20351	M1O	04-040/12:05:26.9		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-040/11:53:12.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_map.cfg		
20352	M1O	04-040/12:07:40.1		SPAWN, Engine = 65535, Parameters = 040, 02, FALSE, 00:17:38.873, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-040/11:55:26.0
20353	M1O	04-040/12:07:41.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/11:55:27.1
20354	M1O	04-040/12:07:43.2		CALL, Engine = , Parameters = 56	get_cmd_opt	04-040/11:55:29.1
20355	M1O	04-040/12:08:25.4		CALL, Engine = , Parameters = 56	get_apid	04-040/11:56:11.3
20356	M1O	04-040/12:08:26.5		CALL, Engine = , Parameters = 56	get_rcv_mode	04-040/11:56:12.4
20357	M1O	04-040/12:08:26.7		CALL, Engine = , Parameters = 56	get_dl_rate	04-040/11:56:12.6
20358	M1O	04-040/12:08:27.8		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-040/11:56:13.7
20359	M1O	04-040/12:08:29.0		CALL, Engine = , Parameters = 56	get_coding	04-040/11:56:14.9
20360	M1O	04-040/12:08:30.2		CALL, Engine = , Parameters = 56	get_xmt_mode	04-040/11:56:16.1
20361	M1O	04-040/12:08:31.4		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-040/11:56:17.3
20362	M1O	04-040/12:09:36.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-040/11:57:22.1
20363	M1O	04-040/12:09:37.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-040/11:57:23.1
20364	M1O	04-040/12:09:38.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-040/11:57:24.1
20365	M1O	04-040/12:09:39.2		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-040/11:57:25.1
20366	M1O	04-040/12:09:40.2		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-040/11:57:26.1
20367	M1O	04-040/12:09:41.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-040/11:57:27.1
20368	M1O	04-040/12:09:42.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-040/11:57:28.1
20369	M1O	04-040/12:23:05.6		NOTE: Descending Node Crossing 9560		04-040/12:10:51.5
20370	M1O	04-040/12:27:17.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-040/12:15:02.9
20371	M1O	04-040/12:27:18.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-040/12:15:04.0
20372	M1O	04-040/12:27:28.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-040/12:15:14.0
20373	M1O	04-040/12:27:29.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/12:15:15.0
20374	M1O	04-040/12:50:44.5		NOTE: Periapsis 9560 ----------		04-040/12:38:30.2
20375	M1O	04-040/12:52:23.0		NOTE: South Pole Crossing 9560		04-040/12:40:08.8
20376	M1O	04-040/13:20:29.5		NOTE: Enter Solar Eclipse 9560		04-040/13:08:15.2
20377	M1O	04-040/13:21:44.5		NOTE: Ascending Node Crossing 9560		04-040/13:09:30.1
20378	M1O	04-040/13:32:56.1		NOTE: Exit Solar Eclipse 9560		04-040/13:20:41.7
20379	M1O	04-040/13:49:14.9		NOTE: Apoapsis 9560 -		04-040/13:37:00.4
20380	M1O	04-040/13:51:42.4		NOTE: North Pole Crossing 9560		04-040/13:39:27.9
20381	M1O	04-040/14:21:36.2		NOTE: Descending Node Crossing 9561		04-040/14:09:21.6
20382	M1O	04-040/14:49:09.7		NOTE: Periapsis 9561 ----------		04-040/14:36:55.1
20383	M1O	04-040/14:50:54.4		NOTE: South Pole Crossing 9561		04-040/14:38:39.7
20384	M1O	04-040/15:19:04.1		NOTE: Enter Solar Eclipse 9561		04-040/15:06:49.4
20385	M1O	04-040/15:20:17.0		NOTE: Ascending Node Crossing 9561		04-040/15:08:02.2
20386	M1O	04-040/15:31:21.4		NOTE: Exit Solar Eclipse 9561		04-040/15:19:06.7
20387	M1O	04-040/15:35:30.2	65	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
20388	M1O	04-040/15:40:00.0	65	NOTE: X-Band Transmitter Off in 15 minutes		
20389	M1O	04-040/15:48:06.3		NOTE: Apoapsis 9561 -		04-040/15:35:51.5
20390	M1O	04-040/15:50:00.0	65	Range Modulation Off		
20391	M1O	04-040/15:50:16.0		NOTE: North Pole Crossing 9561		04-040/15:38:01.2
20392	M1O	04-040/15:55:00.0	65	X-Band Transmitter Off		
20393	M1O	04-040/16:00:00.0	65	End Tracking		
20394	M1O	04-040/16:00:00.0	65	End Post-Cal		
20395	M1O	04-040/16:18:26.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-040/16:06:12.0
20396	M1O	04-040/16:18:29.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/16:06:14.1
20397	M1O	04-040/16:18:29.0	63	D/L Change: X/08, 3-Way/65, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7,		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				ANT=HGA		
20398	M1O	04-040/16:18:30.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-040/16:06:15.1
20399	M1O	04-040/16:19:29.7	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20400	M1O	04-040/16:20:11.2		NOTE: Descending Node Crossing 9562		04-040/16:07:56.2
20401	M1O	04-040/16:24:29.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/16:12:14.1
20402	M1O	04-040/16:24:29.0	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20403	M1O	04-040/16:24:30.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-040/16:12:15.1
20404	M1O	04-040/16:47:56.8		NOTE: Periapsis 9562 ----------		04-040/16:35:41.7
20405	M1O	04-040/16:49:29.6		NOTE: South Pole Crossing 9562		04-040/16:37:14.6
20406	M1O	04-040/17:03:29.0		SPAWN, Engine = 65535, Parameters = 040, 03, TRUE, 00:18:05, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-040/16:51:14.0
20407	M1O	04-040/17:03:30.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/16:51:15.1
20408	M1O	04-040/17:03:32.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-040/16:51:17.1
20409	M1O	04-040/17:03:32.4		CALL, Engine = , Parameters = 040, 03, 254	bld_autosw	04-040/16:51:17.4
20410	M1O	04-040/17:03:33.5		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-040/16:51:18.5
20411	M1O	04-040/17:03:34.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:19.6
20412	M1O	04-040/17:03:35.6		Deletes the designated file.: d:/dat/254_doy040_pass03_file01.dat	FILE_DELETE	04-040/16:51:20.6
20413	M1O	04-040/17:03:36.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:21.7
20414	M1O	04-040/17:03:37.7		Deletes the designated file.: d:/dat/254_doy040_pass03_file02.dat	FILE_DELETE	04-040/16:51:22.7
20415	M1O	04-040/17:03:38.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:23.8
20416	M1O	04-040/17:03:39.8		Deletes the designated file.: d:/dat/254_doy040_pass03_file03.dat	FILE_DELETE	04-040/16:51:24.8
20417	M1O	04-040/17:03:40.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:25.9
20418	M1O	04-040/17:03:41.9		Deletes the designated file.: d:/dat/254_doy040_pass03_file04.dat	FILE_DELETE	04-040/16:51:26.9
20419	M1O	04-040/17:03:43.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:28.0
20420	M1O	04-040/17:03:44.0		Deletes the designated file.: d:/dat/254_doy040_pass03_file05.dat	FILE_DELETE	04-040/16:51:29.0
20421	M1O	04-040/17:03:45.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:30.1
20422	M1O	04-040/17:03:46.1		Deletes the designated file.: d:/dat/254_doy040_pass03_file06.dat	FILE_DELETE	04-040/16:51:31.1
20423	M1O	04-040/17:03:47.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:32.2
20424	M1O	04-040/17:03:48.2		Deletes the designated file.: d:/dat/254_doy040_pass03_file07.dat	FILE_DELETE	04-040/16:51:33.2
20425	M1O	04-040/17:03:49.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:34.3
20426	M1O	04-040/17:03:50.3		Deletes the designated file.: d:/dat/254_doy040_pass03_file08.dat	FILE_DELETE	04-040/16:51:35.3
20427	M1O	04-040/17:03:51.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:36.4
20428	M1O	04-040/17:03:52.4		Deletes the designated file.: d:/dat/254_doy040_pass03_file09.dat	FILE_DELETE	04-040/16:51:37.4
20429	M1O	04-040/17:03:53.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:38.5
20430	M1O	04-040/17:03:54.5		Deletes the designated file.: d:/dat/254_doy040_pass03_file10.dat	FILE_DELETE	04-040/16:51:39.5
20431	M1O	04-040/17:03:55.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:40.6
20432	M1O	04-040/17:03:56.6		Deletes the designated file.: d:/dat/254_doy040_pass03_file11.dat	FILE_DELETE	04-040/16:51:41.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20433	M1O	04-040/17:03:57.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:42.7
20434	M1O	04-040/17:03:58.7		Deletes the designated file.: d:/dat/254_doy040_pass03_file12.dat	FILE_DELETE	04-040/16:51:43.7
20435	M1O	04-040/17:03:59.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:44.8
20436	M1O	04-040/17:04:00.8		Deletes the designated file.: d:/dat/254_doy040_pass03_file13.dat	FILE_DELETE	04-040/16:51:45.8
20437	M1O	04-040/17:04:01.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:46.9
20438	M1O	04-040/17:04:02.9		Deletes the designated file.: d:/dat/254_doy040_pass03_file14.dat	FILE_DELETE	04-040/16:51:47.9
20439	M1O	04-040/17:04:04.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:49.0
20440	M1O	04-040/17:04:05.0		Deletes the designated file.: d:/dat/254_doy040_pass03_file15.dat	FILE_DELETE	04-040/16:51:50.0
20441	M1O	04-040/17:04:06.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:51.1
20442	M1O	04-040/17:04:07.1		Deletes the designated file.: d:/dat/254_doy040_pass03_file16.dat	FILE_DELETE	04-040/16:51:52.1
20443	M1O	04-040/17:04:08.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:53.2
20444	M1O	04-040/17:04:09.2		Deletes the designated file.: d:/dat/254_doy040_pass03_file17.dat	FILE_DELETE	04-040/16:51:54.2
20445	M1O	04-040/17:04:10.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:55.3
20446	M1O	04-040/17:04:11.3		Deletes the designated file.: d:/dat/254_doy040_pass03_file18.dat	FILE_DELETE	04-040/16:51:56.3
20447	M1O	04-040/17:04:12.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy040_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/16:51:57.4
20448	M1O	04-040/17:04:13.4		Deletes the designated file.: d:/dat/254_doy040_pass03_file19.dat	FILE_DELETE	04-040/16:51:58.4
20449	M1O	04-040/17:04:14.4		CALL, Engine = , Parameters = 254	get_apid	04-040/16:51:59.4
20450	M1O	04-040/17:04:15.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-040/16:52:00.5
20451	M1O	04-040/17:04:15.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-040/16:52:00.7
20452	M1O	04-040/17:04:16.8		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-040/16:52:01.8
20453	M1O	04-040/17:04:18.1		CALL, Engine = , Parameters = 254	get_coding	04-040/16:52:03.1
20454	M1O	04-040/17:04:19.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-040/16:52:04.3
20455	M1O	04-040/17:04:20.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-040/16:52:05.5
20456	M1O	04-040/17:05:25.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-040/16:53:10.3
20457	M1O	04-040/17:05:26.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-040/16:53:11.3
20458	M1O	04-040/17:05:27.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-040/16:53:12.3
20459	M1O	04-040/17:05:28.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-040/16:53:13.3
20460	M1O	04-040/17:05:29.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-040/16:53:14.3
20461	M1O	04-040/17:05:30.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-040/16:53:15.3
20462	M1O	04-040/17:05:31.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-040/16:53:16.3
20463	M1O	04-040/17:05:32.3		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-040/16:53:17.3
20464	M1O	04-040/17:05:33.3		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-040/16:53:18.3
20465	M1O	04-040/17:07:21.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/16:55:06.3
20466	M1O	04-040/17:07:21.4	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20467	M1O	04-040/17:07:26.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/16:55:11.5
20468	M1O	04-040/17:07:31.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-040/16:55:16.3
20469	M1O	04-040/17:17:38.8		NOTE: Enter Solar Eclipse 9562		04-040/17:05:23.6
20470	M1O	04-040/17:18:52.0		NOTE: Ascending Node Crossing 9562		04-040/17:06:36.9
20471	M1O	04-040/17:23:31.4		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-040/17:11:16.3
20472	M1O	04-040/17:23:32.4		Initializes the identified object using the specified files.: TELECOM,	FSW_OBJ_INITIAL	04-040/17:11:17.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/tel_cyclic_def.cfg,		
20473	M1O	04-040/17:23:34.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-040/17:11:19.3
20474	M1O	04-040/17:23:35.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-040/17:11:20.4
20475	M1O	04-040/17:23:45.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-040/17:11:30.4
20476	M1O	04-040/17:23:46.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/17:11:31.4
20477	M1O	04-040/17:23:47.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-040/17:11:32.4
20478	M1O	04-040/17:23:47.5	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20479	M1O	04-040/17:23:48.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-040/17:11:33.4
20480	M1O	04-040/17:28:47.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/17:16:32.0
20481	M1O	04-040/17:28:47.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20482	M1O	04-040/17:29:51.0		NOTE: Exit Solar Eclipse 9562		04-040/17:17:35.8
20483	M1O	04-040/17:40:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
20484	M1O	04-040/17:45:00.0	63	Range Modulation On: SUP=3.0dB		
20485	M1O	04-040/17:46:00.0	63	Begin Ranging Acquisition		
20486	M1O	04-040/17:46:47.9		NOTE: Apoapsis 9562 -		04-040/17:34:32.6
20487	M1O	04-040/17:48:52.0		NOTE: North Pole Crossing 9562		04-040/17:36:36.8
20488	M1O	04-040/18:03:26.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-040/17:51:10.8
20489	M1O	04-040/18:03:28.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/17:51:12.9
20490	M1O	04-040/18:03:28.2	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20491	M1O	04-040/18:03:29.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-040/17:51:13.9
20492	M1O	04-040/18:04:30.4	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20493	M1O	04-040/18:07:31.2		SPAWN, Engine = 65535, Parameters = 040, 04, TRUE, 00:19:10, 253, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-040/17:55:16.0
20494	M1O	04-040/18:07:32.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/17:55:17.1
20495	M1O	04-040/18:07:34.3		CALL, Engine = , Parameters = 253	get_cmd_opt	04-040/17:55:19.1
20496	M1O	04-040/18:07:34.6		CALL, Engine = , Parameters = 040, 04, 253	bld_autosw	04-040/17:55:19.4
20497	M1O	04-040/18:07:35.7		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-040/17:55:20.5
20498	M1O	04-040/18:07:36.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:21.6
20499	M1O	04-040/18:07:37.8		Deletes the designated file.: d:/dat/253_doy040_pass04_file01.dat	FILE_DELETE	04-040/17:55:22.6
20500	M1O	04-040/18:07:38.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:23.7
20501	M1O	04-040/18:07:39.9		Deletes the designated file.: d:/dat/253_doy040_pass04_file02.dat	FILE_DELETE	04-040/17:55:24.7
20502	M1O	04-040/18:07:41.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:25.8
20503	M1O	04-040/18:07:42.0		Deletes the designated file.: d:/dat/253_doy040_pass04_file03.dat	FILE_DELETE	04-040/17:55:26.8
20504	M1O	04-040/18:07:43.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:27.9
20505	M1O	04-040/18:07:44.1		Deletes the designated file.: d:/dat/253_doy040_pass04_file04.dat	FILE_DELETE	04-040/17:55:28.9
20506	M1O	04-040/18:07:45.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:30.0
20507	M1O	04-040/18:07:46.2		Deletes the designated file.: d:/dat/253_doy040_pass04_file05.dat	FILE_DELETE	04-040/17:55:31.0
20508	M1O	04-040/18:07:47.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:32.1
20509	M1O	04-040/18:07:48.3		Deletes the designated file.: d:/dat/253_doy040_pass04_file06.dat	FILE_DELETE	04-040/17:55:33.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20510	M1O	04-040/18:07:49.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:34.2
20511	M1O	04-040/18:07:50.4		Deletes the designated file.: d:/dat/253_doy040_pass04_file07.dat	FILE_DELETE	04-040/17:55:35.2
20512	M1O	04-040/18:07:51.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:36.3
20513	M1O	04-040/18:07:52.5		Deletes the designated file.: d:/dat/253_doy040_pass04_file08.dat	FILE_DELETE	04-040/17:55:37.3
20514	M1O	04-040/18:07:53.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:38.4
20515	M1O	04-040/18:07:54.6		Deletes the designated file.: d:/dat/253_doy040_pass04_file09.dat	FILE_DELETE	04-040/17:55:39.4
20516	M1O	04-040/18:07:55.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:40.5
20517	M1O	04-040/18:07:56.7		Deletes the designated file.: d:/dat/253_doy040_pass04_file10.dat	FILE_DELETE	04-040/17:55:41.5
20518	M1O	04-040/18:07:57.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:42.6
20519	M1O	04-040/18:07:58.8		Deletes the designated file.: d:/dat/253_doy040_pass04_file11.dat	FILE_DELETE	04-040/17:55:43.6
20520	M1O	04-040/18:07:59.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:44.7
20521	M1O	04-040/18:08:00.9		Deletes the designated file.: d:/dat/253_doy040_pass04_file12.dat	FILE_DELETE	04-040/17:55:45.7
20522	M1O	04-040/18:08:02.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:46.8
20523	M1O	04-040/18:08:03.0		Deletes the designated file.: d:/dat/253_doy040_pass04_file13.dat	FILE_DELETE	04-040/17:55:47.8
20524	M1O	04-040/18:08:04.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:48.9
20525	M1O	04-040/18:08:05.1		Deletes the designated file.: d:/dat/253_doy040_pass04_file14.dat	FILE_DELETE	04-040/17:55:49.9
20526	M1O	04-040/18:08:06.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:51.0
20527	M1O	04-040/18:08:07.2		Deletes the designated file.: d:/dat/253_doy040_pass04_file15.dat	FILE_DELETE	04-040/17:55:52.0
20528	M1O	04-040/18:08:08.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:53.1
20529	M1O	04-040/18:08:09.3		Deletes the designated file.: d:/dat/253_doy040_pass04_file16.dat	FILE_DELETE	04-040/17:55:54.1
20530	M1O	04-040/18:08:10.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:55.2
20531	M1O	04-040/18:08:11.4		Deletes the designated file.: d:/dat/253_doy040_pass04_file17.dat	FILE_DELETE	04-040/17:55:56.2
20532	M1O	04-040/18:08:12.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:57.3
20533	M1O	04-040/18:08:13.5		Deletes the designated file.: d:/dat/253_doy040_pass04_file18.dat	FILE_DELETE	04-040/17:55:58.3
20534	M1O	04-040/18:08:14.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy040_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-040/17:55:59.4
20535	M1O	04-040/18:08:15.6		Deletes the designated file.: d:/dat/253_doy040_pass04_file19.dat	FILE_DELETE	04-040/17:56:00.4
20536	M1O	04-040/18:08:16.6		CALL, Engine = , Parameters = 253	get_apid	04-040/17:56:01.4
20537	M1O	04-040/18:08:17.7		CALL, Engine = , Parameters = 253	get_rcv_mode	04-040/17:56:02.5
20538	M1O	04-040/18:08:17.9		CALL, Engine = , Parameters = 253	get_dl_rate	04-040/17:56:02.7
20539	M1O	04-040/18:08:19.0		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-040/17:56:03.8
20540	M1O	04-040/18:08:20.3		CALL, Engine = , Parameters = 253	get_coding	04-040/17:56:05.1
20541	M1O	04-040/18:08:21.5		CALL, Engine = , Parameters = 253	get_xmt_mode	04-040/17:56:06.3
20542	M1O	04-040/18:08:22.7		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-040/17:56:07.5
20543	M1O	04-040/18:09:27.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-040/17:57:12.3
20544	M1O	04-040/18:09:28.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/17:57:12.9
20545	M1O	04-040/18:09:28.2	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20546	M1O	04-040/18:09:28.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-040/17:57:13.3
20547	M1O	04-040/18:09:29.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-040/17:57:13.9
20548	M1O	04-040/18:09:29.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-040/17:57:14.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20549	M1O	04-040/18:09:30.5		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-040/17:57:15.3
20550	M1O	04-040/18:09:31.5		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-040/17:57:16.3
20551	M1O	04-040/18:09:32.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-040/17:57:17.3
20552	M1O	04-040/18:09:33.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-040/17:57:18.3
20553	M1O	04-040/18:11:23.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/17:59:08.3
20554	M1O	04-040/18:11:23.6	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20555	M1O	04-040/18:11:28.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/17:59:13.5
20556	M1O	04-040/18:11:33.6		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-040/17:59:18.3
20557	M1O	04-040/18:18:48.2		NOTE: Descending Node Crossing 9563		04-040/18:06:32.9
20558	M1O	04-040/18:28:41.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-040/18:16:26.3
20559	M1O	04-040/18:28:42.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-040/18:16:27.4
20560	M1O	04-040/18:28:52.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-040/18:16:37.4
20561	M1O	04-040/18:28:53.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/18:16:38.4
20562	M1O	04-040/18:28:54.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-040/18:16:39.4
20563	M1O	04-040/18:28:54.7	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20564	M1O	04-040/18:28:55.7		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-040/18:16:40.4
20565	M1O	04-040/18:33:54.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/18:21:39.0
20566	M1O	04-040/18:33:54.3	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20567	M1O	04-040/18:46:36.4		NOTE: Periapsis 9563 ----------		04-040/18:34:21.0
20568	M1O	04-040/18:48:06.6		NOTE: South Pole Crossing 9563		04-040/18:35:51.1
20569	M1O	04-040/19:02:03.4		SPAWN, Engine = 65535, Parameters = 040, 04, FALSE, 00:15:32.474, 254, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-040/18:49:48.0
20570	M1O	04-040/19:02:04.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/18:49:49.1
20571	M1O	04-040/19:02:06.5		CALL, Engine = , Parameters = 254	get_cmd_opt	04-040/18:49:51.1
20572	M1O	04-040/19:02:48.7		CALL, Engine = , Parameters = 254	get_apid	04-040/18:50:33.3
20573	M1O	04-040/19:02:49.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-040/18:50:34.4
20574	M1O	04-040/19:02:50.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-040/18:50:34.6
20575	M1O	04-040/19:02:51.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-040/18:50:35.7
20576	M1O	04-040/19:02:52.4		CALL, Engine = , Parameters = 254	get_coding	04-040/18:50:37.0
20577	M1O	04-040/19:02:53.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-040/18:50:38.2
20578	M1O	04-040/19:02:54.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-040/18:50:39.4
20579	M1O	04-040/19:03:59.6		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-040/18:51:44.2
20580	M1O	04-040/19:04:00.6		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-040/18:51:45.2
20581	M1O	04-040/19:04:01.6		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-040/18:51:46.2
20582	M1O	04-040/19:04:02.6		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-040/18:51:47.2
20583	M1O	04-040/19:04:03.6		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-040/18:51:48.2
20584	M1O	04-040/19:04:04.6		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-040/18:51:49.2
20585	M1O	04-040/19:04:05.6		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-040/18:51:50.2
20586	M1O	04-040/19:16:15.0		NOTE: Enter Solar Eclipse 9563		04-040/19:03:59.4
20587	M1O	04-040/19:17:28.6		NOTE: Ascending Node Crossing 9563		04-040/19:05:13.1
20588	M1O	04-040/19:19:34.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-040/19:07:18.6

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20589	M1O	04-040/19:19:35.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-040/19:07:19.7
20590	M1O	04-040/19:19:45.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-040/19:07:29.7
20591	M1O	04-040/19:19:46.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/19:07:30.7
20592	M1O	04-040/19:28:25.9		NOTE: Exit Solar Eclipse 9563		04-040/19:16:10.3
20593	M1O	04-040/19:45:09.3		NOTE: Apoapsis 9563 -		04-040/19:32:53.7
20594	M1O	04-040/19:47:28.5		NOTE: North Pole Crossing 9563		04-040/19:35:12.9
20595	M1O	04-040/20:17:24.4		NOTE: Descending Node Crossing 9564		04-040/20:05:08.7
20596	M1O	04-040/20:45:06.2		NOTE: Periapsis 9564 ----------		04-040/20:32:50.4
20597	M1O	04-040/20:46:42.9		NOTE: South Pole Crossing 9564		04-040/20:34:27.1
20598	M1O	04-040/21:14:51.9		NOTE: Enter Solar Eclipse 9564		04-040/21:02:36.1
20599	M1O	04-040/21:16:05.0		NOTE: Ascending Node Crossing 9564		04-040/21:03:49.2
20600	M1O	04-040/21:27:04.6		NOTE: Exit Solar Eclipse 9564		04-040/21:14:48.7
20601	M1O	04-040/21:40:00.0	26	Begin Pre-Cal		
20602	M1O	04-040/21:40:00.0	26	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
20603	M1O	04-040/21:40:00.0	26	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
20604	M1O	04-040/21:40:00.0	26	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
20605	M1O	04-040/21:40:00.0	26	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
20606	M1O	04-040/21:40:00.0	26	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
20607	M1O	04-040/21:40:00.0	26	Config: RCV: Parms:		
20608	M1O	04-040/21:40:00.0	26	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
20609	M1O	04-040/21:40:00.0	26	Config: TGC: BAND=X, SR=221200.000000		
20610	M1O	04-040/21:40:00.0	26	Config: TXL		
20611	M1O	04-040/21:40:00.0	26	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
20612	M1O	04-040/21:40:00.0	26	Config: CMD		
20613	M1O	04-040/21:40:00.0	26	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
20614	M1O	04-040/21:43:21.5		NOTE: Apoapsis 9564 -		04-040/21:31:05.5
20615	M1O	04-040/21:46:03.9		NOTE: North Pole Crossing 9564		04-040/21:33:47.9
20616	M1O	04-040/21:55:00.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
20617	M1O	04-040/22:05:00.0	63	Range Modulation Off		
20618	M1O	04-040/22:10:00.0	63	X-Band Transmitter Off		
20619	M1O	04-040/22:15:58.5		NOTE: Descending Node Crossing 9565		04-040/22:03:42.4
20620	M1O	04-040/22:20:42.0	63	NOTE: Below Uplink Interlock Limit		
20621	M1O	04-040/22:26:21.1		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-040/22:14:05.0
20622	M1O	04-040/22:26:36.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-038T22:14:05.100, 2004-040T22:14:05.100	PCKTS_RE_TX_TIME	04-040/22:14:20.8
20623	M1O	04-040/22:26:37.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-038T22:14:05.100, 2004-040T22:14:05.100	PCKTS_RE_TX_TIME	04-040/22:14:21.8
20624	M1O	04-040/22:26:38.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-038T22:14:05.100, 2004-040T22:14:05.100	PCKTS_RE_TX_TIME	04-040/22:14:22.8
20625	M1O	04-040/22:26:39.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-038T22:14:05.100, 2004-040T22:14:05.100	PCKTS_RE_TX_TIME	04-040/22:14:23.8
20626	M1O	04-040/22:26:40.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-038T22:14:05.100, 2004-040T22:14:05.100	PCKTS_RE_TX_TIME	04-040/22:14:24.8
20627	M1O	04-040/22:26:41.9		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-038T22:14:05.100, 2004-040T22:14:05.100	PCKTS_RE_TX_TIME	04-040/22:14:25.8
20628	M1O	04-040/22:26:41.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-040/22:14:25.8
20629	M1O	04-040/22:26:41.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20630	M1O	04-040/22:28:59.1		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-040/22:16:43.0
20631	M1O	04-040/22:28:59.2		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-040/22:16:43.1
20632	M1O	04-040/22:29:00.2		Forces a desaturation of the reaction wheels.	RW_DESAT	04-040/22:16:44.1
20633	M1O	04-040/22:33:42.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/22:21:26.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20634	M1O	04-040/22:33:42.9	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20635	M1O	04-040/22:33:43.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-040/22:21:27.8
20636	M1O	04-040/22:33:59.9		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-040/22:21:43.8
20637	M1O	04-040/22:33:59.9	63	D/L RF Warning: SC antenna change - expect signal level variation		
20638	M1O	04-040/22:34:00.9		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-040/22:21:44.8
20639	M1O	04-040/22:34:32.1	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20640	M1O	04-040/22:40:00.0	26	Begin Tracking		
20641	M1O	04-040/22:40:00.0	26	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20642	M1O	04-040/22:40:30.2		CALL, Engine = , Parameters = FALSE	park_hga	04-040/22:28:14.1
20643	M1O	04-040/22:40:30.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/22:28:14.1
20644	M1O	04-040/22:40:31.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-040/22:28:15.1
20645	M1O	04-040/22:40:32.2		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-040/22:28:16.1
20646	M1O	04-040/22:40:32.2		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-040/22:28:16.1
20647	M1O	04-040/22:40:32.2		NOTE: START HGA PARK		
20648	M1O	04-040/22:40:32.2	63	NOTE: Loss Of X-Band Signal		
20649	M1O	04-040/22:40:32.2	26	NOTE: Loss Of X-Band Signal		
20650	M1O	04-040/22:40:33.2		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-040/22:28:17.1
20651	M1O	04-040/22:40:34.2		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-040/22:28:18.1
20652	M1O	04-040/22:43:39.0		NOTE: Periapsis 9565 ----------		04-040/22:31:22.8
20653	M1O	04-040/22:45:04.2		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-040/22:32:48.1
20654	M1O	04-040/22:45:16.8		NOTE: South Pole Crossing 9565		04-040/22:33:00.7
20655	M1O	04-040/22:48:34.2		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-040/22:36:18.1
20656	M1O	04-040/22:48:34.2		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-040/22:36:18.1
20657	M1O	04-040/23:00:00.0	63	End Tracking		
20658	M1O	04-040/23:00:00.9		NOTE: Changing to 34M (BWG) downlink rate: 28440_BPS		04-040/22:47:44.6
20659	M1O	04-040/23:00:00.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 28440_BPS	DOWNLINK_RATE	04-040/22:47:44.6
20660	M1O	04-040/23:07:14.2		SPAWN, Engine = 65535, Parameters = 040, 03, FALSE, 00:19:17.816, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-040/22:54:58.0
20661	M1O	04-040/23:07:15.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/22:54:59.1
20662	M1O	04-040/23:07:17.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-040/22:55:01.1
20663	M1O	04-040/23:07:59.5		CALL, Engine = , Parameters = 56	get_apid	04-040/22:55:43.3
20664	M1O	04-040/23:08:00.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-040/22:55:44.4
20665	M1O	04-040/23:08:00.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-040/22:55:44.6
20666	M1O	04-040/23:08:01.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-040/22:55:45.7
20667	M1O	04-040/23:08:03.1		CALL, Engine = , Parameters = 56	get_coding	04-040/22:55:46.9
20668	M1O	04-040/23:08:04.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-040/22:55:48.1
20669	M1O	04-040/23:08:05.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-040/22:55:49.3
20670	M1O	04-040/23:09:10.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-040/22:56:54.1
20671	M1O	04-040/23:09:11.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-040/22:56:55.1
20672	M1O	04-040/23:09:12.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-040/22:56:56.1
20673	M1O	04-040/23:09:13.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-040/22:56:57.1
20674	M1O	04-040/23:09:14.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-040/22:56:58.1
20675	M1O	04-040/23:09:15.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-040/22:56:59.1
20676	M1O	04-040/23:09:16.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK,	UHF_XMIT_MODE	04-040/22:57:00.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				BYPASS_COD, PSK		
20677	M1O	04-040/23:12:27.0	26	Acquire U/L: X/08, PWR=20.0, BR=125.0		
20678	M1O	04-040/23:13:25.4		NOTE: Enter Solar Eclipse 9565		04-040/23:01:09.1
20679	M1O	04-040/23:14:39.0		NOTE: Ascending Node Crossing 9565		04-040/23:02:22.7
20680	M1O	04-040/23:15:00.0	63	End Post-Cal		
20681	M1O	04-040/23:17:27.0	26	Range Modulation On: SUP=3.0dB		
20682	M1O	04-040/23:18:27.0	26	Begin Ranging Acquisition		
20683	M1O	04-040/23:18:34.2		GV: GV_DESAT_ACTIVE = 1		04-040/23:06:18.0
20684	M1O	04-040/23:18:35.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-040/23:06:19.0
20685	M1O	04-040/23:18:35.2		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-040/23:06:19.0
20686	M1O	04-040/23:25:42.5		NOTE: Exit Solar Eclipse 9565		04-040/23:13:26.2
20687	M1O	04-040/23:28:30.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-040/23:16:13.9
20688	M1O	04-040/23:28:31.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-040/23:16:15.0
20689	M1O	04-040/23:28:34.3		GV: GV_DESAT_ACTIVE = 0		04-040/23:16:18.0
20690	M1O	04-040/23:28:35.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-040/23:16:19.0
20691	M1O	04-040/23:28:36.3		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-040/23:16:20.0
20692	M1O	04-040/23:28:37.3		CALL, Engine = , Parameters =	unpark_hga	04-040/23:16:21.0
20693	M1O	04-040/23:28:37.3		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-040/23:16:21.0
20694	M1O	04-040/23:28:38.3		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-040/23:16:22.0
20695	M1O	04-040/23:28:41.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-040/23:16:25.0
20696	M1O	04-040/23:28:42.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-040/23:16:26.0
20697	M1O	04-040/23:33:08.3		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-040/23:20:52.0
20698	M1O	04-040/23:33:09.3		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-040/23:20:53.0
20699	M1O	04-040/23:36:33.5		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-040/23:24:17.1
20700	M1O	04-040/23:36:33.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-040/23:24:17.2
20701	M1O	04-040/23:36:34.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-040/23:24:18.2
20702	M1O	04-040/23:36:35.6		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-040/23:24:19.2
20703	M1O	04-040/23:36:36.6		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-040/23:24:20.2
20704	M1O	04-040/23:36:37.6		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-040/23:24:21.2
20705	M1O	04-040/23:36:47.6		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-040/23:24:31.2
20706	M1O	04-040/23:36:57.6		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-040/23:24:41.2
20707	M1O	04-040/23:37:09.3		NOTE: EXIT HGA PARK		
20708	M1O	04-040/23:37:09.3	26	Acquisition Of X-Band Signal		
20709	M1O	04-040/23:37:09.3	26	Acquire D/L: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20710	M1O	04-040/23:41:57.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-040/23:29:41.2
20711	M1O	04-040/23:41:58.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-040/23:29:42.2
20712	M1O	04-040/23:41:58.6	26	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20713	M1O	04-040/23:41:59.0		NOTE: Apoapsis 9565 - - -

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20718	M1O	04-041/00:00:00.0	14	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
20719	M1O	04-041/00:00:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
20720	M1O	04-041/00:00:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
20721	M1O	04-041/00:00:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
20722	M1O	04-041/00:00:00.0	14	At BOT: S/C Tlm Mode: BR=28440.0, FL=10112, SC=375KHZ, MI=71.7		
20723	M1O	04-041/00:00:00.0	14	Config: RCV: Parms:		
20724	M1O	04-041/00:00:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
20725	M1O	04-041/00:00:00.0	14	Config: TGC: BAND=X, SR=56880.000000		
20726	M1O	04-041/00:00:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
20727	M1O	04-041/00:14:30.3		NOTE: Descending Node Crossing 9566		04-041/00:02:13.9
20728	M1O	04-041/00:42:11.6		NOTE: Periapsis 9566 ----------		04-041/00:29:55.1
20729	M1O	04-041/00:43:48.0		NOTE: South Pole Crossing 9566		04-041/00:31:31.4
20730	M1O	04-041/01:08:27.6		SPAWN, Engine = 65535, Parameters = 041, 01, FALSE, 00:11:55.272, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-041/00:56:11.0
20731	M1O	04-041/01:08:28.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/00:56:12.1
20732	M1O	04-041/01:08:30.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-041/00:56:14.1
20733	M1O	04-041/01:09:12.9		CALL, Engine = , Parameters = 56	get_apid	04-041/00:56:56.3
20734	M1O	04-041/01:09:14.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-041/00:56:57.4
20735	M1O	04-041/01:09:14.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-041/00:56:57.6
20736	M1O	04-041/01:09:15.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-041/00:56:58.7
20737	M1O	04-041/01:09:16.5		CALL, Engine = , Parameters = 56	get_coding	04-041/00:56:59.9
20738	M1O	04-041/01:09:17.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-041/00:57:01.1
20739	M1O	04-041/01:09:18.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-041/00:57:02.3
20740	M1O	04-041/01:10:23.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-041/00:58:07.1
20741	M1O	04-041/01:10:24.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-041/00:58:08.1
20742	M1O	04-041/01:10:25.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-041/00:58:09.1
20743	M1O	04-041/01:10:26.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-041/00:58:10.1
20744	M1O	04-041/01:10:27.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-041/00:58:11.1
20745	M1O	04-041/01:10:28.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-041/00:58:12.1
20746	M1O	04-041/01:10:29.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-041/00:58:13.1
20747	M1O	04-041/01:11:55.6		NOTE: Enter Solar Eclipse 9566		04-041/00:59:39.0
20748	M1O	04-041/01:13:09.5		NOTE: Ascending Node Crossing 9566		04-041/01:00:52.8
20749	M1O	04-041/01:13:58.1		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-041/01:01:41.5
20750	M1O	04-041/01:14:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/01:01:43.6
20751	M1O	04-041/01:14:00.2	26	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20752	M1O	04-041/01:14:01.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/01:01:44.6
20753	M1O	04-041/01:15:00.0	14	Begin Tracking		
20754	M1O	04-041/01:15:00.0	14	Acquire D/L: X/08, 3-Way/26, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20755	M1O	04-041/01:15:00.2		NOTE: Changing to 70M downlink rate: 110600_BPS		04-041/01:02:43.5
20756	M1O	04-041/01:15:00.2		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-041/01:02:43.5
20757	M1O	04-041/01:15:00.2	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20758	M1O	04-041/01:15:00.2	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20759	M1O	04-041/01:20:00.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/01:07:43.6
20760	M1O	04-041/01:20:00.3	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20761	M1O	04-041/01:20:00.3	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20762	M1O	04-041/01:20:01.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/01:07:44.6
20763	M1O	04-041/01:22:21.0		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-041/01:10:04.3
20764	M1O	04-041/01:22:22.1		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-041/01:10:05.4
20765	M1O	04-041/01:22:32.1		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-041/01:10:15.4
20766	M1O	04-041/01:22:33.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/01:10:16.4
20767	M1O	04-041/01:24:12.1		NOTE: Exit Solar Eclipse 9566		04-041/01:11:55.4
20768	M1O	04-041/01:38:33.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-041/01:26:16.7
20769	M1O	04-041/01:38:35.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/01:26:18.8
20770	M1O	04-041/01:38:35.5	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20771	M1O	04-041/01:38:35.5	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20772	M1O	04-041/01:38:36.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/01:26:19.8
20773	M1O	04-041/01:40:34.8		NOTE: Apoapsis 9566 -		04-041/01:28:18.1
20774	M1O	04-041/01:43:07.6		NOTE: North Pole Crossing 9566		04-041/01:30:50.9
20775	M1O	04-041/01:44:35.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/01:32:18.8
20776	M1O	04-041/01:44:35.6	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20777	M1O	04-041/01:44:35.6	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20778	M1O	04-041/01:44:36.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/01:32:19.8
20779	M1O	04-041/02:13:01.6		NOTE: Descending Node Crossing 9567		04-041/02:00:44.7
20780	M1O	04-041/02:40:24.1		NOTE: Periapsis 9567 ----------		04-041/02:28:07.1
20781	M1O	04-041/02:42:18.9		NOTE: South Pole Crossing 9567		04-041/02:30:01.9
20782	M1O	04-041/03:10:30.7		NOTE: Enter Solar Eclipse 9567		04-041/02:58:13.7
20783	M1O	04-041/03:11:40.9		NOTE: Ascending Node Crossing 9567		04-041/02:59:23.8
20784	M1O	04-041/03:22:35.2		NOTE: Exit Solar Eclipse 9567		04-041/03:10:18.2
20785	M1O	04-041/03:38:52.3		NOTE: Apoapsis 9567 -		04-041/03:26:35.1
20786	M1O	04-041/03:41:40.1		NOTE: North Pole Crossing 9567		04-041/03:29:23.0
20787	M1O	04-041/04:11:34.8		NOTE: Descending Node Crossing 9568		04-041/03:59:17.6
20788	M1O	04-041/04:38:54.3		NOTE: Periapsis 9568 ----------		04-041/04:26:37.0
20789	M1O	04-041/04:40:53.4		NOTE: South Pole Crossing 9568		04-041/04:28:36.1
20790	M1O	04-041/05:00:00.0	43	Begin Pre-Cal		
20791	M1O	04-041/05:00:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
20792	M1O	04-041/05:00:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
20793	M1O	04-041/05:00:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
20794	M1O	04-041/05:00:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
20795	M1O	04-041/05:00:00.0	43	At BOT: S/C Tlm Mode: BR=28440.0, FL=10112, SC=375KHZ, MI=71.7		
20796	M1O	04-041/05:00:00.0	43	Config: RCV: Parms:		
20797	M1O	04-041/05:00:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
20798	M1O	04-041/05:00:00.0	43	Config: TGC: BAND=X, SR=56880.000000		
20799	M1O	04-041/05:00:00.0	43	Config: TXL		
20800	M1O	04-041/05:00:00.0	43	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
20801	M1O	04-041/05:00:00.0	43	Config: CMD		
20802	M1O	04-041/05:00:00.0	43	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
20803	M1O	04-041/05:00:43.3		SPAWN, Engine = 65535, Parameters = 041, 01, FALSE, 00:15:32.089, 253, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-041/04:48:26.0
20804	M1O	04-041/05:00:44.4		Passes the specified amount of data, data size parameter, through the PACI interface.:	GRS_PASS_THROUGH	04-041/04:48:27.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000		
20805	M1O	04-041/05:00:46.4		CALL, Engine = , Parameters = 253	get_cmd_opt	04-041/04:48:29.1
20806	M1O	04-041/05:01:28.6		CALL, Engine = , Parameters = 253	get_apid	04-041/04:49:11.3
20807	M1O	04-041/05:01:29.7		CALL, Engine = , Parameters = 253	get_rcv_mode	04-041/04:49:12.4
20808	M1O	04-041/05:01:29.9		CALL, Engine = , Parameters = 253	get_dl_rate	04-041/04:49:12.6
20809	M1O	04-041/05:01:31.0		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-041/04:49:13.7
20810	M1O	04-041/05:01:32.3		CALL, Engine = , Parameters = 253	get_coding	04-041/04:49:15.0
20811	M1O	04-041/05:01:33.5		CALL, Engine = , Parameters = 253	get_xmt_mode	04-041/04:49:16.2
20812	M1O	04-041/05:01:34.7		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-041/04:49:17.4
20813	M1O	04-041/05:02:39.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-041/04:50:22.2
20814	M1O	04-041/05:02:40.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-041/04:50:23.2
20815	M1O	04-041/05:02:41.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-041/04:50:24.2
20816	M1O	04-041/05:02:42.5		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-041/04:50:25.2
20817	M1O	04-041/05:02:43.5		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-041/04:50:26.2
20818	M1O	04-041/05:02:44.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-041/04:50:27.2
20819	M1O	04-041/05:02:45.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-041/04:50:28.2
20820	M1O	04-041/05:09:09.2		NOTE: Enter Solar Eclipse 9568		04-041/04:56:51.8
20821	M1O	04-041/05:10:16.6		NOTE: Ascending Node Crossing 9568		04-041/04:57:59.1
20822	M1O	04-041/05:18:13.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-041/05:05:56.2
20823	M1O	04-041/05:18:14.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-041/05:05:57.3
20824	M1O	04-041/05:18:24.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-041/05:06:07.3
20825	M1O	04-041/05:18:25.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/05:06:08.3
20826	M1O	04-041/05:21:05.8		NOTE: Exit Solar Eclipse 9568		04-041/05:08:48.3
20827	M1O	04-041/05:37:31.2		NOTE: Apoapsis 9568 -		04-041/05:25:13.7
20828	M1O	04-041/05:40:15.6		NOTE: North Pole Crossing 9568		04-041/05:27:58.1
20829	M1O	04-041/05:55:00.0	26	NOTE: X-Band Transmitter Off in 15 minutes		
20830	M1O	04-041/06:03:13.5		SPAWN, Engine = 65535, Parameters = 041, 01, TRUE, 00:19:15, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-041/05:50:56.0
20831	M1O	04-041/06:03:14.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/05:50:57.1
20832	M1O	04-041/06:03:16.6		CALL, Engine = , Parameters = 254	get_cmd_opt	04-041/05:50:59.1
20833	M1O	04-041/06:03:16.9		CALL, Engine = , Parameters = 041, 01, 254	bld_autosw	04-041/05:50:59.4
20834	M1O	04-041/06:03:18.0		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-041/05:51:00.5
20835	M1O	04-041/06:03:19.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:01.6
20836	M1O	04-041/06:03:20.1		Deletes the designated file.: d:/dat/254_doy041_pass01_file01.dat	FILE_DELETE	04-041/05:51:02.6
20837	M1O	04-041/06:03:21.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:03.7
20838	M1O	04-041/06:03:22.2		Deletes the designated file.: d:/dat/254_doy041_pass01_file02.dat	FILE_DELETE	04-041/05:51:04.7
20839	M1O	04-041/06:03:23.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:05.8
20840	M1O	04-041/06:03:24.3		Deletes the designated file.: d:/dat/254_doy041_pass01_file03.dat	FILE_DELETE	04-041/05:51:06.8
20841	M1O	04-041/06:03:25.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:07.9
20842	M1O	04-041/06:03:26.4		Deletes the designated file.: d:/dat/254_doy041_pass01_file04.dat	FILE_DELETE	04-041/05:51:08.9
20843	M1O	04-041/06:03:27.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:10.0
20844	M1O	04-041/06:03:28.5		Deletes the designated file.: d:/dat/254_doy041_pass01_file05.dat	FILE_DELETE	04-041/05:51:11.0
20845	M1O	04-041/06:03:29.6		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-041/05:51:12.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy041_pass01_file06.dat, d:/dat/autoswitch.dat		
20846	M1O	04-041/06:03:30.6		Deletes the designated file.: d:/dat/254_doy041_pass01_file06.dat	FILE_DELETE	04-041/05:51:13.1
20847	M1O	04-041/06:03:31.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:14.2
20848	M1O	04-041/06:03:32.7		Deletes the designated file.: d:/dat/254_doy041_pass01_file07.dat	FILE_DELETE	04-041/05:51:15.2
20849	M1O	04-041/06:03:33.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:16.3
20850	M1O	04-041/06:03:34.8		Deletes the designated file.: d:/dat/254_doy041_pass01_file08.dat	FILE_DELETE	04-041/05:51:17.3
20851	M1O	04-041/06:03:35.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:18.4
20852	M1O	04-041/06:03:36.9		Deletes the designated file.: d:/dat/254_doy041_pass01_file09.dat	FILE_DELETE	04-041/05:51:19.4
20853	M1O	04-041/06:03:38.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:20.5
20854	M1O	04-041/06:03:39.0		Deletes the designated file.: d:/dat/254_doy041_pass01_file10.dat	FILE_DELETE	04-041/05:51:21.5
20855	M1O	04-041/06:03:40.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:22.6
20856	M1O	04-041/06:03:41.1		Deletes the designated file.: d:/dat/254_doy041_pass01_file11.dat	FILE_DELETE	04-041/05:51:23.6
20857	M1O	04-041/06:03:42.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:24.7
20858	M1O	04-041/06:03:43.2		Deletes the designated file.: d:/dat/254_doy041_pass01_file12.dat	FILE_DELETE	04-041/05:51:25.7
20859	M1O	04-041/06:03:44.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:26.8
20860	M1O	04-041/06:03:45.3		Deletes the designated file.: d:/dat/254_doy041_pass01_file13.dat	FILE_DELETE	04-041/05:51:27.8
20861	M1O	04-041/06:03:46.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:28.9
20862	M1O	04-041/06:03:47.4		Deletes the designated file.: d:/dat/254_doy041_pass01_file14.dat	FILE_DELETE	04-041/05:51:29.9
20863	M1O	04-041/06:03:48.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:31.0
20864	M1O	04-041/06:03:49.5		Deletes the designated file.: d:/dat/254_doy041_pass01_file15.dat	FILE_DELETE	04-041/05:51:32.0
20865	M1O	04-041/06:03:50.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:33.1
20866	M1O	04-041/06:03:51.6		Deletes the designated file.: d:/dat/254_doy041_pass01_file16.dat	FILE_DELETE	04-041/05:51:34.1
20867	M1O	04-041/06:03:52.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:35.2
20868	M1O	04-041/06:03:53.7		Deletes the designated file.: d:/dat/254_doy041_pass01_file17.dat	FILE_DELETE	04-041/05:51:36.2
20869	M1O	04-041/06:03:54.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:37.3
20870	M1O	04-041/06:03:55.8		Deletes the designated file.: d:/dat/254_doy041_pass01_file18.dat	FILE_DELETE	04-041/05:51:38.3
20871	M1O	04-041/06:03:56.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/05:51:39.4
20872	M1O	04-041/06:03:57.9		Deletes the designated file.: d:/dat/254_doy041_pass01_file19.dat	FILE_DELETE	04-041/05:51:40.4
20873	M1O	04-041/06:03:58.9		CALL, Engine = , Parameters = 254	get_apid	04-041/05:51:41.4
20874	M1O	04-041/06:04:00.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-041/05:51:42.5
20875	M1O	04-041/06:04:00.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-041/05:51:42.7
20876	M1O	04-041/06:04:01.3		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-041/05:51:43.8
20877	M1O	04-041/06:04:02.6		CALL, Engine = , Parameters = 254	get_coding	04-041/05:51:45.1
20878	M1O	04-041/06:04:03.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-041/05:51:46.3
20879	M1O	04-041/06:04:05.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-041/05:51:47.5
20880	M1O	04-041/06:05:00.0	26	Range Modulation Off		
20881	M1O	04-041/06:05:09.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-041/05:52:52.3
20882	M1O	04-041/06:05:10.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-041/05:52:53.3
20883	M1O	04-041/06:05:11.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-041/05:52:54.3
20884	M1O	04-041/06:05:12.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-041/05:52:55.3
20885	M1O	04-041/06:05:13.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-041/05:52:56.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20886	M1O	04-041/06:05:14.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-041/05:52:57.3
20887	M1O	04-041/06:05:15.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-041/05:52:58.3
20888	M1O	04-041/06:07:05.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/05:54:48.3
20889	M1O	04-041/06:07:05.8	14	D/L Change: X/08, 3-Way/26, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20890	M1O	04-041/06:07:05.8	26	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20891	M1O	04-041/06:07:11.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/05:54:53.5
20892	M1O	04-041/06:07:15.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-041/05:54:58.3
20893	M1O	04-041/06:10:00.0	26	X-Band Transmitter Off		
20894	M1O	04-041/06:10:10.4		NOTE: Descending Node Crossing 9569		04-041/05:57:52.8
20895	M1O	04-041/06:10:24.7	26	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
20896	M1O	04-041/06:13:58.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-041/06:01:40.3
20897	M1O	04-041/06:14:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/06:01:42.4
20898	M1O	04-041/06:14:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/06:01:43.4
20899	M1O	04-041/06:15:00.0	14	End Tracking		
20900	M1O	04-041/06:15:00.0		NOTE: Changing to 34M (BWG) downlink rate: 28440_BPS		04-041/06:02:42.3
20901	M1O	04-041/06:15:00.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 28440_BPS	DOWNLINK_RATE	04-041/06:02:42.3
20902	M1O	04-041/06:15:00.0	26	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20903	M1O	04-041/06:20:00.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/06:07:42.4
20904	M1O	04-041/06:20:00.1	26	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20905	M1O	04-041/06:20:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/06:07:43.4
20906	M1O	04-041/06:20:01.0	26	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20907	M1O	04-041/06:20:01.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/06:07:43.4
20908	M1O	04-041/06:23:18.0	26	NOTE: Below Uplink Interlock Limit		
20909	M1O	04-041/06:24:28.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-041/06:12:11.3
20910	M1O	04-041/06:24:30.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-041/06:12:12.4
20911	M1O	04-041/06:24:40.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-041/06:12:22.4
20912	M1O	04-041/06:24:41.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/06:12:23.4
20913	M1O	04-041/06:24:42.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-041/06:12:24.4
20914	M1O	04-041/06:24:43.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-041/06:12:25.4
20915	M1O	04-041/06:26:49.6		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-041/06:14:32.0
20916	M1O	04-041/06:27:05.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-039T06:14:32.100, 2004-041T06:14:32.100	PCKTS_RE_TX_TIME	04-041/06:14:47.8
20917	M1O	04-041/06:27:06.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-039T06:14:32.100, 2004-041T06:14:32.100	PCKTS_RE_TX_TIME	04-041/06:14:48.8
20918	M1O	04-041/06:27:07.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-039T06:14:32.100, 2004-041T06:14:32.100	PCKTS_RE_TX_TIME	04-041/06:14:49.8
20919	M1O	04-041/06:27:08.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-039T06:14:32.100, 2004-041T06:14:32.100	PCKTS_RE_TX_TIME	04-041/06:14:50.8
20920	M1O	04-041/06:27:09.4		Queues in the retransmit buffer, by time range, designated packet from the specified	PCKTS_RE_TX_TIME	04-041/06:14:51.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				APID.: 3, 2004-039T06:14:32.100, 2004-041T06:14:32.100		
20921	M1O	04-041/06:27:10.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-039T06:14:32.100, 2004-041T06:14:32.100	PCKTS_RE_TX_TIME	04-041/06:14:52.8
20922	M1O	04-041/06:27:10.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-041/06:14:52.8
20923	M1O	04-041/06:27:10.4	26	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20924	M1O	04-041/06:27:11.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/06:14:53.8
20925	M1O	04-041/06:27:11.4	26	D/L Change: X/08, 2-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20926	M1O	04-041/06:30:00.0	14	End Post-Cal		
20927	M1O	04-041/06:34:11.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/06:21:53.8
20928	M1O	04-041/06:34:12.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/06:21:54.8
20929	M1O	04-041/06:34:28.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-041/06:22:10.8
20930	M1O	04-041/06:34:28.4	26	D/L RF Warning: SC antenna change - expect signal level variation		
20931	M1O	04-041/06:34:29.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-041/06:22:11.8
20932	M1O	04-041/06:34:35.2	26	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20933	M1O	04-041/06:35:00.0	26	End Tracking		
20934	M1O	04-041/06:37:54.0		NOTE: Periapsis 9569 ----------		04-041/06:25:36.3
20935	M1O	04-041/06:39:30.1		NOTE: South Pole Crossing 9569		04-041/06:27:12.4
20936	M1O	04-041/06:44:35.1		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-041/06:32:17.3
20937	M1O	04-041/06:44:35.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/06:32:17.4
20938	M1O	04-041/06:44:36.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/06:32:18.4
20939	M1O	04-041/06:44:37.2		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-041/06:32:19.4
20940	M1O	04-041/06:44:38.2		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-041/06:32:20.4
20941	M1O	04-041/06:44:39.2		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-041/06:32:21.4
20942	M1O	04-041/06:44:49.2		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-041/06:32:31.4
20943	M1O	04-041/06:44:59.2		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-041/06:32:41.4
20944	M1O	04-041/06:45:00.0	43	Begin Tracking		
20945	M1O	04-041/06:45:00.0	43	Acquire D/L: X/08, 1-Way, BW=3, BR=28440.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20946	M1O	04-041/06:45:00.1		NOTE: Changing to 70M downlink rate: 110600_BPS		04-041/06:32:42.3
20947	M1O	04-041/06:45:00.1		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-041/06:32:42.3
20948	M1O	04-041/06:45:00.1	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20949	M1O	04-041/06:46:00.0	43	Acquire U/L: X/08, PWR=20.0, BR=125.0		
20950	M1O	04-041/06:49:59.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/06:37:41.4
20951	M1O	04-041/06:50:00.0	26	End Post-Cal		
20952	M1O	04-041/06:50:00.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/06:37:42.4
20953	M1O	04-041/06:50:00.2	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
20954	M1O	04-041/06:50:01.2		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-041/06:37:43.4
20955	M1O	04-041/06:51:00.0	43	Range Modulation On: SUP=3.0dB		
20956	M1O	04-041/06:52:00.0	43	Begin Ranging Acquisition		
20957	M1O	04-041/06:56:52.7		SPAWN, Engine = 65535, Parameters = 041, 02, TRUE, 00:18:02, 253, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-041/06:44:35.0
20958	M1O	04-041/06:56:53.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/06:44:36.1
20959	M1O	04-041/06:56:55.8		CALL, Engine = , Parameters = 253	get_cmd_opt	04-041/06:44:38.1
20960	M1O	04-041/06:56:56.1		CALL, Engine = , Parameters = 041, 02, 253	bld_autosw	04-041/06:44:38.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
20961	M1O	04-041/06:56:57.2		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-041/06:44:39.5
20962	M1O	04-041/06:56:58.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:40.6
20963	M1O	04-041/06:56:59.3		Deletes the designated file.: d:/dat/253_doy041_pass02_file01.dat	FILE_DELETE	04-041/06:44:41.6
20964	M1O	04-041/06:57:00.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:42.7
20965	M1O	04-041/06:57:01.4		Deletes the designated file.: d:/dat/253_doy041_pass02_file02.dat	FILE_DELETE	04-041/06:44:43.7
20966	M1O	04-041/06:57:02.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:44.8
20967	M1O	04-041/06:57:03.5		Deletes the designated file.: d:/dat/253_doy041_pass02_file03.dat	FILE_DELETE	04-041/06:44:45.8
20968	M1O	04-041/06:57:04.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:46.9
20969	M1O	04-041/06:57:05.6		Deletes the designated file.: d:/dat/253_doy041_pass02_file04.dat	FILE_DELETE	04-041/06:44:47.9
20970	M1O	04-041/06:57:06.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:49.0
20971	M1O	04-041/06:57:07.7		Deletes the designated file.: d:/dat/253_doy041_pass02_file05.dat	FILE_DELETE	04-041/06:44:50.0
20972	M1O	04-041/06:57:08.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:51.1
20973	M1O	04-041/06:57:09.8		Deletes the designated file.: d:/dat/253_doy041_pass02_file06.dat	FILE_DELETE	04-041/06:44:52.1
20974	M1O	04-041/06:57:10.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:53.2
20975	M1O	04-041/06:57:11.9		Deletes the designated file.: d:/dat/253_doy041_pass02_file07.dat	FILE_DELETE	04-041/06:44:54.2
20976	M1O	04-041/06:57:13.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:55.3
20977	M1O	04-041/06:57:14.0		Deletes the designated file.: d:/dat/253_doy041_pass02_file08.dat	FILE_DELETE	04-041/06:44:56.3
20978	M1O	04-041/06:57:15.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:57.4
20979	M1O	04-041/06:57:16.1		Deletes the designated file.: d:/dat/253_doy041_pass02_file09.dat	FILE_DELETE	04-041/06:44:58.4
20980	M1O	04-041/06:57:17.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:44:59.5
20981	M1O	04-041/06:57:18.2		Deletes the designated file.: d:/dat/253_doy041_pass02_file10.dat	FILE_DELETE	04-041/06:45:00.5
20982	M1O	04-041/06:57:19.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:45:01.6
20983	M1O	04-041/06:57:20.3		Deletes the designated file.: d:/dat/253_doy041_pass02_file11.dat	FILE_DELETE	04-041/06:45:02.6
20984	M1O	04-041/06:57:21.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:45:03.7
20985	M1O	04-041/06:57:22.4		Deletes the designated file.: d:/dat/253_doy041_pass02_file12.dat	FILE_DELETE	04-041/06:45:04.7
20986	M1O	04-041/06:57:23.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:45:05.8
20987	M1O	04-041/06:57:24.5		Deletes the designated file.: d:/dat/253_doy041_pass02_file13.dat	FILE_DELETE	04-041/06:45:06.8
20988	M1O	04-041/06:57:25.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:45:07.9
20989	M1O	04-041/06:57:26.6		Deletes the designated file.: d:/dat/253_doy041_pass02_file14.dat	FILE_DELETE	04-041/06:45:08.9
20990	M1O	04-041/06:57:27.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:45:10.0
20991	M1O	04-041/06:57:28.7		Deletes the designated file.: d:/dat/253_doy041_pass02_file15.dat	FILE_DELETE	04-041/06:45:11.0
20992	M1O	04-041/06:57:29.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:45:12.1
20993	M1O	04-041/06:57:30.8		Deletes the designated file.: d:/dat/253_doy041_pass02_file16.dat	FILE_DELETE	04-041/06:45:13.1
20994	M1O	04-041/06:57:31.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:45:14.2
20995	M1O	04-041/06:57:32.9		Deletes the designated file.: d:/dat/253_doy041_pass02_file17.dat	FILE_DELETE	04-041/06:45:15.2
20996	M1O	04-041/06:57:34.0		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-041/06:45:16.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy041_pass02_file18.dat, d:/dat/autoswitch.dat		
20997	M1O	04-041/06:57:35.0		Deletes the designated file.: d:/dat/253_doy041_pass02_file18.dat	FILE_DELETE	04-041/06:45:17.3
20998	M1O	04-041/06:57:36.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass02_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/06:45:18.4
20999	M1O	04-041/06:57:37.1		Deletes the designated file.: d:/dat/253_doy041_pass02_file19.dat	FILE_DELETE	04-041/06:45:19.4
21000	M1O	04-041/06:57:38.1		CALL, Engine = , Parameters = 253	get_apid	04-041/06:45:20.4
21001	M1O	04-041/06:57:39.2		CALL, Engine = , Parameters = 253	get_rcv_mode	04-041/06:45:21.5
21002	M1O	04-041/06:57:39.4		CALL, Engine = , Parameters = 253	get_dl_rate	04-041/06:45:21.7
21003	M1O	04-041/06:57:40.5		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-041/06:45:22.8
21004	M1O	04-041/06:57:41.8		CALL, Engine = , Parameters = 253	get_coding	04-041/06:45:24.1
21005	M1O	04-041/06:57:43.0		CALL, Engine = , Parameters = 253	get_xmt_mode	04-041/06:45:25.3
21006	M1O	04-041/06:57:44.2		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-041/06:45:26.5
21007	M1O	04-041/06:58:49.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-041/06:46:31.3
21008	M1O	04-041/06:58:50.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-041/06:46:32.3
21009	M1O	04-041/06:58:51.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-041/06:46:33.3
21010	M1O	04-041/06:58:52.0		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-041/06:46:34.3
21011	M1O	04-041/06:58:53.0		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-041/06:46:35.3
21012	M1O	04-041/06:58:54.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-041/06:46:36.3
21013	M1O	04-041/06:58:55.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-041/06:46:37.3
21014	M1O	04-041/06:58:56.0		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-041/06:46:38.3
21015	M1O	04-041/06:58:57.0		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-041/06:46:39.3
21016	M1O	04-041/07:00:45.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/06:48:27.3
21017	M1O	04-041/07:00:45.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21018	M1O	04-041/07:00:50.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/06:48:32.5
21019	M1O	04-041/07:00:55.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-041/06:48:37.3
21020	M1O	04-041/07:07:44.7		NOTE: Enter Solar Eclipse 9569		04-041/06:55:27.0
21021	M1O	04-041/07:08:53.6		NOTE: Ascending Node Crossing 9569		04-041/06:56:35.8
21022	M1O	04-041/07:09:33.2		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-041/06:57:15.4
21023	M1O	04-041/07:09:35.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/06:57:17.5
21024	M1O	04-041/07:09:36.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/06:57:18.5
21025	M1O	04-041/07:10:35.4	43	Acquire D/L: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21026	M1O	04-041/07:12:17.7		SPAWN, Engine = 65535, Parameters =	scdiag	04-041/07:00:00.0
21027	M1O	04-041/07:12:18.8		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-041/07:00:01.1
21028	M1O	04-041/07:12:19.8		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-041/07:00:02.1
21029	M1O	04-041/07:13:20.8		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-041/07:01:03.0
21030	M1O	04-041/07:13:21.0		NOTE: Start Block fsw_diag		04-041/07:01:03.2
21031	M1O	04-041/07:13:22.0		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-041/07:01:04.2
21032	M1O	04-041/07:13:23.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-041/07:01:05.2
21033	M1O	04-041/07:13:34.0		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]	FSW_VX_CMD	04-041/07:01:16.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21034	M1O	04-041/07:14:04.0		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-041/07:01:46.2
21035	M1O	04-041/07:14:24.0		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-041/07:02:06.2
21036	M1O	04-041/07:14:34.0		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-041/07:02:16.2
21037	M1O	04-041/07:14:54.0		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-041/07:02:36.2
21038	M1O	04-041/07:15:04.0		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-041/07:02:46.2
21039	M1O	04-041/07:15:09.0		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-041/07:02:51.2
21040	M1O	04-041/07:15:14.0		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-041/07:02:56.2
21041	M1O	04-041/07:15:19.0		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-041/07:03:01.2
21042	M1O	04-041/07:15:24.0		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-041/07:03:06.2
21043	M1O	04-041/07:15:29.0		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-041/07:03:11.2
21044	M1O	04-041/07:15:35.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/07:03:17.5
21045	M1O	04-041/07:15:35.3	43	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21046	M1O	04-041/07:15:36.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/07:03:18.5
21047	M1O	04-041/07:15:36.3	43	D/L Change: X/08, 2-Way, BW=3, BR=0.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21048	M1O	04-041/07:15:36.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/07:03:18.5
21049	M1O	04-041/07:16:09.0		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-041/07:03:51.2
21050	M1O	04-041/07:16:14.0		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-041/07:03:56.2
21051	M1O	04-041/07:16:19.0		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-041/07:04:01.2
21052	M1O	04-041/07:16:24.0		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-041/07:04:06.2
21053	M1O	04-041/07:16:29.0		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-041/07:04:11.2
21054	M1O	04-041/07:16:30.0		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-041/07:04:12.2
21055	M1O	04-041/07:16:31.0		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-041/07:04:13.2
21056	M1O	04-041/07:16:32.0		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-041/07:04:14.2
21057	M1O	04-041/07:16:43.0		NOTE: End Block fsw_diag.mod		04-041/07:04:25.2
21058	M1O	04-041/07:16:52.1		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-041/07:04:34.3
21059	M1O	04-041/07:16:53.1		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-041/07:04:35.3
21060	M1O	04-041/07:16:55.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-041/07:04:37.3
21061	M1O	04-041/07:16:56.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-041/07:04:38.4
21062	M1O	04-041/07:17:06.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-041/07:04:48.4
21063	M1O	04-041/07:17:07.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/07:04:49.4
21064	M1O	04-041/07:17:08.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-041/07:04:50.4
21065	M1O	04-041/07:17:08.2	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21066	M1O	04-041/07:17:09.2		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-041/07:04:51.4
21067	M1O	04-041/07:19:42.9		NOTE: Exit Solar Eclipse 9569		04-041/07:07:25.0
21068	M1O	04-041/07:22:07.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/07:09:50.0
21069	M1O	04-041/07:22:07.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21070	M1O	04-041/07:36:40.3		NOTE: Apoapsis 9569 -		04-041/07:24:22.5
21071	M1O	04-041/07:38:52.1		NOTE: North Pole Crossing 9569		04-041/07:26:34.2
21072	M1O	04-041/08:08:47.0		NOTE: Descending Node Crossing 9570		04-041/07:56:29.0
21073	M1O	04-041/08:36:55.6		NOTE: Periapsis 9570 ----------		04-041/08:24:37.6
21074	M1O	04-041/08:38:06.7		NOTE: South Pole Crossing 9570		04-041/08:25:48.7
21075	M1O	04-041/08:59:59.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
21076	M1O	04-041/09:06:17.2		NOTE: Enter Solar Eclipse 9570		04-041/08:53:59.1
21077	M1O	04-041/09:07:29.5		NOTE: Ascending Node Crossing 9570		04-041/08:55:11.3
21078	M1O	04-041/09:09:59.0	43	Range Modulation Off		
21079	M1O	04-041/09:14:59.0	43	X-Band Transmitter Off		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21080	M1O	04-041/09:18:21.0		NOTE: Exit Solar Eclipse 9570		04-041/09:06:02.8
21081	M1O	04-041/09:35:40.3		NOTE: Apoapsis 9570 -		04-041/09:23:22.0
21082	M1O	04-041/09:37:27.9		NOTE: North Pole Crossing 9570		04-041/09:25:09.6
21083	M1O	04-041/09:38:32.7		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-041/09:26:14.4
21084	M1O	04-041/09:38:34.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/09:26:16.5
21085	M1O	04-041/09:38:34.8	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21086	M1O	04-041/09:38:35.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/09:26:17.5
21087	M1O	04-041/09:39:35.3	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21088	M1O	04-041/09:44:34.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/09:32:16.5
21089	M1O	04-041/09:44:34.8	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21090	M1O	04-041/09:44:35.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/09:32:17.5
21091	M1O	04-041/09:45:00.0	55	Begin Pre-Cal		
21092	M1O	04-041/09:45:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
21093	M1O	04-041/09:45:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
21094	M1O	04-041/09:45:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
21095	M1O	04-041/09:45:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
21096	M1O	04-041/09:45:00.0	55	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
21097	M1O	04-041/09:45:00.0	55	Config: RCV: Parms:		
21098	M1O	04-041/09:45:00.0	55	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
21099	M1O	04-041/09:45:00.0	55	Config: TGC: BAND=X, SR=221200.000000		
21100	M1O	04-041/09:45:00.0	55	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
21101	M1O	04-041/10:07:23.0		NOTE: Descending Node Crossing 9571		04-041/09:55:04.6
21102	M1O	04-041/10:35:37.0		NOTE: Periapsis 9571 ----------		04-041/10:23:18.5
21103	M1O	04-041/10:36:41.6		NOTE: South Pole Crossing 9571		04-041/10:24:23.1
21104	M1O	04-041/11:04:47.6		NOTE: Enter Solar Eclipse 9571		04-041/10:52:29.1
21105	M1O	04-041/11:06:03.0		NOTE: Ascending Node Crossing 9571		04-041/10:53:44.5
21106	M1O	04-041/11:15:00.0	55	Begin Tracking		
21107	M1O	04-041/11:15:00.0	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21108	M1O	04-041/11:16:57.5		NOTE: Exit Solar Eclipse 9571		04-041/11:04:38.9
21109	M1O	04-041/11:19:09.0	43	NOTE: Below Uplink Interlock Limit		
21110	M1O	04-041/11:23:58.9		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-041/11:11:40.3
21111	M1O	04-041/11:24:01.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/11:11:42.4
21112	M1O	04-041/11:24:01.0	43	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21113	M1O	04-041/11:24:01.0	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21114	M1O	04-041/11:24:02.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/11:11:43.4
21115	M1O	04-041/11:25:00.0	43	End Tracking		
21116	M1O	04-041/11:25:00.9		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-041/11:12:42.3
21117	M1O	04-041/11:25:00.9		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-041/11:12:42.3
21118	M1O	04-041/11:25:00.9	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21119	M1O	04-041/11:25:06.9		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-041/11:12:48.3
21120	M1O	04-041/11:25:06.9	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21121	M1O	04-041/11:30:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/11:17:42.4
21122	M1O	04-041/11:30:01.1	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21123	M1O	04-041/11:30:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/11:17:43.4
21124	M1O	04-041/11:34:03.6		NOTE: Apoapsis 9571 -		04-041/11:21:45.0
21125	M1O	04-041/11:36:01.2		NOTE: North Pole Crossing 9571		04-041/11:23:42.6
21126	M1O	04-041/11:40:00.0	43	End Post-Cal		
21127	M1O	04-041/11:50:13.6		SPAWN, Engine = 65535, Parameters = 041, 02, FALSE, 00:19:30.514, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-041/11:37:55.0
21128	M1O	04-041/11:50:14.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/11:37:56.1
21129	M1O	04-041/11:50:16.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-041/11:37:58.1
21130	M1O	04-041/11:50:58.9		CALL, Engine = , Parameters = 56	get_apid	04-041/11:38:40.3
21131	M1O	04-041/11:51:00.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-041/11:38:41.4
21132	M1O	04-041/11:51:00.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-041/11:38:41.6
21133	M1O	04-041/11:51:01.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-041/11:38:42.7
21134	M1O	04-041/11:51:02.5		CALL, Engine = , Parameters = 56	get_coding	04-041/11:38:43.9
21135	M1O	04-041/11:51:03.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-041/11:38:45.1
21136	M1O	04-041/11:51:04.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-041/11:38:46.3
21137	M1O	04-041/11:52:09.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-041/11:39:51.1
21138	M1O	04-041/11:52:10.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-041/11:39:52.1
21139	M1O	04-041/11:52:11.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-041/11:39:53.1
21140	M1O	04-041/11:52:12.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-041/11:39:54.1
21141	M1O	04-041/11:52:13.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-041/11:39:55.1
21142	M1O	04-041/11:52:14.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-041/11:39:56.1
21143	M1O	04-041/11:52:15.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-041/11:39:57.1
21144	M1O	04-041/12:05:55.9		NOTE: Descending Node Crossing 9572		04-041/11:53:37.2
21145	M1O	04-041/12:11:42.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-041/11:59:23.6
21146	M1O	04-041/12:11:43.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-041/11:59:24.7
21147	M1O	04-041/12:11:53.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-041/11:59:34.7
21148	M1O	04-041/12:11:54.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/11:59:35.7
21149	M1O	04-041/12:33:49.8		NOTE: Periapsis 9572 ----------		04-041/12:21:31.0
21150	M1O	04-041/12:35:13.5		NOTE: South Pole Crossing 9572		04-041/12:22:54.6
21151	M1O	04-041/13:00:00.0	63	Begin Pre-Cal		
21152	M1O	04-041/13:00:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
21153	M1O	04-041/13:00:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
21154	M1O	04-041/13:00:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
21155	M1O	04-041/13:00:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
21156	M1O	04-041/13:00:00.0	63	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
21157	M1O	04-041/13:00:00.0	63	Config: RCV: Parms:		
21158	M1O	04-041/13:00:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
21159	M1O	04-041/13:00:00.0	63	Config: TGC: BAND=X, SR=79632.000000		
21160	M1O	04-041/13:00:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
21161	M1O	04-041/13:03:19.9		NOTE: Enter Solar Eclipse 9572		04-041/12:51:01.0
21162	M1O	04-041/13:04:34.5		NOTE: Ascending Node Crossing 9572		04-041/12:52:15.6
21163	M1O	04-041/13:15:29.8		NOTE: Exit Solar Eclipse 9572		04-041/13:03:10.8
21164	M1O	04-041/13:32:08.5		NOTE: Apoapsis 9572 -		04-041/13:19:49.5
21165	M1O	04-041/13:34:32.1		NOTE: North Pole Crossing 9572		04-041/13:22:13.1
21166	M1O	04-041/14:04:25.8		NOTE: Descending Node Crossing 9573		04-041/13:52:06.7
21167	M1O	04-041/14:32:02.5		NOTE: Periapsis 9573 ----------		04-041/14:19:43.3
21168	M1O	04-041/14:33:43.9		NOTE: South Pole Crossing 9573		04-041/14:21:24.7
21169	M1O	04-041/14:43:58.4		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-041/14:31:39.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21170	M1O	04-041/14:44:00.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/14:31:41.3
21171	M1O	04-041/14:44:00.5	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21172	M1O	04-041/14:44:01.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/14:31:42.3
21173	M1O	04-041/14:44:54.4		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-041/14:32:35.2
21174	M1O	04-041/14:44:54.4	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21175	M1O	04-041/14:45:00.0	63	Begin Tracking		
21176	M1O	04-041/14:45:00.0	63	Acquire D/L: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21177	M1O	04-041/14:45:00.4		NOTE: Changing to 70M downlink rate: 110600_BPS		04-041/14:32:41.2
21178	M1O	04-041/14:45:00.4		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-041/14:32:41.2
21179	M1O	04-041/14:45:00.4	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21180	M1O	04-041/14:45:00.4	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21181	M1O	04-041/14:50:00.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/14:37:41.3
21182	M1O	04-041/14:50:00.6	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21183	M1O	04-041/14:50:00.6	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21184	M1O	04-041/14:50:01.6		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/14:37:42.3
21185	M1O	04-041/15:01:54.5		NOTE: Enter Solar Eclipse 9573		04-041/14:49:35.2
21186	M1O	04-041/15:03:06.1		NOTE: Ascending Node Crossing 9573		04-041/14:50:46.8
21187	M1O	04-041/15:13:56.2		NOTE: Exit Solar Eclipse 9573		04-041/15:01:36.9
21188	M1O	04-041/15:30:43.1		NOTE: Apoapsis 9573 -		04-041/15:18:23.8
21189	M1O	04-041/15:33:04.0		NOTE: North Pole Crossing 9573		04-041/15:20:44.6
21190	M1O	04-041/15:35:00.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
21191	M1O	04-041/15:40:00.0	55	Range Modulation On: SUP=3.0dB		
21192	M1O	04-041/15:41:00.0	55	Begin Ranging Acquisition		
21193	M1O	04-041/15:58:36.0		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-041/15:46:16.6
21194	M1O	04-041/15:58:38.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/15:46:18.7
21195	M1O	04-041/15:58:38.1	63	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21196	M1O	04-041/15:58:38.1	55	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21197	M1O	04-041/15:58:39.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/15:46:19.7
21198	M1O	04-041/15:59:38.8	63	Acquire D/L: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21199	M1O	04-041/15:59:38.8	55	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21200	M1O	04-041/16:02:58.0		NOTE: Descending Node Crossing 9574		04-041/15:50:38.5
21201	M1O	04-041/16:04:38.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/15:52:18.7
21202	M1O	04-041/16:04:38.2	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21203	M1O	04-041/16:04:38.2	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21204	M1O	04-041/16:04:39.2		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/15:52:19.7
21205	M1O	04-041/16:30:37.2		NOTE: Periapsis 9574 ----------		04-041/16:18:17.6
21206	M1O	04-041/16:32:16.8		NOTE: South Pole Crossing 9574		04-041/16:19:57.3
21207	M1O	04-041/17:00:29.6		NOTE: Enter Solar Eclipse 9574		04-041/16:48:09.9
21208	M1O	04-041/17:01:39.8		NOTE: Ascending Node Crossing 9574		04-041/16:49:20.1
21209	M1O	04-041/17:12:23.2		NOTE: Exit Solar Eclipse 9574		04-041/17:00:03.4
21210	M1O	04-041/17:29:32.6		NOTE: Apoapsis 9574 -		04-041/17:17:12.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21211	M1O	04-041/17:31:39.0		NOTE: North Pole Crossing 9574		04-041/17:19:19.3
21212	M1O	04-041/17:50:20.2	55	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
21213	M1O	04-041/17:51:18.8		SPAWN, Engine = 65535, Parameters = 041, 03, TRUE, 00:18:18, 253, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-041/17:38:59.0
21214	M1O	04-041/17:51:19.9		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/17:39:00.1
21215	M1O	04-041/17:51:21.9		CALL, Engine = , Parameters = 253	get_cmd_opt	04-041/17:39:02.1
21216	M1O	04-041/17:51:22.2		CALL, Engine = , Parameters = 041, 03, 253	bld_autosw	04-041/17:39:02.4
21217	M1O	04-041/17:51:23.3		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-041/17:39:03.5
21218	M1O	04-041/17:51:24.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:04.6
21219	M1O	04-041/17:51:25.4		Deletes the designated file.: d:/dat/253_doy041_pass03_file01.dat	FILE_DELETE	04-041/17:39:05.6
21220	M1O	04-041/17:51:26.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:06.7
21221	M1O	04-041/17:51:27.5		Deletes the designated file.: d:/dat/253_doy041_pass03_file02.dat	FILE_DELETE	04-041/17:39:07.7
21222	M1O	04-041/17:51:28.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:08.8
21223	M1O	04-041/17:51:29.6		Deletes the designated file.: d:/dat/253_doy041_pass03_file03.dat	FILE_DELETE	04-041/17:39:09.8
21224	M1O	04-041/17:51:30.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:10.9
21225	M1O	04-041/17:51:31.7		Deletes the designated file.: d:/dat/253_doy041_pass03_file04.dat	FILE_DELETE	04-041/17:39:11.9
21226	M1O	04-041/17:51:32.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:13.0
21227	M1O	04-041/17:51:33.8		Deletes the designated file.: d:/dat/253_doy041_pass03_file05.dat	FILE_DELETE	04-041/17:39:14.0
21228	M1O	04-041/17:51:34.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:15.1
21229	M1O	04-041/17:51:35.9		Deletes the designated file.: d:/dat/253_doy041_pass03_file06.dat	FILE_DELETE	04-041/17:39:16.1
21230	M1O	04-041/17:51:37.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:17.2
21231	M1O	04-041/17:51:38.0		Deletes the designated file.: d:/dat/253_doy041_pass03_file07.dat	FILE_DELETE	04-041/17:39:18.2
21232	M1O	04-041/17:51:39.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:19.3
21233	M1O	04-041/17:51:40.1		Deletes the designated file.: d:/dat/253_doy041_pass03_file08.dat	FILE_DELETE	04-041/17:39:20.3
21234	M1O	04-041/17:51:41.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:21.4
21235	M1O	04-041/17:51:42.2		Deletes the designated file.: d:/dat/253_doy041_pass03_file09.dat	FILE_DELETE	04-041/17:39:22.4
21236	M1O	04-041/17:51:43.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:23.5
21237	M1O	04-041/17:51:44.3		Deletes the designated file.: d:/dat/253_doy041_pass03_file10.dat	FILE_DELETE	04-041/17:39:24.5
21238	M1O	04-041/17:51:45.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:25.6
21239	M1O	04-041/17:51:46.4		Deletes the designated file.: d:/dat/253_doy041_pass03_file11.dat	FILE_DELETE	04-041/17:39:26.6
21240	M1O	04-041/17:51:47.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:27.7
21241	M1O	04-041/17:51:48.5		Deletes the designated file.: d:/dat/253_doy041_pass03_file12.dat	FILE_DELETE	04-041/17:39:28.7
21242	M1O	04-041/17:51:49.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:29.8
21243	M1O	04-041/17:51:50.6		Deletes the designated file.: d:/dat/253_doy041_pass03_file13.dat	FILE_DELETE	04-041/17:39:30.8
21244	M1O	04-041/17:51:51.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:31.9
21245	M1O	04-041/17:51:52.7		Deletes the designated file.: d:/dat/253_doy041_pass03_file14.dat	FILE_DELETE	04-041/17:39:32.9
21246	M1O	04-041/17:51:53.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:34.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21247	M1O	04-041/17:51:54.8		Deletes the designated file.: d:/dat/253_doy041_pass03_file15.dat	FILE_DELETE	04-041/17:39:35.0
21248	M1O	04-041/17:51:55.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:36.1
21249	M1O	04-041/17:51:56.9		Deletes the designated file.: d:/dat/253_doy041_pass03_file16.dat	FILE_DELETE	04-041/17:39:37.1
21250	M1O	04-041/17:51:58.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:38.2
21251	M1O	04-041/17:51:59.0		Deletes the designated file.: d:/dat/253_doy041_pass03_file17.dat	FILE_DELETE	04-041/17:39:39.2
21252	M1O	04-041/17:52:00.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:40.3
21253	M1O	04-041/17:52:01.1		Deletes the designated file.: d:/dat/253_doy041_pass03_file18.dat	FILE_DELETE	04-041/17:39:41.3
21254	M1O	04-041/17:52:02.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy041_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/17:39:42.4
21255	M1O	04-041/17:52:03.2		Deletes the designated file.: d:/dat/253_doy041_pass03_file19.dat	FILE_DELETE	04-041/17:39:43.4
21256	M1O	04-041/17:52:04.2		CALL, Engine = , Parameters = 253	get_apid	04-041/17:39:44.4
21257	M1O	04-041/17:52:05.3		CALL, Engine = , Parameters = 253	get_rcv_mode	04-041/17:39:45.5
21258	M1O	04-041/17:52:05.5		CALL, Engine = , Parameters = 253	get_dl_rate	04-041/17:39:45.7
21259	M1O	04-041/17:52:06.6		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-041/17:39:46.8
21260	M1O	04-041/17:52:07.9		CALL, Engine = , Parameters = 253	get_coding	04-041/17:39:48.1
21261	M1O	04-041/17:52:09.1		CALL, Engine = , Parameters = 253	get_xmt_mode	04-041/17:39:49.3
21262	M1O	04-041/17:52:10.3		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-041/17:39:50.5
21263	M1O	04-041/17:53:15.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-041/17:40:55.3
21264	M1O	04-041/17:53:16.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-041/17:40:56.3
21265	M1O	04-041/17:53:17.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-041/17:40:57.3
21266	M1O	04-041/17:53:18.1		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-041/17:40:58.3
21267	M1O	04-041/17:53:19.1		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-041/17:40:59.3
21268	M1O	04-041/17:53:20.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-041/17:41:00.3
21269	M1O	04-041/17:53:21.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-041/17:41:01.3
21270	M1O	04-041/17:55:00.0	55	NOTE: X-Band Transmitter Off in 15 minutes		
21271	M1O	04-041/17:55:11.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/17:42:51.3
21272	M1O	04-041/17:55:11.1	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21273	M1O	04-041/17:55:11.1	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21274	M1O	04-041/17:55:16.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/17:42:56.5
21275	M1O	04-041/17:55:21.1		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-041/17:43:01.3
21276	M1O	04-041/18:01:34.4		NOTE: Descending Node Crossing 9575		04-041/17:49:14.6
21277	M1O	04-041/18:05:00.0	55	Range Modulation Off		
21278	M1O	04-041/18:10:00.0	55	X-Band Transmitter Off		
21279	M1O	04-041/18:11:37.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-041/17:59:17.3
21280	M1O	04-041/18:11:38.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-041/17:59:18.4
21281	M1O	04-041/18:11:48.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-041/17:59:28.4
21282	M1O	04-041/18:11:49.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/17:59:29.4
21283	M1O	04-041/18:11:50.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-041/17:59:30.4
21284	M1O	04-041/18:11:50.3	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21285	M1O	04-041/18:11:50.3	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21286	M1O	04-041/18:11:51.3		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-041/17:59:31.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21287	M1O	04-041/18:15:00.0	55	End Tracking		
21288	M1O	04-041/18:15:00.0	63	Acquire U/L: X/08, PWR=20.0, BR=125.0		
21289	M1O	04-041/18:16:49.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/18:04:30.0
21290	M1O	04-041/18:16:49.9	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21291	M1O	04-041/18:20:00.0	63	Range Modulation On: SUP=3.0dB		
21292	M1O	04-041/18:21:00.0	63	Begin Ranging Acquisition		
21293	M1O	04-041/18:29:23.3		NOTE: Periapsis 9575 ----------		04-041/18:17:03.3
21294	M1O	04-041/18:30:00.0	55	End Post-Cal		
21295	M1O	04-041/18:30:53.3		NOTE: South Pole Crossing 9575		04-041/18:18:33.3
21296	M1O	04-041/18:33:37.7		SPAWN, Engine = 65535, Parameters = 3, 00:11:00, 1	dpt	04-041/18:21:17.7
21297	M1O	04-041/18:33:39.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/18:21:19.8
21298	M1O	04-041/18:33:39.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21299	M1O	04-041/18:33:40.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/18:21:20.8
21300	M1O	04-041/18:34:39.8	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21301	M1O	04-041/18:39:39.8	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21302	M1O	04-041/18:43:47.0		SPAWN, Engine = 65535, Parameters = 041, 03, TRUE, 00:19:12, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-041/18:31:27.0
21303	M1O	04-041/18:43:48.1		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/18:31:28.1
21304	M1O	04-041/18:43:50.1		CALL, Engine = , Parameters = 254	get_cmd_opt	04-041/18:31:30.1
21305	M1O	04-041/18:43:50.4		CALL, Engine = , Parameters = 041, 03, 254	bld_autosw	04-041/18:31:30.4
21306	M1O	04-041/18:43:51.5		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-041/18:31:31.5
21307	M1O	04-041/18:43:52.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:32.6
21308	M1O	04-041/18:43:53.6		Deletes the designated file.: d:/dat/254_doy041_pass03_file01.dat	FILE_DELETE	04-041/18:31:33.6
21309	M1O	04-041/18:43:54.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:34.7
21310	M1O	04-041/18:43:55.7		Deletes the designated file.: d:/dat/254_doy041_pass03_file02.dat	FILE_DELETE	04-041/18:31:35.7
21311	M1O	04-041/18:43:56.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:36.8
21312	M1O	04-041/18:43:57.8		Deletes the designated file.: d:/dat/254_doy041_pass03_file03.dat	FILE_DELETE	04-041/18:31:37.8
21313	M1O	04-041/18:43:58.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:38.9
21314	M1O	04-041/18:43:59.9		Deletes the designated file.: d:/dat/254_doy041_pass03_file04.dat	FILE_DELETE	04-041/18:31:39.9
21315	M1O	04-041/18:44:01.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:41.0
21316	M1O	04-041/18:44:02.0		Deletes the designated file.: d:/dat/254_doy041_pass03_file05.dat	FILE_DELETE	04-041/18:31:42.0
21317	M1O	04-041/18:44:03.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:43.1
21318	M1O	04-041/18:44:04.1		Deletes the designated file.: d:/dat/254_doy041_pass03_file06.dat	FILE_DELETE	04-041/18:31:44.1
21319	M1O	04-041/18:44:05.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:45.2
21320	M1O	04-041/18:44:06.2		Deletes the designated file.: d:/dat/254_doy041_pass03_file07.dat	FILE_DELETE	04-041/18:31:46.2
21321	M1O	04-041/18:44:07.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:47.3
21322	M1O	04-041/18:44:08.3		Deletes the designated file.: d:/dat/254_doy041_pass03_file08.dat	FILE_DELETE	04-041/18:31:48.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21323	M1O	04-041/18:44:09.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:49.4
21324	M1O	04-041/18:44:10.4		Deletes the designated file.: d:/dat/254_doy041_pass03_file09.dat	FILE_DELETE	04-041/18:31:50.4
21325	M1O	04-041/18:44:11.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:51.5
21326	M1O	04-041/18:44:12.5		Deletes the designated file.: d:/dat/254_doy041_pass03_file10.dat	FILE_DELETE	04-041/18:31:52.5
21327	M1O	04-041/18:44:13.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:53.6
21328	M1O	04-041/18:44:14.6		Deletes the designated file.: d:/dat/254_doy041_pass03_file11.dat	FILE_DELETE	04-041/18:31:54.6
21329	M1O	04-041/18:44:15.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:55.7
21330	M1O	04-041/18:44:16.7		Deletes the designated file.: d:/dat/254_doy041_pass03_file12.dat	FILE_DELETE	04-041/18:31:56.7
21331	M1O	04-041/18:44:17.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:57.8
21332	M1O	04-041/18:44:18.8		Deletes the designated file.: d:/dat/254_doy041_pass03_file13.dat	FILE_DELETE	04-041/18:31:58.8
21333	M1O	04-041/18:44:19.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:31:59.9
21334	M1O	04-041/18:44:20.9		Deletes the designated file.: d:/dat/254_doy041_pass03_file14.dat	FILE_DELETE	04-041/18:32:00.9
21335	M1O	04-041/18:44:22.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:32:02.0
21336	M1O	04-041/18:44:23.0		Deletes the designated file.: d:/dat/254_doy041_pass03_file15.dat	FILE_DELETE	04-041/18:32:03.0
21337	M1O	04-041/18:44:24.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:32:04.1
21338	M1O	04-041/18:44:25.1		Deletes the designated file.: d:/dat/254_doy041_pass03_file16.dat	FILE_DELETE	04-041/18:32:05.1
21339	M1O	04-041/18:44:26.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:32:06.2
21340	M1O	04-041/18:44:27.2		Deletes the designated file.: d:/dat/254_doy041_pass03_file17.dat	FILE_DELETE	04-041/18:32:07.2
21341	M1O	04-041/18:44:28.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:32:08.3
21342	M1O	04-041/18:44:29.3		Deletes the designated file.: d:/dat/254_doy041_pass03_file18.dat	FILE_DELETE	04-041/18:32:09.3
21343	M1O	04-041/18:44:30.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy041_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-041/18:32:10.4
21344	M1O	04-041/18:44:31.4		Deletes the designated file.: d:/dat/254_doy041_pass03_file19.dat	FILE_DELETE	04-041/18:32:11.4
21345	M1O	04-041/18:44:32.4		CALL, Engine = , Parameters = 254	get_apid	04-041/18:32:12.4
21346	M1O	04-041/18:44:33.5		CALL, Engine = , Parameters = 254	get_rcv_mode	04-041/18:32:13.5
21347	M1O	04-041/18:44:33.7		CALL, Engine = , Parameters = 254	get_dl_rate	04-041/18:32:13.7
21348	M1O	04-041/18:44:34.8		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-041/18:32:14.8
21349	M1O	04-041/18:44:36.1		CALL, Engine = , Parameters = 254	get_coding	04-041/18:32:16.1
21350	M1O	04-041/18:44:37.3		CALL, Engine = , Parameters = 254	get_xmt_mode	04-041/18:32:17.3
21351	M1O	04-041/18:44:38.5		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-041/18:32:18.5
21352	M1O	04-041/18:44:39.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/18:32:19.8
21353	M1O	04-041/18:44:39.8	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21354	M1O	04-041/18:44:40.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/18:32:20.8
21355	M1O	04-041/18:45:43.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-041/18:33:23.3
21356	M1O	04-041/18:45:44.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-041/18:33:24.3
21357	M1O	04-041/18:45:45.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-041/18:33:25.3
21358	M1O	04-041/18:45:46.3		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-041/18:33:26.3
21359	M1O	04-041/18:45:47.3		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-041/18:33:27.3
21360	M1O	04-041/18:45:48.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-041/18:33:28.3
21361	M1O	04-041/18:45:49.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-041/18:33:29.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21362	M1O	04-041/18:45:50.3		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-041/18:33:30.3
21363	M1O	04-041/18:45:51.3		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-041/18:33:31.3
21364	M1O	04-041/18:47:39.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/18:35:19.3
21365	M1O	04-041/18:47:39.3	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21366	M1O	04-041/18:47:44.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/18:35:24.5
21367	M1O	04-041/18:47:49.3		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-041/18:35:29.3
21368	M1O	04-041/18:59:04.8		NOTE: Enter Solar Eclipse 9575		04-041/18:46:44.8
21369	M1O	04-041/19:00:15.8		NOTE: Ascending Node Crossing 9575		04-041/18:47:55.8
21370	M1O	04-041/19:04:56.3		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-041/18:52:36.3
21371	M1O	04-041/19:04:57.3		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-041/18:52:37.3
21372	M1O	04-041/19:04:59.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-041/18:52:39.3
21373	M1O	04-041/19:05:00.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-041/18:52:40.4
21374	M1O	04-041/19:05:10.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-041/18:52:50.4
21375	M1O	04-041/19:05:11.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/18:52:51.4
21376	M1O	04-041/19:05:12.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-041/18:52:52.4
21377	M1O	04-041/19:05:12.4	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21378	M1O	04-041/19:05:13.4		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-041/18:52:53.4
21379	M1O	04-041/19:10:12.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/18:57:52.0
21380	M1O	04-041/19:10:12.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21381	M1O	04-041/19:10:55.5		NOTE: Exit Solar Eclipse 9575		04-041/18:58:35.4
21382	M1O	04-041/19:28:05.9		NOTE: Apoapsis 9575 -		04-041/19:15:45.7
21383	M1O	04-041/19:30:15.4		NOTE: North Pole Crossing 9575		04-041/19:17:55.3
21384	M1O	04-041/19:50:43.2		SPAWN, Engine = 65535, Parameters = 041, 04, FALSE, 00:14:19.251, 253, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-041/19:38:23.0
21385	M1O	04-041/19:50:44.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/19:38:24.1
21386	M1O	04-041/19:50:46.3		CALL, Engine = , Parameters = 253	get_cmd_opt	04-041/19:38:26.1
21387	M1O	04-041/19:51:28.5		CALL, Engine = , Parameters = 253	get_apid	04-041/19:39:08.3
21388	M1O	04-041/19:51:29.6		CALL, Engine = , Parameters = 253	get_rcv_mode	04-041/19:39:09.4
21389	M1O	04-041/19:51:29.8		CALL, Engine = , Parameters = 253	get_dl_rate	04-041/19:39:09.6
21390	M1O	04-041/19:51:30.9		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-041/19:39:10.7
21391	M1O	04-041/19:51:32.2		CALL, Engine = , Parameters = 253	get_coding	04-041/19:39:12.0
21392	M1O	04-041/19:51:33.4		CALL, Engine = , Parameters = 253	get_xmt_mode	04-041/19:39:13.2
21393	M1O	04-041/19:51:34.6		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-041/19:39:14.4
21394	M1O	04-041/19:52:39.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-041/19:40:19.2
21395	M1O	04-041/19:52:40.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-041/19:40:20.2
21396	M1O	04-041/19:52:41.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-041/19:40:21.2
21397	M1O	04-041/19:52:42.4		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-041/19:40:22.2
21398	M1O	04-041/19:52:43.4		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-041/19:40:23.2
21399	M1O	04-041/19:52:44.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-041/19:40:24.2
21400	M1O	04-041/19:52:45.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-041/19:40:25.2
21401	M1O	04-041/20:00:11.3		NOTE: Descending Node Crossing 9576		04-041/19:47:51.0
21402	M1O	04-041/20:07:00.7		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK,	UHF_XMIT_MODE	04-041/19:54:40.4

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				CONV_VIT, DISABLE		
21403	M1O	04-041/20:07:01.8		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-041/19:54:41.5
21404	M1O	04-041/20:07:11.8		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-041/19:54:51.5
21405	M1O	04-041/20:07:12.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/19:54:52.5
21406	M1O	04-041/20:27:56.1		NOTE: Periapsis 9576 ----------		04-041/20:15:35.7
21407	M1O	04-041/20:29:30.1		NOTE: South Pole Crossing 9576		04-041/20:17:09.7
21408	M1O	04-041/20:57:41.8		NOTE: Enter Solar Eclipse 9576		04-041/20:45:21.4
21409	M1O	04-041/20:58:52.5		NOTE: Ascending Node Crossing 9576		04-041/20:46:32.1
21410	M1O	04-041/21:09:32.3		NOTE: Exit Solar Eclipse 9576		04-041/20:57:11.8
21411	M1O	04-041/21:10:00.0	14	Begin Pre-Cal		
21412	M1O	04-041/21:10:00.0	14	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
21413	M1O	04-041/21:10:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
21414	M1O	04-041/21:10:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
21415	M1O	04-041/21:10:00.0	14	At BOT: S/C Transmitter Status: PWR=OFF, EXC=1, PWR=OFF, EXC=2		
21416	M1O	04-041/21:10:00.0	14	Config: RCV: Parms:		
21417	M1O	04-041/21:10:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
21418	M1O	04-041/21:10:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
21419	M1O	04-041/21:10:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
21420	M1O	04-041/21:26:19.7		NOTE: Apoapsis 9576 -		04-041/21:13:59.2
21421	M1O	04-041/21:28:51.5		NOTE: North Pole Crossing 9576		04-041/21:16:31.0
21422	M1O	04-041/21:35:00.0	24	Begin Pre-Cal		
21423	M1O	04-041/21:35:00.0	24	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
21424	M1O	04-041/21:35:00.0	24	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
21425	M1O	04-041/21:35:00.0	24	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
21426	M1O	04-041/21:35:00.0	24	At BOT: S/C Transmitter Status: PWR=OFF, EXC=1, PWR=OFF, EXC=2		
21427	M1O	04-041/21:35:00.0	24	Config: RCV: Parms:		
21428	M1O	04-041/21:35:00.0	24	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
21429	M1O	04-041/21:35:00.0	24	Config: TGC: BAND=X, SR=221200.000000		
21430	M1O	04-041/21:35:00.0	24	Config: TXL		
21431	M1O	04-041/21:35:00.0	24	Config: UWV: AMP=XTWM1, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
21432	M1O	04-041/21:35:00.0	24	Config: CMD		
21433	M1O	04-041/21:35:00.0	24	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
21434	M1O	04-041/21:43:27.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
21435	M1O	04-041/21:53:27.0	63	Range Modulation Off		
21436	M1O	04-041/21:58:27.0	63	X-Band Transmitter Off		
21437	M1O	04-041/21:58:46.5		NOTE: Descending Node Crossing 9577		04-041/21:46:25.9
21438	M1O	04-041/22:11:46.6		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-041/21:59:26.0
21439	M1O	04-041/22:11:46.7		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-041/21:59:26.1
21440	M1O	04-041/22:11:47.7		Forces a desaturation of the reaction wheels.	RW_DESAT	04-041/21:59:27.1
21441	M1O	04-041/22:14:57.6		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, TRUE	cend	04-041/22:02:37.0
21442	M1O	04-041/22:15:13.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-039T22:02:37.100, 2004-041T22:02:37.100	PCKTS_RE_TX_TIME	04-041/22:02:52.8
21443	M1O	04-041/22:15:14.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-039T22:02:37.100, 2004-041T22:02:37.100	PCKTS_RE_TX_TIME	04-041/22:02:53.8
21444	M1O	04-041/22:15:15.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-039T22:02:37.100, 2004-041T22:02:37.100	PCKTS_RE_TX_TIME	04-041/22:02:54.8
21445	M1O	04-041/22:15:16.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-039T22:02:37.100, 2004-041T22:02:37.100	PCKTS_RE_TX_TIME	04-041/22:02:55.8
21446	M1O	04-041/22:15:17.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-039T22:02:37.100, 2004-041T22:02:37.100	PCKTS_RE_TX_TIME	04-041/22:02:56.8
21447	M1O	04-041/22:15:18.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-039T22:02:37.100, 2004-041T22:02:37.100	PCKTS_RE_TX_TIME	04-041/22:02:57.8
21448	M1O	04-041/22:15:18.4		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-041/22:02:57.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_auto_rexmit.cfg,		
21449	M1O	04-041/22:15:18.4	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21450	M1O	04-041/22:18:02.0	63	NOTE: Below Uplink Interlock Limit		
21451	M1O	04-041/22:22:19.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/22:09:58.8
21452	M1O	04-041/22:22:19.4	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21453	M1O	04-041/22:22:20.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/22:09:59.8
21454	M1O	04-041/22:22:50.5		Turns power OFF or ON to the SDST exciter on the active telecom side.: OFF	SDST_EXCITER	04-041/22:10:29.8
21455	M1O	04-041/22:22:50.5	63	NOTE: Loss Of X-Band Signal		
21456	M1O	04-041/22:23:00.5		Turns power OFF or ON to the SSPA assigned as active.: OFF	SSPA_POWER	04-041/22:10:39.8
21457	M1O	04-041/22:23:01.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-041/22:10:40.8
21458	M1O	04-041/22:23:02.5		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-041/22:10:41.8
21459	M1O	04-041/22:23:17.8		CALL, Engine = , Parameters = FALSE	park_hga	04-041/22:10:57.1
21460	M1O	04-041/22:23:17.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/22:10:57.1
21461	M1O	04-041/22:23:18.8		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-041/22:10:58.1
21462	M1O	04-041/22:23:19.8		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-041/22:10:59.1
21463	M1O	04-041/22:23:19.8		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-041/22:10:59.1
21464	M1O	04-041/22:23:19.8		NOTE: START HGA PARK		
21465	M1O	04-041/22:23:20.8		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-041/22:11:00.1
21466	M1O	04-041/22:23:21.8		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-041/22:11:01.1
21467	M1O	04-041/22:25:00.0	14	Begin Tracking		
21468	M1O	04-041/22:26:29.9		NOTE: Periapsis 9577 ----------		04-041/22:14:09.2
21469	M1O	04-041/22:27:51.8		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-041/22:15:31.1
21470	M1O	04-041/22:28:05.4		NOTE: South Pole Crossing 9577		04-041/22:15:44.6
21471	M1O	04-041/22:31:21.8		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-041/22:19:01.1
21472	M1O	04-041/22:31:21.8		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-041/22:19:01.1
21473	M1O	04-041/22:35:00.0	24	Begin Tracking		
21474	M1O	04-041/22:53:03.7		SPAWN, Engine = 65535, Parameters = 041, 04, FALSE, 00:14:49.440, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-041/22:40:43.0
21475	M1O	04-041/22:53:04.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/22:40:44.1
21476	M1O	04-041/22:53:06.8		CALL, Engine = , Parameters = 56	get_cmd_opt	04-041/22:40:46.1
21477	M1O	04-041/22:53:49.1		CALL, Engine = , Parameters = 56	get_apid	04-041/22:41:28.3
21478	M1O	04-041/22:53:50.2		CALL, Engine = , Parameters = 56	get_rcv_mode	04-041/22:41:29.4
21479	M1O	04-041/22:53:50.4		CALL, Engine = , Parameters = 56	get_dl_rate	04-041/22:41:29.6
21480	M1O	04-041/22:53:51.5		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-041/22:41:30.7
21481	M1O	04-041/22:53:52.7		CALL, Engine = , Parameters = 56	get_coding	04-041/22:41:31.9
21482	M1O	04-041/22:53:53.9		CALL, Engine = , Parameters = 56	get_xmt_mode	04-041/22:41:33.1
21483	M1O	04-041/22:53:55.1		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-041/22:41:34.3
21484	M1O	04-041/22:54:59.9		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-041/22:42:39.1
21485	M1O	04-041/22:55:00.9		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-041/22:42:40.1
21486	M1O	04-041/22:55:01.9		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-041/22:42:41.1
21487	M1O	04-041/22:55:02.9		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-041/22:42:42.1
21488	M1O	04-041/22:55:03.9		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-041/22:42:43.1
21489	M1O	04-041/22:55:04.9		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-041/22:42:44.1
21490	M1O	04-041/22:55:05.9		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-041/22:42:45.1
21491	M1O	04-041/22:55:10.0	24	Acquire U/L: X/08, PWR=20.0, BR=125.0		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21492	M1O	04-041/22:56:17.0		NOTE: Enter Solar Eclipse 9577		04-041/22:43:56.2
21493	M1O	04-041/22:57:27.8		NOTE: Ascending Node Crossing 9577		04-041/22:45:07.0
21494	M1O	04-041/23:00:00.0	63	End Tracking		
21495	M1O	04-041/23:00:10.0	24	Range Modulation On: SUP=3.0dB		
21496	M1O	04-041/23:01:10.0	24	Begin Ranging Acquisition		
21497	M1O	04-041/23:01:21.8		GV: GV_DESAT_ACTIVE = 1		04-041/22:49:01.0
21498	M1O	04-041/23:01:22.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-041/22:49:02.0
21499	M1O	04-041/23:01:22.8		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-041/22:49:02.0
21500	M1O	04-041/23:08:11.3		NOTE: Exit Solar Eclipse 9577		04-041/22:55:50.5
21501	M1O	04-041/23:09:51.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-041/22:57:30.5
21502	M1O	04-041/23:09:52.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-041/22:57:31.6
21503	M1O	04-041/23:10:02.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-041/22:57:41.6
21504	M1O	04-041/23:10:03.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-041/22:57:42.6
21505	M1O	04-041/23:11:21.8		GV: GV_DESAT_ACTIVE = 0		04-041/22:59:01.0
21506	M1O	04-041/23:11:22.8		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-041/22:59:02.0
21507	M1O	04-041/23:11:23.8		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-041/22:59:03.0
21508	M1O	04-041/23:11:24.8		CALL, Engine = , Parameters =	unpark_hga	04-041/22:59:04.0
21509	M1O	04-041/23:11:24.8		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-041/22:59:04.0
21510	M1O	04-041/23:11:25.8		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-041/22:59:05.0
21511	M1O	04-041/23:15:00.0	63	End Post-Cal		
21512	M1O	04-041/23:15:55.8		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-041/23:03:35.0
21513	M1O	04-041/23:15:56.8		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-041/23:03:36.0
21514	M1O	04-041/23:19:21.8		SPAWN, Engine = 65535, Parameters = 00:05:03.758	cstr	04-041/23:07:01.0
21515	M1O	04-041/23:19:21.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-041/23:07:01.1
21516	M1O	04-041/23:19:22.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-041/23:07:02.1
21517	M1O	04-041/23:19:23.9		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-041/23:07:03.1
21518	M1O	04-041/23:19:24.9		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-041/23:07:04.1
21519	M1O	04-041/23:19:25.9		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-041/23:07:05.1
21520	M1O	04-041/23:19:35.9		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-041/23:07:15.1
21521	M1O	04-041/23:19:45.9		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-041/23:07:25.1
21522	M1O	04-041/23:19:56.8		NOTE: EXIT HGA PARK		
21523	M1O	04-041/23:19:56.8	14	Acquisition Of X-Band Signal		
21524	M1O	04-041/23:19:56.8	14	Acquire D/L: X/08, 3-Way/24, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21525	M1O	04-041/23:19:56.8	24	Acquisition Of X-Band Signal		
21526	M1O	04-041/23:19:56.8	24	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21527	M1O	04-041/23:24:44.7		NOTE: Apoapsis 9577 -		04-041/23:12:23.8
21528	M1O	04-041/23:24:49.7		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-041/23:12:28.8
21529	M1O	04-041/23:24:50.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-041/23:12:29.8
21530	M1O	04-041/23:24:50.7	14	D/L Change: X/08, 3-Way/24, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21531	M1O	04-041/23:24:50.7	24	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21532	M1O	04-041/23:24:51.7		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-041/23:12:30.8
21533	M1O	04-041/23:27:25.6		NOTE: North Pole Crossing 9577		04-041/23:15:04.7
21534	M1O	04-041/23:57:19.3		NOTE: Descending Node Crossing 9578		04-041/23:44:58.3
21535	M1O	04-042/00:00:00.0		Light Time: OWLT = 12:21, RTLT = 24:42		
21536	M1O	04-042/00:25:03.8		NOTE: Periapsis 9578 ----------		04-042/00:12:42.7
21537	M1O	04-042/00:26:37.7		NOTE: South Pole Crossing 9578		04-042/00:14:16.7
21538	M1O	04-042/00:48:17.1		SPAWN, Engine = 65535, Parameters = 042, 01, FALSE, 00:18:42.955, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-042/00:35:56.0
21539	M1O	04-042/00:48:18.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/00:35:57.1
21540	M1O	04-042/00:48:20.2		CALL, Engine = , Parameters = 56	get_cmd_opt	04-042/00:35:59.1
21541	M1O	04-042/00:49:02.4		CALL, Engine = , Parameters = 56	get_apid	04-042/00:36:41.3
21542	M1O	04-042/00:49:03.5		CALL, Engine = , Parameters = 56	get_rcv_mode	04-042/00:36:42.4
21543	M1O	04-042/00:49:03.7		CALL, Engine = , Parameters = 56	get_dl_rate	04-042/00:36:42.6
21544	M1O	04-042/00:49:04.8		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-042/00:36:43.7
21545	M1O	04-042/00:49:06.0		CALL, Engine = , Parameters = 56	get_coding	04-042/00:36:44.9
21546	M1O	04-042/00:49:07.2		CALL, Engine = , Parameters = 56	get_xmt_mode	04-042/00:36:46.1
21547	M1O	04-042/00:49:08.4		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-042/00:36:47.3
21548	M1O	04-042/00:50:13.2		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-042/00:37:52.1
21549	M1O	04-042/00:50:14.2		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-042/00:37:53.1
21550	M1O	04-042/00:50:15.2		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-042/00:37:54.1
21551	M1O	04-042/00:50:16.2		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-042/00:37:55.1
21552	M1O	04-042/00:50:17.2		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-042/00:37:56.1
21553	M1O	04-042/00:50:18.2		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-042/00:37:57.1
21554	M1O	04-042/00:50:19.2		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-042/00:37:58.1
21555	M1O	04-042/00:54:48.3		NOTE: Enter Solar Eclipse 9578		04-042/00:42:27.1
21556	M1O	04-042/00:55:59.8		NOTE: Ascending Node Crossing 9578		04-042/00:43:38.6
21557	M1O	04-042/01:06:45.7		NOTE: Exit Solar Eclipse 9578		04-042/00:54:24.5
21558	M1O	04-042/01:08:58.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-042/00:56:37.0
21559	M1O	04-042/01:08:59.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-042/00:56:38.1
21560	M1O	04-042/01:09:09.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-042/00:56:48.1
21561	M1O	04-042/01:09:10.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/00:56:49.1
21562	M1O	04-042/01:23:28.7		NOTE: Apoapsis 9578 -		04-042/01:11:07.4
21563	M1O	04-042/01:25:57.2		NOTE: North Pole Crossing 9578		04-042/01:13:35.9
21564	M1O	04-042/01:30:00.0	43	Begin Pre-Cal		
21565	M1O	04-042/01:30:00.0	43	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
21566	M1O	04-042/01:30:00.0	43	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
21567	M1O	04-042/01:30:00.0	43	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
21568	M1O	04-042/01:30:00.0	43	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
21569	M1O	04-042/01:30:00.0	43	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
21570	M1O	04-042/01:30:00.0	43	Config: RCV: Parms:		
21571	M1O	04-042/01:30:00.0	43	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
21572	M1O	04-042/01:30:00.0	43	Config: TGC: BAND=X, SR=221200.000000		
21573	M1O	04-042/01:30:00.0	43	Config: TXL		
21574	M1O	04-042/01:30:00.0	43	Config: UWV: AMP=XHEMT, MODE=DIPLEX, POL_UL=RCP, POL_DL=RCP		
21575	M1O	04-042/01:30:00.0	43	Config: CMD		
21576	M1O	04-042/01:30:00.0	43	Config: D/L RNG: CHOP=E, MDL=SIN, DRVD=0		
21577	M1O	04-042/01:55:50.6		NOTE: Descending Node Crossing 9579		04-042/01:43:29.2
21578	M1O	04-042/02:23:27.9		NOTE: Periapsis 9579 ----------		04-042/02:11:06.5

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21579	M1O	04-042/02:25:08.2		NOTE: South Pole Crossing 9579		04-042/02:12:46.7
21580	M1O	04-042/02:30:00.0	43	Begin Tracking		
21581	M1O	04-042/02:30:00.0	43	Acquire D/L: X/08, 3-Way/24, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21582	M1O	04-042/02:35:16.8	24	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
21583	M1O	04-042/02:40:00.0	24	NOTE: X-Band Transmitter Off in 15 minutes		
21584	M1O	04-042/02:50:00.0	24	Range Modulation Off		
21585	M1O	04-042/02:53:20.0		NOTE: Enter Solar Eclipse 9579		04-042/02:40:58.4
21586	M1O	04-042/02:54:29.8		NOTE: Ascending Node Crossing 9579		04-042/02:42:08.3
21587	M1O	04-042/02:55:00.0	24	X-Band Transmitter Off		
21588	M1O	04-042/02:55:00.0	43	Acquire U/L: X/08, PWR=20.0, BR=125.0		
21589	M1O	04-042/03:00:00.0	14	End Tracking		
21590	M1O	04-042/03:00:00.0	14	End Post-Cal		
21591	M1O	04-042/03:00:00.0	24	End Tracking		
21592	M1O	04-042/03:00:00.0	43	Range Modulation On: SUP=3.0dB		
21593	M1O	04-042/03:01:00.0	43	Begin Ranging Acquisition		
21594	M1O	04-042/03:05:09.7		NOTE: Exit Solar Eclipse 9579		04-042/02:52:48.1
21595	M1O	04-042/03:15:00.0	24	End Post-Cal		
21596	M1O	04-042/03:18:41.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/03:06:20.0
21597	M1O	04-042/03:18:41.6	43	D/L Change: X/08, 3-Way/24, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21598	M1O	04-042/03:19:43.1	43	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21599	M1O	04-042/03:21:52.9		NOTE: Apoapsis 9579 -		04-042/03:09:31.3
21600	M1O	04-042/03:24:28.3		NOTE: North Pole Crossing 9579		04-042/03:12:06.7
21601	M1O	04-042/03:24:46.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-042/03:12:25.0
21602	M1O	04-042/03:24:46.6	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21603	M1O	04-042/03:54:22.6		NOTE: Descending Node Crossing 9580		04-042/03:42:00.9
21604	M1O	04-042/04:21:39.1		NOTE: Periapsis 9580 ----------		04-042/04:09:17.3
21605	M1O	04-042/04:23:40.6		NOTE: South Pole Crossing 9580		04-042/04:11:18.7
21606	M1O	04-042/04:51:58.5		NOTE: Enter Solar Eclipse 9580		04-042/04:39:36.5
21607	M1O	04-042/04:53:03.3		NOTE: Ascending Node Crossing 9580		04-042/04:40:41.3
21608	M1O	04-042/05:03:34.0		NOTE: Exit Solar Eclipse 9580		04-042/04:51:12.0
21609	M1O	04-042/05:20:11.1		NOTE: Apoapsis 9580 -		04-042/05:07:49.0
21610	M1O	04-042/05:23:02.5		NOTE: North Pole Crossing 9580		04-042/05:10:40.5
21611	M1O	04-042/05:47:46.1		SPAWN, Engine = 65535, Parameters = 042, 01, TRUE, 00:17:05, 254, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-042/05:35:24.0
21612	M1O	04-042/05:47:47.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/05:35:25.1
21613	M1O	04-042/05:47:49.2		CALL, Engine = , Parameters = 254	get_cmd_opt	04-042/05:35:27.1
21614	M1O	04-042/05:47:49.5		CALL, Engine = , Parameters = 042, 01, 254	bld_autosw	04-042/05:35:27.4
21615	M1O	04-042/05:47:50.6		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-042/05:35:28.5
21616	M1O	04-042/05:47:51.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:29.6
21617	M1O	04-042/05:47:52.7		Deletes the designated file.: d:/dat/254_doy042_pass01_file01.dat	FILE_DELETE	04-042/05:35:30.6
21618	M1O	04-042/05:47:53.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:31.7
21619	M1O	04-042/05:47:54.8		Deletes the designated file.: d:/dat/254_doy042_pass01_file02.dat	FILE_DELETE	04-042/05:35:32.7
21620	M1O	04-042/05:47:55.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:33.8
21621	M1O	04-042/05:47:56.9		Deletes the designated file.: d:/dat/254_doy042_pass01_file03.dat	FILE_DELETE	04-042/05:35:34.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21622	M1O	04-042/05:47:58.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:35.9
21623	M1O	04-042/05:47:59.0		Deletes the designated file.: d:/dat/254_doy042_pass01_file04.dat	FILE_DELETE	04-042/05:35:36.9
21624	M1O	04-042/05:48:00.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:38.0
21625	M1O	04-042/05:48:01.1		Deletes the designated file.: d:/dat/254_doy042_pass01_file05.dat	FILE_DELETE	04-042/05:35:39.0
21626	M1O	04-042/05:48:02.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:40.1
21627	M1O	04-042/05:48:03.2		Deletes the designated file.: d:/dat/254_doy042_pass01_file06.dat	FILE_DELETE	04-042/05:35:41.1
21628	M1O	04-042/05:48:04.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:42.2
21629	M1O	04-042/05:48:05.3		Deletes the designated file.: d:/dat/254_doy042_pass01_file07.dat	FILE_DELETE	04-042/05:35:43.2
21630	M1O	04-042/05:48:06.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:44.3
21631	M1O	04-042/05:48:07.4		Deletes the designated file.: d:/dat/254_doy042_pass01_file08.dat	FILE_DELETE	04-042/05:35:45.3
21632	M1O	04-042/05:48:08.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:46.4
21633	M1O	04-042/05:48:09.5		Deletes the designated file.: d:/dat/254_doy042_pass01_file09.dat	FILE_DELETE	04-042/05:35:47.4
21634	M1O	04-042/05:48:10.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:48.5
21635	M1O	04-042/05:48:11.6		Deletes the designated file.: d:/dat/254_doy042_pass01_file10.dat	FILE_DELETE	04-042/05:35:49.5
21636	M1O	04-042/05:48:12.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:50.6
21637	M1O	04-042/05:48:13.7		Deletes the designated file.: d:/dat/254_doy042_pass01_file11.dat	FILE_DELETE	04-042/05:35:51.6
21638	M1O	04-042/05:48:14.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:52.7
21639	M1O	04-042/05:48:15.8		Deletes the designated file.: d:/dat/254_doy042_pass01_file12.dat	FILE_DELETE	04-042/05:35:53.7
21640	M1O	04-042/05:48:16.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:54.8
21641	M1O	04-042/05:48:17.9		Deletes the designated file.: d:/dat/254_doy042_pass01_file13.dat	FILE_DELETE	04-042/05:35:55.8
21642	M1O	04-042/05:48:19.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:56.9
21643	M1O	04-042/05:48:20.0		Deletes the designated file.: d:/dat/254_doy042_pass01_file14.dat	FILE_DELETE	04-042/05:35:57.9
21644	M1O	04-042/05:48:21.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:35:59.0
21645	M1O	04-042/05:48:22.1		Deletes the designated file.: d:/dat/254_doy042_pass01_file15.dat	FILE_DELETE	04-042/05:36:00.0
21646	M1O	04-042/05:48:23.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:36:01.1
21647	M1O	04-042/05:48:24.2		Deletes the designated file.: d:/dat/254_doy042_pass01_file16.dat	FILE_DELETE	04-042/05:36:02.1
21648	M1O	04-042/05:48:25.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:36:03.2
21649	M1O	04-042/05:48:26.3		Deletes the designated file.: d:/dat/254_doy042_pass01_file17.dat	FILE_DELETE	04-042/05:36:04.2
21650	M1O	04-042/05:48:27.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:36:05.3
21651	M1O	04-042/05:48:28.4		Deletes the designated file.: d:/dat/254_doy042_pass01_file18.dat	FILE_DELETE	04-042/05:36:06.3
21652	M1O	04-042/05:48:29.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/05:36:07.4
21653	M1O	04-042/05:48:30.5		Deletes the designated file.: d:/dat/254_doy042_pass01_file19.dat	FILE_DELETE	04-042/05:36:08.4
21654	M1O	04-042/05:48:31.5		CALL, Engine = , Parameters = 254	get_apid	04-042/05:36:09.4
21655	M1O	04-042/05:48:32.6		CALL, Engine = , Parameters = 254	get_rcv_mode	04-042/05:36:10.5
21656	M1O	04-042/05:48:32.8		CALL, Engine = , Parameters = 254	get_dl_rate	04-042/05:36:10.7
21657	M1O	04-042/05:48:33.9		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-042/05:36:11.8
21658	M1O	04-042/05:48:35.2		CALL, Engine = , Parameters = 254	get_coding	04-042/05:36:13.1
21659	M1O	04-042/05:48:36.4		CALL, Engine = , Parameters = 254	get_xmt_mode	04-042/05:36:14.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21660	M1O	04-042/05:48:37.6		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-042/05:36:15.5
21661	M1O	04-042/05:49:42.4		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-042/05:37:20.3
21662	M1O	04-042/05:49:43.4		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-042/05:37:21.3
21663	M1O	04-042/05:49:44.4		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-042/05:37:22.3
21664	M1O	04-042/05:49:45.4		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-042/05:37:23.3
21665	M1O	04-042/05:49:46.4		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-042/05:37:24.3
21666	M1O	04-042/05:49:47.4		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-042/05:37:25.3
21667	M1O	04-042/05:49:48.4		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-042/05:37:26.3
21668	M1O	04-042/05:51:38.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/05:39:16.3
21669	M1O	04-042/05:51:38.4	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21670	M1O	04-042/05:51:43.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/05:39:21.5
21671	M1O	04-042/05:51:48.4		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-042/05:39:26.3
21672	M1O	04-042/05:52:57.2		NOTE: Descending Node Crossing 9581		04-042/05:40:35.1
21673	M1O	04-042/06:06:51.4		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-042/05:54:29.3
21674	M1O	04-042/06:06:52.5		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-042/05:54:30.4
21675	M1O	04-042/06:07:02.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-042/05:54:40.4
21676	M1O	04-042/06:07:03.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/05:54:41.4
21677	M1O	04-042/06:07:04.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-042/05:54:42.4
21678	M1O	04-042/06:07:04.5	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21679	M1O	04-042/06:07:05.5		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-042/05:54:43.4
21680	M1O	04-042/06:12:04.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-042/05:59:42.0
21681	M1O	04-042/06:12:04.1	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21682	M1O	04-042/06:20:26.8		NOTE: Periapsis 9581 ----------		04-042/06:08:04.6
21683	M1O	04-042/06:22:16.6		NOTE: South Pole Crossing 9581		04-042/06:09:54.4
21684	M1O	04-042/06:39:32.2		SPAWN, Engine = 65535, Parameters = 042, 01, TRUE, 00:19:28, 253, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-042/06:27:10.0
21685	M1O	04-042/06:39:33.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/06:27:11.1
21686	M1O	04-042/06:39:35.3		CALL, Engine = , Parameters = 253	get_cmd_opt	04-042/06:27:13.1
21687	M1O	04-042/06:39:35.6		CALL, Engine = , Parameters = 042, 01, 253	bld_autosw	04-042/06:27:13.4
21688	M1O	04-042/06:39:36.7		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-042/06:27:14.5
21689	M1O	04-042/06:39:37.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:15.6
21690	M1O	04-042/06:39:38.8		Deletes the designated file.: d:/dat/253_doy042_pass01_file01.dat	FILE_DELETE	04-042/06:27:16.6
21691	M1O	04-042/06:39:39.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:17.7
21692	M1O	04-042/06:39:40.9		Deletes the designated file.: d:/dat/253_doy042_pass01_file02.dat	FILE_DELETE	04-042/06:27:18.7
21693	M1O	04-042/06:39:42.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:19.8
21694	M1O	04-042/06:39:43.0		Deletes the designated file.: d:/dat/253_doy042_pass01_file03.dat	FILE_DELETE	04-042/06:27:20.8
21695	M1O	04-042/06:39:44.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:21.9
21696	M1O	04-042/06:39:45.1		Deletes the designated file.: d:/dat/253_doy042_pass01_file04.dat	FILE_DELETE	04-042/06:27:22.9
21697	M1O	04-042/06:39:46.2		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-042/06:27:24.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/253_doy042_pass01_file05.dat, d:/dat/autoswitch.dat		
21698	M1O	04-042/06:39:47.2		Deletes the designated file.: d:/dat/253_doy042_pass01_file05.dat	FILE_DELETE	04-042/06:27:25.0
21699	M1O	04-042/06:39:48.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:26.1
21700	M1O	04-042/06:39:49.3		Deletes the designated file.: d:/dat/253_doy042_pass01_file06.dat	FILE_DELETE	04-042/06:27:27.1
21701	M1O	04-042/06:39:50.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:28.2
21702	M1O	04-042/06:39:51.4		Deletes the designated file.: d:/dat/253_doy042_pass01_file07.dat	FILE_DELETE	04-042/06:27:29.2
21703	M1O	04-042/06:39:52.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:30.3
21704	M1O	04-042/06:39:53.5		Deletes the designated file.: d:/dat/253_doy042_pass01_file08.dat	FILE_DELETE	04-042/06:27:31.3
21705	M1O	04-042/06:39:54.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:32.4
21706	M1O	04-042/06:39:55.6		Deletes the designated file.: d:/dat/253_doy042_pass01_file09.dat	FILE_DELETE	04-042/06:27:33.4
21707	M1O	04-042/06:39:56.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:34.5
21708	M1O	04-042/06:39:57.7		Deletes the designated file.: d:/dat/253_doy042_pass01_file10.dat	FILE_DELETE	04-042/06:27:35.5
21709	M1O	04-042/06:39:58.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:36.6
21710	M1O	04-042/06:39:59.8		Deletes the designated file.: d:/dat/253_doy042_pass01_file11.dat	FILE_DELETE	04-042/06:27:37.6
21711	M1O	04-042/06:40:00.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:38.7
21712	M1O	04-042/06:40:01.9		Deletes the designated file.: d:/dat/253_doy042_pass01_file12.dat	FILE_DELETE	04-042/06:27:39.7
21713	M1O	04-042/06:40:03.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:40.8
21714	M1O	04-042/06:40:04.0		Deletes the designated file.: d:/dat/253_doy042_pass01_file13.dat	FILE_DELETE	04-042/06:27:41.8
21715	M1O	04-042/06:40:05.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:42.9
21716	M1O	04-042/06:40:06.1		Deletes the designated file.: d:/dat/253_doy042_pass01_file14.dat	FILE_DELETE	04-042/06:27:43.9
21717	M1O	04-042/06:40:07.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:45.0
21718	M1O	04-042/06:40:08.2		Deletes the designated file.: d:/dat/253_doy042_pass01_file15.dat	FILE_DELETE	04-042/06:27:46.0
21719	M1O	04-042/06:40:09.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:47.1
21720	M1O	04-042/06:40:10.3		Deletes the designated file.: d:/dat/253_doy042_pass01_file16.dat	FILE_DELETE	04-042/06:27:48.1
21721	M1O	04-042/06:40:11.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:49.2
21722	M1O	04-042/06:40:12.4		Deletes the designated file.: d:/dat/253_doy042_pass01_file17.dat	FILE_DELETE	04-042/06:27:50.2
21723	M1O	04-042/06:40:13.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:51.3
21724	M1O	04-042/06:40:14.5		Deletes the designated file.: d:/dat/253_doy042_pass01_file18.dat	FILE_DELETE	04-042/06:27:52.3
21725	M1O	04-042/06:40:15.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass01_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/06:27:53.4
21726	M1O	04-042/06:40:16.6		Deletes the designated file.: d:/dat/253_doy042_pass01_file19.dat	FILE_DELETE	04-042/06:27:54.4
21727	M1O	04-042/06:40:17.6		CALL, Engine = , Parameters = 253	get_apid	04-042/06:27:55.4
21728	M1O	04-042/06:40:18.7		CALL, Engine = , Parameters = 253	get_rcv_mode	04-042/06:27:56.5
21729	M1O	04-042/06:40:18.9		CALL, Engine = , Parameters = 253	get_dl_rate	04-042/06:27:56.7
21730	M1O	04-042/06:40:20.0		CALL, Engine = , Parameters = 253, TRUE	get_modulatn	04-042/06:27:57.8
21731	M1O	04-042/06:40:21.3		CALL, Engine = , Parameters = 253	get_coding	04-042/06:27:59.1
21732	M1O	04-042/06:40:22.5		CALL, Engine = , Parameters = 253	get_xmt_mode	04-042/06:28:00.3
21733	M1O	04-042/06:40:23.7		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-042/06:28:01.5
21734	M1O	04-042/06:41:28.5		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-042/06:29:06.3
21735	M1O	04-042/06:41:29.5		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-042/06:29:07.3
21736	M1O	04-042/06:41:30.5		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-042/06:29:08.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21737	M1O	04-042/06:41:31.5		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-042/06:29:09.3
21738	M1O	04-042/06:41:32.5		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-042/06:29:10.3
21739	M1O	04-042/06:41:33.5		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-042/06:29:11.3
21740	M1O	04-042/06:41:34.5		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-042/06:29:12.3
21741	M1O	04-042/06:41:35.5		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-042/06:29:13.3
21742	M1O	04-042/06:41:36.5		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-042/06:29:14.3
21743	M1O	04-042/06:43:24.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/06:31:02.3
21744	M1O	04-042/06:43:24.5	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21745	M1O	04-042/06:43:29.7		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/06:31:07.5
21746	M1O	04-042/06:43:34.5		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-042/06:31:12.3
21747	M1O	04-042/06:50:35.9		NOTE: Enter Solar Eclipse 9581		04-042/06:38:13.6
21748	M1O	04-042/06:51:40.2		NOTE: Ascending Node Crossing 9581		04-042/06:39:17.9
21749	M1O	04-042/07:00:57.6		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-042/06:48:35.3
21750	M1O	04-042/07:00:58.6		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-042/06:48:36.3
21751	M1O	04-042/07:01:00.6		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-042/06:48:38.3
21752	M1O	04-042/07:01:01.7		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-042/06:48:39.4
21753	M1O	04-042/07:01:11.7		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-042/06:48:49.4
21754	M1O	04-042/07:01:12.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/06:48:50.4
21755	M1O	04-042/07:01:13.7		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-042/06:48:51.4
21756	M1O	04-042/07:01:13.7	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21757	M1O	04-042/07:01:14.7		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-042/06:48:52.4
21758	M1O	04-042/07:02:08.9		NOTE: Exit Solar Eclipse 9581		04-042/06:49:46.5
21759	M1O	04-042/07:06:13.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-042/06:53:51.0
21760	M1O	04-042/07:06:13.3	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21761	M1O	04-042/07:12:22.3		SPAWN, Engine = 65535, Parameters =	scdiag	04-042/07:00:00.0
21762	M1O	04-042/07:12:23.4		Causes the creation of a non-channelized packet containing the star camera pixel average.	SC_PIXL_AVG_DUMP	04-042/07:00:01.1
21763	M1O	04-042/07:12:24.4		Causes the creation of a non-channelized packet containing the star camera BLOB locations.	SC_BLOB_LOC_DUMP	04-042/07:00:02.1
21764	M1O	04-042/07:13:25.3		SPAWN, Engine = 65535, Parameters = WEEKLY	fsw_diag	04-042/07:01:03.0
21765	M1O	04-042/07:13:25.5		NOTE: Start Block fsw_diag		04-042/07:01:03.2
21766	M1O	04-042/07:13:26.5		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x6D656D53,0x686F7720,0x313B6368,0x65636B53,0x7461636B,0x3B690000,0x0000,0x0000,0x0000, 0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000,0x0000]	FSW_VX_CMD	04-042/07:01:04.2
21767	M1O	04-042/07:13:27.5		Creates a non-channelized telemetry packet for APID 7.: d:/	FILE_SYS_STATUS	04-042/07:01:05.2
21768	M1O	04-042/07:13:38.5		NOTE: End Block fsw_diag.mod		04-042/07:01:16.2
21769	M1O	04-042/07:14:38.3		SPAWN, Engine = 65535, Parameters = DAILY	fsw_diag	04-042/07:02:16.0
21770	M1O	04-042/07:14:38.5		NOTE: Start Block fsw_diag		04-042/07:02:16.2
21771	M1O	04-042/07:14:39.5		Creates a non-channelized telemetry packet for APID 7.: 1000	CMD_HISTORY_DUMP	04-042/07:02:17.2
21772	M1O	04-042/07:14:40.5		Causes flight software to execute the VXWorks shell command contained in the parameter.: [0x66617374,0x50617274,0x53686F77,0x28686561,0x705F6765,0x745F7061,0x72746974,0x696F6E28, 0x68656170,0x5F676574,0x5F686472,0x28302929,0x2C30293B,0x64202668,0x65617043,0x6F616C65, 0x73636543,0x6F756E74,0x2C312C34,0x0000]	FSW_VX_CMD	04-042/07:02:18.2
21773	M1O	04-042/07:14:51.5		Causes flight software to execute the VXWorks shell command contained in the parameter.:	FSW_VX_CMD	04-042/07:02:29.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				[0x6D656D50,0x61727453,0x686F7728,0x66617374,0x50617274,0x47657450,0x61727449,0x64286865, 0x61705F67,0x65745F70,0x61727469,0x74696F6E,0x28686561,0x705F6765,0x745F6864,0x72283029, 0x29292C31,0x29000000,0x0000,0x0000]		
21774	M1O	04-042/07:15:21.5		Creates a non-channelized telemetry packet for APID 7.: 0x0000, 0x175FFB	CRC_CHECK_EEPROM	04-042/07:02:59.2
21775	M1O	04-042/07:15:41.6		Creates a non-channelized telemetry packet for APID 7.: 0x175FFC, 0x17FFFF	CRC_CHECK_EEPROM	04-042/07:03:19.2
21776	M1O	04-042/07:15:51.6		Creates a non-channelized telemetry packet for APID 7.: 0x180000, 0x2FFFFF	CRC_CHECK_EEPROM	04-042/07:03:29.2
21777	M1O	04-042/07:16:11.6		Creates a non-channelized telemetry packet for APID 7.: 0x10C000, 0x2BCFFF	CRC_CHECK_DRAM	04-042/07:03:49.2
21778	M1O	04-042/07:16:21.6		Creates a non-channelized telemetry packet for APID 7.: 0x0004, 0x00CB	CRC_CHECK_CMIC	04-042/07:03:59.2
21779	M1O	04-042/07:16:26.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CC, 0x00CC	CRC_CHECK_CMIC	04-042/07:04:04.2
21780	M1O	04-042/07:16:31.6		Creates a non-channelized telemetry packet for APID 7.: 0x00CD, 0x00D5	CRC_CHECK_CMIC	04-042/07:04:09.2
21781	M1O	04-042/07:16:36.6		Creates a non-channelized telemetry packet for APID 7.: 0x0AC3, 0x0AE0	CRC_CHECK_CMIC	04-042/07:04:14.2
21782	M1O	04-042/07:16:41.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B72, 0x0B89	CRC_CHECK_CMIC	04-042/07:04:19.2
21783	M1O	04-042/07:16:46.6		Creates a non-channelized telemetry packet for APID 7.: 0x0B8A, 0xDFFF	CRC_CHECK_CMIC	04-042/07:04:24.2
21784	M1O	04-042/07:17:26.6		Creates a non-channelized telemetry packet for APID 7.: 0xE000, 0xE000	CRC_CHECK_CMIC	04-042/07:05:04.2
21785	M1O	04-042/07:17:31.6		Creates a non-channelized telemetry packet for APID 7.: 0xE001, 0xE057	CRC_CHECK_CMIC	04-042/07:05:09.2
21786	M1O	04-042/07:17:36.6		Creates a non-channelized telemetry packet for APID 7.: 0xE058, 0xE063	CRC_CHECK_CMIC	04-042/07:05:14.2
21787	M1O	04-042/07:17:41.6		Creates a non-channelized telemetry packet for APID 7.: 0xE064, 0xFFFF	CRC_CHECK_CMIC	04-042/07:05:19.2
21788	M1O	04-042/07:17:46.6		Creates a non-channelized telemetry packet for APID 7.	STATS_DUMP_ALL	04-042/07:05:24.2
21789	M1O	04-042/07:17:47.6		Executes the designated function for context switch statistics.: RESET	STATS_CONTEXT_SW	04-042/07:05:25.2
21790	M1O	04-042/07:17:48.6		Executes the designated function for task utility statistics.: RESET, ALL	STATS_TASK_UTIL	04-042/07:05:26.2
21791	M1O	04-042/07:17:49.6		Executes the designated function for CPDU statistics.: RESET, ALL	STATS_CPDU	04-042/07:05:27.2
21792	M1O	04-042/07:18:00.6		NOTE: End Block fsw_diag.mod		04-042/07:05:38.2
21793	M1O	04-042/07:19:08.0		NOTE: Apoapsis 9581 -		04-042/07:06:45.6
21794	M1O	04-042/07:21:38.9		NOTE: North Pole Crossing 9581		04-042/07:09:16.4
21795	M1O	04-042/07:45:30.4		SPAWN, Engine = 65535, Parameters = 042, 02, FALSE, 00:16:34.498, 254, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-042/07:33:08.0
21796	M1O	04-042/07:45:31.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/07:33:09.1
21797	M1O	04-042/07:45:33.5		CALL, Engine = , Parameters = 254	get_cmd_opt	04-042/07:33:11.1
21798	M1O	04-042/07:46:15.7		CALL, Engine = , Parameters = 254	get_apid	04-042/07:33:53.3
21799	M1O	04-042/07:46:16.8		CALL, Engine = , Parameters = 254	get_rcv_mode	04-042/07:33:54.4
21800	M1O	04-042/07:46:17.0		CALL, Engine = , Parameters = 254	get_dl_rate	04-042/07:33:54.6
21801	M1O	04-042/07:46:18.1		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-042/07:33:55.7
21802	M1O	04-042/07:46:19.4		CALL, Engine = , Parameters = 254	get_coding	04-042/07:33:57.0
21803	M1O	04-042/07:46:20.6		CALL, Engine = , Parameters = 254	get_xmt_mode	04-042/07:33:58.2
21804	M1O	04-042/07:46:21.8		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-042/07:33:59.4
21805	M1O	04-042/07:47:26.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-042/07:35:04.2
21806	M1O	04-042/07:47:27.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-042/07:35:05.2
21807	M1O	04-042/07:47:28.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-042/07:35:06.2
21808	M1O	04-042/07:47:29.7		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-042/07:35:07.2
21809	M1O	04-042/07:47:30.7		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-042/07:35:08.2
21810	M1O	04-042/07:47:31.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-042/07:35:09.2
21811	M1O	04-042/07:47:32.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-042/07:35:10.2
21812	M1O	04-042/07:51:33.6		NOTE: Descending Node Crossing 9582		04-042/07:39:11.1
21813	M1O	04-042/08:04:03.2		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-042/07:51:40.6
21814	M1O	04-042/08:04:04.3		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-042/07:51:41.7
21815	M1O	04-042/08:04:14.3		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-042/07:51:51.7
21816	M1O	04-042/08:04:15.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/07:51:52.7
21817	M1O	04-042/08:19:31.0		NOTE: Periapsis 9582 ----------		04-042/08:07:08.4
21818	M1O	04-042/08:20:53.7		NOTE: South Pole Crossing 9582		04-042/08:08:31.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21819	M1O	04-042/08:49:09.8		NOTE: Enter Solar Eclipse 9582		04-042/08:36:47.1
21820	M1O	04-042/08:50:17.0		NOTE: Ascending Node Crossing 9582		04-042/08:37:54.3
21821	M1O	04-042/09:00:47.3		NOTE: Exit Solar Eclipse 9582		04-042/08:48:24.6
21822	M1O	04-042/09:15:00.0	55	Begin Pre-Cal		
21823	M1O	04-042/09:15:00.0	55	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
21824	M1O	04-042/09:15:00.0	55	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
21825	M1O	04-042/09:15:00.0	55	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
21826	M1O	04-042/09:15:00.0	55	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
21827	M1O	04-042/09:15:00.0	55	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
21828	M1O	04-042/09:15:00.0	55	Config: RCV: Parms:		
21829	M1O	04-042/09:15:00.0	55	Config: TLM: DC= 3700, IC1=L, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
21830	M1O	04-042/09:15:00.0	55	Config: TGC: BAND=X, SR=221200.000000		
21831	M1O	04-042/09:15:00.0	55	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
21832	M1O	04-042/09:18:18.5		NOTE: Apoapsis 9582 -		04-042/09:05:55.7
21833	M1O	04-042/09:20:15.3		NOTE: North Pole Crossing 9582		04-042/09:07:52.5
21834	M1O	04-042/09:50:10.4		NOTE: Descending Node Crossing 9583		04-042/09:37:47.5
21835	M1O	04-042/10:18:26.3		NOTE: Periapsis 9583 ----------		04-042/10:06:03.3
21836	M1O	04-042/10:19:29.8		NOTE: South Pole Crossing 9583		04-042/10:07:06.8
21837	M1O	04-042/10:47:41.1		NOTE: Enter Solar Eclipse 9583		04-042/10:35:18.0
21838	M1O	04-042/10:48:52.1		NOTE: Ascending Node Crossing 9583		04-042/10:36:29.0
21839	M1O	04-042/10:50:00.0	43	NOTE: X-Band Transmitter Off in 15 minutes		
21840	M1O	04-042/10:59:25.6		NOTE: Exit Solar Eclipse 9583		04-042/10:47:02.5
21841	M1O	04-042/11:00:00.0	55	Begin Tracking		
21842	M1O	04-042/11:00:00.0	55	Acquire D/L: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21843	M1O	04-042/11:00:00.0	43	Range Modulation Off		
21844	M1O	04-042/11:05:00.0	43	X-Band Transmitter Off		
21845	M1O	04-042/11:05:13.6	43	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
21846	M1O	04-042/11:09:54.0	55	NOTE: Above Uplink Interlock Limit		
21847	M1O	04-042/11:16:53.0	43	NOTE: Below Uplink Interlock Limit		
21848	M1O	04-042/11:17:00.6		NOTE: Apoapsis 9583 -		04-042/11:04:37.4
21849	M1O	04-042/11:18:50.2		NOTE: North Pole Crossing 9583		04-042/11:06:27.0
21850	M1O	04-042/11:28:43.2		SPAWN, Engine = 65535, Parameters = 3, 00:06:15.747, 1	dpt	04-042/11:16:20.0
21851	M1O	04-042/11:28:45.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/11:16:22.1
21852	M1O	04-042/11:28:45.3	43	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21853	M1O	04-042/11:28:45.3	55	D/L Change: X/08, 3-Way/43, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21854	M1O	04-042/11:28:46.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-042/11:16:23.1
21855	M1O	04-042/11:29:46.2	43	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21856	M1O	04-042/11:29:46.2	55	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21857	M1O	04-042/11:30:00.0	43	End Tracking		
21858	M1O	04-042/11:30:01.0		NOTE: Changing to 34M (BWG) downlink rate: 39816_BPS		04-042/11:17:37.8
21859	M1O	04-042/11:30:01.0		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 39816_BPS	DOWNLINK_RATE	04-042/11:17:37.8
21860	M1O	04-042/11:30:01.0	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21861	M1O	04-042/11:30:07.0		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 15_1_6	SDST_ENCD_MODE	04-042/11:17:43.8
21862	M1O	04-042/11:30:07.0	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21863	M1O	04-042/11:34:48.2		SPAWN, Engine = 65535, Parameters = 042, 02, FALSE, 00:16:54.013, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-042/11:22:25.0

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21864	M1O	04-042/11:34:49.3		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/11:22:26.1
21865	M1O	04-042/11:34:51.3		CALL, Engine = , Parameters = 56	get_cmd_opt	04-042/11:22:28.1
21866	M1O	04-042/11:35:01.1		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-042/11:22:37.9
21867	M1O	04-042/11:35:01.1	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21868	M1O	04-042/11:35:02.1		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-042/11:22:38.9
21869	M1O	04-042/11:35:33.5		CALL, Engine = , Parameters = 56	get_apid	04-042/11:23:10.3
21870	M1O	04-042/11:35:34.6		CALL, Engine = , Parameters = 56	get_rcv_mode	04-042/11:23:11.4
21871	M1O	04-042/11:35:34.8		CALL, Engine = , Parameters = 56	get_dl_rate	04-042/11:23:11.6
21872	M1O	04-042/11:35:35.9		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-042/11:23:12.7
21873	M1O	04-042/11:35:37.1		CALL, Engine = , Parameters = 56	get_coding	04-042/11:23:13.9
21874	M1O	04-042/11:35:38.3		CALL, Engine = , Parameters = 56	get_xmt_mode	04-042/11:23:15.1
21875	M1O	04-042/11:35:39.5		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-042/11:23:16.3
21876	M1O	04-042/11:36:44.3		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-042/11:24:21.1
21877	M1O	04-042/11:36:45.3		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-042/11:24:22.1
21878	M1O	04-042/11:36:46.3		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-042/11:24:23.1
21879	M1O	04-042/11:36:47.3		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-042/11:24:24.1
21880	M1O	04-042/11:36:48.3		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-042/11:24:25.1
21881	M1O	04-042/11:36:49.3		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-042/11:24:26.1
21882	M1O	04-042/11:36:50.3		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-042/11:24:27.1
21883	M1O	04-042/11:45:00.0	43	End Post-Cal		
21884	M1O	04-042/11:48:45.0		NOTE: Descending Node Crossing 9584		04-042/11:36:21.7
21885	M1O	04-042/11:53:40.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-042/11:41:17.1
21886	M1O	04-042/11:53:41.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-042/11:41:18.2
21887	M1O	04-042/11:53:51.5		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-042/11:41:28.2
21888	M1O	04-042/11:53:52.5		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/11:41:29.2
21889	M1O	04-042/12:16:50.5		NOTE: Periapsis 9584 ----------		04-042/12:04:27.1
21890	M1O	04-042/12:18:03.2		NOTE: South Pole Crossing 9584		04-042/12:05:39.9
21891	M1O	04-042/12:46:12.4		NOTE: Enter Solar Eclipse 9584		04-042/12:33:49.0
21892	M1O	04-042/12:47:24.6		NOTE: Ascending Node Crossing 9584		04-042/12:35:01.1
21893	M1O	04-042/12:58:00.2		NOTE: Exit Solar Eclipse 9584		04-042/12:45:36.7
21894	M1O	04-042/13:15:09.3		NOTE: Apoapsis 9584 -		04-042/13:02:45.8
21895	M1O	04-042/13:17:22.3		NOTE: North Pole Crossing 9584		04-042/13:04:58.7
21896	M1O	04-042/13:31:58.6		SPAWN, Engine = 65535, Parameters = 042, 03, FALSE, 00:17:15.741, 056, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-042/13:19:35.0
21897	M1O	04-042/13:31:59.7		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/13:19:36.1
21898	M1O	04-042/13:32:01.7		CALL, Engine = , Parameters = 56	get_cmd_opt	04-042/13:19:38.1
21899	M1O	04-042/13:32:43.9		CALL, Engine = , Parameters = 56	get_apid	04-042/13:20:20.3
21900	M1O	04-042/13:32:45.0		CALL, Engine = , Parameters = 56	get_rcv_mode	04-042/13:20:21.4
21901	M1O	04-042/13:32:45.2		CALL, Engine = , Parameters = 56	get_dl_rate	04-042/13:20:21.6
21902	M1O	04-042/13:32:46.3		CALL, Engine = , Parameters = 56, FALSE	get_modulatn	04-042/13:20:22.7
21903	M1O	04-042/13:32:47.5		CALL, Engine = , Parameters = 56	get_coding	04-042/13:20:23.9
21904	M1O	04-042/13:32:48.7		CALL, Engine = , Parameters = 56	get_xmt_mode	04-042/13:20:25.1
21905	M1O	04-042/13:32:49.9		CALL, Engine = , Parameters = 56	get_cmd_beacon	04-042/13:20:26.3
21906	M1O	04-042/13:33:54.7		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-042/13:21:31.1
21907	M1O	04-042/13:33:55.7		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-042/13:21:32.1
21908	M1O	04-042/13:33:56.7		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-042/13:21:33.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
21909	M1O	04-042/13:33:57.7		Selects receiving spacecraft ID.: 56	UHF_SC_ID	04-042/13:21:34.1
21910	M1O	04-042/13:33:58.7		Causes the relay software to start processing canister data.: DISABLE, 47	RELAY_CAN_START	04-042/13:21:35.1
21911	M1O	04-042/13:33:59.7		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-042/13:21:36.1
21912	M1O	04-042/13:34:00.7		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-042/13:21:37.1
21913	M1O	04-042/13:47:16.3		NOTE: Descending Node Crossing 9585		04-042/13:34:52.7
21914	M1O	04-042/13:51:12.5		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-042/13:38:48.8
21915	M1O	04-042/13:51:13.6		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-042/13:38:49.9
21916	M1O	04-042/13:51:23.6		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-042/13:38:59.9
21917	M1O	04-042/13:51:24.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/13:39:00.9
21918	M1O	04-042/14:15:00.9		NOTE: Periapsis 9585 ----------		04-042/14:02:37.2
21919	M1O	04-042/14:16:34.3		NOTE: South Pole Crossing 9585		04-042/14:04:10.6
21920	M1O	04-042/14:44:46.1		NOTE: Enter Solar Eclipse 9585		04-042/14:32:22.3
21921	M1O	04-042/14:45:56.1		NOTE: Ascending Node Crossing 9585		04-042/14:33:32.2
21922	M1O	04-042/14:56:30.0		NOTE: Exit Solar Eclipse 9585		04-042/14:44:06.1
21923	M1O	04-042/15:00:00.0	63	Begin Pre-Cal		
21924	M1O	04-042/15:00:00.0	63	At BOT: S/C Antenna Status: U/L=HGA, D/L=HGA		
21925	M1O	04-042/15:00:00.0	63	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
21926	M1O	04-042/15:00:00.0	63	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
21927	M1O	04-042/15:00:00.0	63	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
21928	M1O	04-042/15:00:00.0	63	At BOT: S/C Tlm Mode: BR=39816.0, FL=10112, SC=375KHZ, MI=71.7		
21929	M1O	04-042/15:00:00.0	63	Config: RCV: Parms:		
21930	M1O	04-042/15:00:00.0	63	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
21931	M1O	04-042/15:00:00.0	63	Config: TGC: BAND=X, SR=79632.000000		
21932	M1O	04-042/15:00:00.0	63	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
21933	M1O	04-042/15:13:35.0		NOTE: Apoapsis 9585 -		04-042/15:01:11.1
21934	M1O	04-042/15:15:53.4		NOTE: North Pole Crossing 9585		04-042/15:03:29.5
21935	M1O	04-042/15:45:47.0		NOTE: Descending Node Crossing 9586		04-042/15:33:23.0
21936	M1O	04-042/16:00:00.0	55	Acquire U/L: X/08, PWR=20.0, BR=125.0		
21937	M1O	04-042/16:05:00.0	55	Range Modulation On: SUP=3.0dB		
21938	M1O	04-042/16:06:00.0	55	Begin Ranging Acquisition		
21939	M1O	04-042/16:13:27.7		NOTE: Periapsis 9586 ----------		04-042/16:01:03.6
21940	M1O	04-042/16:15:05.8		NOTE: South Pole Crossing 9586		04-042/16:02:41.7
21941	M1O	04-042/16:24:45.3		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-042/16:12:21.2
21942	M1O	04-042/16:24:47.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/16:12:23.3
21943	M1O	04-042/16:24:47.4	55	D/L Change: X/08, 1-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21944	M1O	04-042/16:24:48.1	55	Acquire D/L: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21945	M1O	04-042/16:24:48.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-042/16:12:24.3
21946	M1O	04-042/16:30:47.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-042/16:18:23.3
21947	M1O	04-042/16:30:47.4	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21948	M1O	04-042/16:30:48.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-042/16:18:24.3
21949	M1O	04-042/16:43:21.0		NOTE: Enter Solar Eclipse 9586		04-042/16:30:56.8
21950	M1O	04-042/16:43:58.8		SPAWN, Engine = 65535, Parameters = 3, 00:06:00, 1	dpt	04-042/16:31:34.6
21951	M1O	04-042/16:44:00.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/16:31:36.7
21952	M1O	04-042/16:44:00.9	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21953	M1O	04-042/16:44:01.9		Initializes the telemetry software object with the contents of the specified file.:	CHAN_APID_CONFIG	04-042/16:31:37.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/tlm/tlm_rate_nom.cfg		
21954	M1O	04-042/16:44:28.7		NOTE: Ascending Node Crossing 9586		04-042/16:32:04.4
21955	M1O	04-042/16:44:54.8		This command sets how the x-band datarate is encoded before being modulated onto the downlink.: 7_1_2	SDST_ENCD_MODE	04-042/16:32:30.6
21956	M1O	04-042/16:44:54.8	55	D/L Change: X/08, 2-Way, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21957	M1O	04-042/16:45:00.0	63	Begin Tracking		
21958	M1O	04-042/16:45:00.0	63	Acquire D/L: X/08, 3-Way/55, BW=3, BR=39816.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21959	M1O	04-042/16:45:00.8		NOTE: Changing to 70M downlink rate: 110600_BPS		04-042/16:32:36.6
21960	M1O	04-042/16:45:00.8		Sets the specified telemetry downlink rate which is controlled by the rate at which data is clocked out of the C&DH.: 110600_BPS	DOWNLINK_RATE	04-042/16:32:36.6
21961	M1O	04-042/16:45:00.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21962	M1O	04-042/16:45:00.8	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21963	M1O	04-042/16:50:00.9		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-042/16:37:36.7
21964	M1O	04-042/16:50:00.9	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21965	M1O	04-042/16:50:00.9	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
21966	M1O	04-042/16:50:01.9		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-042/16:37:37.7
21967	M1O	04-042/16:54:55.2		NOTE: Exit Solar Eclipse 9586		04-042/16:42:31.0
21968	M1O	04-042/17:12:26.8		NOTE: Apoapsis 9586 -		04-042/17:00:02.5
21969	M1O	04-042/17:14:27.2		NOTE: North Pole Crossing 9586		04-042/17:02:02.9
21970	M1O	04-042/17:44:22.2		NOTE: Descending Node Crossing 9587		04-042/17:31:57.8
21971	M1O	04-042/18:12:15.2		NOTE: Periapsis 9587 ----------		04-042/17:59:50.7
21972	M1O	04-042/18:13:41.2		NOTE: South Pole Crossing 9587		04-042/18:01:16.7
21973	M1O	04-042/18:27:30.5		SPAWN, Engine = 65535, Parameters = 042, 03, TRUE, 00:18:22, 254, TRUE, 128_KPS, 00:02:00, 00:00:00	uhf	04-042/18:15:06.0
21974	M1O	04-042/18:27:31.6		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/18:15:07.1
21975	M1O	04-042/18:27:33.6		CALL, Engine = , Parameters = 254	get_cmd_opt	04-042/18:15:09.1
21976	M1O	04-042/18:27:33.9		CALL, Engine = , Parameters = 042, 03, 254	bld_autosw	04-042/18:15:09.4
21977	M1O	04-042/18:27:35.0		Copies the file designated in the source_path to the target_path.: d:/dat/254_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-042/18:15:10.5
21978	M1O	04-042/18:27:36.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:11.6
21979	M1O	04-042/18:27:37.1		Deletes the designated file.: d:/dat/254_doy042_pass03_file01.dat	FILE_DELETE	04-042/18:15:12.6
21980	M1O	04-042/18:27:38.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:13.7
21981	M1O	04-042/18:27:39.2		Deletes the designated file.: d:/dat/254_doy042_pass03_file02.dat	FILE_DELETE	04-042/18:15:14.7
21982	M1O	04-042/18:27:40.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:15.8
21983	M1O	04-042/18:27:41.3		Deletes the designated file.: d:/dat/254_doy042_pass03_file03.dat	FILE_DELETE	04-042/18:15:16.8
21984	M1O	04-042/18:27:42.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:17.9
21985	M1O	04-042/18:27:43.4		Deletes the designated file.: d:/dat/254_doy042_pass03_file04.dat	FILE_DELETE	04-042/18:15:18.9
21986	M1O	04-042/18:27:44.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:20.0
21987	M1O	04-042/18:27:45.5		Deletes the designated file.: d:/dat/254_doy042_pass03_file05.dat	FILE_DELETE	04-042/18:15:21.0
21988	M1O	04-042/18:27:46.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:22.1
21989	M1O	04-042/18:27:47.6		Deletes the designated file.: d:/dat/254_doy042_pass03_file06.dat	FILE_DELETE	04-042/18:15:23.1
21990	M1O	04-042/18:27:48.7		Appends the source_path file onto the end of the target_path file.:	FILE_APPEND	04-042/18:15:24.2

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/dat/254_doy042_pass03_file07.dat, d:/dat/autoswitch.dat		
21991	M1O	04-042/18:27:49.7		Deletes the designated file.: d:/dat/254_doy042_pass03_file07.dat	FILE_DELETE	04-042/18:15:25.2
21992	M1O	04-042/18:27:50.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:26.3
21993	M1O	04-042/18:27:51.8		Deletes the designated file.: d:/dat/254_doy042_pass03_file08.dat	FILE_DELETE	04-042/18:15:27.3
21994	M1O	04-042/18:27:52.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:28.4
21995	M1O	04-042/18:27:53.9		Deletes the designated file.: d:/dat/254_doy042_pass03_file09.dat	FILE_DELETE	04-042/18:15:29.4
21996	M1O	04-042/18:27:55.0		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:30.5
21997	M1O	04-042/18:27:56.0		Deletes the designated file.: d:/dat/254_doy042_pass03_file10.dat	FILE_DELETE	04-042/18:15:31.5
21998	M1O	04-042/18:27:57.1		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:32.6
21999	M1O	04-042/18:27:58.1		Deletes the designated file.: d:/dat/254_doy042_pass03_file11.dat	FILE_DELETE	04-042/18:15:33.6
22000	M1O	04-042/18:27:59.2		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:34.7
22001	M1O	04-042/18:28:00.2		Deletes the designated file.: d:/dat/254_doy042_pass03_file12.dat	FILE_DELETE	04-042/18:15:35.7
22002	M1O	04-042/18:28:01.3		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:36.8
22003	M1O	04-042/18:28:02.3		Deletes the designated file.: d:/dat/254_doy042_pass03_file13.dat	FILE_DELETE	04-042/18:15:37.8
22004	M1O	04-042/18:28:03.4		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:38.9
22005	M1O	04-042/18:28:04.4		Deletes the designated file.: d:/dat/254_doy042_pass03_file14.dat	FILE_DELETE	04-042/18:15:39.9
22006	M1O	04-042/18:28:05.5		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:41.0
22007	M1O	04-042/18:28:06.5		Deletes the designated file.: d:/dat/254_doy042_pass03_file15.dat	FILE_DELETE	04-042/18:15:42.0
22008	M1O	04-042/18:28:07.6		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:43.1
22009	M1O	04-042/18:28:08.6		Deletes the designated file.: d:/dat/254_doy042_pass03_file16.dat	FILE_DELETE	04-042/18:15:44.1
22010	M1O	04-042/18:28:09.7		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:45.2
22011	M1O	04-042/18:28:10.7		Deletes the designated file.: d:/dat/254_doy042_pass03_file17.dat	FILE_DELETE	04-042/18:15:46.2
22012	M1O	04-042/18:28:11.8		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:47.3
22013	M1O	04-042/18:28:12.8		Deletes the designated file.: d:/dat/254_doy042_pass03_file18.dat	FILE_DELETE	04-042/18:15:48.3
22014	M1O	04-042/18:28:13.9		Appends the source_path file onto the end of the target_path file.: d:/dat/254_doy042_pass03_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/18:15:49.4
22015	M1O	04-042/18:28:14.9		Deletes the designated file.: d:/dat/254_doy042_pass03_file19.dat	FILE_DELETE	04-042/18:15:50.4
22016	M1O	04-042/18:28:15.9		CALL, Engine = , Parameters = 254	get_apid	04-042/18:15:51.4
22017	M1O	04-042/18:28:17.0		CALL, Engine = , Parameters = 254	get_rcv_mode	04-042/18:15:52.5
22018	M1O	04-042/18:28:17.2		CALL, Engine = , Parameters = 254	get_dl_rate	04-042/18:15:52.7
22019	M1O	04-042/18:28:18.3		CALL, Engine = , Parameters = 254, TRUE	get_modulatn	04-042/18:15:53.8
22020	M1O	04-042/18:28:19.6		CALL, Engine = , Parameters = 254	get_coding	04-042/18:15:55.1
22021	M1O	04-042/18:28:20.8		CALL, Engine = , Parameters = 254	get_xmt_mode	04-042/18:15:56.3
22022	M1O	04-042/18:28:22.0		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-042/18:15:57.5
22023	M1O	04-042/18:29:26.8		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-042/18:17:02.3
22024	M1O	04-042/18:29:27.8		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-042/18:17:03.3
22025	M1O	04-042/18:29:28.8		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-042/18:17:04.3
22026	M1O	04-042/18:29:29.8		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-042/18:17:05.3
22027	M1O	04-042/18:29:30.8		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-042/18:17:06.3
22028	M1O	04-042/18:29:31.8		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK_COHO, CONV_VIT	UHF_RCV_MODE	04-042/18:17:07.3
22029	M1O	04-042/18:29:32.8		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-042/18:17:08.3

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
22030	M1O	04-042/18:29:33.8		This activates the discrete inout to the transceiver.: ON	UHF_DOP_CMD	04-042/18:17:09.3
22031	M1O	04-042/18:29:34.8		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_relay.cfg,	FSW_OBJ_INITIAL	04-042/18:17:10.3
22032	M1O	04-042/18:31:22.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/18:18:58.3
22033	M1O	04-042/18:31:22.8	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22034	M1O	04-042/18:31:22.8	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22035	M1O	04-042/18:31:28.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/18:19:03.5
22036	M1O	04-042/18:31:32.8		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-042/18:19:08.3
22037	M1O	04-042/18:41:55.7		NOTE: Enter Solar Eclipse 9587		04-042/18:29:31.1
22038	M1O	04-042/18:43:03.8		NOTE: Ascending Node Crossing 9587		04-042/18:30:39.2
22039	M1O	04-042/18:47:49.9		This activates the discrete inout to the transceiver.: OFF	UHF_DOP_CMD	04-042/18:35:25.3
22040	M1O	04-042/18:47:50.9		Initializes the identified object using the specified files.: TELECOM, d:/cfg/tel_cyclic_def.cfg,	FSW_OBJ_INITIAL	04-042/18:35:26.3
22041	M1O	04-042/18:47:52.9		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-042/18:35:28.3
22042	M1O	04-042/18:47:54.0		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-042/18:35:29.4
22043	M1O	04-042/18:48:04.0		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-042/18:35:39.4
22044	M1O	04-042/18:48:05.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/18:35:40.4
22045	M1O	04-042/18:48:06.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-042/18:35:41.4
22046	M1O	04-042/18:48:06.0	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22047	M1O	04-042/18:48:06.0	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22048	M1O	04-042/18:48:07.0		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-042/18:35:42.4
22049	M1O	04-042/18:53:05.6		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-042/18:40:41.0
22050	M1O	04-042/18:53:05.6	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22051	M1O	04-042/18:53:05.6	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22052	M1O	04-042/18:53:24.8		NOTE: Exit Solar Eclipse 9587		04-042/18:41:00.2
22053	M1O	04-042/19:11:07.7		NOTE: Apoapsis 9587 -		04-042/18:58:43.0
22054	M1O	04-042/19:13:03.3		NOTE: North Pole Crossing 9587		04-042/19:00:38.6
22055	M1O	04-042/19:20:10.4	55	NOTE: Track is ending in one RTLT. No command confirmation receivable hereafter.		
22056	M1O	04-042/19:25:00.0	55	Range Modulation Off		
22057	M1O	04-042/19:30:00.0	63	U/L Transfer From DSS-55 to DSS-63: PWR=20.0, BR=125.0		
22058	M1O	04-042/19:31:42.7		SPAWN, Engine = 65535, Parameters = 042, 04, TRUE, 00:19:03, 253, FALSE, 128_KPS, 00:02:00, 00:00:00	uhf	04-042/19:19:18.0
22059	M1O	04-042/19:31:43.8		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/19:19:19.1
22060	M1O	04-042/19:31:45.8		CALL, Engine = , Parameters = 253	get_cmd_opt	04-042/19:19:21.1
22061	M1O	04-042/19:31:46.1		CALL, Engine = , Parameters = 042, 04, 253	bld_autosw	04-042/19:19:21.4
22062	M1O	04-042/19:31:47.2		Copies the file designated in the source_path to the target_path.: d:/dat/253_noop_file00.dat, d:/dat/autoswitch.dat, OVERWRITE	FILE_COPY	04-042/19:19:22.5
22063	M1O	04-042/19:31:48.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file01.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:23.6
22064	M1O	04-042/19:31:49.3		Deletes the designated file.: d:/dat/253_doy042_pass04_file01.dat	FILE_DELETE	04-042/19:19:24.6
22065	M1O	04-042/19:31:50.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file02.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:25.7
22066	M1O	04-042/19:31:51.4		Deletes the designated file.: d:/dat/253_doy042_pass04_file02.dat	FILE_DELETE	04-042/19:19:26.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
22067	M1O	04-042/19:31:52.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file03.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:27.8
22068	M1O	04-042/19:31:53.5		Deletes the designated file.: d:/dat/253_doy042_pass04_file03.dat	FILE_DELETE	04-042/19:19:28.8
22069	M1O	04-042/19:31:54.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file04.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:29.9
22070	M1O	04-042/19:31:55.6		Deletes the designated file.: d:/dat/253_doy042_pass04_file04.dat	FILE_DELETE	04-042/19:19:30.9
22071	M1O	04-042/19:31:56.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file05.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:32.0
22072	M1O	04-042/19:31:57.7		Deletes the designated file.: d:/dat/253_doy042_pass04_file05.dat	FILE_DELETE	04-042/19:19:33.0
22073	M1O	04-042/19:31:58.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file06.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:34.1
22074	M1O	04-042/19:31:59.8		Deletes the designated file.: d:/dat/253_doy042_pass04_file06.dat	FILE_DELETE	04-042/19:19:35.1
22075	M1O	04-042/19:32:00.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file07.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:36.2
22076	M1O	04-042/19:32:01.9		Deletes the designated file.: d:/dat/253_doy042_pass04_file07.dat	FILE_DELETE	04-042/19:19:37.2
22077	M1O	04-042/19:32:03.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file08.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:38.3
22078	M1O	04-042/19:32:04.0		Deletes the designated file.: d:/dat/253_doy042_pass04_file08.dat	FILE_DELETE	04-042/19:19:39.3
22079	M1O	04-042/19:32:05.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file09.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:40.4
22080	M1O	04-042/19:32:06.1		Deletes the designated file.: d:/dat/253_doy042_pass04_file09.dat	FILE_DELETE	04-042/19:19:41.4
22081	M1O	04-042/19:32:07.2		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file10.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:42.5
22082	M1O	04-042/19:32:08.2		Deletes the designated file.: d:/dat/253_doy042_pass04_file10.dat	FILE_DELETE	04-042/19:19:43.5
22083	M1O	04-042/19:32:09.3		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file11.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:44.6
22084	M1O	04-042/19:32:10.3		Deletes the designated file.: d:/dat/253_doy042_pass04_file11.dat	FILE_DELETE	04-042/19:19:45.6
22085	M1O	04-042/19:32:11.4		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file12.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:46.7
22086	M1O	04-042/19:32:12.4		Deletes the designated file.: d:/dat/253_doy042_pass04_file12.dat	FILE_DELETE	04-042/19:19:47.7
22087	M1O	04-042/19:32:13.5		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file13.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:48.8
22088	M1O	04-042/19:32:14.5		Deletes the designated file.: d:/dat/253_doy042_pass04_file13.dat	FILE_DELETE	04-042/19:19:49.8
22089	M1O	04-042/19:32:15.6		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file14.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:50.9
22090	M1O	04-042/19:32:16.6		Deletes the designated file.: d:/dat/253_doy042_pass04_file14.dat	FILE_DELETE	04-042/19:19:51.9
22091	M1O	04-042/19:32:17.7		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file15.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:53.0
22092	M1O	04-042/19:32:18.7		Deletes the designated file.: d:/dat/253_doy042_pass04_file15.dat	FILE_DELETE	04-042/19:19:54.0
22093	M1O	04-042/19:32:19.8		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file16.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:55.1
22094	M1O	04-042/19:32:20.8		Deletes the designated file.: d:/dat/253_doy042_pass04_file16.dat	FILE_DELETE	04-042/19:19:56.1
22095	M1O	04-042/19:32:21.9		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file17.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:57.2
22096	M1O	04-042/19:32:22.9		Deletes the designated file.: d:/dat/253_doy042_pass04_file17.dat	FILE_DELETE	04-042/19:19:58.2
22097	M1O	04-042/19:32:24.0		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file18.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:19:59.3
22098	M1O	04-042/19:32:25.0		Deletes the designated file.: d:/dat/253_doy042_pass04_file18.dat	FILE_DELETE	04-042/19:20:00.3
22099	M1O	04-042/19:32:26.1		Appends the source_path file onto the end of the target_path file.: d:/dat/253_doy042_pass04_file19.dat, d:/dat/autoswitch.dat	FILE_APPEND	04-042/19:20:01.4
22100	M1O	04-042/19:32:27.1		Deletes the designated file.: d:/dat/253_doy042_pass04_file19.dat	FILE_DELETE	04-042/19:20:02.4
22101	M1O	04-042/19:32:28.1		CALL, Engine = , Parameters = 253	get_apid	04-042/19:20:03.4
22102	M1O	04-042/19:32:29.2		CALL, Engine = , Parameters = 253	get_rcv_mode	04-042/19:20:04.5
22103	M1O	04-042/19:32:29.4		CALL, Engine = , Parameters = 253	get_dl_rate	04-042/19:20:04.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
22104	M1O	04-042/19:32:30.5		CALL, Engine = , Parameters = 253, FALSE	get_modulatn	04-042/19:20:05.8
22105	M1O	04-042/19:32:31.8		CALL, Engine = , Parameters = 253	get_coding	04-042/19:20:07.1
22106	M1O	04-042/19:32:33.0		CALL, Engine = , Parameters = 253	get_xmt_mode	04-042/19:20:08.3
22107	M1O	04-042/19:32:34.2		CALL, Engine = , Parameters = 253	get_cmd_beacon	04-042/19:20:09.5
22108	M1O	04-042/19:33:39.0		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-042/19:21:14.3
22109	M1O	04-042/19:33:40.0		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-042/19:21:15.3
22110	M1O	04-042/19:33:41.0		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-042/19:21:16.3
22111	M1O	04-042/19:33:42.0		Selects receiving spacecraft ID.: 253	UHF_SC_ID	04-042/19:21:17.3
22112	M1O	04-042/19:33:43.0		Causes the relay software to start processing canister data.: DISABLE, 45	RELAY_CAN_START	04-042/19:21:18.3
22113	M1O	04-042/19:33:44.0		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 128_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-042/19:21:19.3
22114	M1O	04-042/19:33:45.0		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-042/19:21:20.3
22115	M1O	04-042/19:35:00.0	63	Range Modulation On: SUP=3.0dB		
22116	M1O	04-042/19:35:35.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/19:23:10.3
22117	M1O	04-042/19:35:35.0	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22118	M1O	04-042/19:35:35.0	55	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22119	M1O	04-042/19:35:40.2		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/19:23:15.5
22120	M1O	04-042/19:35:45.0		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: RELAY_CMD	DOWNLINK_MODE	04-042/19:23:20.3
22121	M1O	04-042/19:36:00.0	63	Begin Ranging Acquisition		
22122	M1O	04-042/19:42:59.3		NOTE: Descending Node Crossing 9588		04-042/19:30:34.5
22123	M1O	04-042/19:45:00.0	55	End Tracking		
22124	M1O	04-042/19:52:46.1		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-042/19:40:21.3
22125	M1O	04-042/19:52:47.2		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-042/19:40:22.4
22126	M1O	04-042/19:52:57.2		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-042/19:40:32.4
22127	M1O	04-042/19:52:58.2		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/19:40:33.4
22128	M1O	04-042/19:52:59.2		Controls the type of data (none, fill, or lander telemetry) input into the downlink data stream.: NOM_TLM	DOWNLINK_MODE	04-042/19:40:34.4
22129	M1O	04-042/19:52:59.2	63	D/L Change: X/08, 3-Way/55, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22130	M1O	04-042/19:53:00.2		Deletes the designated file.: d:/dat/autoswitch.dat	FILE_DELETE	04-042/19:40:35.4
22131	M1O	04-042/19:54:49.4	63	Acquire D/L: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22132	M1O	04-042/19:57:58.8		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-042/19:45:34.0
22133	M1O	04-042/19:57:58.8	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22134	M1O	04-042/20:00:00.0	55	End Post-Cal		
22135	M1O	04-042/20:10:54.4		NOTE: Periapsis 9588 ----------		04-042/19:58:29.5
22136	M1O	04-042/20:12:18.2		NOTE: South Pole Crossing 9588		04-042/19:59:53.3
22137	M1O	04-042/20:26:28.9		SPAWN, Engine = 65535, Parameters = 042, 04, FALSE, 00:14:55.170, 254, FALSE, 32_KPS, 00:06:00, 00:00:00	uhf	04-042/20:14:04.0
22138	M1O	04-042/20:26:30.0		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0450, 0x0000, 0x0000, 0x0004, 0x0001, 0x848E, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/20:14:05.1
22139	M1O	04-042/20:26:32.0		CALL, Engine = , Parameters = 254	get_cmd_opt	04-042/20:14:07.1
22140	M1O	04-042/20:27:14.2		CALL, Engine = , Parameters = 254	get_apid	04-042/20:14:49.3
22141	M1O	04-042/20:27:15.3		CALL, Engine = , Parameters = 254	get_rcv_mode	04-042/20:14:50.4
22142	M1O	04-042/20:27:15.5		CALL, Engine = , Parameters = 254	get_dl_rate	04-042/20:14:50.6
22143	M1O	04-042/20:27:16.6		CALL, Engine = , Parameters = 254, FALSE	get_modulatn	04-042/20:14:51.7

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
22144	M1O	04-042/20:27:17.9		CALL, Engine = , Parameters = 254	get_coding	04-042/20:14:53.0
22145	M1O	04-042/20:27:19.1		CALL, Engine = , Parameters = 254	get_xmt_mode	04-042/20:14:54.2
22146	M1O	04-042/20:27:20.3		CALL, Engine = , Parameters = 254	get_cmd_beacon	04-042/20:14:55.4
22147	M1O	04-042/20:28:25.1		Starts the production of packets for the specified channelized APID.: 13	CHAN_APID_START	04-042/20:16:00.2
22148	M1O	04-042/20:28:26.1		Switches UHF coax switch to active C&DH/UHF.	UHF_SELECT	04-042/20:16:01.2
22149	M1O	04-042/20:28:27.1		Turns power OFF or ON to the UHF transceiver.: ON	UHF_POWER	04-042/20:16:02.2
22150	M1O	04-042/20:28:28.1		Selects receiving spacecraft ID.: 254	UHF_SC_ID	04-042/20:16:03.2
22151	M1O	04-042/20:28:29.1		Causes the relay software to start processing canister data.: DISABLE, 46	RELAY_CAN_START	04-042/20:16:04.2
22152	M1O	04-042/20:28:30.1		Selects the mode in which the UHF receiver is to operate.: REL_BIT_STR, 32_KPS, PSK, CONV_VIT	UHF_RCV_MODE	04-042/20:16:05.2
22153	M1O	04-042/20:28:31.1		Selects the mode in which the UHF transmitter is to operate.: REL_BIT_STR, 8_KPS, PSK, BYPASS_COD, PSK	UHF_XMIT_MODE	04-042/20:16:06.2
22154	M1O	04-042/20:40:32.0		NOTE: Enter Solar Eclipse 9588		04-042/20:28:07.1
22155	M1O	04-042/20:41:40.5		NOTE: Ascending Node Crossing 9588		04-042/20:29:15.5
22156	M1O	04-042/20:43:22.3		Selects the mode in which the UHF transmitter is to operate.: STAND_BY, 8_KPS, PSK, CONV_VIT, DISABLE	UHF_XMIT_MODE	04-042/20:30:57.3
22157	M1O	04-042/20:43:23.4		Turns power OFF or ON to the UHF transceiver.: OFF	UHF_POWER	04-042/20:30:58.4
22158	M1O	04-042/20:43:33.4		Stops the production of packets for the specified channelized APID.: 13	CHAN_APID_STOP	04-042/20:31:08.4
22159	M1O	04-042/20:43:34.4		Passes the specified amount of data, data size parameter, through the PACI interface.: 14, 0x8039, 0x0451, 0x0000, 0x0000, 0x0005, 0x0001, 0x8490, 0x0000, 0x0000	GRS_PASS_THROUGH	04-042/20:31:09.4
22160	M1O	04-042/20:51:59.9		NOTE: Exit Solar Eclipse 9588		04-042/20:39:34.9
22161	M1O	04-042/21:09:27.9		NOTE: Apoapsis 9588 -		04-042/20:57:02.9
22162	M1O	04-042/21:11:39.8		NOTE: North Pole Crossing 9588		04-042/20:59:14.7
22163	M1O	04-042/21:15:00.0	14	Begin Pre-Cal		
22164	M1O	04-042/21:15:00.0	14	At BOT: S/C Antenna Status: U/L=LGA, D/L=HGA		
22165	M1O	04-042/21:15:00.0	14	At BOT: S/C Receiver Status: RCVR1=ON, TWNC=OFF, RCVR2=OFF, TWNC=OFF		
22166	M1O	04-042/21:15:00.0	14	At BOT: S/C Ranging Mode: RNG=ON, DOR=OFF		
22167	M1O	04-042/21:15:00.0	14	At BOT: S/C Transmitter Status: PWR=ON, EXC=1, PWR=OFF, EXC=2		
22168	M1O	04-042/21:15:00.0	14	At BOT: S/C Tlm Mode: BR=110600.0, FL=10112, SC=375KHZ, MI=71.7		
22169	M1O	04-042/21:15:00.0	14	Config: RCV: Parms:		
22170	M1O	04-042/21:15:00.0	14	Config: TLM: DC= 3700, IC1=S, IC2=2, IC3=CCSDS, OC1=B, OC2=S		
22171	M1O	04-042/21:15:00.0	14	Config: TGC: BAND=X, SR=221200.000000		
22172	M1O	04-042/21:15:00.0	14	Config: UWV: AMP=XHEMT, MODE=LISTEN ONLY, POL_UL=RCP, POL_DL=RCP		
22173	M1O	04-042/21:26:12.0	63	NOTE: X-Band Transmitter Off in 15 minutes		
22174	M1O	04-042/21:36:12.0	63	Range Modulation Off		
22175	M1O	04-042/21:41:12.0	63	X-Band Transmitter Off		
22176	M1O	04-042/21:41:35.4		NOTE: Descending Node Crossing 9589		04-042/21:29:10.3
22177	M1O	04-042/21:54:36.2		SPAWN, Engine = 65535, Parameters = 01:15:00, 00:20:00, FALSE	map_desat	04-042/21:42:11.0
22178	M1O	04-042/21:54:36.3		Starts execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_START	04-042/21:42:11.1
22179	M1O	04-042/21:54:37.3		Forces a desaturation of the reaction wheels.	RW_DESAT	04-042/21:42:12.1
22180	M1O	04-042/21:57:51.2		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-042/21:45:26.0
22181	M1O	04-042/21:58:07.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-040T21:45:26.100, 2004-042T21:45:26.100	PCKTS_RE_TX_TIME	04-042/21:45:41.8
22182	M1O	04-042/21:58:08.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-040T21:45:26.100, 2004-042T21:45:26.100	PCKTS_RE_TX_TIME	04-042/21:45:42.8
22183	M1O	04-042/21:58:09.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-040T21:45:26.100, 2004-042T21:45:26.100	PCKTS_RE_TX_TIME	04-042/21:45:43.8
22184	M1O	04-042/21:58:10.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-040T21:45:26.100, 2004-042T21:45:26.100	PCKTS_RE_TX_TIME	04-042/21:45:44.8
22185	M1O	04-042/21:58:11.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-040T21:45:26.100, 2004-042T21:45:26.100	PCKTS_RE_TX_TIME	04-042/21:45:45.8
22186	M1O	04-042/21:58:12.0		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-040T21:45:26.100, 2004-042T21:45:26.100	PCKTS_RE_TX_TIME	04-042/21:45:46.8
22187	M1O	04-042/21:58:12.0		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-042/21:45:46.8

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_auto_rexmit.cfg,		
22188	M1O	04-042/21:58:12.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22189	M1O	04-042/22:05:13.0		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/21:52:47.8
22190	M1O	04-042/22:05:13.0	63	D/L Change: X/08, 2-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22191	M1O	04-042/22:05:14.0		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-042/21:52:48.8
22192	M1O	04-042/22:05:30.0		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-042/21:53:04.8
22193	M1O	04-042/22:05:30.0	63	D/L RF Warning: SC antenna change - expect signal level variation		
22194	M1O	04-042/22:05:31.0		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-042/21:53:05.8
22195	M1O	04-042/22:06:02.3	63	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22196	M1O	04-042/22:06:07.3		CALL, Engine = , Parameters = FALSE	park_hga	04-042/21:53:42.1
22197	M1O	04-042/22:06:07.3		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/21:53:42.1
22198	M1O	04-042/22:06:08.3		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-042/21:53:43.1
22199	M1O	04-042/22:06:09.3		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-042/21:53:44.1
22200	M1O	04-042/22:06:09.3		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-042/21:53:44.1
22201	M1O	04-042/22:06:09.3		NOTE: START HGA PARK		
22202	M1O	04-042/22:06:09.3	63	NOTE: Loss Of X-Band Signal		
22203	M1O	04-042/22:06:10.3		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-042/21:53:45.1
22204	M1O	04-042/22:06:11.3		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-042/21:53:46.1
22205	M1O	04-042/22:09:24.2		NOTE: Periapsis 9589 ----------		04-042/21:56:58.9
22206	M1O	04-042/22:10:41.3		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, 873, 873	APPNDG_GOTO_POS	04-042/21:58:16.1
22207	M1O	04-042/22:10:54.5		NOTE: South Pole Crossing 9589		04-042/21:58:29.2
22208	M1O	04-042/22:14:11.3		Commands the appendage to an idle state.: HGA	APPNDG_IDLE	04-042/22:01:46.1
22209	M1O	04-042/22:14:11.3		WAIT expression: GV::GV_DESAT_ACTIVE == TRUE_VM_CONST	WAIT	04-042/22:01:46.1
22210	M1O	04-042/22:15:23.0	63	NOTE: Below Uplink Interlock Limit		
22211	M1O	04-042/22:39:09.0		NOTE: Enter Solar Eclipse 9589		04-042/22:26:43.6
22212	M1O	04-042/22:40:16.9		NOTE: Ascending Node Crossing 9589		04-042/22:27:51.6
22213	M1O	04-042/22:44:11.3		GV: GV_DESAT_ACTIVE = 1		04-042/22:31:46.0
22214	M1O	04-042/22:44:12.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_start.cfg	CHAN_APID_CONFIG	04-042/22:31:47.0
22215	M1O	04-042/22:44:12.3		WAIT expression: GV::GV_DESAT_ACTIVE == FALSE_VM_CONST	WAIT	04-042/22:31:47.0
22216	M1O	04-042/22:50:38.8		NOTE: Exit Solar Eclipse 9589		04-042/22:38:13.4
22217	M1O	04-042/22:54:11.3		GV: GV_DESAT_ACTIVE = 0		04-042/22:41:46.0
22218	M1O	04-042/22:54:12.3		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_desat_stop.cfg	CHAN_APID_CONFIG	04-042/22:41:47.0
22219	M1O	04-042/22:54:13.3		Stops execution of FSW objects.: AHRAC_DESAT_NOM	FSW_OBJ_STOP	04-042/22:41:48.0
22220	M1O	04-042/22:54:14.3		CALL, Engine = , Parameters =	unpark_hga	04-042/22:41:49.0
22221	M1O	04-042/22:54:14.3		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_cps.cfg,	FSW_OBJ_INITIAL	04-042/22:41:49.0
22222	M1O	04-042/22:54:15.3		Move the specified appendage o the specified gimbal angles unless inhibited by softstops.: HGA, -87, -87	APPNDG_GOTO_POS	04-042/22:41:50.0
22223	M1O	04-042/22:58:45.4		Initializes the identified object using the specified files.: SAM_GIMBAL_AXIS, d:/cfg/sam_ga_hga_vts.cfg,	FSW_OBJ_INITIAL	04-042/22:46:20.0
22224	M1O	04-042/22:58:46.4		Track specified target vector unless inhibited by softstops.: HGA, EARTH	APPNDG_TARG_VECT	04-042/22:46:21.0
22225	M1O	04-042/23:00:00.0	63	End Tracking		
22226	M1O	04-042/23:00:00.0	14	Begin Tracking		
22227	M1O	04-042/23:02:11.4		SPAWN, Engine = 65535, Parameters = 00:05:00	cstr	04-042/22:49:46.0
22228	M1O	04-042/23:02:11.5		Initializes the identified object using the specified files.: DWN_DPT,	FSW_OBJ_INITIAL	04-042/22:49:46.1

ITEM	S/C	GND TIME (GMT)	STN	ACTIVITY/EVENT DESCRIPTION	CMD	SCET
				d:/cfg/dwn_dpt_nom_rt_only.cfg,		
22229	M1O	04-042/23:02:12.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-042/22:49:47.1
22230	M1O	04-042/23:02:13.5		Assigns the command uplink rate.: 125_BPS	UPLINK_RATE	04-042/22:49:48.1
22231	M1O	04-042/23:02:14.5		Selects whether HGA or the LGA will be used for receipt of uplink commands.: HGA	RCVR_SELECT	04-042/22:49:49.1
22232	M1O	04-042/23:02:15.5		Selects whether the MGA or the HGA will be used for transmission of downlink telemetry when transmitting through the x-band.: HGA	XMIT_SELECT	04-042/22:49:50.1
22233	M1O	04-042/23:02:25.5		Turns power OFF or ON to the SSPA assigned as active.: ON	SSPA_POWER	04-042/22:50:00.1
22234	M1O	04-042/23:02:35.5		Turns power OFF or ON to the SDST exciter on the active telecom side.: ON	SDST_EXCITER	04-042/22:50:10.1
22235	M1O	04-042/23:02:46.4		NOTE: EXIT HGA PARK		
22236	M1O	04-042/23:02:46.4	14	Acquisition Of X-Band Signal		
22237	M1O	04-042/23:02:46.4	14	Acquire D/L: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22238	M1O	04-042/23:07:35.5		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_map.cfg	CHAN_APID_CONFIG	04-042/22:55:10.1
22239	M1O	04-042/23:07:36.5		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_sci.cfg,	FSW_OBJ_INITIAL	04-042/22:55:11.1
22240	M1O	04-042/23:07:36.5	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22241	M1O	04-042/23:07:37.5		Creates a non-channelized telemetry packet for APID 1.	TIME_PCKT_CREATE	04-042/22:55:12.1
22242	M1O	04-042/23:07:40.4		NOTE: Apoapsis 9589 -		04-042/22:55:14.9
22243	M1O	04-042/23:10:15.1		NOTE: North Pole Crossing 9589		04-042/22:57:49.6
22244	M1O	04-042/23:15:00.0	63	End Post-Cal		
22245	M1O	04-042/23:40:09.4		NOTE: Descending Node Crossing 9590		04-042/23:27:43.8
22246	M1O	04-043/00:00:00.0		Light Time: OWLT = 12:25, RTLT = 24:51		
22247	M1O	04-043/00:04:25.6		SPAWN, Engine = 65535, Parameters = 48, 00:07:00, FALSE	cend	04-042/23:52:00.0
22248	M1O	04-043/00:04:41.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 38, 2004-040T23:52:00.100, 2004-042T23:52:00.100	PCKTS_RE_TX_TIME	04-042/23:52:15.8
22249	M1O	04-043/00:04:42.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 7, 2004-040T23:52:00.100, 2004-042T23:52:00.100	PCKTS_RE_TX_TIME	04-042/23:52:16.8
22250	M1O	04-043/00:04:43.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 5, 2004-040T23:52:00.100, 2004-042T23:52:00.100	PCKTS_RE_TX_TIME	04-042/23:52:17.8
22251	M1O	04-043/00:04:44.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 4, 2004-040T23:52:00.100, 2004-042T23:52:00.100	PCKTS_RE_TX_TIME	04-042/23:52:18.8
22252	M1O	04-043/00:04:45.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 3, 2004-040T23:52:00.100, 2004-042T23:52:00.100	PCKTS_RE_TX_TIME	04-042/23:52:19.8
22253	M1O	04-043/00:04:46.4		Queues in the retransmit buffer, by time range, designated packet from the specified APID.: 13, 2004-040T23:52:00.100, 2004-042T23:52:00.100	PCKTS_RE_TX_TIME	04-042/23:52:20.8
22254	M1O	04-043/00:04:46.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_auto_rexmit.cfg,	FSW_OBJ_INITIAL	04-042/23:52:20.8
22255	M1O	04-043/00:04:46.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22256	M1O	04-043/00:07:57.1		NOTE: Periapsis 9590 ----------		04-042/23:55:31.5
22257	M1O	04-043/00:09:28.3		NOTE: South Pole Crossing 9590		04-042/23:57:02.7
22258	M1O	04-043/00:11:47.4		Initializes the identified object using the specified files.: DWN_DPT, d:/cfg/dwn_dpt_nom_rt_only.cfg,	FSW_OBJ_INITIAL	04-042/23:59:21.8
22259	M1O	04-043/00:11:47.4	14	D/L Change: X/08, 1-Way, BW=3, BR=110600.0, FL=10112, SC=375KHZ, MOD=ON, MI=71.7, ANT=HGA		
22260	M1O	04-043/00:11:48.4		Initializes the telemetry software object with the contents of the specified file.: d:/tlm/tlm_rate_nom.cfg	CHAN_APID_CONFIG	04-042/23:59:22.8
22261	M1O	04-043/00:12:04.4		Selects whether HGA or the LGA will be used for receipt of uplink commands.: LGA2	RCVR_SELECT	04-042/23:59:38.8
22262	M1O	04-043/00:12:04.4	14	D/L RF Warning: SC antenna change - expect signal level variation		
22263	M1O	04-043/00:12:05.4		Assigns the command uplink rate.: 7_8125_BPS	UPLINK_RATE	04-042/23:59:39.8
22264	M1O	04-043/00:12:22.6		Loads the disignated sequence block from the file system.: 65535, d:/seq/cz508.abs	VM_LOAD	04-042/23:59:57.0
22265	M1O	04-043/00:12:23.6		Loads the disignated sequence block from the file system.: 65535, d:/seq/cm038.abs	VM_LOAD	04-042/23:59:58.0